MDM EXPRESS · INTERNAL TECHNICAL SPECIFICATION

Account Manager Module

The portfolio, health score, playbooks and capacity model that take a seller from activation to a durable commercial relationship — built as a ticket type inside the Omnichannel Support Platform, not as a system of its own.

HOW TO READ THIS DOCUMENT

Parts 0 and 1 are for every reader and define scope, vocabulary and the architectural decision everything else depends on. Parts 2 to 12 are the engineering specification. Every reader should read **Part 0.4 (Guiding principles)**, **Part 4 (The health score engine)** and **Part 11 (Configuration surface)**, because together they define what the score means and what Operations can change without a deployment. **Part 14 is the acceptance criteria** — the testable definition of done.

THIS DOCUMENT IS SUBORDINATE

The *Omnichannel Support Platform — Technical Specification v1.3* is the parent document and the platform this module is built on. Where the two disagree, **the platform specification wins and the discrepancy is a defect in this document**. The *Onboarding Agent Module Specification v1.0* is a sibling: it owns the seller until activation and hands over at the boundary defined in Part 3. Nothing here introduces a new datastore, a new routing engine or a second agent application.

DOCUMENT	STATUS	AUDIENCE
Technical Specification v1.0	**Ready for build — 5 decisions outstanding**	**Engineering, Product, Commercial, QA**

Contents

Part 0 — About This Document

Purpose, audience, the delivery package, glossary, guiding principles, out of scope.

Part 1 — System Overview

What the module is, its relationship to the support platform and the onboarding module, the core mental model.

Part 2 — Data Model

The seller record extension, the `am_task` ticket type, the lifecycle state machine, derived versus stored fields.

Part 3 — Assignment & The Handover

Where a managed seller comes from, the assignment algorithm, the book ceiling, reassignment.

Part 4 — The Health Score Engine

Five components, their formulas, the missing-source fallback, bands, the recompute job.

Part 5 — The Rule Engine & Alerts

Thirteen rules, the one-call-one-task constraint, escalation ladders, the sweep.

Part 6 — Playbooks

The first thirty days and its gates, churn prevention, cross-market expansion.

Part 7 — The Account Manager Workspace

Screen inventory, the docked conversation, saved views, and the scope boundary.

Part 8 — Capacity & The Time Model

How a week is priced, cadence as a rate, the binding constraint, the coverage arithmetic.

Part 9 — Roles & Permissions

The Account Manager role, the Administrator, scope isolation, field-level rules.

Part 10 — Metrics & Compensation

Eleven indicators, where each comes from, the bonus weighting, the shared metric.

Part 11 — Configuration Surface

Draft, simulate, publish, roll back — and what requires engineering instead.

Part 12 — The Admin Workspace

Operations, portfolio health, team performance, conversation monitoring, audit.

Part 13 — Delivery Plan & Open Decisions

Phases, dependencies on the platform build, and the decisions that block them.

Part 14 — Acceptance Criteria

The testable definition of done for every feature area.

Appendices

A. Permission matrix · B. Rule catalogue · C. Metric formulas · D. Configuration parameters · E. Decision log.

Part 0 — About This Document

0.1 Purpose

This document specifies the **Account Manager module** for the MDM Express platform: the section an account manager works in every day, the engine that decides which sellers need attention, the playbooks that define what attention means, and the administrative surface that governs all of it.

It exists because the account management function currently spans two systems that do not know about each other — the platform holds the data and an external tracker holds the work — and because the function is being formalised at the same time as the omnichannel support platform is being built. Specifying it afterwards would produce a second agent application, which the platform specification explicitly forbids.

0.2 Audience and the delivery package

Reader	Reads for
Engineering	Parts 2–8 and 11 are the build. Part 4 is the only part containing arithmetic that must be implemented exactly as written.
Product	Parts 0–1 and 13. Part 13 lists what is undecided and who decides it.
Commercial & Operations	Parts 4, 6, 8, 10 and 11 — the score, the playbooks, what a week holds, how performance is measured, and what can be changed without a deployment.
QA	Part 14 and Appendix B. Every acceptance criterion is written to be executable.

The package accompanying this document is:

- **A clickable HTML prototype** implementing every screen described here, in both roles, with a live health engine, a live rule engine and a live capacity model over 150 seeded sellers. The prototype is the normative reference for layout and wording; this document is the normative reference for behaviour.
- **Four design notes** held in the project workspace: the section specification, the health score engine, the capacity and time model, and the open decisions register.

0.3 Glossary

Term	Meaning in this document
Seller	An activated merchant account. Before activation the same entity is a *lead* and belongs to the Onboarding Agent module.

Term	Meaning in this document
Book	The set of sellers assigned to one account manager. Capped by `maxBook`.
`am_task`	The ticket type this module owns. Every unit of account management work is one.
Health	A derived score from 0 to 100, recomputed nightly. Never stored as an editable field.
Band	One of four ranges of the health score: Critical, At Risk, Healthy, Thriving.
Lifecycle stage	One of nine states a seller moves through. Derived, not typed.
Cadence	The interval between deliberate contacts, set by health band.
Exception task	A task opened because something went wrong, as opposed to a cadence task opened because a clock elapsed.
The window	The WhatsApp 24-hour customer-service window, enforced by the platform.
Administrator	The role that configures this module. Referred to throughout as *Admin*.

0.4 Guiding principles

These are not aspirations. Each one is enforced somewhere in the specification, and the place it is enforced is named.

PRINCIPLE 1 — ONE SYSTEM, MANY VIEWS

The account manager section is a typed rendering of platform entities, not an application. It introduces no datastore, no second inbox, and no conversation that exists only here. Inherited from the platform specification, Principle 2. *Enforced in Part 1.3 and Part 7.2.*

PRINCIPLE 2 — RULES OPEN WORK; THEY NEVER CLOSE IT AND NEVER MESSAGE A SELLER

An automation that can send a WhatsApp message unattended can spend template budget and damage a relationship while nobody is watching. An automation that can only put a task in front of a named person cannot. No rule in Appendix B has a send action. *Enforced in Part 5.1.*

PRINCIPLE 3 — HEALTH IS DERIVED, NEVER ASSERTED

No user, at any permission level, can set a seller's health score or lifecycle stage. Both are computed from the seller's own operational record. A seller cannot be moved out of trouble by editing a dropdown. *Enforced in Part 2.4 and Part 4.6.*

PRINCIPLE 4 — ONE CONVERSATION, ONE CALL

A seller has exactly one conversation, on exactly one business number, for the life of the relationship. And where several triggers would produce the same phone call, the most specific one claims the seller and the rest stand down. *Enforced in Part 5.3.*

PRINCIPLE 5 — HANDLE TIME IS DERIVED, NEVER SELF-REPORTED

The capacity model reads the record — tasks booked, their type, the seller's lifecycle stage and band. It does not read a timer, and no account manager is asked how long anything took. *Enforced in Part 8.2.*

PRINCIPLE 6 — EVERY DISABLED CONTROL STATES ITS OWN REASON

Permissions are legible rather than invisible. A control an account manager may not use is shown disabled with the reason attached, not hidden. The one exception is scope: sellers outside a manager's book are not shown at all, because listing them would be the leak. *Enforced in Part 9.3.*

PRINCIPLE 7 — CONFIGURATION IS VERSIONED AND SIMULATED BEFORE IT IS PUBLISHED

Every number in Appendix D changes what the platform does to a thousand sellers overnight. A change is a draft until published, publishing writes a full snapshot rather than a patch, and rollback restores that snapshot exactly. *Enforced in Part 11.*

0.5 Out of scope

- **Service tiers.** Excluded by decision — see Appendix E, D-03. Segmentation is by health band and lifecycle stage. If revenue tiers are introduced later they attach as a separate axis and must not set the service level.
- **Financial writes.** The account manager role cannot adjust a wallet, issue a credit, change a price or alter a plan. Where a seller's problem is financial, this module opens a coordination task to Finance.
- **Parcel and fulfilment operations.** Read-only throughout.
- **Seller acceptance and rejection.** Owned by the Onboarding Agent module up to activation.
- **The omnichannel agent workspace itself.** Specified in the parent document. This module docks it; it does not reimplement it.
- **Compensation administration.** Part 10 specifies how the indicators are computed and which feed the bonus. Payroll is out of scope.

Part 1 — System Overview

1.1 What this module is

An account manager owns roughly fifty activated sellers and is responsible for keeping them ordering, improving their delivery performance, and catching the ones that are drifting before they leave. The module gives that person four things:

1. A **portfolio** — their book, with a derived health score on every seller.
2. A **queue** — the work the platform has decided needs doing today, and why.
3. A **workspace** per seller, with the conversation docked beside the account record.
4. A **capacity model** that prices the week honestly enough to say when the book is full.

It gives the Admin a governing surface over all of it: the score weights, the alert thresholds, the time model, the automation rules, and an audit trail of every change.

1.2 Relationship to the two adjacent specifications

Document	Relationship
Omnichannel Support Platform v1.3	Parent and normative. Supplies contact, conversation, ticket, saved views, macros, templates, the session window, the permission framework and the audit trail. This module adds one ticket type and one typed rendering of it.
Onboarding Agent Module v1.0	Sibling and upstream. Owns the lead from registration to activation. The handover is specified in Part 3.1 and is the only automatic assignment in this module.
MDM platform (existing)	Source of every operational number this module reads: orders, parcels, delivery and return rates, wallet, catalogue, login timestamps. All read-only.

> **ON THE EXTERNAL WORK TRACKER**
>
> The account management function currently keeps its workflow in a separate task tracker while the platform holds the data. That arrangement is **superseded by this specification**. Interventions, business reviews, save campaigns, coaching and cross-team coordination all become `am_task` tickets on the seller they concern. There are no deep links to an external tracker and no synchronisation job, because both would recreate the problem: work nobody outside the account management team can see, on a seller whose record does not know it exists.

1.3 The core mental model


Everything in this module reduces to one sentence.

```
seller  =  one Contact
        +  one Conversation        (bound to the account manager's business number)
        +  N tickets of type `am_task`
        +  a derived health score and a derived lifecycle stage
```

The section owns **the work**. OmniDesk owns **the conversation**. The platform owns **the operational record**. The health score and the lifecycle stage are functions over the third, recomputed nightly, stored only as a cached result with the inputs that produced it.

This is the same shape as the onboarding module one level up the funnel: that module owns `onboarding_task` against a lead; this one owns `am_task` against an activated seller.

1.4 System context



1.5 What a working day looks like

This is not a requirement; it is the scenario the rest of the document is designed to satisfy, and it is drawn from the daily routine in the account management role definition.

Block	Activity	Where it comes from in this module
08:00–08:30	Dashboard review	My Day. Reserved time in the capacity model — not chargeable to any seller.
08:30–10:00	Proactive outreach	Cadence check-ins opened by rule `r13`, plus unplanned inbound.
10:00–12:00	Scheduled calls	Welcome calls, interventions, save campaigns, business reviews — all `am_task`.
13:00–14:30	Cross-team coordination	Coordination tasks from rules `r7` and `r8`; half of this block is reserved time.
14:30–16:00	Coaching	Coaching tasks from rule `r6` and playbook steps.
16:00–16:30	Log and close	The wrap-up allowance in the time model.

Part 8 shows that this routine and a fifty-seller book are consistent with one another, and what happens to that consistency when the book grows.

Part 2 — Data Model

2.1 What is added, and what is reused

This module adds **one ticket type**, **one field on the seller record**, and **five activity timestamps**. Everything else it needs already exists or is derived at read time.

Added	Where	Note
`am_task`	ticket type	A configuration row in the platform's ticket-type table, not a new table.
`assignedAccountManager`	seller	Nullable FK to user. The only field this module writes on the seller record.
`lastLoginAt`, `lastOrderAt`, `lastStoreUpdateAt`, `lastProductAddedAt`, `daysInactive`	seller	Feature F5, Seller Activity Tracking. Three of these are not yet written — see Part 4.4.

2.2 The `am_task` ticket type

Field	Type	Definition
`id`	string	Platform ticket id.
`seller_id`	FK	The seller this task concerns. Always set; an `am_task` with no seller is invalid.
`type`	enum	One of eight — see 2.3.
`title`	string	Human sentence, generated by the rule or typed by the opener.
`why`	text	**Required.** The reason this task exists, in the numbers that produced it. A task without a `why` is a task the next person cannot act on.
`priority`	enum	`urgent · high · normal · low`.
`due_at`	timestamp	Date only in practice; time of day is not modelled.
`rule_id`	string?	The rule that opened it, or the playbook step, or null when opened by hand. Used for deduplication — see 2.5.
`alert_key`	string?	Set when the task was opened by an alert trigger. Drives the escalation ladder shown on the task.
`escalated`	bool	Set when ownership of the *problem* moved up the ladder. Does not move the seller.

Field	Type	Definition
`done`, `done_at`, `outcome`	bool, ts, text	`outcome` is what the closer wrote. Required to close.
`counts_toward`	enum	Always `none`. Account management work is excluded from support SLA and CSAT, for the same reason onboarding is — see Part 10.1.

2.3 Task types and their booked minutes

The minute value is configuration, not code — see Appendix D. It is what the capacity model charges against the account manager's week when the task is open and due.

Type	Minutes	Opened by	What it is
`welcome`	30	`r1`	First real contact after activation. The only service level measured at 100%.
`checkin`	20	`r4`, `r13`, playbook	A deliberate contact. Two causes — see 2.6.
`intervention`	25	`r2`, `r3`	Something is going wrong now. Same-day call.
`save`	35	`r5`	A seller who has stopped. Longer because the conversation is harder and an offer is available.
`qbr`	45	`r9`	Business review. Ninety-day numbers with the seller and a plan for the next quarter.
`coach`	30	`r6`, playbook	Performance coaching, most often on returns.
`expansion`	40	manual	Cross-market work. Opened from the expansion playbook.
`coord`	15	`r7`, `r8`	Shortest, because the account manager is routing rather than solving.

> **WHY THE MINUTE VALUES LIVE IN CONFIGURATION**
>
> They are estimates. The thirty-minute welcome call comes from the role definition; the other seven are calibrated so that a full book reproduces the daily routine in Part 1.5. They are almost certainly wrong in detail, and the only way to fix them is to measure. Putting them in configuration means correcting them is an afternoon, not a release. Part 13 proposes how to measure them.

2.4 The lifecycle state machine

Nine stages. The stage is **derived on read** from account age, order history and health; it is not a column anyone can set.

Stage	Owner	Typical	Entered when
Pending Activation	OA	0–7 d	Registered, not yet activated. Visible here for continuity only.
New	AM	0–1 d	Activated and assigned. No welcome call logged yet.
Onboarding	AM	1–7 d	Welcome call logged.
Activated	AM	7–14 d	First order placed.
Active	AM	14–90 d	Order flow established.
Growth	AM	90–180 d	Volume rising, catalogue deepening.
Mature	AM	180 d +	Stable. On the business-review clock.
Recovering	AM	—	Decline, inactivity or unresolved friction, with an intervention open.
Churned	AM	—	No orders for `churnDays` after a save campaign closed unsuccessfully.

> **ON THE NAME “RECOVERING”**
>
> The role definition calls this stage *At Risk*. That name is not used here because *At Risk* is already a health band, and the two are independent: a seller can sit in the Recovering stage while scoring inside the Healthy band after an intervention has landed. Two things called the same thing on the same row is a defect, not a style preference. *Intervention* was rejected as the replacement because it is already a task type.

2.5 Deduplication

A rule may not open a second open task carrying the same `rule_id` on the same seller. This is the whole of the deduplication contract and it is checked at insert, not by a cleanup job. Rules are therefore idempotent by construction: running the sweep twice in a row opens nothing the second time, which is the property Part 14 tests.

2.6 Two kinds of check-in

A `checkin` task has two possible causes and they feel nothing alike:

Rule	Cause	Character
`r4`	No orders for `inactiveDays`	A problem. Something has stopped and nobody knows why.
`r13`	The band's cadence clock elapsed	Maintenance. Nothing is wrong; the account is owed contact.

They cost the same twenty minutes, so the capacity model treats them identically. The interface does not: the task chip reads **Check-in · no orders** or **Check-in · cadence**, and

the backlog table counts them as separate rows. Rendering them identically was a defect found in review.

Part 3 — Assignment & The Handover

3.1 The handover from Onboarding

There is exactly one automatic assignment in this module, and it is the boundary between the two modules. When the Onboarding Agent activates a seller, rule `r1` fires:

r1 — Seller activated by the Onboarding Agent

```
ON     seller.join_status transitions to accepted
WHEN   assignedAccountManager IS NULL
THEN   assign by market, then lowest book
       emit SELLER_ASSIGNED
       open am_task welcome, priority urgent, due now + welcomeCallH
```

3.2 The selection algorithm

```
candidates = account managers whose market == seller.country
             AND book_size < maxBook

if candidates is empty:
    → leave assignedAccountManager NULL
    → raise an operational alert to Admin (not to an account manager)
    → the seller appears in "Sellers with no account manager" in Audit & Quality

else:
    pick the candidate with the smallest book_size
    ties broken by the earliest last-assignment timestamp
```

Two deliberate omissions. The algorithm does **not** balance by committed minutes, only by head count, because a book's mix changes daily and an assignment that was balanced on Tuesday is not on Wednesday — chasing that would move sellers between managers, which Principle 4 forbids. And it does **not** fall back to another market when the home market is full, because language and market knowledge are the point of the assignment; a full market is an operational problem, and the specification's job is to surface it, not to paper over it.

> **A FULL MARKET IS A VISIBLE FAILURE, NOT A SILENT ONE**
>
> When every account manager in a market is at the ceiling, newly activated sellers accumulate unassigned. This is intended. The alternative — assigning past the ceiling — produces a book that cannot be served and a service level that fails quietly across every account in it. The unassigned count is a standing quality check in Part 12.5 and its target is zero.

3.3 The book ceiling

`maxBook` defaults to **50**. Part 8 derives that number rather than asserting it, and shows that on the seeded books it is the binding constraint: there are spare hours but no spare seats. The ceiling is configuration and the Admin can raise it, but Part 8.5 states what raising it costs and at what point hours bind instead.

3.4 Reassignment

Reassignment is available **to the Admin only**, from All Sellers, in bulk, and it requires a written reason that is stored on the audit trail. It is not available to an account manager in either direction, and no rule performs it.

Rule `r12` exists and is **off by default**. It detects an unbalanced pair of books in the same market and proposes a reassignment; it cannot execute one. This is the only rule in the catalogue whose action is a proposal, and it is shipped disabled so that the proposal is a decision somebody makes rather than a notification everybody ignores.

> **WHY REASSIGNMENT IS NEVER AUTOMATIC**
>
> A seller has spent weeks learning that one person, on one number, answers when they message. Moving them is a cost paid by the seller to solve a problem belonging to the platform. That trade is sometimes right — a language mismatch, a manager leaving — but it is a judgement, and judgement is what the Admin is for.

3.5 What happens to the conversation

On reassignment the conversation history is preserved in full and the thread continues under the new manager's business number. The seller sees a different name and number from that point forward; nothing prior is hidden or rewritten. A system message is posted on the conversation recording the change, visible to the team and not to the seller.

Part 4 — The Health Score Engine

This is the part that must be implemented exactly as written. Everything downstream — which sellers get called today, what the cadence is, which band a book reports — is a function of this number.

4.1 Shape

Five components. Each scores **0 to 100 independently**, then they combine as a weighted mean:

```
health = round( Σ (component_score × component_weight) / Σ component_weight )
```

The denominator is the *sum of the weights actually in use*, not a constant 100. Part 4.4 explains why that distinction carries the whole fallback behaviour.

Component	Weight	Reads
Order Activity	30%	Orders in the last four weeks against the four before, floored by absolute inactivity.
Delivery Performance	25%	Delivery rate against target, blended with return rate.
Engagement	20%	Login recency and contact recency. **No data source today** — see 4.4.
Financial Health	15%	Wallet position and days negative.
Growth Potential	10%	Catalogue depth, markets served, month-over-month growth.

4.2 Component formulas

Order Activity

```
recent = Σ orders over weeks 5..8   (the last four weeks)
prior  = Σ orders over weeks 1..4   (the four before that)

if stage == New:                        score = 50    // no baseline yet
else if prior == 0 and recent == 0:     score = 5     // eight weeks of nothing
else if prior == 0:                     score = 85    // first activity on record
else: score = clamp( 50 + 55 × (recent − prior) / prior , 0 , 100 )

// absolute inactivity overrides the trend — see 4.3
if daysInactive ≥ churnDays     : score = min(score, 5)
else if daysInactive ≥ saveDays : score = min(score, 20)
else if daysInactive ≥ inactiveDays : score = min(score, 40)
```

Flat performance scores 50. A doubling scores 100. A halving scores about 22.

Delivery Performance

```
delivery_part = clamp( deliveryRate / deliveryTarget × 70 , 0 , 100 )
returns_part  = clamp( 100 − max(0, returnRate − 15) × 3.2 , 0 , 100 )

if stage == New: score = 50          // no parcels yet
else:            score = round( delivery_part × 0.65 + returns_part × 0.35 )
```

Hitting the delivery target scores 70 on that half, not 100 — the target is the floor of acceptable, not the definition of excellent; roughly 50% delivery is needed to score full marks. On returns, 15% or below scores 100, the 24% target lands near 71, and 40% collapses to 20.

Engagement

```
score = round( clamp(100 − daysSinceLogin × 7, 0, 100) × 0.6
             + clamp(100 − daysSinceContact × 3.5, 0, 100) × 0.4 )
```

Financial Health

```
if wallet ≥ 0: score = round( clamp( 80 + min(20, wallet / 250) , 0, 100 ) )
else:          score = round( clamp( 60 − walletNegativeDays × 1.6 , 0, 60 ) )
```

A settled wallet with no balance scores 80; a large balance reaches 100. A negative wallet caps at 60 and decays to zero over about five weeks.

Growth Potential

```
score = clamp( 30
             + min(products, 40) × 1.1
             + (markets_served − 1) × 14
             + clamp(momGrowthPct, −40, 60) × 0.5 , 0, 100 )
```

4.3 The inactivity floor

THE MOST IMPORTANT LINE IN THE ENGINE

Without the floor, a seller who stopped ordering last Tuesday still reads as healthy for about three more weeks, because their four-week comparison has not caught up. A seller can be up forty per cent on the trend and already gone. The floor is what makes the score a present-tense statement rather than a lagging one.

4.4 The fallback, and why it is a redistribution

Feature F5 — Seller Activity Tracking — is **not shipped**. Until `lastLoginAt`, `lastStoreUpdateAt` and `lastProductAddedAt` are written, Engagement has no data source.

```
if not engagementLive:
    e = weight(Engagement)
    weight(Engagement) = 0
    weight(Order Activity) += round(e / 2)
    weight(Delivery)       += e − round(e / 2)

// with defaults: Activity 40 · Delivery 35 · Engagement 0 · Financial 15 · Growth 10
```

WHY NOT SIMPLY SCORE OUT OF 80?

Because the bands are absolute. A seller scoring 64 out of 80 is Healthy; the same seller rendered as 64 out of 100 is At Risk and gets called. Dropping a component from the numerator without dropping it from the denominator makes every seller on the platform look worse than they are, moves thousands of accounts between bands, and generates work that nothing real justifies. The redistribution keeps the score comparable against a fixed scale, which is the only property that makes bands meaningful.

`engagementLive` is a configuration flag, not a deployment. When F5 ships, the Admin turns it on, simulates, and publishes. Every seller workspace states in plain language which weighting produced the number in front of the reader while the fallback is active.

4.5 Bands

Band	Range	Implies	Contact cadence
Critical	0–40	Same-day intervention	`cadRisk` — 8 days
At Risk	41–60	Contact within 48 hours	`cadRisk` — 8 days
Healthy	61–80	Normal cadence	`cadHealthy` — 18 days
Thriving	81–100	Growth conversation	`cadThriving` — 26 days

The band names an action, not a colour. This is what replaces service tiers: attention follows the state the account is in, not the revenue it produces. A low-volume seller in Critical gets a same-day call ahead of a high-volume seller in Thriving, and that ordering is the point.

4.6 The recompute job

Property	Value
Schedule	Daily, 02:00 UTC.
Scope	Every seller with `join_status = accepted`, including Churned.
Output	Cached score, band, the five component scores, and the input values that produced each. The inputs are stored so that a score can be explained months later without replaying history.
On failure	Retain the previous day's score, flag it stale in the interface, alert Admin. Never write a partial recompute: a book where half the scores are yesterday's and half are today's is worse than a book where all of them are yesterday's.
Ordering	Health is recomputed *before* the rule sweep runs, because most rules read it.

4.7 Explainability is a requirement, not a nicety

Every component, everywhere it is displayed, carries a sentence stating what produced it — for example *“60 orders in the last four weeks against 159 before — down 62%”*. An account manager who cannot account for a number will not act on it, and an account manager who acts on a number they cannot account for is worse. The sentence is generated by the engine alongside the score, not written by the interface.

4.8 Worked example

Taken from the prototype, seller `MDM-S-0207`, on the current fallback weighting:

Component	Score	Weight	Contributes	Because
Order Activity	16	40%	6	60 orders in four weeks against 159 before
Delivery Performance	27	35%	9	19% delivery, 44% returns
Engagement	n/a	0%	0	F5 not live — weight redistributed
Financial Health	6	15%	1	−$380, negative for 34 days
Growth Potential	35	10%	4	23 products, one market, −62% month over month
Health			**20**	**Critical**

Part 5 — The Rule Engine & Alerts

5.1 What a rule may and may not do

THE GOVERNING CONSTRAINT

A rule may **open a task**, **emit an alert**, **upgrade an existing task in place**, and **write to the timeline**. A rule may **not** close a task, send a message on any channel, spend template budget, change a seller's ownership, or write to the operational record.

The asymmetry is deliberate. Closing work is a human act because only a human knows whether the underlying problem is actually solved; a rule that can close its own task will eventually close one that should have stayed open. Sending is worse: an automation that can message a seller unattended can burn Meta template budget and damage a relationship at three in the morning, and the only thing standing between that and production is a threshold somebody typed.

5.2 When rules run

Trigger	Rules	Notes
Nightly sweep, after the health recompute	`r2 r3 r4 r5 r6 r8 r9 r10 r11 r13`	The main path. Runs against every accepted seller.
Event — activation	`r1`	Immediate, so the 24-hour welcome clock starts at activation rather than at 02:00 the next morning.
Event — support ticket state change	`r7`	Immediate.
On demand	all	Admin can run the sweep manually. Used after publishing configuration — see Part 11.4.

5.3 One call, one task

Health-critical, order-decline and inactivity are three different triggers that all end in the same phone call. Left alone they open three tasks on one seller, and a queue that shows three rows for one conversation stops being believable. The engine resolves this by **precedence**:

```
hasCall(seller) = any open task of type intervention | save | checkin

// evaluated in this order, each guarded by hasCall():
1. r5   save campaign      (inactive ≥ saveDays)      — most specific
2. r2   health critical    (health < healthCritical)
3. r3   order decline      (week-on-week drop)
4. r4   inactivity checkin (inactive ≥ inactiveDays)  — least specific
```

The most specific trigger claims the seller; the rest stand down. Coordination, coaching and business-review tasks are *not* in the guard, because they are genuinely different work — a seller can legitimately need both an intervention call and a Finance coordination.

In-place upgrade

One exception to precedence. If a seller crosses into Critical while a routine cadence check-in (`r13`) is already open, the engine does not stand down and it does not open a second task. It **upgrades the existing check-in in place**: type becomes `intervention`, priority becomes urgent, due date becomes today, and the `why` records that it was upgraded when the score crossed the line. The account manager still has one call on the book — it has simply become a different call.

5.4 The alert triggers

Seven alert keys. Every one opens a task; none is a notification that can only be read and dismissed. The escalation ladder is a property of the alert and is displayed on the task itself, so the next owner is visible before anyone needs it.

Alert	Opens	Priority	Escalates to
`SELLER_ASSIGNED`	welcome	urgent	Admin after 24 h
`SELLER_HEALTH_CRITICAL`	intervention	urgent	Commercial Director after 72 h
`SELLER_ORDER_DECLINE`	intervention	high	Commercial Director after 72 h
`SELLER_INACTIVE`	checkin, then save	high → urgent	Save campaign at `saveDays` ; Admin notified
`SELLER_HIGH_RETURNS`	coach	high	Operations if the pattern is market-wide, not seller-specific
`SELLER_SUPPORT_ESCALATION`	coord	urgent	Head of Support on SLA breach
`SELLER_PAYMENT_ISSUE`	coord	normal	Finance owns the fix

5.5 Escalation moves the problem, not the seller

Escalating sets `escalated` on the task, raises its priority, notifies the next owner, and writes an audit entry. It does **not** change `assignedAccountManager` , does not move the conversation,

and does not tell the seller anything. The account manager remains the account manager and the seller keeps messaging the same number.

A written reason is required. An escalation with no note is a handover the next owner cannot act on, and it is a standing quality check in Part 12.5 with a target of zero.

5.6 The rule catalogue in brief

Full definitions are in Appendix B. Eleven of thirteen ship enabled.

Rule	Fires when	Opens	State
`r1`	Seller activated, no manager	welcome, +24 h	live
`r2`	Health below `healthCritical`	intervention, today	live
`r3`	Week-on-week drop > `orderDropPct`, on ≥ 5 prior-week orders	intervention, today	live
`r4`	No orders ≥ `inactiveDays`	checkin, today	live
`r5`	No orders ≥ `saveDays`	save, today	live
`r6`	Returns > `returnAlertPct` for `returnAlertWeeks`	coach, +2 d	live
`r7`	Unresolved tickets ≥ `ticketAlert`	coord, today	live
`r8`	Wallet negative ≥ `walletDays`	coord, +1 d	live
`r9`	Mature and ≥ `qbrDays` since last review	qbr, +7 d	live
`r10`	Onboarding playbook step comes due	per step	live
`r11`	Inactive ≥ `churnDays` after a failed save	stage → Churned	**off** — blocked, see 5.7
`r12`	Book over ceiling with a lighter book in market	proposal only	**off** — by design, Part 3.4
`r13`	Days since contact ≥ band cadence	checkin, today	live

5.7 Why `r11` is disabled

Marking a seller Churned should be automatic, and it cannot be, because there is nowhere to record whether a save campaign succeeded. The save task closes with free-text `outcome`, which a rule cannot read. Until a structured outcome field exists on the save task, churn is

set by hand and the churn-reason breakdown on the Team Performance screen is entered rather than derived. One field closes both gaps — see Part 13, D-04.

5.8 Noise control

Three mechanisms, all of them load-bearing:

- **Deduplication by** `rule_id` (Part 2.5) stops the same rule reopening the same task nightly.
- **Precedence** (Part 5.3) stops four triggers producing four versions of one call.
- **A minimum volume gate on** `r3` — the decline rule requires at least five orders in the prior week, or it fires on ordinary weekly noise from small sellers and trains everyone to ignore it.

> **THE TEST THAT MATTERS**
>
> Running the sweep twice in succession must open zero tasks the second time. Part 14 tests this explicitly, because a rule engine that is not idempotent will fill a queue overnight and no threshold change will rescue it.

Part 6 — Playbooks

Three playbooks. They are not documents an account manager is expected to remember — each one is wired to rules that open the work when it comes due.

6.1 The first thirty days

A seller who places a first order inside seven days and clears the day-14 review almost never churns. A seller who drifts through the first month becomes a save campaign. Eight steps, opened by rule `r10` on the day each comes due.

Day	Step	Gate	Content
0	Assignment and welcome message	*none*	Seller assigned, WhatsApp welcome sent, call slot proposed.
1	Welcome call	Call logged	Thirty minutes. Platform walkthrough, expectations, first questions.
3	Store setup complete	≥ 3 products	Branding, payout details, first products live.
5	First order coaching	≥ 1 order	Pricing, photos, confirmation calls, what drives delivery.
7	Day-7 check-in	First order placed	Blockers, first delivery results, questions from week one.
14	Performance review	≥ 5 orders	Delivery and return rates against the band, with real parcels.
21	Growth conversation	≥ 5 products	Catalogue depth, a second market, where the next orders come from.
30	Month-one review	Health > 60	A written plan for month two.

Gates

A STEP WHOSE GATE IS FALSE CANNOT BE TICKED COMPLETE

The gate is a fact read from the seller's own operational record, evaluated live. The point of the playbook is not that the account manager performed an activity — it is that the seller reached a state. Allowing a step to be ticked while its gate reads false converts the playbook into a self-certification, which is worth nothing to the person reading it next.

Attempting to tick a step whose gate is unmet is refused in the interface with the gate named. A count of steps ticked without their gate is a standing quality check with a target of zero — it should be structurally impossible, and the check exists to prove it stays that way.

6.2 Churn prevention

Churn is a sequence of signals, not an event. By the time a seller says they are leaving, the decision was made weeks earlier. Six triggers, each with a defined action and a named next owner.

Trigger	Fires when	The account manager does	Escalates to
Order decline	Week below `orderDropPct` of the prior week, ≥ 5 prior orders	Calls the same day. Establishes whether it is stock, cash, a competitor, or something we broke.	Commercial Director at 72 h
High returns	Above `returnAlertPct` for `returnAlertWeeks`	Product and pricing review — photos, description accuracy, confirmation calls, in that order.	Operations if market-wide
Inactivity	No orders for `inactiveDays`	Calls with something concrete: a re-engagement rate, a listing review, help with stock.	Save campaign at `saveDays`
Support escalation	≥ `ticketAlert` unresolved tickets	Takes ownership of the resolution. The seller should not chase two teams.	Head of Support on SLA breach
Competitor signal	Mentioned in conversation, or a drop with no operational cause	Competitive analysis, then a retention case built on what MDM does better in that market.	Commercial Director — pricing is not the AM's to give away
Payment issue	Wallet negative ≥ `walletDays`	Coordinates with Finance. Owns the relationship; Finance owns the money.	Finance from the moment the task opens

Five of the six are automated. The competitor signal is not, because it has no machine-readable trigger — it is a judgement an account manager makes from a conversation, and the playbook exists to tell them what to do once they have made it.

6.3 Cross-market expansion

MDM delivers in Libya, Iraq and Lebanon. A seller thriving in one of them is the cheapest market entry available: no acquisition cost, a proven catalogue, an existing relationship. Target is three completed expansions per account manager per quarter.

Phase	Duration	Gate to pass	Content
1	1 week	Health > 80, delivery at or above target	Assessment. Product fit, margin after cross-border shipping, stability of the home market.

Phase	Duration	Gate to pass	Content
2	1 session	Seller agrees in writing to a test batch	Briefing on what differs — pricing expectations, return behaviour, confirmation-call culture.
3	1–2 weeks	Listings live and priced	Setup. Listings adapted, local pricing, shipping configured, support coverage confirmed.
4	2 weeks	10–20 orders delivered, returns inside the band	Soft launch.
5	ongoing	Second market self-sustaining	Scale. Folded into the normal review cadence.

PHASE 4 IS NOT SKIPPABLE

Cross-border return behaviour is not domestic return behaviour. A seller who goes straight from listings to volume discovers that with a hundred parcels instead of fifteen. Twenty test orders cost almost nothing and answer the only question that matters — whether the margin survives the real return rate.

Expansion tasks are opened manually from the playbook screen, which lists the sellers in the reader's own book that clear the phase-1 gate today. No rule opens them: the decision to spend forty minutes on an expansion assessment is commercial, not mechanical.

Part 7 — The Account Manager Workspace

7.1 Screen inventory

Screen	Route	Contains
My Day	`#/`	Capacity for the week, the prioritised queue, the first-30-days cohort, portfolio health distribution, sellers gone quiet.
My Portfolio	`#/portfolio`	Saved-view rail, search, sort, and the book as a table with health, stage, an eight-week order sparkline, delivery, returns, last contact, open work.
Seller workspace	`#/seller/:id`	Split: the account on the left, the conversation docked on the right. See 7.3.
Tasks	`#/tasks`	Every `am_task` with filters, the open backlog costed in minutes, and the week's capacity card.
Alerts	`#/alerts`	The seven triggers as an inbox. Every row has already opened a task.
Playbooks	`#/playbooks`	The three playbooks, each wired to live data from the reader's own book. Plus the macro and template indexes.
My Performance	`#/kpis`	Eleven indicators against target, each marked with its source; the bonus weighting; book composition.

7.2 The docked conversation

The seller workspace is a two-column split: work on the left, the OmniDesk conversation on the right. The right-hand pane is **the platform's conversation component, docked** — not a reimplementation and not a copy. Everything the platform enforces is enforced here without this module knowing about it:

- The **24-hour session window**, with its state shown as a live chip and the composer replaced by a template picker when the window is closed. The block is server-side; the composer change is a courtesy, not the control.
- **Approved templates only** when the window is shut, each send marked billable in the thread.
- **Internal notes** excluded from every seller-facing view by construction.
- **Collision awareness** when another user has the same conversation open.
- An **Open in OmniDesk** control, because it is one conversation with two views and the reader should be able to get to the other one.

The pane header states the business number the conversation runs on, because that number is what makes the relationship legible to the seller: one person, one line, for the life of the account.

7.3 The seller workspace, left column

Card	Contents
Identity and lifecycle	Health ring, band, stage, phone, the nine-stage lifecycle rail with the current stage marked, and the stage's definition and typical duration.
Health breakdown	All five components with weight, score and the sentence that produced it. States the fallback weighting explicitly while it is active.
The numbers	Orders this week, last 30 days, lifetime; delivery, returns, cancellations against target; wallet; catalogue; open support tickets. All read-only and labelled as such.
First thirty days	The eight-step tracker with live gates. Shown while the seller is inside day 45, or whenever a step is incomplete.
Open work	Every open `am_task` with its `why`, its escalation ladder, and complete / escalate / reschedule controls.
Account history	Assignment, calls, reviews, task events, escalations, stage changes.

7.4 Saved views

The platform's saved-view model provides system, team and personal views. This module uses the mechanism but **not** that grouping, for a reason worth stating: system / team / personal describes *who owns the view definition*, while an account manager reads a rail as *whose sellers am I looking at*. Grouping by the first while the reader assumes the second produced a rail where two adjacent buttons had different denominators and nothing said so.

> **SCOPE IS APPLIED ONCE, BY ROLE — NEVER PER VIEW**
>
> An account manager's every view is their own book. The Admin's every view is the platform. No view carries its own scope rule, so no two views on the same rail can disagree about what they are counting.

That frees the rail to group by what a view is *for*:

Group	Views
(default)	**My portfolio** — the book excluding Churned. Rendered as *All active* for the Admin.
Needs attention	Needs action · Critical health · At risk · No orders 7 d + · High returns · Not contacted 14 d
Segments	In onboarding · Thriving · Expansion ready · Recovering · Churned

The rail wraps rather than scrolling horizontally. Twelve views behind a scrollbar is eleven views nobody finds.

7.5 The scope boundary

An account manager **cannot see another manager's sellers at all**. This is a change from the sibling onboarding module, where an agent can read every lead and edit only their own.

Surface	Behaviour
Saved views	Every view is filtered to the book. There is no All Sellers view.
Global search	Scoped to the book, and says so in the result banner.
Direct URL to a foreign seller	Refused with *“Not in your book”* and a route back. The permission is real, not merely out of reach.
Portfolio table	No account-manager column — every row belongs to the reader by construction.

WHAT THIS COSTS, STATED PLAINLY

Three things stop working. An account manager can no longer cover for an absent colleague, cannot look up a seller another manager mentions, and cannot request a transfer — requesting the transfer of an account you cannot see is incoherent, so that path is removed rather than left dangling. All three become Admin actions. This is the accepted trade; it is recorded as D-05 in Appendix E so that it is revisited deliberately rather than rediscovered as a bug.

7.6 Macros and templates

Both come from the platform. The distinction the parent specification draws is preserved exactly:

- A **macro** is internal. It applies changes to the record and writes a note. It never sends anything to a seller by itself.
- A **template** is a Meta-approved message and the only way to reach a seller whose window has closed. Every send is billable and is marked as such in the thread.

Six macros and six templates ship with the module; both lists are configuration. The template list is short deliberately — see Part 13, D-06, on the platform-wide template budget.

Part 8 — Capacity & The Time Model

The question this part exists to answer is **how many sellers one account manager can actually hold**. The role definition asserts about fifty without showing the arithmetic. This is the arithmetic.

8.1 The week

```
shift      = shiftMin × workDays              = 480 × 5   = 2400 min = 40 h
reserved   = round(shift × reservedPct / 100)            = 360 min  =  6 h
assignable = shift − reserved                            = 2040 min = 34 h
```

Reserved time is the standup, internal meetings and training — the parts of the daily routine in Part 1.5 that are not chargeable to any seller. Fifteen per cent corresponds to the 08:00–08:30 dashboard review plus roughly half the coordination block.

8.2 What fills it

```
baseline  = Σ over book of stageBaseline(seller)        // unplanned messaging
cadence   = Σ over book of cadenceRate(seller)          // deliberate contact, as a
rate
taskMins  = Σ minutes of exception tasks due within 7 days
            (excluding rule r13 — already counted in `cadence`)

committed = round( (baseline + cadence + taskMins) × (1 + wrapPct/100) )
free      = assignable − committed
util      = committed / assignable
```

Stage baselines — unplanned minutes per seller per week

New	Onboarding	Activated	Active	Growth	Mature	Recovering	Churned
30	40	20	8	10	6	20	2

Cadence as a rate — the correction that made the model honest

```
cadenceRate(seller) = 0                                  if stage ∈ {New, Onboarding,
Activated, Churned}
                    = round( mCheckin × 7 / cadDays(band) )   otherwise

// At Risk / Critical : 20 × 7 / 8  = 18 min/week
// Healthy            : 20 × 7 / 18 =  8 min/week
// Thriving           : 20 × 7 / 26 =  5 min/week
```

WHY A RATE AND NOT A COUNT

Deliberate contact recurs. Counting only the check-in tickets that happen to be open on the day you look understates a full book by roughly a third — it reported fifty sellers as 64% of a week when the honest figure is nearer 80%. A recurring obligation costs something every week, whether or not its ticket is open today. Onboarding stages are excluded because the thirty-day playbook already books their contact and counting both would double-bill it.

8.3 What the model produces

On the three seeded fifty-seller books:

Account manager	Book	Committed	Utilisation	Binding constraint
Libya	50	26 h / 34 h	77%	book ceiling
Lebanon	50	29 h / 34 h	84%	book ceiling
Iraq	50	29 h / 34 h	87%	book ceiling

Average marginal cost of a seller in a real book: **about 31 minutes a week**.

8.4 The binding constraint

```
headroom     = maxBook − book_size
perSeller    = round(committed / book_size)     // the book's own average, not the
cheapest seller
slotsByTime  = floor(free / perSeller)

binding = "time"         if free ≤ 0
        = "book ceiling" if headroom ≤ 0
        = "time"         if slotsByTime < headroom
        = "book ceiling" otherwise

slots = max(0, min(slotsByTime, headroom))
```

The interface always names which constraint binds and never reports one without the other. “You are at 77%” and “you are full” are different problems with different fixes, and a capacity display that cannot distinguish them is decoration.

MARGINAL COST IS THE BOOK'S AVERAGE, NOT THE CHEAPEST POSSIBLE SELLER

An earlier version priced a new seat at the Active baseline alone and claimed room for twenty-two more sellers. A new account arrives with tasks attached; the honest figure was ten. Pricing the marginal seller at the minimum is how a capacity model ends up recommending an unserviceable book.

8.5 Mix matters more than count

A book weighted towards onboarding and recovering sellers runs out of hours long before it runs out of seats. The capacity card decomposes the week into onboarding / critical / at-risk / steady so that this is visible rather than inferred, and so that an Admin considering a reassignment can see whether they are moving head count or moving load.

8.6 The coverage arithmetic

THE FINDING THIS PART EXISTS TO SURFACE

At a fifty-seller ceiling, giving every accepted seller a named account manager requires **about 22 account managers**. The current plan is three.

With roughly 1,051 accepted sellers and three managers at the ceiling, about 150 have a named manager and about 900 do not. There are three honest responses:

1. **Hire** to the coverage the service level implies.
2. **Raise the ceiling and accept thinner service.** The time model says roughly 62 is reachable before hours bind — which covers 186 sellers, still under a fifth of the base. Past that the cadence has to lengthen, which is a service-level decision rather than a capacity one.
3. **Decide openly which sellers are managed and which are self-serve, and say so.** This is where revenue tiers would legitimately enter: not to set the service level for managed sellers, but to decide who is managed at all.

There is a fourth outcome, which happens by default if nobody chooses: a ceiling that is quietly exceeded, and every account manager silently failing the same service level. The Operations screen states the gap in full rather than showing a healthy tile over 150 sellers.

8.7 What the model does not account for

- **Travel and in-person visits.** Not in the role definition. If they happen they come straight off assignable time.
- **Inbound variance.** Baselines are averages; a seller having a bad week costs more than their stage suggests.
- **Ramp.** A new account manager does not carry fifty sellers in month one.

CALIBRATION, NOT MEASUREMENT

The *shape* of this model is drawn from the role definition's daily routine, and the thirty-minute welcome call is taken from it directly. The other seven task durations and all eight stage baselines are calibrated estimates — chosen so a full book reproduces that routine. The weakest number is the **8 minutes per week for an Active seller**, which is also the single largest lever in the model. Part 13 proposes the measurement that would settle it.

Part 9 — Roles & Permissions

9.1 Two roles

Role	Scope
Account Manager	Their own book. Full working rights on those sellers; no visibility of any other.
Administrator	Every seller, every account manager, the configuration surface, the audit trail, and conversation monitoring.

The Administrator is referred to as **Admin** throughout the interface. External escalation targets — Commercial Director, Head of Support, Operations, Finance — are people outside this module and are not platform roles.

9.2 What the Account Manager may write

The role is deliberately read-heavy. It can write exactly three things:

Write	Constraint
`sellers/write/update`	Limited to fields the role owns. It cannot change join status, plan, pricing or ownership.
`am_task` create / update / close	Own book only. Closing requires an `outcome`.
Support ticket create	On behalf of a seller in the book.

Read access spans sellers, stores, orders, parcels, analytics, call-centre statistics, plans, products, shipping, referrals and payments — scoped, in every case, to the book.

Explicitly excluded

- Financial writes of any kind — wallet adjustments, credits, refunds, payouts.
- Seller create, accept or reject; join-status transitions. These belong to the Onboarding module.
- Pricing and plan changes.
- Fulfilment and parcel status changes.
- Admin and user management.
- Reassignment, in either direction.
- Configuration of any parameter in Appendix D.

9.3 Legibility, and its one exception

PRINCIPLE 6 IN PRACTICE

A control the account manager may not use is rendered **disabled with its reason attached**, not hidden. A hidden control teaches nothing; a disabled one with a sentence teaches the permission model in the moment it matters.

The exception is **scope**. Sellers outside the book are not shown at all — not greyed, not listed, not counted. Listing them with a lock icon would leak exactly the information the boundary exists to withhold: who else exists, how many, and how they are doing. Scope is the one permission that must be invisible rather than legible.

9.4 Enforcement

Every rule in this part is enforced server-side. The interface behaviours described in Part 7.5 — the filtered rail, the scoped search, the refused route — are conveniences that make the boundary legible. They are not the boundary. A request for a seller outside the caller's book returns not-found regardless of what the interface rendered.

9.5 The audit trail

Written for: configuration publish and rollback, reassignment, escalation, conversation take-over, block requests, and bulk task creation. Each entry carries actor, timestamp, the entity, and the written reason where one is required. Appendix A is the full matrix.

Part 10 — Metrics & Compensation

10.1 Account management is excluded from support metrics

`am_task` carries `counts_toward: none`. Account management work does not appear in support SLA, first-response time or CSAT — for the same reason onboarding does not. A business review scheduled for next Tuesday is not a support ticket breaching its SLA, and letting it appear as one corrupts both numbers: the support team's performance and the account manager's.

10.2 The eleven indicators

Indicator	Target	Bonus	Source	Definition
Seller retention	≥ 85%	30%	derived	Sellers still active at quarter end, of those who started it in the book.
Net revenue retention	≥ 110%	25%	finance	Revenue from the same book this quarter against last, expansion included.
Delivery improvement	+5 pp	20%	derived	Book-average delivery rate against the quarter-start baseline.
Seller activation rate	≥ 70%	15%	derived	Assigned sellers reaching a first order. **Shared with the Onboarding Agent.**
Cross-market expansions	≥ 3	10%	derived	Sellers taken from one market to two, through the soft launch.
Welcome call SLA	100%	—	derived	Welcome calls placed within `welcomeCallH` of assignment.
Cancellation reduction	−3 pp	—	derived	Book-average cancellation rate against quarter start. Lower is better.
Plan upgrades	≥ 15%	—	billing	Sellers moving to a higher plan in the quarter.
Response time	< 4 h	—	omnidesk	Median first response on a seller message, from the conversation record.
Business reviews	100%	—	derived	Reviews completed against reviews that came due on the 90-day clock.
Seller satisfaction	≥ 8/10	—	survey	Post-interaction survey. **Not wired** — the platform defers CSAT to a later phase.

Six of eleven are derived from the platform today. Every indicator is labelled in the interface with its source, and an indicator whose source does not yet exist says so rather than displaying a plausible number.

10.3 The welcome call SLA is measured at 100%

Not as an average. One missed call is a failure, not a rounding error. A seller who registers, gets activated, and then hears nothing for three days has already formed a view of what MDM is like to work with — and the call is not about information, because the resource hub carries the information. It is about the seller having a name and a number.

10.4 The shared metric

ACTIVATION IS WORTH 15% OF BOTH BONUSES

A seller qualified badly and a seller onboarded badly fail in exactly the same way, and neither role can fix it alone. Paying both roles on the same number removes the argument about whose fault it was. Finance should confirm they are comfortable paying one metric twice — it is recorded as D-07 in Appendix E.

10.5 What must not be built on these numbers

The time model in Part 8 produces derived handle time. It exists to answer *how full is this week* and *can this book take another seller*. It must not be used to rank account managers by speed, to set a minutes-per-seller target, or to justify a headcount decision on its own.

The reasons are mechanical, not sentimental. The minute values are calibration rather than measurement (Part 8.7); they are identical for every manager, so any difference between two managers reflects their book's mix, not their effort; and a manager who learns that lower derived handle time scores better will start closing tasks faster rather than better. A measure that changes the behaviour it measures stops measuring it.

Part 11 — Configuration Surface

11.1 Why configuration is versioned

Every number in Appendix D changes what the platform does to a thousand sellers overnight. Dropping the inactivity trigger from ten days to seven opened forty tasks the following morning. Changing a health weight moves sellers between bands, and bands decide who gets called today.

So the discipline is the same one the parent platform applies to its own configuration:

```
draft  →  simulate  →  publish  →  (roll back)
```

11.2 Draft

A changed value opens a draft. Nothing takes effect until publish. The draft is visible as a pending bar naming every changed parameter and its before and after value, and it can be discarded whole.

11.3 Simulate

Simulate answers the only two questions that matter before publishing:

1. **How many sellers change band?** Before and after counts per band across the whole platform, plus a table of every seller that moves and in which direction.
2. **How much work lands on someone's week tomorrow?** The tasks the next sweep would open under the draft, costed in hours across the team — plus any routine check-ins that would be upgraded in place to urgent interventions.

Simulation runs the real rule engine against a deep copy. It must not mutate any seller, any task or any counter; Part 14 tests this directly.

> **THE INSIGHT SIMULATE EXISTS TO DELIVER**
>
> Lowering a threshold does not find more problems. It opens more tasks, and every task consumes an account manager's week. Simulate makes that visible before it happens rather than after.

11.4 Publish

Property	Behaviour
Gate	**Blocked unless the five health weights total exactly 100.** Refused, not warned — a score computed on a partial denominator is not comparable between sellers (Part 4.4).

Property	Behaviour
What is written	A **full snapshot** of every configuration value, not a patch.
Version record	Number, timestamp, actor, the diff, the snapshot, and a note.
Side effect	A rule sweep runs immediately, so the tasks the new configuration implies exist before anyone opens their queue.
Audit	One entry naming every changed parameter with before and after values.

11.5 Roll back

Rollback restores a published version's **snapshot**, not a reverse-diff.

> **WHY A SNAPSHOT RATHER THAN A DIFF**
>
> A reverse-diff only restores the keys that version happened to touch, and it silently depends on nothing else having changed in between. Three versions later that assumption is false and the rollback produces a configuration that never existed. Storing the whole state costs a few hundred bytes per version and makes rollback exact. This was a real defect found in the sibling module's build.

Rollback is itself a publish: it creates a new version whose snapshot equals the target's, so the history stays append-only and the audit trail records who rolled back to what.

11.6 Tabs

Tab	Governs
Health score	The five weights, the `engagementLive` flag, the three band boundaries, the quarter targets.
Alert thresholds	Nine parameters driving the rule engine, each showing how many tasks it currently holds open.
Service levels	Welcome call, response time, first order, review clock, and the three contact cadences.
Time model	Eight task durations, the wrap-up allowance, and the eight stage baselines.
Capacity	Shift, working days, reserved percentage, book ceiling — with the live effect on every manager shown beside them.
Versions	The published history, each with its diff and a rollback control.

11.7 What is not configuration

These require engineering, and saying so here is the point of the section:

- The component formulas in Part 4.2. Weights are configuration; the arithmetic inside a component is not.

- The fallback redistribution rule itself.
- The precedence order in Part 5.3.
- The set of lifecycle stages and the transitions between them.
- The playbook step definitions and their gates.
- Anything in Part 9.

Part 12 — The Admin Workspace

12.1 Screen inventory

Screen	Route	Contains
Operations	`#/a/ops`	Team capacity with the binding constraint per manager, the coverage banner, a twelve-week delivery trend, alert volume by type, escalations waiting, recent configuration changes.
Portfolio Health	`#/a/health`	Which component drags the platform score, the three rate trends against target, health by lifecycle stage, the lowest-scoring accounts across every book.
Team Performance	`#/a/perf`	Scorecards against the eleven indicators, bonus attainment, cohort retention, churn reasons.
All Sellers	`#/a/sellers`	Every seller, the same saved-view rail scoped to the platform, bulk reassign and bulk task creation.
OmniDesk Monitor	`#/a/monitor`	Read-only conversation watching, take-over, block request.
Automation	`#/a/rules`	Thirteen rules as cards showing conditions, actions and a live toggle.
Health Score & Config	`#/a/config`	Part 11.
Audit & Quality	`#/a/audit`	Six standing checks and the audit trail.

12.2 The coverage banner

Operations opens with the finding from Part 8.6 stated in full — how many accepted sellers have a named manager, how many managers full coverage implies, and how many there are. It is a banner rather than a tile because a tile showing “150 sellers managed” in green is true and misleading at the same time.

12.3 Conversation monitoring

The Admin can read any conversation. Two constraints:

- **Monitoring is visible.** The account manager sees that their conversation was opened. Silent monitoring is not offered, and the interface says so.
- **Take-over requires a written reason**, posts a system message on the conversation, and writes to the audit trail. It moves the reply capability, not the account: the seller keeps their manager and their number.

Blocking a contact stops all messaging on every channel. It is for abuse and fraud, not for a difficult seller. It requires a reason and a second approver, and the request itself is audited.

12.4 Bulk actions

Action	Behaviour
Reassign	Requires a target manager and a written reason. The target's current book, utilisation and remaining seats are shown against each option, including whether the selection would exceed the ceiling and by how much. One audit entry per seller.
Open a task on each	Requires a type, title, reason and due date. The dialogue shows the total minutes this will add across the selection, because bulk work still costs real time and it lands on somebody's week.

12.5 Standing quality checks

Six checks on Audit & Quality. Five have a target of zero, and a non-zero value on any of them indicates a broken mechanism rather than a busy week.

Check	Target	What a non-zero value means
Welcome calls inside SLA	100%	The handover is arriving but not being worked within 24 hours.
Sellers with no account manager	0	Either the handover is broken, or a market is at its ceiling (Part 3.2).
Tasks overdue by more than three days	0	Work has sat long enough that the condition which opened it has probably worsened.
Escalations with no note	0	A handover the next owner cannot act on.
Sellers not contacted in 30 days	0	A managed seller who has heard nothing for a month is managed in name only.
Playbook steps ticked without their gate	0	Structurally impossible. The check exists to prove it stays that way.

Part 13 — Delivery Plan & Open Decisions

13.1 Phases

Phase	Delivers	Depends on
1	Data model, the handover (`r1`), assignment, the book ceiling, the seller workspace with the docked conversation, My Portfolio.	Platform ticket types, conversation component, saved views.
2	Health engine with the fallback, bands, the nightly recompute, the health cards.	Phase 1. Read access to orders, parcels, wallet, catalogue.
3	The rule engine, alerts, the sweep, Tasks and Alerts, the escalation ladders.	Phase 2 — most rules read health.
4	Playbooks with live gates, the capacity model, My Day, My Performance.	Phase 3.
5	The Admin workspace: configuration with simulate and rollback, Operations, Portfolio Health, Team Performance, Automation, Audit.	Phase 4. Platform audit trail.
6	OmniDesk Monitor, take-over, bulk actions.	Platform conversation monitoring.

Phases 1 to 4 are usable by an account manager in sequence: after Phase 1 they have a portfolio and a conversation, after Phase 2 they can see who needs attention, after Phase 3 the platform tells them, after Phase 4 it tells them what it costs. Phase 5 is what makes it governable.

13.2 Open decisions

> **D-01** **BLOCKING · COMMERCIAL**
>
> **Coverage: 22 account managers implied, 3 planned.** Part 8.6 sets out the three honest options — hire, raise the ceiling and accept thinner service, or decide openly which sellers are managed. This is not a design question and the module cannot resolve it.
>
> Decides: Commercial Director. Until decided, Operations states the gap in full.

D-02 **BLOCKING · ENGINEERING**

Feature F5, Seller Activity Tracking. Until `lastLoginAt`, `lastStoreUpdateAt` and `lastProductAddedAt` are written, Engagement has no source and the score runs on the four-component fallback. Engagement is 20% of the intended score and the only component measuring whether the seller is showing up at all.

Verify: turn on `engagementLive`, simulate, confirm the band movement is acceptable, publish.

D-03 **DECIDED**

No service tiers. Every seller has an account manager and every seller is on the same clocks. Segmentation is by health band and lifecycle stage. Tier-based service levels and tier-based review cadence are removed. If revenue tiers return they attach as a separate axis and must not set the service level.

Consequence: every seller is now on the same 90-day review clock, a service increase at the bottom of the book. Priced in Part 8.

D-04 **OPEN · SMALL**

A structured outcome field on the save task. Rule `r11` is disabled without it and churn is set by hand; the churn-reason breakdown is entered rather than derived. One enumerated field closes both gaps.

Verify: close a save campaign unsuccessfully, confirm the seller moves to Churned on the next sweep and the reason appears in Team Performance.

D-05 **DECIDED · REVISIT**

An account manager cannot see another manager's sellers. Accepted, with the cost recorded in Part 7.5: no covering for an absent colleague, no cross-book lookup, no transfer request. All three become Admin actions. Recorded here so it is revisited deliberately rather than rediscovered as a bug report.

D-06 **OPEN · PLATFORM**

Template budget. Six approved templates; every send to a closed window is billable, and the inactivity and save paths can send several per seller. This is the same unresolved platform-wide budget question raised by the onboarding module, which now has a second consumer.

Needs: a monthly cap per module, or an explicit decision that there is no cap.

D-07 **OPEN · FINANCE**

Activation is 15% of both the OA and AM bonus. Deliberate — neither role can deliver it alone. Finance should confirm they are comfortable paying one metric twice.

D-08 **OPEN · PRODUCT**

The month-two to month-three cliff. Cohort retention drops hardest between month two and month three — exactly when the thirty-day playbook ends and nothing structured replaces it. A day-60 review is the obvious next step and does not exist in the role definition.

Verify: add a day-60 step, observe month-three cohort retention over two quarters.

D-09 **OPEN · MEASUREMENT**

The time-model constants are calibration, not measurement. Seven task durations and eight stage baselines. Proposal: one account manager keeps a rough tally against these fifteen numbers for two weeks. The 8 minutes per week for an Active seller is the largest lever and the weakest number.

Verify: adjust the constants, re-run the capacity model, confirm the resulting utilisation matches observed reality within ten per cent.

D-10 **OPEN · PLATFORM**

CSAT. Seller satisfaction is an indicator with no source; the platform specification defers CSAT to a later phase. It should not enter any bonus formula until it exists.

Part 14 — Acceptance Criteria

The testable definition of done. Each criterion is written so that it can be executed rather than interpreted. The prototype implements every one and its automated suite covers them.

14.1 Data model and handover

> **AC-01** **MUST**
>
> Activating a seller assigns an account manager by market and lowest book, emits `SELLER_ASSIGNED`, and opens a welcome task due within `welcomeCallH`.
>
> Verify: activate a seller in each market; confirm assignment, alert and task.

> **AC-02** **MUST**
>
> When every manager in a market is at `maxBook`, the seller is left unassigned, an operational alert is raised to Admin, and the seller appears in the unassigned quality check. No assignment exceeds the ceiling and no cross-market fallback occurs.

> **AC-03** **MUST**
>
> Health score and lifecycle stage cannot be written by any role through any interface or endpoint.
>
> Verify: attempt a direct write as Admin; expect rejection.

14.2 Health engine

> **AC-04** **MUST**
>
> Every seller scores 0–100 inclusive, and the weights in use total exactly 100 whether or not `engagementLive` is set.

> **AC-05** **MUST**
>
> With `engagementLive = false`, effective weights are Activity 40, Delivery 35, Engagement 0, Financial 15, Growth 10. Setting it true restores 30/25/20/15/10.

> **AC-06** **MUST**
>
> The inactivity floor caps Order Activity at 40, 20 and 5 at `inactiveDays`, `saveDays` and `churnDays` respectively, overriding any trend score above those values.
>
> Verify: a seller with recent growth and 31 days of inactivity scores 5 on Order Activity.

> **AC-07** **MUST**
>
> Every component displayed anywhere carries a generated sentence naming the values that produced it.

> **AC-08** **MUST**
>
> A failed recompute retains the previous day's scores whole, flags them stale and alerts Admin. A partial recompute is never written.

14.3 Rule engine

> **AC-09** **MUST**
>
> Running the sweep twice in succession opens zero tasks on the second run.

> **AC-10** **MUST**
>
> No seller ever holds two open tasks of type `intervention`, `save` or `checkin` simultaneously.
>
> Verify: construct a seller satisfying r2, r3, r4 and r5 at once; expect exactly one open call task, the save campaign.

> **AC-11** **MUST**
>
> A seller crossing into Critical with an open `r13` check-in has that task upgraded in place — type `intervention`, priority urgent, due today — and no second task is opened.

> **AC-12** **MUST**
>
> No rule sends a message, spends template budget, closes a task, or changes `assignedAccountManager`.
>
> Verify by inspection of the rule catalogue and by an integration test asserting zero outbound messages across a full sweep.

> **AC-13** **MUST**
>
> Escalation sets the flag, notifies the next owner and writes an audit entry, and does not change seller ownership or the conversation. A written reason is required.

14.4 Playbooks

> **AC-14** **MUST**
>
> A playbook step whose gate evaluates false cannot be marked complete through any interface. The refusal names the gate.
>
> Verify: a seller with two products cannot have the day-3 step ticked.

> **AC-15** **MUST**
>
> Each of the eight steps opens its own task on the day it comes due, and a late step is opened at high priority.

14.5 Capacity

> **AC-16** **MUST**
>
> Cadence is counted once — as a weekly rate. Tasks carrying `rule_id = r13` are excluded from `taskMins`.
>
> Verify: an open cadence check-in does not change `committed`.

> **AC-17** **MUST**
>
> Completing a task reduces `committed` for that manager.

> **AC-18** **MUST**
>
> The capacity display always names the binding constraint and never reports free hours without also reporting remaining seats, or the reverse.

14.6 Permissions and scope

> **AC-19** **MUST**
>
> Every saved view, for an account manager, returns only sellers in their book. No view leaks a foreign seller.

> **AC-20** **MUST**
>
> A request for a seller outside the caller's book returns not-found at the API, regardless of interface state. The Admin is unaffected.

> **AC-21** **MUST**
>
> Every control an account manager may not use is rendered disabled with its reason attached. Sellers outside the book are not rendered at all.

14.7 Configuration

> **AC-22** **MUST**
>
> Publishing is refused when the five health weights do not total 100, and the refusal names the total.

> **AC-23** **MUST**
>
> Simulation mutates nothing — no seller, no task, no counter, no timestamp.
>
> Verify: snapshot all task counts, simulate an aggressive draft, assert the snapshot is unchanged.

> **AC-24** **MUST**
>
> Rollback restores every configuration key to the target version's snapshot, including keys that version did not itself change.
>
> Verify: publish two successive changes, roll back to the first, assert every key matches that snapshot exactly.

> **AC-25** **MUST**
>
> Publishing triggers a sweep, and the resulting task count matches what simulate predicted.

14.8 Metrics

> **AC-26** **MUST**
>
> No `am_task` appears in support SLA, first-response or CSAT reporting.

> **AC-27** **MUST**
>
> Every indicator displays its source, and an indicator with no source says so rather than showing a number.

Appendix A — Permission Matrix

Read as: what each role may do to the named entity. Every rule is enforced server-side; the interface behaviours in Part 7.5 are legibility, not the control.

Capability	Account Manager	Admin	Notes
View seller record	own book only	all	Foreign sellers return not-found, not forbidden.
Update seller (owned fields)	own book	all	Excludes join status, plan, pricing, ownership.
Assign / reassign account manager	—	yes	Requires a written reason. Audited per seller.
Create `am_task`	own book	all, incl. bulk	Bulk shows total minutes added before confirming.
Close `am_task`	own book	all	`outcome` required.
Escalate `am_task`	own book	all	Written reason required. Audited.
Tick a playbook step	own book	all	Refused when the gate is false, for both roles.
Reply on a conversation	own book	after take-over	Window rules apply to both.
Add an internal note	own book	all	Never visible to the seller.
Send an approved template	own book	after take-over	Billable. Marked in the thread.
Read any conversation	own book	all	Admin monitoring is visible to the owner.
Take over a conversation	—	yes	Reason required, system message posted, audited.
Request a contact block	—	yes	Requires a second approver.
View another manager's performance	—	yes	Team Performance is Admin-only.
View own performance	yes, read-only	yes	Targets are set by Admin.

Capability	Account Manager	Admin	Notes
Change any configuration value	—	yes	Draft → simulate → publish. Audited.
Enable / disable a rule	—	yes	Audited. Takes effect on the next sweep.
Run the rule sweep manually	—	yes	Also runs automatically on publish.
Read the audit trail	—	yes	—
Financial writes of any kind	—	—	Outside this module entirely.
Seller accept / reject, join status	—	—	Onboarding Agent module.
Parcel or fulfilment writes	—	—	Outside this module entirely.

Appendix B — Rule Catalogue

Thirteen rules. Eleven ship enabled. Every action is one of: open a task, emit an alert, upgrade a task in place, write to the timeline, change a derived stage. None sends a message.

r1 — Handover from Onboarding · live

ON join_status → accepted

WHEN assignedAccountManager IS NULL

THEN assign by market + lowest book · emit SELLER_ASSIGNED · open welcome, urgent, due +welcomeCallH

NOTE The only automatic assignment in the module.

r2 — Health critical · live

ON nightly sweep, after recompute

WHEN health < healthCritical AND stage ≠ Churned

THEN upgrade an open r13 check-in in place, else open intervention, urgent, due today

ESC Commercial Director after 72 h

r3 — Order decline · live

WHEN thisWeek < lastWeek × (1 − orderDropPct/100) AND lastWeek ≥ 5 AND NOT hasCall()

THEN emit SELLER_ORDER_DECLINE · open intervention, high, due today

NOTE The five-order gate keeps it off small sellers, where weekly noise would fire it constantly.

r4 — Inactivity check-in · live

WHEN inactiveDays ≤ daysInactive < saveDays AND stage ∉ {New, Churned} AND NOT hasCall()

THEN emit SELLER_INACTIVE · open checkin, high, due today

r5 — Save campaign · live

WHEN daysInactive ≥ saveDays AND stage ∉ {New, Churned} AND NOT hasCall()

THEN open save, urgent, due today · notify Admin

NOTE Replaces the check-in rather than stacking on it. Highest precedence.

r6 — High returns · live

WHEN returnRate > returnAlertPct sustained ≥ returnAlertWeeks
THEN emit SELLER_HIGH_RETURNS · open coach, high, due +2 d
ESC Operations when the pattern is market-wide rather than seller-specific

r7 — Support escalation · live

ON support ticket state change (event, not sweep)
WHEN unresolved_tickets ≥ ticketAlert
THEN emit SELLER_SUPPORT_ESCALATION · open coord, urgent, due today
ESC Head of Support on SLA breach — not back to the account manager

r8 — Payment issue · live

WHEN wallet < 0 AND walletNegativeDays ≥ walletDays
THEN emit SELLER_PAYMENT_ISSUE · open coord to Finance, normal, due +1 d
NOTE The AM coordinates; Finance owns the fix from the moment it opens.

r9 — Business review clock · live

WHEN stage = Mature AND daysSinceLastReview ≥ qbrDays
THEN open qbr, normal, due +7 d
NOTE Replaces tier-based review cadence — every seller is on the same clock.

r10 — Onboarding playbook clock · live

WHEN stage ∈ {New, Onboarding, Activated} AND a playbook step is due
THEN open the step's task · surface on My Day · high priority if late
NOTE The thirty-day playbook is a rule, not a checklist someone remembers.

r11 — Churn marking · off (blocked, D-04)

WHEN daysInactive ≥ churnDays AND save campaign closed unsuccessfully
THEN stage → Churned · remove from the active book · notify Admin
NOTE Needs a structured outcome field on the save task. Churn is set by hand until then.

r12 — Book rebalance · off (by design, Part 3.4)

WHEN book > maxBook AND another manager in the same market is below ceiling
THEN propose a reassignment · require Admin approval
NOTE Proposal only. Reassignment breaks a relationship, so it is never automatic.

r13 — Proactive contact cadence · live

WHEN daysSinceContact ≥ cadence(band) AND stage ∉ {New, Onboarding, Activated, Churned} AND NOT hasCall()

THEN open checkin, due today · high priority in the At Risk band

NOTE This is what replaces service tiers, and what fills the 08:30–10:00 outreach block.

Appendix C — Metric Formulas

Derived from the platform

```
retention        = round( (1 − churned_in_book / book_at_quarter_start) × 100 )

activation       = round( sellers_with_at_least_one_order / book_size × 100 )

welcomeSla       = round( welcome_calls_within(welcomeCallH) / welcome_calls_placed ×
100 )

deliveryDelta    = book_avg_delivery_now − book_avg_delivery_at_quarter_start      //
pp

cancelDelta      = book_avg_cancel_now − book_avg_cancel_at_quarter_start          //
pp, lower better

qbrCompletion    = round( reviews_completed / reviews_that_came_due × 100 )

expansions       = count of sellers moved 1 → 2 markets and through phase 4 this
quarter
```

Sourced from elsewhere

Indicator	Source	Status
Net revenue retention	Finance	Available; not yet wired.
Plan upgrades	Billing	Available; not yet wired.
Response time	OmniDesk conversation record	Available; not yet wired.
Seller satisfaction	Survey	**Does not exist.** Deferred by the platform specification — D-10.

Bonus attainment

```
for each of the five weighted indicators:
    if the target is met  → the full weight is earned
    otherwise             → round(weight × progress_toward_target × 0.6)

attainment = Σ earned          // out of 100, applied to the 20% variable component
```

Compensation is 80% base and 20% variable. The variable half is weighted: retention 30, net revenue retention 25, delivery improvement 20, activation 15 (shared with the Onboarding Agent), cross-market expansions 10.

Appendix D — Configuration Parameters

Everything an Admin can change without a deployment. Each is subject to draft → simulate → publish → roll back. Defaults are what the module ships with.

Health score

Parameter	Default	Unit	Effect of changing it
`wActivity`	30	%	Must total exactly 100 or publishing is refused. Moves sellers between bands, which changes who gets called today.
`wDelivery`	25	%	
`wEngagement`	20	%	
`wFinancial`	15	%	
`wGrowth`	10	%	
`engagementLive`	false	flag	Turns off the fallback redistribution. Set when F5 ships.
`bandRisk`	40	pts	Critical ceiling.
`bandHealthy`	60	pts	At Risk ceiling.
`bandThriving`	80	pts	Healthy ceiling.

Quarter targets

Parameter	Default	Unit	Effect
`deliveryTarget`	35	%	Denominator of the delivery half of the score. Raising it lowers every seller's score.
`returnTarget`	24	%	Display only. The returns formula uses a fixed 15% knee.
`cancelTarget`	33	%	Display only.

Alert thresholds

Parameter	Default	Unit	Effect
`healthCritical`	40	pts	Drives `r2`. Also the first inactivity floor step.
`inactiveDays`	7	days	Drives `r4` and the first floor. Lowering opens tasks in volume.
`saveDays`	14	days	Drives `r5` and the second floor.
`churnDays`	30	days	Drives `r11` (off) and the third floor.

Parameter	Default	Unit	Effect
`returnAlertPct`	40	%	Together drive `r6`.
`returnAlertWeeks`	2	wks	
`orderDropPct`	30	%	Drives `r3`. Below about 25 it fires on ordinary noise.
`ticketAlert`	3	open	Drives `r7`.
`walletDays`	30	days	Drives `r8`.

Service levels and cadence

Parameter	Default	Unit	Effect
`welcomeCallH`	24	h	The one service level measured at 100%.
`responseH`	4	h	Reporting only; read from the conversation record.
`firstOrderDays`	7	days	Reporting only.
`qbrDays`	90	days	Drives `r9`.
`cadRisk`	8	days	**The largest single line in an account manager's week.** Drives `r13` and the cadence rate in the capacity model. Shortening the Healthy cadence by four days adds roughly two hours a week to every book.
`cadHealthy`	18	days	
`cadThriving`	26	days	

Time model

Parameter	Default	Unit	Effect
`mWelcome`	30	min	From the role definition. The only measured duration.
`mCheckin`	20	min	Also the numerator of the cadence rate.
`mQbr`	45	min	Calibrated, not measured — D-09.
`mCoach`	30	min	
`mIntervention`	25	min	
`mExpansion`	40	min	
`mCoord`	15	min	
`wrapPct`	12	%	Notes and logging. Corresponds to the 16:00–16:30 block.

Parameter	Default	Unit	Effect
`bNew`	30	min/wk	Unplanned messaging and advisory per seller per week, by stage. `bActive` is the largest lever in the whole model and the weakest number in it.
`bOnboarding`	40	min/wk	
`bActivated`	20	min/wk	
`bActive`	8	min/wk	
`bGrowth`	10	min/wk	
`bMature`	6	min/wk	
`bAtRisk`	20	min/wk	
`bChurned`	2	min/wk	

Capacity

Parameter	Default	Unit	Effect
`shiftMin`	480	min	Working minutes in a day.
`workDays`	5	days	—
`reservedPct`	15	%	Standup, internal meetings, training. Removed before the book is loaded.
`maxBook`	50	sellers	Raising it does not create hours. Part 8.5.

Appendix E — Decision Log

Decisions taken during specification, with the reasoning, so that they can be revisited deliberately rather than rediscovered.

Ref	Decision	Reasoning and consequence
D-03	**No service tiers.**	Tiering the service level makes a low-volume seller wait longer for a welcome call than a high-volume one — which is backwards, because the low-volume seller is the one still deciding whether MDM works. Segmentation is by health band and lifecycle stage, which are states a seller moves between rather than labels attached to their revenue. *Consequence:* every seller is on the same 90-day review clock, a real service increase at the bottom of the book, priced in Part 8. If revenue tiers return they attach as a separate axis and must not set the service level.
D-05	**An account manager sees only their own book.**	Scope is applied once by role rather than per view, which removes a class of bug where two adjacent filters count different populations. *Consequence:* no covering for an absent colleague, no cross-book lookup, no transfer request — all become Admin actions. Recorded for revisiting; see Part 7.5.
D-11	**The external work tracker is folded in.**	Account management work becomes `am_task` on the seller it concerns, with no deep links and no synchronisation job. Work held in a second system is work nobody outside the account management team can see, on a seller whose record does not know it exists. *Consequence:* every task now costs minutes in a capacity model, which is what made Part 8 possible.
D-12	**The At Risk lifecycle stage is renamed Recovering.**	*At Risk* is already a health band and the two are independent — a seller can sit in the stage while scoring in the Healthy band after an intervention lands. *Intervention* was rejected as the replacement because it is already a task type; swapping one collision for another fixes nothing.
D-13	**Cadence is modelled as a weekly rate.**	Counting only the check-in tickets open on the day you look understated a full book by about a third. A recurring obligation costs something every week whether or not its ticket is open today. *Consequence:* the capacity model moved from 64% to 77–87% on a fifty-seller book, which is what makes the ceiling defensible rather than asserted.
D-14	**Marginal cost is the book's own average.**	Pricing a new seat at the cheapest possible seller claimed room for twenty-two more when the honest figure was ten. A new account arrives with tasks attached.

Ref	Decision	Reasoning and consequence
D-15	**Missing Engagement redistributes rather than shrinking the denominator.**	Scoring out of 80 makes every seller look worse than they are and moves thousands of accounts between bands, generating work nothing real justifies. The bands are absolute, so the denominator must be too.
D-16	**One call, one task.**	Four triggers that end in the same phone call produce four rows for one conversation, and a queue that does that stops being believed. The most specific trigger claims the seller; a routine check-in is upgraded in place rather than duplicated.
D-17	**Rules never send and never close.**	An automation that can message a seller unattended can spend template budget and damage a relationship overnight. An automation that can only put a task in front of a named person cannot. Closing is a human act because only a human knows whether the problem is actually solved.
D-18	**Publish writes a snapshot, not a diff.**	A reverse-diff only restores the keys that version touched and depends on nothing else having moved. Three versions later that assumption is false and the rollback produces a configuration that never existed. This was a real defect in the sibling module's build.
D-19	**Playbook gates read the record, not the user.**	The point is not that the activity happened but that the seller reached a state. A tickable step whose gate reads false is a self-certification worth nothing to the next reader.
D-20	**Derived handle time may not be used to rank people.**	The minute values are calibration, identical across managers, so any difference reflects book mix rather than effort — and a manager who learns that lower handle time scores better will close tasks faster rather than better. Part 10.5.

END OF SPECIFICATION

This document describes the Account Manager module as prototyped. The accompanying clickable prototype is the normative reference for layout and wording; this document is the normative reference for behaviour. Where they disagree, raise it — one of the two is wrong and it matters which.