display_image

This sample application is designed to test the Hanwha Vision Open Platform's Network Manager. This app can display image on the app's web page by using Network Manager. For more details, refer to **3.1 Network Manager** in **Hanwha_Vision_Open_Platform_SDK_API**.

Related events are as follows:

Sendable Events

Event type	Header file	Event type (enum)
Start Service	i_app_network_manager.h	IAppNetworkManager::EEventType::eStartService
Stop Service	i_app_network_manager.h	IAppNetworkManager::EEventType::eStopService
Send Data	i_app_network_manager.h	IAppNetworkManager::EEventType::eSendData
Close Client	i_app_network_manager.h	IAppNetworkManager::EEventType::eCloseClient

Receivable Events

Event type	Header file	Event type (enum)
New Client Connected	i_app_network_manager.h	IAppNetworkManager::EEventType::eNewClientConnected
Client Disconnected	i_app_network_manager.h	IAppNetworkManager::EEventType::eClientDisconnected
Client Data	i_app_network_manager.h	IAppNetworkManager::EEventType::eClientData
Server Data	i_app_network_manager.h	IAppNetworkManager::EEventType::eServerData

Prerequisites

- Hanwha Vision Open Platform 23.00.00 or higher

Scenario

- Preconditions
  1. Open the camera web viewer, go to [Setup]>[Open Platform], and click [Install] to install the application.
  2. Click [Start] to start the app.
- Test

1. Click [Go App] in the [open Platform] menu of the web viewer.
2. click [Start Server] on the application web page.
3. Click [Request] on the application web page.
4. Click [Stop Server] on the application web page.

Result

- A "Pass" message appears below [Start Server] button.
- A image will be displayed under **3. Display Image**.
- A "Pass" message appears below [Stop Server] button.

1. Start Server

port 8080

Start Server

Pass

2. Request Image

Request

3. Display Image

4. Stop Server

Stop Server

Building Application

1. Build application.

```
$ APP_NAME=display_image SDK_VER=24.06.14(your SDK version) SOC=[cv5,
```

```
jetson] docker compose up
$ docker compose down --remove-orphans
```

2. Check the build results in current directory.