

	Product Security Risk Management Report	Tempo
---	--	--------------

DOCUMENT INFORMATION	
PRODUCT NAME	TEMPO
PROJECT NAME	TEMPO
PROJECT NUMBER	N/A

1. Introduction

1.1. Purpose

The purpose of the Product Security Risk Management Report is to summarize activities and identify cybersecurity risks.

For non-cyber devices, this record contains product security risk assessment. It identifies potential security vulnerabilities, associated security and privacy risks that will impact the confidentiality, integrity and availability of the product. The result of the product security risk assessment is to identify the potential security vulnerabilities and minimize them to acceptable levels.

The product intended use statement is maintained in User Needs section 2.1 in DID Tempo and DID Tempo Admin.

1.2. Scope

This product security risk management report summarizes cyber security activities, vulnerabilities and risks for Tempo 3.2. The device is not a Cyber Device.

1.3. Definitions and Acronyms

Refer to GLB-QS-REF-0053, Lexicon, for globally defined terms and definitions.

Refer to GLB-QS-PCD-0087, Product Security Procedure, for definitions specific to cybersecurity.

Term/Abbreviation	Description
PT	PenTest
SBOM	Software Bill of Materials
SCR / SCA	Source Code Review / Source Code Analysis
VA	Vulnerability Assessment

1.4. Reference Documents

Beckman Policy & Procedure Documents

- GLB-QS-TMP-0231 SBOM
- GLB-QS-TMP-0175 Product Security Plan

Tempo Project Documents

- Tempo-Product Privacy and Security Plan
- TEMPO-SBOM
- Tempo-Global Design Requirements
- Tempo Threat Model_V1.3.tm7
- Tempo Threat Model_V1.3.htm
- Tempo-Product Security Risk Management Report
- Tempo Software Development Plan

	Product Security Risk Management Report	Tempo
---	--	--------------

- DID Tempo
- DID Tempo Admin
- VER_SW Tempo Admin
- VER_SW Tempo Install
- VER_SW Tempo Protocols
- VER_SW Tempo Runs
- VER_VAL_SYS Tempo
- VER_VAL_SYS Tempo Admin
- Tempo-Nessus Scan report
- Tempo-Veracode Report
- [<Penetration Tests>](#)

2. Product Security Test Activities

The following section documents final cyber security test activities of the software in scope.

Table 2 - Secure Code Review

Assessment Type	Version of Target	Tool Used / Performed by	Date of assessment	DHF Location for Reports
SCR	3.2	Veracode	2026-08-12	Cabinets/Product Development/Design History and Project Files/Life Science Automation/Acoustic/Tempo/Product Security/Nessus and Veracode Reports
VA	3.2	Nessus	2026-08-24	Cabinets/Product Development/Design History and Project Files/Life Science Automation/Acoustic/Tempo/Product Security/Nessus and Veracode Reports
SBOM	3.2	Cybellum	2026-05-08	Cabinets/Product Development/Design History and Project Files/Life Science Automation/Acoustic/Tempo/Product Security/SBOM
PenTest		GPS		

3. Product Security Risk Summary

3.1. Threat Risk Disposition (Cyber Devices)

N/A – not a cyber device

	Product Security Risk Management Report	Tempo
---	--	--------------

3.2. List of Unmitigated Vulnerability Findings (Non-Cyber Devices)

The remaining known vulnerabilities reported need to be addressed, either per patching cadence or a planned or unplanned future release of the product. The Product Security Plan contains the product security roadmap, which includes remaining security vulnerabilities.

List of remaining unmitigated vulnerabilities:

Table 3.2 – Detailed Vulnerability Table

ID	Vulnerability	Source	Severity	Security Impact	Safety Impact	Privacy Impact	Workaround
ISON-1338	Improper Neutralization of Special Elements used in an OS Command ('OS Command Injection')	SAST	Very High	If an attacker is allowed to specify all or part of the command, it may be possible to execute commands on the server with the privileges of the executing process.	No safety Impact	No privacy impact	This software is used on the computer hardware and operating system environment for which it is intended, and it is advised to use it on the computer provided by Beckman Coulter. In order to access Tempo and files, the user must also be authenticated by Windows.
ISON-1334	Server-Side Request Forgery (SSRF)	SAST	Medium	Vulnerability in 3 rd party library-The ASP.NET MVC Core Application does not sufficiently protect against server-side request forgery (SSRF) attacks.	No safety Impact	No privacy impact	No customer workaround available.
ISON-1334	Insertion of Sensitive Information into Sent Data	SAST	Low	Vulnerability in 3 rd party library-The application calls the netstandard.dll. System.Net.Http.HttpClient.SendAsync() function, which will result in data being transferred out of the application (via the network or another medium)	No safety Impact	No privacy impact	No customer workaround available.

	Product Security Risk Management Report	Tempo
---	--	--------------

ISON-1335	Use of Hard-coded Password	SAST	Medium	The use of a hard-coded password significantly increases the possibility that the account being protected will be compromised.	No safety Impact	No privacy impact	No customer workaround available.
ISON-1337	Use of a Broken or Risky Cryptographic Algorithm	SAST	Medium	Method uses a hash algorithm that is considered weak. There are demonstrated ways to breach many uses of previously-thought-safe hash functions such as MD5.	No safety Impact	No privacy impact	No customer workaround available.
ISON-1388	Improper Restriction of XML External Entity Reference	SAST	Medium	The default XML entity resolver will attempt to resolve and retrieve external references. If attacker-controlled XML can be submitted to one of these functions, then the attacker could gain access to information about an internal network, local filesystem, or other sensitive data. This is known as an XML eXternal Entity (XXE) attack.	No safety Impact	No privacy impact	No customer workaround available.

3.3. Security Risk Summary

The table below captures the security risk ratings. The open vulnerabilities and risks identified during current and previous assessment activities that have not been corrected are recorded in the product's defect tracking tool.

- 1) Status of Product Security Plan Implementation:
Per Tempo-Global design requirements, Global Requirement ID References below are not implemented
Encryption – Database
 Enable the built-in encryption options for the database technology you are using, if available – not implemented
Password – Hardcoded
 The product shall not hardcode any password - not implemented.
- 2) What remaining risks or vulnerabilities (post-mitigation) do the software still have after implementing the mitigation measures?

Table 3.3 - Vulnerability Summary Table

Vulnerabilities	Low	Medium	High	Critical
Sum of identified vulnerabilities	3	10	0	4
Safety related vulnerabilities	0	0	0	0
Security related vulnerabilities	3	10	0	4
Privacy related vulnerabilities	0	0	0	0

- 3) Concerning unmitigated or partially mitigated risks, is actionable information communicated to 3rd party?

Per User Guide - Tempo Automation Control Software, this software is used on the computer hardware and operating system environment for which it is intended, and it is advised to use it on the computer provided by Beckman Coulter.

- 4) Cybersecurity Metrics

N/A – not a cyber device.

3.4. Conclusion

- The residual cybersecurity risk is considered acceptable based on the implemented security controls, verification activities, and overall risk–benefit assessment. Appropriate mitigations have been implemented as defined in the security plan, and objective evidence demonstrates that the controls are functioning effectively.
- Users and service personnel are provided with sufficient information, guidance, and operational procedures to appropriately manage the remaining cybersecurity risks. The identified residual

risks have been reviewed and determined to be within acceptable organizational risk tolerance levels.

- Based on the evaluation performed, the overall security and operational benefits of the product outweigh the remaining residual cybersecurity risks.

4. Document Revision Change Control

Revision	Author	Change Location	Change Description and Reason
«version_label»	Thushara Kunnel Vijayan	N/A	Initial Release

5. Content Approvals

My electronic signature confirms my review and approval of this document for its intended use.

Function	Name

Approver		Approval Date	
«approver1	»	«approve_date1	»
«approver2	»	«approve_date2	»
«approver3	»	«approve_date3	»
«approver4	»	«approve_date4	»
«approver5	»	«approve_date5	»
«approver6	»	«approve_date6	»
«approver7	»	«approve_date7	»
«approver8	»	«approve_date8	»
«approver9	»	«approve_date9	»