

首页 新闻

博问

专区

闪存 班级

代码改变世界

注册 登录

By小马哥

<u>博客园 首页 博问 闪存 新随笔 订阅 100 管理</u> 随笔 - 55, 文章 - 0, 评论 - 2, 阅读 - 461

Git常用命令超级详细(全网最详细)

1.新建代码库

1.1在当前目录新建一个 Git 代码库

\$ git init

```
@224-Win7-B081 MINGW64 ~/Desktop/DevOps
$ git init
Initialized empty Git repository in C:/Users/mazhikai01/Desktop/DevOps/.git/

@224-Win7-B081 MINGW64 ~/Desktop/DevOps (master)
```

1.2新建一个目录,将其初始化为 Git 代码库

\$ git init [project-name]

1.3下载一个项目和它的整个代码历史

\$ git clone [url]

2.配置

Git 的设置文件为.gitconfig,它可以在用户主目录下(全局配置),也可以在项目目录下(项目配置)。

昵称: <u>By小马哥</u>园龄: <u>3年2个月</u>粉丝: <u>2</u>关注: <u>3</u>±加关注

<u> </u>		2021年/月					2
	日	_	=	Ξ	四	五	六
	27	28	29	30	1	<u>2</u>	3
	<u>4</u>	<u>5</u>	<u>6</u>	<u>7</u>	8	<u>9</u>	<u>10</u>
	11	12	13	14	15	16	17
	18	19	20	21	22	23	24
	25	26	27	28	29	30	31
	1	2	3	4	5	6	7

2021年7日

搜索

找找看

谷歌搜索

常用链接

<u>我的随笔</u> <u>我的评论</u> <u>我的参与</u>

<u>最新评论</u> 我的标签

最新随笔

<u>1.Git常用命令超级详细(全网最详细)</u>

2.Rsync+Sersync数据实时同步(双向)

3.git 的安装 4.git分支案例

5.ansible 常用模块详解

6.ansible 常用命令

7.ansible 配置详解

8.ansible 任务执行

9.ansible 简介

10.centos Sonarqube Idap(AD域) 配置

随笔分类

Ansible(5)

centos(26)

cygwin(1)

DevOps(11)

gerrit(1)

git(5)

gitlab(16)

jenkins(7)

Nexus(3)

PostgreSQL(4)

sonarqube(12)

<u>VNC(1)</u>

2.1设置提交代码时的用户信息

```
$ git config [--global] user.name "[name]"
$ git config [--global] user.email "[email address]"

MINGW64 ~/Desktop/DevOps/devops (master)
$ git config --global user.name "zhangsan"

MINGW64 ~/Desktop/DevOps/devops (master)
$ git config --global user.email "zhangsan@263.com"
```

2.2编辑 Git 配置文件

\$ vim ~/.gitconfig

2.3显示当前的 Git 配置

\$ git config --list

```
## MINGW64 ~/Desktop/DevOps/devops (master)

## git config --list

## diff.astextplain.textconv=astextplain

## http.sslbackend=openssl

## http.sslcainfo=D:/Git/mingw64/ssl/certs/ca-bundle.crt

## core.autocrlf=true

## core.symlinks=false

## pull.rebase=false

## credential.helper=manager-core

## credential.https://dev.azure.com.usehttppath=true

## init.defaultbranch=master

## user.name=zhangsan

## user.email=zhangsan@263.com

## user.ui=true
```

2.4显示当前的 Git 配置

\$ cat ~/.gitconfig

3.增加/删除文件

3.1添加指定文件到暂存区

随笔档案

<u>2021年7月(51)</u> <u>2021年6月(4)</u>

官方链接

禅道官方网站

下载链接

清华园gitlab安装包下载链接

最新评论

1. Re:Git常用命令超级详细(全网最详细)

还可以 只有几个命令没用过

--Just-Like

2. Re:Git常用命令超级详细(全网最详细)

mark

--MirZhang

阅读排行榜

- 1. Git常用命令超级详细(全网最详细)(180)
- 2. gitlab 设置tag保护及取消tag保护功能(17)
- 3. centos 8.3安装 OPENJDK (15)
- 4. Centos 8 上定时备份Gitlab ,脚本实现定时备
- <u>份,备份恢复(11)</u>
- 5. CentOS7安装详解(9)

评论排行榜

1. Git常用命令超级详细(全网最详细)(2)

推荐排行榜

1. Git常用命令超级详细(全网最详细)(2)

3.2添加指定目录到暂存区,包括子目录

```
$ git add [dir]
```



3.3添加当前目录的所有文件到暂存区

\$ git add .

3.4删除工作区文件,并且将这次删除放入暂存区

```
$ git rm 1.txt 2.txt
error: the following files have changes staged in the index:
    1.txt
    2.txt
(use --cached to keep the file, or -f to force removal)
```

3.4.1直接删除文件

\$ git rm -fr 1.txt

3.4.2停止追踪指定文件,但该文件会保留在工作区

```
$ git rm --cached [file]
$ git rm --cached 1.txt 2.txt
rm '1.txt'
rm '2.txt'
```

3.5改名文件,并且将这个改名放入暂存区

```
$ git mv [file-original] [file-renamed]
```

```
$ git mv 2.txt 3.txt

MINGW64 ~/Desktop/DevOps/devops (master)
$ 1s
3.txt Readme.md Users/
```

4.代码提交

4.1提交暂存区到仓库区

```
$ git commit -m [message]
```

4.2提交暂存区的指定文件到仓库区

```
$ git commit [file1] [file2] ... -m [message]
```

```
$ git commit Readme.md -m "添加Readme.md文件"
warning: LF will be replaced by CRLF in Readme.md.
The file will have its original line endings in your working directory
[master (root-commit) e76012d] 添加Readme.md文件
1 file changed, 1 insertion(+)
create mode 100644 Readme.md
```

4.3提交工作区自上次 commit 之后的变化,直接到仓库区

\$ git commit -a

4.4提交时显示所有 diff 信息

```
$ git commit -v
```

```
$ git commit -v -m "修改了ReadMe.md文件"
[master 5b190a9] 修改了ReadMe.md文件
1 file changed, 1 insertion(+)
```

4.5使用一次新的 commit,替代上一次提交如果代码没有任何新变化,则用来改写上一次 commit 的提交信息

```
$ git commit --amend -m [message]
```

5.分支

5.1列出所有本地分支

\$ git branch

```
$ git branch
  DevOps_Dev
  DevOps_RC
  DevOps_Release
* master
```

*表示当前分支

5.2列出所有远程分支

```
$ git branch -r

$ git branch -r

origin/master
```

5.3列出所有本地分支和远程分支

```
$ git branch -a

$ git branch -a
DevOps_Dev
DevOps_RC
DevOps_Release
* master
remotes/origin/master
```

5.4新建一个分支,但依然停留在当前分支

```
$ git branch [branch-name]

MINGW64 ~/Desktop/DevOps/devops (master)

$ git branch DevOps_Dev

MINGW64 ~/Desktop/DevOps/devops (master)

$ git branch DevOps_Release

MINGW64 ~/Desktop/DevOps/devops (master)

$ git branch DevOps_RC
```

5.5新建一个分支,并切换到该分支

```
$ git checkout -b [branch]
```

```
MINGW64 ~/Desktop/DevOps/devops (master)

$ git checkout -b DevOps_RC

Switched to a new branch 'DevOps_RC'

MINGW64 ~/Desktop/DevOps/devops (DevOps_RC)
```

5.6新建一个分支,指向指定 commit

5.6.1查看提交的日志

```
$ git log
```

```
commit 2cb44e585aab4d1b2370a3e42dc6d4070fe217dc (HEAD -> Dev0ps_RC, orig
Author: zhangsan <zhangsan@263.com>
Date: Sat Jul 10 11:03:12 2021 +0800
   修改了ReadMe.md文件,添加了一行说明
commit 89d1d5b198a77deb9096e11b02aec7187221f384
Author: zhangsan <zhangsan@263.com>
Date: Sat Jul 10 10:59:09 2021 +0800
:...skipping...
commit 2cb44e585aab4d1b2370a3e42dc6d4070fe217dc (HEAD -> Dev0ps_RC, orig
Author: zhangsan <zhangsan@263.com>
Date: Sat Jul 10 11:03:12 2021 +0800
   修改了ReadMe.md文件,添加了一行说明
commit 89d1d5b198a77deb9096e11b02aec7187221f384
Author: zhangsan <zhangsan@263.com>
Date: Sat Jul 10 10:59:09 2021 +0800
   添加User文件夹
commit b54962a30b090f02a39fc3c6185750cf07b068ea
Author: zhangsan <zhangsan@263.com>
Date: Sat Jul 10 10:58:30 2021 +0800
   添加忽略文件
commit e76012d77857841d344ac04893a158e75e8088fc
Author: zhangsan <zhangsan@263.com>
Date: Sat Jul 10 10:56:46 2021 +0800
   添加Readme.md文件
```

5.6.2新建一个分支,指向指定 commit ID

```
$ git branch [branch] [commit]
$ git branch DevOps_V0.3FixBug 89d1d5b198a77deb9096e11b02aec7187221f384

$ git branch DevOps_V0.3FixBug 89d1d5b198a77deb9096e11b02aec7187221f384

### MINGW64 ~/Desktop/DevOps/devops (DevOps_RC)

$ git branch -a
    DevOps_Dev

* DevOps_RC
    DevOps_RC
    DevOps_RC
    DevOps_RC
    DevOps_Release
    DevOps_V0.3FixBug
    master
    remotes/origin/master
```

5.7新建一个分支,与指定的本地分支建立追踪关系

```
$ git branch --track [branch1] [branch2]
$ git branch --track DevOps_RC1 DevOps_RC

$ git branch --track DevOps_RC1 DevOps_RC
Branch 'DevOps_RC1' set up to track local branch 'DevOps_RC'.
```

5.7.1DevOps RC,增加一次提交

```
$ git commit -m "添加了一个2.txt文件"
[DevOps_RC b7a7725] 添加了一个2.txt文件
1 file changed, 0 insertions(+), 0 deletions(-)
create mode 100644 2.txt

MINGW64 ~/Desktop/DevOps/devops (DevOps_RC)
$ git branch -av
DevOps_Dev 2cb44e5 修改了ReadMe.md文件,添加了一行说明

*DevOps_RC b7a7725 添加了一个2.txt文件
DevOps_RC b7a7725 添加了一个2.txt文件
DevOps_RC b7a7725 添加了一个2.txt文件
DevOps_RC1 2cb44e5 [behind 1] 修改了ReadMe.md文件,添加了一行说明
DevOps_Release 2cb44e5 修改了ReadMe.md文件,添加了一行说明
DevOps_V0.3FixBug 89d1d5b 添加User文件夹
master 2cb44e5 修改了ReadMe.md文件,添加了一行说明
remotes/origin/master 2cb44e5 修改了ReadMe.md文件,添加了一行说明
```

5.7.2DevOps_RC,再增加一次提交

```
$ git commit -m "添加了3.txt文件"
[DevOps_RC f7ed8ad] 添加了3.txt文件
1 file changed, 0 insertions(+), 0 deletions(-)
create mode 100644 3.txt

MINGW64 ~/Desktop/DevOps/devops (DevOps_RC)
$ git branch -av
DevOps_Dev
2cb44e5 修改了ReadMe.md文件,添加了一行说明
* DevOps_RC
DevOps_RC1
DevOps_RC1
DevOps_RC1
DevOps_RC1
DevOps_Release
DevOps_Release
DevOps_V0.3FixBug
master
2cb44e5 修改了ReadMe.md文件,添加了一行说明
2cb44e5 修改了ReadMe.md文件,添加了一行说明
pevOps_V0.3FixBug
master
2cb44e5 修改了ReadMe.md文件,添加了一行说明
remotes/origin/master
2cb44e5 修改了ReadMe.md文件,添加了一行说明
remotes/origin/master
```

5.8切换到指定分支,并更新工作区

5.8.1切换到建立追踪的分支DevOps RC1

```
$ git checkout [branch-name]
$ git checkout DevOps_RC1
                        MINGW64 ~/Desktop/DevOps/devops (DevOps_RC)
 git branch -av
                        2cb44e5 修改了ReadMe.md文件,添加了一行说明
 DevOps_Dev
                       f7ed8ad 添加了3.txt文件
2cb44e5 [behind 2] 修改了ReadMe.md文件,添加了一行说明
2cb44e5 修改了ReadMe.md文件,添加了一行说明
 DevOps_RC1
 DevOps_Release
                       89d1d5b 添加User文件夹
2cb44e5 修改了ReadMe.md文件,添加了一行说明
 DevOps_V0.3FixBug
                        2cb44e5 修改了ReadMe.md文件,添加了一行说明
                         MINGW64 ~/Desktop/Dev0ps/devops (Dev0ps_RC)
git checkout DevOps_RC1
Switched to branch 'DevOps_RC1'
our branch is behind 'DevOps_RC' by 2 commits, and can be fast-forwarded.
 (use "git pull" to update your local branch)
```

5.8.2从建立追踪的分支拉取最新的变化

```
$ git pull
                            INGW64 ~/Desktop/DevOps/devops (DevOps_RC)
 git checkout Devops_RC1
Switched to branch 'DevOps_RC1'
Your branch is behind 'DevOps_RC' by 2 commits, and can be fast-forwarded.
 (use "git pull" to update your local branch)
                   MINGW64 ~/Desktop/Dev0ps/devops (Dev0ps_RC1)
$ git pull
* branch
                      DevOps RC -> FETCH HEAD
Updating 2cb44e5..f7ed8ad
ast-forward
2.txt | 0
3.txt | 0
2 files changed, 0 insertions(+), 0 deletions(-)
create mode 100644 2.txt
create mode 100644 3.txt
                          MINGW64 ~/Desktop/DevOps/devops (DevOps_RC1)
```

5.9新建一个分支,与指定的远程分支建立追踪关系

5.9.1将本地的所有分支及信息全部推送到远程仓库

```
$ git push -u origin *:*
```

说明: origin,查看是否配置origin;默认克隆时,自动建立;

5.9.2查看origin信息

```
$ git remote -v
origin http://192.168.145.88/devops/devops.git (fetch)
origin http://192.168.145.88/devops/devops.git (push)
```

5.9.3新建一个分支,与指定的远程分支建立追踪关系

```
$ git branch --track [branch] [remote branch]
$ git branch --track DevOps_RC2 remotes/origin/DevOps_RC1
```

```
$ git branch --track DevOps_RC2 remotes/origin/DevOps_RC1
Branch 'DevOps_RC2' set up to track remote branch 'DevOps_RC1' from 'origin'.
```

5.9.4切换到建立追踪关系的新分支DevOps_RC2

```
$ git checkout DevOps_RC2
Switched to branch 'DevOps_RC2'
Your branch is behind 'origin/DevOps_RC1' by 1 commit, and can be fast-f
  (use "git pull" to update your local branch)
```

5.9.5使用 git pull 更新本地分支(会拉取建立追踪关系的分支代码)

```
Readme.md | 1 +
1 file changed, 1 insertion(+)
```

5.10合并指定分支到当前分支

```
$ git merge [branch]
$ git merge DevOps_V0.3FixBug
```

```
MINGW64 ~/Desktop/DevOps/devops (DevOps_RC1)

$ git merge DevOps_V0.3FixBug
Auto-merging Readme.md
CONFLICT (content): Merge conflict in Readme.md
Automatic merge failed; fix conflicts and then commit the result.

MINGW64 ~/Desktop/DevOps/devops (DevOps_RC1|MERGING)
```

提示文件存在冲突,冲突解决后再提交

5.10.1解决合并产生的冲突

按照冲突提示,修改冲突文件 Readme.md

\$ vim Readme.md

```
MINGW64 ~/Desktop/DevOps/devops (DevOps_RC1|MERGING)
$ vim Readme.md
```

5.10.2编辑修改解决冲突

5.10.2.1冲突提示

5.10.2.2冲突解决

```
this is my first add
this is my first commit -a
this is my first --track
修改了V0.3FixBug的Bug
```

5.10.2.3查看当前状态

此处我的处理措施是,把合并结果加入当前分支

```
MINGW64 ~/Desktop/DevOps/devops (DevOps_RC1|MERGING)
$ git add .

MINGW64 ~/Desktop/DevOps/devops (DevOps_RC1|MERGING)
$ git commit -m "合并冲突已经解决"

[DevOps_RC1 f6038c0] 合并冲突已经解决

MINGW64 ~/Desktop/DevOps/devops (DevOps_RC1)
```

5.11选择一个 commit, 合并进当前分支

\$ git cherry-pick [commit]

5.11.1选择别的分支(DevOps_RC1)的一个commit

```
$ git log
```

```
MINGW64 ~/Desktop/DevOps/devops (DevOps_RC1)

$ git log

commit 900d39d30f2487897c1fc09f71c4bd41e1c0cf7a (HEAD -> DevOps_RC1)

Author:

Date: Sat Jul 10 14:52:40 2021 +0800

3.txt添加了一行文字
```

5.11.2切换到另一个项目合并一个提交至此分支的分支

5.11.2.1切换分支(DevOps_Dev)

```
$ git checkout DevOps_Dev
Switched to branch 'DevOps_Dev'
Your branch is up to date with 'origin/DevOps_Dev'.
```

5.11.2.2将选定的commit, 合并进当前分支

```
$ git cherry-pick 900d39d30f2487897c1fc09f71c4bd41e1c0cf7a
```

```
MINGM64 ~/Desktop/DevOps/devops (DevOps_Dev)
S git cherry-pick 90043943097487897c1fc09f71c40d41e1c0cf7a
CONFLICT (modify/deltet): 3.txt defted in HEAD and modified in 900439d (3.txt添加了一行文字). Version 900439d (3.txt添加了一行文字) of 3.txt left in tree.
error: could not apply 900439d... 3.txt添加了一行文字
hint: after resolving the conflicts, mark the corrected paths
lint: with 'git add cpaths' or 'git rm cpaths'
lint: and commit the result with 'git commit'

MINGM64 ~/Desktop/DevOps/devops (DevOps Dev[CHERRY-PICKING)
```

5.11.2.3查看当前状态

\$ git status

```
### MINGW64 ~/Desktop/DevOps/devops (DevOps_Dev|CHERRY-PICKING)

### git status

On branch DevOps_Dev

### Your branch is up to date with 'origin/DevOps_Dev'.

### You are currently cherry-picking commit 900d39d.

### (fix conflicts and run "git cherry-pick --continue")

### (use "git cherry-pick --skip" to skip this patch)

### (use "git cherry-pick --abort" to cancel the cherry-pick operation)

### Unmerged paths:

### (use "git add/rm <file>..." as appropriate to mark resolution)

### deleted by us: 3.txt

### no changes added to commit (use "git add" and/or "git commit -a")
```

5.11.2.4解决冲突

```
$ git add .

MINGW64 ~/Desktop/DevOps/devops (DevOps_Dev|CHERRY-PICKING)

$ vim 3.txt

MINGW64 ~/Desktop/DevOps/devops (DevOps_Dev|CHERRY-PICKING)

$ git commit -m "当前分支之前存在此文件且文件为空但被删除,合并进来的文件与之前文件存在同名冲突,已确认冲突并重新做了添加

[DevOps_Dev fla4a70] 当前分支之前存在此文件且文件为空但被删除,合并进来的文件与之前文件存在同名冲突,已确认冲突并重新做了添加
Date: Sat Jul 10 14:52:40 2021 +0800

1 file changed, 1 insertion(+)

create mode 100644 3.txt

MINGW64 ~/Desktop/DevOps/devops (DevOps_Dev)
```

5.12删除分支

```
$ git branch -d [branch-name]
```

```
$ git branch -d DevOps_RC
Deleted branch DevOps_RC (was 2cb44e5).
```

5.13删除远程分支

5.13.1查看当前分支的详细信息

5.13.2删除远程分支

```
$ git push origin --delete DevOps_RC2
```

可以看到远程的此分支已经删除了

可以看到远程的此分支已经删除了



5.13.3 删除远程分支

\$ git branch -dr remotes/origin/DevOps_RC1

\$ git branch -av

6.标签

6.1列出所有 tag

\$ git tag

```
$ git tag
V0.3FixBug
```

\$ git tag -l

```
DevOps_Dev_V1.0
Dev_V1.0
V0.3FixBug
$ git tag --list
DevOps_Dev_V1.0
Dev_V1.0
V0.3FixBug
```

6.2新建一个 tag 在当前 commit

```
$ git tag [tag]
$ git tag V0.3FixBug
```

6.3新建一个 tag 在指定 commit

\$ git tag [tag] [commit] -m [message] \$ git tag Dev_V1.0 89d1d5b198a77deb9096e11b02aec7187221f384 -m "初始开发基线"

6.4新建一个tag在当前commit,提交信息为:文件内容

\$ git tag DevOps_Dev_V1.0 -F ReleaseNotes.md

6.5查看 tag 信息

```
$ git show [tag]
$ git show DevOps_Dev_V1.0
```

```
** git show DevOps_Dev_V1.0
** fig bevOps_Dev_V1.0
** fig bevOps_De
```

6.6提交指定 tag到远程仓库

\$ git push [remote] [tag]

\$ git push origin V0.3FixBug

6.7提交所有 tag

```
$ git push [remote] --tags
```

```
$ git push origin --tags
```

6.8基于某个tag创建分支并切换至该分支

```
$ git checkout -b [branch] [tag]

$ git checkout -b DevOps_RC3 V0.3FixBug

MINGW64 ~/Desktop/DevOps/devops (DevOps_Dev)

$ git checkout -b DevOps_RC3 V0.3FixBug
Switched to a new branch 'DevOps_RC3'

MINGW64 ~/Desktop/DevOps/devops (DevOps_RC3)
```

7.查看信息

7.1显示有变更的文件

```
$ git status
```

```
On branch DevOps_Dev
Your branch is up to date with 'origin/DevOps_Dev'.

You are currently cherry-picking commit 900d39d.

(fix conflicts and run "git cherry-pick --continue")
(use "git cherry-pick --skip" to skip this patch)
(use "git cherry-pick --abort" to cancel the cherry-pick operation)

Unmerged paths:

(use "git add/rm <file>..." as appropriate to mark resolution)
deleted by us: 3.txt

no changes added to commit (use "git add" and/or "git commit -a")
```

7.2显示当前分支的版本历史

```
$ git log
```

```
commit 2cb44e585aab4d1b2370a3e42dc6d4070fe217dc (HEAD -> Dev0ps_Dev, ori
Author: zhangsan <zhangsan@263.com>
Date: Sat Jul 10 11:03:12 2021 +0800
   修改了ReadMe.md文件,添加了一行说明
commit 89d1d5b198a77deb9096e11b02aec7187221f384 (origin/Dev0ps_V0.3FixBu
Author: zhangsan <zhangsan@263.com>
Date: Sat Jul 10 10:59:09 2021 +0800
   添加User文件夹
commit b54962a30b090f02a39fc3c6185750cf07b068ea
Author: zhangsan <zhangsan@263.com>
Date: Sat Jul 10 10:58:30 2021 +0800
   添加忽略文件
commit e76012d77857841d344ac04893a158e75e8088fc
Author: zhangsan <zhangsan@263.com>
       Sat Jul 10 10:56:46 2021 +0800
   添加Readme.md文件
```

7.3显示 commit 历史,以及每次 commit 发生变更的文件

```
$ git log --stat
```

```
commit 1c6e4116363e0dce9a931eeaad1d1dcd470bb673 (HEAD -> DevOps_RC3, tag
Author: zhangsan <zhangsan@263.com>
Date: Sat Jul 10 14:07:01 2021 +0800
   修复了VO.3FixBug
Readme.md | 1 +
1 file changed, 1 insertion(+)
commit 89d1d5b198a77deb9096e11b02aec7187221f384 (tag: Dev_V1.0)
Author: zhangsan <zhangsan@263.com>
Date:
     Sat Jul 10 10:59:09 2021 +0800
   添加User文件夹
Users/Naura.Framework.Service.Users/Encryption.cs | 100 ++
Users/Naura.Framework.Service.Users/Group.cs
                                               215 ++++
Users/Naura.Framework.Service.Users/IUser.cs
                                               86 ++
                                               152 +++
.../IUserClientService.cs
.../Naura.Framework.Service.Users.csproj
                                                  97 ++
.../Properties/AssemblyInfo.cs
                                                   36 +
Users/Naura.Framework.Service.Users/User.cs
                                              266 +++++
Users/Naura.Framework.Service.Users/UserClient.cs
                                                  16 +
                                               901 +++++++++
.../UserClientService.cs
.../Naura.Framework.Service.Users/UserContract.cs | 207 ++++
.../DesignTimeResolveAssemblyReferencesInput.cache | Bin 0 -> 6960 byt
...ework.Service.Users.csproj.FileListAbsolute.txt | 6 +
...vice.Users.csprojResolveAssemblyReference.cache | Bin 0 -> 22983 by
.../obj/Debug/Naura.Framework.Service.Users.dll | Bin 0 -> 38912 by
commit 1c6e4116363e0dce9a931eeaad1d1dcd470bb673 (HEAD -> Dev0ps_RC3, tag
Author: zhangsan <zhangsan@263.com>
Date: Sat Jul 10 14:07:01 2021 +0800
   修复了VO.3FixBug
Readme.md | 1 +
1 file changed, 1 insertion(+)
commit 89d1d5b198a77deb9096e11b02aec7187221f384 (tag: Dev_V1.0)
Author: zhangsan <zhangsan@263.com>
Date: Sat Jul 10 10:59:09 2021 +0800
   添加User文件夹
Users/Naura.Framework.Service.Users/Encryption.cs | 100 ++
Users/Naura.Framework.Service.Users/Group.cs | 215 ++++
Users/Naura.Framework.Service.Users/IUser.cs
                                               86 ++
.../IUserClientService.cs
                                                152 +++
.../Naura.Framework.Service.Users.csproj
                                                   97 ++
 .../Properties/AssemblyInfo.cs
                                                   36 +
                                               266 ++++
Users/Naura.Framework.Service.Users/User.cs
Users/Naura.Framework.Service.Users/UserClient.cs |
                                                   16 +
.../UserClientService.cs
                                                901 ++++++++
.../Naura.Framework.Service.Users/UserContract.cs | 207 ++++
.../DesignTimeResolveAssemblyReferencesInput.cache | Bin 0 -> 6960 byt
...ework.Service.Users.csproj.FileListAbsolute.txt | 6 +
...vice.Users.csprojResolveAssemblyReference.cache | Bin 0 -> 22983 by
.../obj/Debug/Naura.Framework.Service.Users.dll | Bin 0 -> 38912 by
.../obj/Debug/Naura.Framework.Service.Users.pdb
                                              | Bin 0 -> 77312 by
...tedFile_036C0B5B-1481-4323-8D20-8F5ADCB23D92.cs |
...tedFile_5937a670-0e60-4077-877b-f7221da3dda1.cs |
 ...tedFile E7A71F73-0F8D-4B9B-B56E-8E70B10BC5D3.cs
.../GroupTests.cs
                                                   51 +
                                               99 ++
.../Naura.Framework.Service.UsersTests.csproj
.../Properties/AssemblyInfo.cs
                                                   36 +
.../DesignTimeResolveAssemblyReferencesInput.cache | Bin 0 -> 6571 byt
....Service.UsersTests.csproj.FileListAbsolute.txt | 17 +
...UsersTests.csprojResolveAssemblyReference.cache | Bin 0 -> 38740 by
.../Debug/Naura.Framework.Service.UsersTests.dll | Bin 0 -> 5120 byt
.../Debug/Naura.Framework.Service.UsersTests.pdb | Bin 0 -> 11776 by
...tedFile_036C0B5B-1481-4323-8D20-8F5ADCB23D92.cs | 0
...tedFile_5937a670-0e60-4077-877b-f7221da3dda1.cs |
 ...tedFile_E7A71F73-0F8D-4B9B-B56E-8E70B10BC5D3.cs |
30 files changed, 3456 insertions(+)
commit b54962a30b090f02a39fc3c6185750cf07b068ea
Author: zhangsan <zhangsan@263.com>
Date: Sat Jul 10 10:58:30 2021 +0800
   添加忽略文件
.gitignore | 1 +
1 file changed, 1 insertion(+)
```

```
commit e76012d77857841d344ac04893a158e75e8088fc
Author: zhangsan <zhangsan@263.com>
Date: Sat Jul 10 10:56:46 2021 +0800
    添加Readme.md文件
Readme.md | 1 +
1 file changed, 1 insertion(+)
(END)
```

7.4显示某个文件的版本历史,包括文件改名

```
$ git log --follow [file]
```

\$ git whatchanged [file]

7.5显示指定文件相关的每一次 diff

```
$ git log -p [file]
```

```
$ git log -p Readme.md
```

```
commit 1c6e4116363e0dce9a931eeaad1d1dcd470bb673 (HEAD -> Dev0ps_RC3, tag
Author: zhangsan <zhangsan@263.com>
Date: Sat Jul 10 14:07:01 2021 +0800
   修复了V0.3FixBug
diff --git a/Readme.md b/Readme.md
index 6c1b17d..82f1ecb 100644
--- a/Readme.md
+++ b/Readme.md
@@ -1 +1,2 @@
this is my first add
+修改了VO.3FixBua的Bua
commit e76012d77857841d344ac04893a158e75e8088fc
Author: zhangsan <zhangsan@263.com>
Date: Sat Jul 10 10:56:46 2021 +0800
   添加Readme.md文件
diff --git a/Readme.md b/Readme.md
new file mode 100644
index 0000000..6c1b17d
--- /dev/null
+++ b/Readme.md
@@ -0,0 +1 @@
+this is my first add
```

7.6显示指定文件是什么人在什么时间修改过

```
$ git blame [file]
```

```
$ git blame Readme.md
```

```
$ git blame Readme.md
^e76012d ( 2021-07-10 10:56:46 +0800 1) this is my first add
1c6e4116 ( 2021-07-10 14:07:01 +0800 2) 修改了V0.3FixBug的Bug
```

7.7显示暂存区和上一个 commit 的差异

\$ git diff --cached []

\$ git diff --cached 89d1d5b198a77deb9096e11b02aec7187221f384

```
$ git diff --cached 89d1d5b198a77deb9096e11b02aec7187221f384 diff --git a/Readme.md b/Readme.md index 6c1b17d..fa3bd74 100644 --- a/Readme.md +++ b/Readme.md @@ -1 +1,4 @@ this is my first add +修改了V0.3FixBug的Bug +测试一下git diff +我要保存在暂存区
```

**不写commitID 默认是最新的commit ID **

```
$ git diff --cached
diff --git a/Readme.md b/Readme.md
index 561f60a..fa3bd74 100644
--- a/Readme.md
+++ b/Readme.md
@ -1,3 +1,4 @
this is my first add
修改了V0.3FixBug的Bug
测试一下git diff
+我要保存在暂存区
```

7.8显示工作区与当前分支最新 commit 之间的差异

\$ git diff HEAD

```
$ git diff HEAD
diff --git a/Readme.md b/Readme.md
index 561f60a..fa3bd74 100644
--- a/Readme.md
+++ b/Readme.md
@@ -1,3 +1,4 @@
this is my first add
修改了V0.3FixBug的Bug
测试一下git diff
+我要保存在暂存区
```

7.9显示两个分支之间的差异

\$ git diff [first-branch]...[second-branch]

\$ git diff DevOps_RC3 DevOps_Dev

```
diff --git a/3.txt b/3.txt
new file mode 100644
index 0000000..13137df
--- /dev/null
+++ b/3.txt
@@ -0,0 +1 @@
+我想测试一下cherry-pick [commit]
diff --git a/Readme.md b/Readme.md
index 561f60a..8b12de6 100644
```

```
--- a/Readme.md
+++ b/Readme.md
@@ -1,3 +1,2 @@
this is my first add
-修改了V0.3FixBug的Bug
diff --git a/3.txt b/3.txt
new file mode 100644
index 0000000..13137df
--- /dev/null
+++ b/3.txt
@@ -0,0 +1 @@
+我想测试一下cherry-pick [commit]
diff --git a/Readme.md b/Readme.md
index 561f60a..8b12de6 100644
--- a/Readme.md
+++ b/Readme.md
@@ -1,3 +1,2 @@
this is my first add
-修改了VO.3FixBug的Bug
-测试一下git diff
+this is my first commit -a
diff --git a/ReleaseNotes.md b/ReleaseNotes.md
new file mode 100644
index 0000000..1a4e89a
--- /dev/null
+++ b/ReleaseNotes.md
@@ -0,0 +1,26 @@
+Version: (Dev_v1.0)
+Introduction:
       welcome to use NCF package , using it , you can develop your per
       more information http://www.devops.com
       this version is from V0.3FixBug
+System Requirements:
     - CPU: 2C
       - OS: windows7 64位
       - Memory: 1G
       - Hard-disk: 40G
       - Others:
+Runtime Environment
+V0.3FixBug
      - 修改Demo程序bug
+Dev_v1.0
      - 建立DevOps平台项目
      - 建立DevOps项目
       - 需要.netframework4.6.1支持
       - 需要mysqlV5.1.5支持
(END)
```

7.10显示两次commit之间的差异

\$ git diff 304db4dfdd ab794ed848

7.11显示某次提交的元数据和内容变化

\$ git show [commit]

\$ git show ab794ed848f8cbe0f4b1be065555f5e0b1124d5d

```
$ git show ab794ed848f8cbe0f4b1be065555f5e0b1124d5d commit ab794ed848f8cbe0f4b1be065555f5e0b1124d5d Author:

Date: Sat Jul 10 17:38:03 2021 +0800

修改了Readme文件,增加了一行

diff --git a/Readme.md b/Readme.md index 82f1ecb..561f60a 100644
--- a/Readme.md +++ b/Readme.md (@0 -1,2 +1,3 @0 this is my first add 修改了V0.3FixBug的Bug +测试一下git diff
```

7.12显示某次提交发生变化的文件

\$ git show --name-only [commit]

```
$ git show --name-only b54962a30
```

```
$ git show --name-only b54962a30
commit b54962a30b090f02a39fc3c6185750cf07b068ea
Author:
Date: Sat Jul 10 10:58:30 2021 +0800
添加忽略文件
.gitignore
```

7.13显示某次提交时,某个文件的内容

\$ git show [commit]:[filename]

\$ git show 304db4dfdd:Readme.md

```
$ git show 304db4dfdd:Readme.md
this is my first add
修改了V0.3FixBug的Bug
测试一下git diff
我要保存在暂存区
```

显示所有的提交

```
$ git reflog
```

```
S git reflag
104db4d (HEAD > ) DevOps RC3) HEAD@(0): commit: 增加了4.tt. Readme.md文件运加一行
105db1 (14g: VO.3FixHug, origin/DevOps,VO.3FixHug, origin/DevOps,VO.3FixHug) HEAD@(2): checkout: moving from DevOps_Dev to DevOps_RC3
105db1 (tag: VO.3FixHug, origin/DevOps,VO.3FixHug, origin/DevOps,VO.3FixHug) HEAD@(2): commit: ## ReleaseHotes 文件
124da7 HEAD@(4): checkout: moving from DevOps_Dev DevOps_VO.3FixHug) to DevOps_Dev
124da7 HEAD@(4): checkout: moving from DevOps_VO.3FixHug to DevOps_Dev
124da7 HEAD@(5): checkout: moving from DevOps_VO.3FixHug to DevOps_Dev
124da8 HEAD@(7): checkout: moving from DevOps_VO.3FixHug to DevOps_VO.3FixHug thEAD@(5): checkout: moving from DevOps_RC2 to DevOps_VO.3FixHug thEAD@(7): checkout: moving from DevOps_RC2 to DevOps_RC3 to DevOps_RC4 to
```

8.远程同步

8.1拉取远程仓库的所有变动

```
$ git fetch [remote]
```

```
$ git fetch origin
```

8.2显示所有远程仓库

\$ git remote -v

8.3显示某个远程仓库的信息

\$ git remote show [remote]

\$ git remote show origin

```
warning: ------ SECURITY WARNING -----
warning: | TLS certificate verification has been disabled! |
warning: -----
warning: HTTPS connections may not be secure. See https://aka.ms/gcmcore
warning: ----- SECURITY WARNING -----
warning: | TLS certificate verification has been disabled! |
warning: HTTPS connections may not be secure. See https://aka.ms/gcmcore
* remote origin
 Fetch URL: http://192.168.145.89/devops/devops.git
 Push URL: http://192.168.145.89/devops/devops.git
 HEAD branch: master
  Remote branches:
   DevOps_Dev tracked
DevOps_RC tracked
DevOps_RC1 tracked
DevOps_RC3 tracked
   DevOps_Release tracked
   DevOps_V0.3FixBug tracked
            tracked
  Local branches configured for 'git pull':
   DevOps_Dev merges with remote DevOps_Dev
   DevOps_RC merges with remote DevOps_RC
DevOps_RC1 merges with remote DevOps_RC1
```

```
Dev0ps_RC2
                 merges with remote DevOps_RC1
 DevOps_Release
                 merges with remote DevOps_Release
 DevOps_V0.3FixBug merges with remote DevOps_V0.3FixBug
                merges with remote master
Local refs configured for 'git push':
                pushes to DevOps_Dev
                                          (up to date)
 DevOps Dev
 Dev0ps_RC
                 pushes to DevOps_RC
                                         (up to date)
 Dev0ps_RC1
                 pushes to DevOps_RC1
                                         (up to date)
 Dev0ps_RC3
                pushes to DevOps_RC3
                                         (fast-forwardable)
 DevOps_V0.3FixBug pushes to DevOps_V0.3FixBug (up to date)
 master
                 pushes to master
                                          (up to date)
```

8.4增加一个新的远程仓库,并命名

\$ git remote add [shortname] [url]

```
$ git remote add DevOps_MaTest
http://192.168.145.89/devops/devops_matest.git
```

\$ git remote -v

```
DevOps_MaTest http://192.168.145.89/devops/devops_matest.git (fetch)
DevOps_MaTest http://192.168.145.89/devops/devops_matest.git (push)
origin http://192.168.145.89/devops/devops.git (fetch)
origin http://192.168.145.89/devops/devops.git (push)
```

8.5取回远程仓库的变化,并与本地分支合并

\$ git pull [remote] [branch]

8.6上传本地指定分支到远程仓库

\$ git push [remote] [branch]

8.7强行推送当前分支到远程仓库,即使有冲突

\$ git push [remote] --force

8.8推送所有分支到远程仓库

\$ git push [remote] --all

9.撤销

9.1恢复暂存区的指定文件到工作区

\$ git checkout [file]

9.2恢复某个 commit 的指定文件到工作区

\$ git checkout [commit] [file]

9.3恢复上一个 commit 的所有文件到工作区

\$ git checkout .

9.4重置暂存区的指定文件,与上一次 commit 保持一致,但工作区不变

\$ git reset [file]

9.5重置暂存区与工作区,与上一次 commit 保持一致

\$ git reset --hard

9.6重置当前分支的指针为指定 commit,同时重置暂存区,但工作区不变

\$ git reset [commit]

9.7重置当前分支的 HEAD 为指定 commit,同时重置暂存区和工作区,与指定 commit 一致

\$ git reset --hard [commit]

9.8重置当前 HEAD 为指定 commit,但保持暂存区和工作区不变

\$ git reset --keep [commit]

- 9.9新建一个 commit,用来撤销指定 commit
- 9.10后者的所有变化都将被前者抵消,并且应用到当前 分支

\$ git revert [commit]



刷新评论 刷新页面 返回顶部

登录后才能查看或发表评论,立即 $\underline{\partial}$ 或者 $\underline{\mathcal{U}}$ 博客园首页

【推荐】百度智能云特惠:新用户首购云服务器低至0.7折,个人企业同享

【推荐】阿里云云大使特惠:新用户购ECS服务器1核2G最低价87元/年

【推荐】大型组态、工控、仿真、CAD\GIS 50万行VC++源码免费下载!

【推荐】和开发者在一起: 华为开发者社区,入驻博客园品牌专区

编辑推荐:

- · .Net Core with 微服务 Consul 配置中心
- · <u>我经历过的监控系统演进史</u>
- · 由 ASP.NET Core WebApi 添加 Swagger 报错引发的探究
- ·程序员是怎么存档并管理文件版本的?
- · <u>小于5人公司极简研发构架</u>

最新新闻:

- · <u>00后杀进职场,第一件事是"挑老板"</u>
- ·<u>"美团打车"新版App上线,卷土重来再战出行江湖</u>
- · <u>1400天之后,我注销了Soul</u>
- · 科技公司要让IPO打新"平民化":有人一夜暴富,有人资产成负
- · 2021过半,虚拟货币、在线教育、社区团购……这些风口没了
- » <u>更多新闻...</u>

Copyright © 2021 By小马哥

Powered by .NET 5.0 on Kubernetes Powered By<u>博客园</u>