


Test Case Review – Lang Flow – UPI Transfer scenario

Lang flow



Prompt template

Act as a Senior QA Lead. Review this test case: **{test_case_input}** Produce the following: - List of quality issues - Suggestions for improvement - A rewritten, improved version of the test case

Connect chat input – prompt template – groq (select model and input groq key) – chat output

Run the play ground

Enter the below prompt


System Role: You are a Senior Fintech QA Engineer.



Context: Review the following UPI Money Transfer test case. Check for security (PIN handling), bank response times (timeout/pending), and balance verification.



Input Test Case: {test_case_input}


Output:

1. List of Issues (Check for: Missing bank server failure scenarios, lack of PIN masking, or missing transaction ID validation).
2. Suggestions for Improvement (Add edge cases like "Insufficient Funds" or "Limit Exceeded").
3. Improved Version (Formatted in a clear table or Markdown list)
4. Atomicity: Does the test case try to test too many things at once?
5. Data Driven: Are specific test data points mentioned (e.g., "valid username")?
6. Traceability: Is there a clear link to a potential requirement?
7. Independence: Can this test run without relying on the state of a previous test?









System Role: You are a Senior Fintech QA Engineer.

Context: Review the following UPI Money Transfer test case. Check for security (PIN handling), bank response times (timeout/pending), and balance verification.

Input Test Case: {test_case_input}

Output:

1. List of Issues (Check for: Missing bank server failure scenarios, lack of PIN masking, or missing transaction ID validation).
2. Suggestions for Improvement (Add edge cases like "Insufficient Funds" or "Limit Exceeded").
3. Improved Version (Formatted in a clear table or Markdown list)
4. Atomicity: Does the test case try to test too many things at once?
5. Data Driven: Are specific test data points mentioned (e.g., "valid username")?
6. Traceability: Is there a clear link to a potential requirement?
7. Independence: Can this test run without relying on the state of a previous test?

Review of UPI Money Transfer Test Case

Given the context of a UPI money transfer system, the test case provided seems to lack specific details necessary for a comprehensive review. However, based on standard practices for testing financial transactions, especially those involving UPI (Unified Payments Interface), I will outline potential issues, suggestions for improvement, and propose an improved version of the test case.

List of Quality Issues:

1. **Missing Bank Server Failure Scenarios**: The test case does not mention how it handles scenarios where the bank's server is down or not responding.
2. **Lack of PIN Masking**: There's no indication that the test case verifies if the PIN is properly masked during the transaction process to ensure security.
3. **Missing Transaction ID Validation**: The test case may not validate the transaction ID generated after a transfer, which is crucial for tracking and security purposes.
4. **Insufficient Edge Cases**: The test case might not cover edge cases such as "Insufficient Funds," "Limit Exceeded," or "Invalid Recipient Details."
5. **Timeout and Pending Transaction Handling**: It's unclear if the test case addresses how the system handles transactions that are pending or have timed out.

Suggestions for Improvement:

- **Add Edge Cases**: Include scenarios for "Insufficient Funds," "Transaction Limit Exceeded," and "Invalid Recipient Details" to ensure the system behaves as expected under various conditions.
- **PIN Masking Verification**: Ensure that the PIN entry is masked and not stored in plain text to comply with security standards.
- **Transaction ID Validation**: Verify that each transaction generates a unique and valid transaction ID.
- **Bank Server Failure Scenarios**: Incorporate tests for bank server downtime or failure to respond, including how the system notifies the user and handles the transaction.

- **Timeout and Pending Transactions**: Define how the system handles transactions that have timed out or are in a pending state, including user notification and automatic retries if applicable.

Improved Version of the Test Case:

```markdown

### UPI Money Transfer Test Case

#### Test Case ID: UPI-001

#### Objective: To verify successful UPI money transfer with valid credentials and sufficient funds.

#### Preconditions:

- User has a valid UPI account.
- User has sufficient funds in their account.
- Recipient's UPI ID is valid.

#### Steps:

1. **Login**: User logs in with valid credentials.
2. **Initiate Transfer**: User initiates a money transfer to a valid recipient UPI ID.
3. **Enter Amount**: User enters a valid amount less than their available balance.
4. **PIN Entry**: User enters their UPI PIN, which should be masked.
5. **Transaction Processing**: System processes the transaction.
6. **Transaction Confirmation**: System generates a unique transaction ID and confirms the transfer.

#### Expected Results:

- Transaction is successful.
- Transaction ID is generated and displayed to the user.

- User's account balance is updated correctly.
- Recipient receives the funds.

#### #### Edge Cases:

- **\*\*Insufficient Funds\*\***: Verify error message when transferring an amount exceeding the user's balance.
- **\*\*Limit Exceeded\*\***: Test transferring an amount that exceeds the daily transaction limit.
- **\*\*Invalid Recipient Details\*\***: Verify error handling for invalid recipient UPI IDs.
- **\*\*Bank Server Failure\*\***: Test system behavior during bank server downtime.
- **\*\*Timeout\*\***: Verify how the system handles transactions that time out.

#### #### Atomicity:

This test case focuses on a single, specific scenario (UPI money transfer) but can be broken down into smaller test cases for each edge case to improve atomicity.

#### #### Data Driven:

Specific test data points should be mentioned, such as valid usernames, UPI IDs, and transaction amounts, to ensure clarity and repeatability.

#### #### Traceability:

This test case should link back to specific requirements for UPI money transfers, including security, performance, and usability requirements.

#### #### Independence:

Each test case should be designed to run independently without relying on the state of previous tests, ensuring that the outcome of one test does not affect another.

...

#### ### Conclusion



The improved test case aims to cover a broader range of scenarios, including security aspects like PIN masking, performance under failure conditions, and edge cases that might not have been initially considered. By breaking down the test case into more atomic tests and ensuring each can run independently, the reliability and effectiveness of the testing process are significantly enhanced.