

NAPREDNI WP ROCKET Ahaa trenutci

IVAN RUŽEVIĆ
IVAN.RUZEVIC@INFINUM.CO

Primjer

Frižider

Zašto cachirati?

Server


Brzina

Google pozicija

UX

Brza aplikacija = Sretan Korisnik = Sretan Klijent

You and your web browser



WordPress database

WordPress host

Vrste cacha

Client-Side

Server-size

Page caching

Mobile caching

User caching

Database query caching

Object-based caching

Opcode caching

WORDPRESS CACHE


Kako radi?

wp-setting.php

wp_debug

enable_loading_advanced_cache_dropin

Proces



WordPress cache plugins

W3 Total Cache

WP Rocket

WP Super Cache

WP Fastest Cache

Comet Cache

Cache Enabler

Hyper Cache

Treba li mi plugin?

Tehnički ne, ali da!

WP ROCKET

Zašto da?

Jednostavan setup

Cache preloading

Optimizacija baze podataka

Lazyloading

Caching Rest Api ruta

Najbrži

Odličan support


Super debug log (WP_ROCKET_DEBUG)

Zašto ne?

Nije besplatan

Advance stvari treba razumjeti

Prosječna poboljšanja u testovima brzine



AHAA TRENUTCI

Setup

Decoupled WordPress

Frontend App on JS

REST API jako spor

Plugin koji cachira rest rute

Ne razumijevanje cache procesa



Rocket konfiguracija

- wp-content
 - ▶ cache
 - ▶ mu-plugins
 - plugins
 - ▶ themes
 - upgrade
 - uploads
 - wp-rocket-config
 - .htaccess
 - dev-api.go.com.php
- advanced-cache.php

Rješenje 1

Rocket konfiguracija

Resave admin konfiguraciju

lli

Reaktivirati plugin

Rest rute ne rade out of the box

Rješenje 2

Treba dodati filter hook

```
add_filter( 'rocket_cache_reject_wp_rest_api', 'enable_rest_api_cache' );
add_filter( 'rocket_cache_reject_wc_rest_api', 'enable_rest_api_cache' );

/**
    * Enable Rest Api caching
    *
    * @since 1.0.0
    */
    public function enable_rest_api_cache() {
        return false;
    }
```

WP-ROCKET-CONFIG

```
$rocket_cache_reject_uri = '/(.+/)?feed/?|/(index\.php/)?wp\-json(/.*|$)';
```

```
$rocket_cache_reject_uri = '/( +/)?feed/?';
```

CACHED FILES

- wp-content
 - ✓ cache
 - busting
 - ▶ critical-css
 - ▶ min
 - - - - ✓ WC
 - ✓ v2

 - slug=entertainment-king

 - index-https.html
 - index-https.html_gzip

- index-https.html
- index-https.html_gzip

Cachiranje rest rute po ID-u

Radi samo za ID:

/wp-json/wp/v2/pages/1344

Nama treba slug:

/wp-json/wp/v2/pages?slug=home

Rješenje 3

Cachiranje rest rute po ID-u

WP-ROCKET-CONFIG

```
$rocket_cache_query_strings = array (
   0 => 'q',
);

$rocket_cache_query_strings = array (
   0 => 'slug',
   1 => 'q',
);
```

```
add_filter( 'rocket_cache_query_strings', 'query_string_list' );

/**
  * List all Query strings to cache.
  *
  * @param array $items Items from the admin.
  * @since 1.0.0
  */
public function query_string_list( $items ) {

  $items[] = 'slug';

  return $items;
}
```

Neke rute ne želimo cachirati

Rješenje 4

Neke rute ne želimo cachirati

```
add_filter( 'rocket_cache_reject_uri', 'reject_url' );

/**
  * List all Pages not to cache
  *
  * @param array $items Items from the admin.
  * @since 1.0.0
  */
public function reject_url( $items ) {
    $items[] = '/wp-json/wc/v2/orders/(.*)';
    return $items;
}
```

WP-ROCKET-CONFIG

```
$rocket_cache_reject_uri = '/(.+/)?feed/?';
$rocket_cache_reject_uri = '/(.+/)?feed/?|/wp-json/wc/v2/orders/(.*)';
```

Izmjenim stranicu a ruta je i dalje cachirana

Rješenje 5

Izmjenim stranicu a ruta je i dalje cachirana

```
add_action( 'save_post', 'clear_query_cache', 10, 2 );
/**
* Force rest enpoints with query parameters to delete cache on post save.
* @param object $post Post object.
* @since 1.0.0
public function clear_query_cache( $post_id, $post ) {
 if ( ! function_exists( 'rocket_clean_files' ) ) {
   return false;
 $normal_url = $this->get_rest_route_url_by_type( $post->post_type, $post->post_name );
 $custom_url = str_replace( '?', '', $normal_url );
 $urls = [
   esc_url( $normal_url ),
   esc_url( $custom_url ),
                                                               NGINX CONFIG
 \rocket_clean_files( $urls );
                                                               try files $uri $uri//index.php?q=$uri&$args;
```

try_files \$uri \$uri/ /index.php?\$args;

CORS – oh glavobolja

Rješenje 6 – Apache

CORS – oh glavobolja

```
add_filter( 'after_rocket_htaccess_rules', 'add_cors_rools_apache' );
/**
* Add CORS headers in htaccess rools used only on Apache.
* @param string $rules Precreated rules.
* @return string
* @since 1.0.0
public function add_cors_rools_apache( $rules ) {
 $rules = '# CORS headers' . PHP_EOL;
 $rules .= '<IfModule mod_headers.c>' . PHP_EOL;
 $rules _= 'Header set Access-Control-Allow-Origin "' _ GO_FRONTEND_URL _ '"' _ PHP_EOL;
 $rules _= 'Header set Access-Control-Allow-Methods "POST, GET, OPTIONS, PUT, DELETE"' _ PHP_EOL;
 $rules _= 'Header set Access-Control-Allow-Credentials "true"' _ PHP_EOL;
 $rules .= '</IfModule>' . PHP_EOL . PHP_EOL;
  return $rules;
```

WP-CONFIG.PHP

```
// This must be inputed due to CORS issues.
define( 'GO_FRONTEND_URL', 'https://js-awesome.infinum.co');
```

Rješenje 6 – Nginx

CORS – oh glavobolja

WP-CONFIG.PHP

```
// This must be inputed due to CORS issues.
define( 'GO_FRONTEND_URL', 'https://js-awesome.infinum.co' );
 * Acc Cors headers to cached and non cached res api endpoint.
 * This is called in plugin on wp-rocket activation hook and
 * activates in advance-cache.php.
 * @since 1.0.0
function go_cors_headers() {
  if ( defined( 'GO_FRONTEND_URL' ) ) {
   $req = htmlspecialchars( $_SERVER['REQUEST_URI'] );
    if ( isset( $req ) ) {
      preg_match( '/wp-json/', $req, $result );
      if ( ! empty( $result ) ) {
        header( 'Access-Control-Allow-Origin: ' . rtrim( GO_FRONTEND_URL, '/' ) );
        header( 'Access-Control-Allow-Methods: POST, GET, OPTIONS, PUT, DELETE' );
        header( 'Access-Control-Allow-Credentials: true' );
```

PLUGIN / THEME

```
add_filter( 'rocket_advanced_cache_file', 'add_cors_rools_apache_nginx' );

/**
    * Add Cors headers in advance-cache.php config file on plugin activation
    * used only on Nginx.
    *
    * @param string $buffer Original file output.
    *
    * @since 1.0.0
    */
public function add_cors_rools_apache_nginx( $buffer ) {
    $position = strpos( $buffer, 'include' );
    $cors_function = "go_cors_headers();\n";

    $buffer = substr_replace( $buffer, $cors_function, $position, 0 );

    return $buffer;
}
```

Neispravan Content-Type

Rješenje 7

Neispravan Content-Type

NO CACHE

Content-Type → application/json;

CACHE

Content-Type →text/html;

Nema rješenja



Any questions?

IVAN.RUZEVIC@INFINUM.CO @ MUSTRA1

Visit infinum.co or find us on social networks:







