

CAR RETAIL MANAGEMENT

SYSTEM DBMS PROJECT

SUBMITTED BY:

RHEA CHAWLA

(2K18CSUN03009)

KARAN GOYAL

(2K18CSUN04010)

NIDHISH GAUR

(2K18CSUN04013)

CAR RETAIL MANAGEMENT SYSTEM

1. Description of the Car Retail Management System

- The details of Cars is stored into Cars table with below mentioned attributes.
- Each entity (Car Owners, Customer, Car Models, Cars) contain primary keys and unique keys.
- The entity Car Owners, Customers has binded with Cars, Car Models entities with foreign key
- There is one-to-one and one-to-many relationships available between Customer, Owners, Cars and models.
- All entities Cars, Customer, Car Owners, etc are normalized and reduced duplicacy of records.
- ❖ We have implemented indexing on each tables of Car Retail Management System tables for fast query execution.

2. Car Retail Management System entities and their attributes

♦ Cars Entity:

- ✓ car_id,
- √ car_customer_id,
- √ car_number,
- √ car_company,
- √ car_description

♦ Car Models Entity:

- √ car_model_id
- √ car_model_number
- √ car_model_year
- √ car_model_name
- √ car_model_type
- √ car_model_description


♦ Car Owners Entity:

- √ owner_id(liscence number)
- ✓ owner_name
- ✓ owner_mobile

♦ Customer Entity:

- ✓ cus_id(liscence number)
- ✓ cus_name
- ✓ cus_email
- ✓ cus_mobile
- ✓ cus_address

Entity-Relationship Model





CAR

Ī	car_id	car_desc	cus_id	car_number	company	owner_id

CAR OWNER

owner_id	own_name

CUSTOMER

Cus_id	Cus_email	Cus_add	Cus_name

CAR MODEL

Cm_id	Cm_name	Cm_year	Car_type	Car_desc	Car_number

CAR OWNER MOBILE

Owner_id	Owner_mobile

Cus_id Cus_mobile

CUSTOMER MOBILE

CREATION OF TABLES

1) CAR:

```
mysql> CREATE TABLE cars(
    -> car_id varchar(20) NOT NULL,
    -> car_desc varchar(80),
    -> customer_id int(20),
    -> car_number varchar(20),
    -> company varchar(20),
    -> PRIMARY KEY(car_id)
    -> );
Query OK, 0 rows affected, 1 warning (0.56 sec)
```

2) CAR_OWNER:

```
mysql> CREATE TABLE car_owner(
    -> owner_id int(20) NOT NULL,
    -> own_Fname varchar(20),
    -> own_Lname varchar(20),
    -> PRIMARY KEY(owner_id)
    -> );
Query OK, 0 rows affected, 1 warning (0.10 sec)
```

3) OWNER_MOBILE:

```
mysql> CREATE TABLE owner_mobile(
    -> owner_id int(20),
    -> own_mob int(30),
    -> FOREIGN KEY(owner_id) REFERENCES car_owner(owner_id)
    -> );
Query OK, 0 rows affected, 2 warnings (0.16 sec)
```

4) CUSTOMER:

```
mysql> CREATE TABLE customer(
    -> cus_id int(20) NOT NULL,
    -> cus_add varchar(30),
    -> cus_Fname varchar(3),
    -> cus_Lname varchar(30),
    -> cus_email varchar(30)
    -> );
Query OK, 0 rows affected, 1 warning (0.13 sec)
```

5) CAR_MODEL:

```
mysql> create table car_model(
    -> cm_id int(20) NOT NULL,
    -> cm_name varchar(20),
    -> cm_year int(20),
    -> car_type varchar(20),
    -> car_num varchar(20),
    -> PRIMARY KEY(cm_id)
    -> );
Query OK, 0 rows affected, 2 warnings (0.48 sec)
```

6) CUSTOMER_MOBILE

```
mysql> create table customer_mobile(
    -> cus_id int(11) NOT NULL,
    -> cus_mobile int(20),
    -> CONSTRAINT fk1 FOREIGN KEY (cus_id) REFERENCES customer(cus_id)
    -> );
Query OK, 0 rows affected, 2 warnings (0.24 sec)
```

INSERTION OF TABLES

```
mysql> INSERT INTO cars(car_id,customer_id,car_number,company,car_desc)
    -> VALUES
    -> ('A01',2,'DL6557','Maruti','Black'),
    -> ('A02',6,'DL5757','Honda','White'),
    -> ('A03',8,'DL4578','Honda','White'),
    -> ('A04',3,'DL6421','Maruti','Black'),
    -> ('A05',7,'DL6425','Tata','Grey')
    -> ;
Query OK, 5 rows affected (0.73 sec)
Records: 5 Duplicates: 0 Warnings: 0
```

```
mysql> select * from cars;
  car_id | car_desc | customer_id | car_number |
                                                  company
 A01
           Black
                                     DL6557
                                                   Maruti
                                 2
           White
                                 6
  A02
                                     DL5757
                                                   Honda
  A03
           White
                                 8
                                     DL4578
                                                   Honda
  A04
           Black
                                 3
                                                   Maruti
                                     DL6421
  A05
          Grey
                                   DL6425
                                                   Tata
 rows in set (0.00 sec)
```

2) CUSTOMER:

```
mysql> INSERT INTO customer
   -> VALUES
   -> (2,'Delhi','Rhea','Chawla','rc@gmail.com'),
   -> (6,'Haryana','Karan','Goyal','kg@gmail.com'),
   -> (8,'Haryana','Nidhish','Gaur','ng@gmail.com'),
   -> (3,'Delhi','Sarika','Gaind','sg@hotmail.com'),
   -> (7,'Chandigarh','Aditi','Goyal','ag@mail.com')
   ->;
```

```
mysql> select * from customer;
 cus_id | cus_add
                    cus_Fname | cus_Lname | cus_email
                                            rc@gmail.com
      2 Delhi
                     Rhea
                                 Chawla
      3 Delhi
                                            sg@hotmail.com
                     Sarika
                                Gaind
      6
                               Goyal
                                           kg@gmail.com
       Haryana
                    Karan
      7 | Chandigarh | Aditi
                                Goyal
                                            ag@mail.com
      8 Haryana
                    Nidhish
                               Gaur
                                           ng@gmail.com
5 rows in set (0.00 sec)
```

3)CUSTOMER_MOBILE:

```
mysql>
mysql> INSERT INTO customer_mobile
    -> VALUES
    -> (2,4562987),
    -> (2,6489082),
    -> (3,7094850),
    -> (3,1665090),
    -> (6,9078962),
    -> (7,0986352),
    -> (8,6763847)
    -> ;

Query OK, 7 rows affected (0.04 sec)

Records: 7 Duplicates: 0 Warnings: 0
```

```
mysql> select * from customer_mobile;
 cus_id | cus_mobile |
      2 4562987
      2
           6489082
      3
           7094850
      3
           1665090
      6
           9078962
      7
            986352
      8
           6763847
7 rows in set (0.00 sec)
```

4)CAR_OWNER:

```
mysql> INSERT INTO car_owner
    -> VALUES
    -> (11,'RJUKL','CLIO'),
    -> (12,'HUOK','KIUI'),
    -> (23,'HIJO','OKLOP'),
    -> (34,'OIJK','UIOOKN'),
    -> (67,'HIUBH','GDFAC')
    -> ;
Query OK, 5 rows affected (0.03 sec)
Records: 5 Duplicates: 0 Warnings: 0
```

```
mysql> SELECT * FROM car_owner;

| owner_id | own_Fname | own_Lname |
| 11 | RJUKL | CLIO |
| 12 | HUOK | KIUI |
| 23 | HIJO | OKLOP |
| 34 | OIJK | UIOOKN |
| 67 | HIUBH | GDFAC |
+----+
5 rows in set (0.00 sec)
```

5)OWNER_MOBILE:

```
-----
2 rows in set (0.00 sec)
mysql> INSERT INTO owner_mobile
   -> VALUES
   -> (11,490890),
   -> (11,097362),
   -> (11,907347),
   -> (12,087483),
   -> (23,487349),
   -> (34,879348),
   -> (67,986732)
Query OK, 7 rows affected (0.07 sec)
Records: 7 Duplicates: 0 Warnings: 0
mysql> SELECT * FROM owner_mobile;
 owner id | own mob
       11
           490890
       11
             97362
       11
            907347
       12
             87483
       23 l
            487349
            879348
       34
            986732
 rows in set (0.00 sec)
```

7) CAR_MODEL:

```
mysql> INSERT INTO car_model
     -> VALUES
     -> ('A01','Maruti','2014','Petrol','DL6557'),
    -> ('A02','Honda','2016','Diesel','DL5757'),
-> ('A03','Honda','2016','Diesel','DL4578'),
-> ('A04','Maruti','2013','CNG','DL6421'),
-> ('A05','Tata','2014','Petrol','DL6425')
     -> :
Query OK, 5 rows affected (0.03 sec)
Records: 5 Duplicates: 0 Warnings: 0
mysql> select * from car_model;
  cm_id | cm_name | cm_year | car_type | car_num
                              2014
                                      Petrol
  A01
            Maruti
                                                    DL6557
                                      Diesel
  A02
            Honda
                             2016
                                                    DL5757
                                      Diesel
  A03
            Honda
                              2016
                                                    DL4578
  A04
           Maruti
                             2013
                                    CNG
                                                    DL6421
  A05
            Tata
                              2014
                                    Petrol
                                                    DL6425
5 rows in set (0.00 sec)
```

MODIFICATION OF TABLES

```
mysql> UPDATE car_model
-> SET cm_name = 'Hyundai'
-> where cm_id = 'A03';
Query OK, 1 row affected (1.10 sec)
Rows matched: 1 Changed: 1 Warnings: 0
```

**

```
mysql> ALTER TABLE customer MODIFY state VARCHAR(30);
ERROR 1054 (42S22): Unknown column 'state' in 'customer'
mysql> ALTER TABLE customer MODIFY cus_Fname VARCHAR(30);
```

**

**

```
mysql> DELETE FROM customer_mobile WHERE cus_id = 7;
Query OK, 1 row affected (0.02 sec)
mysql> select * from customer_mobile;
 cus_id | cus_mobile |
         4562987
      2
           6489082
      2
      3
           7094850
      3
           1665090
      6
           9078962
      8 6763847
6 rows in set (0.00 sec)
```