

Yuzu Tech

# Quarterly Report

## Q3 2026

Guillaume Grossetie

Version 1.0 · 2026-10-17

INTERNAL

# Table of Contents

1. Summary ..... 2
2. Metrics ..... 3
3. Architecture ..... 4
4. Next steps ..... 5

ABSTRACT

This report is converted with a custom Typst template, `theme/theme.typ`: the cover page, the header and footer, the colors, the admonitions, the tables and the `badge` role come from the template. The `company` and `classification` attributes of this document are read by the template.

# 1. Summary

The quarter was marked by the first release of the **new** PDF converter, which runs on the JVM without Ruby and without any native library.[1]

> **TIP**
> Templates are plain Typst files: a template redefines the functions of the base template it wants to change, and keeps the others.

## 1.1. Highlights

- The converter supports most of the AsciiDoc elements.
- A conversion takes about **150 ms** once the JVM is warm.
- A template can read any document attribute.

> *Finally, a PDF converter that I can style with a real language.*
>
> — A happy user

[1] Typst runs as WebAssembly, translated to JVM bytecode by Chicory.

# 2. Metrics

Table 1. Key metrics of the quarter

| Metric | Q2 | Q3 | Trend |
|---|---|---|---|
| Documents converted | 1,204 | 3,890 | ▲ |
| Average conversion time (ms) | 410 | 152 | ▼ |
| Templates in use | 2 | 9 | ▲ |
| Open issues | 37 | 21 | ▼ |

WARNING
The figures of Q2 were measured with an earlier version of the converter.

**Example 1. Where the time goes**
Most of the conversion time is spent in Typst on the first conversion: the JVM loads and compiles the classes translated from WebAssembly. The next conversions reuse the compiler and its incremental cache.

# 3. Architecture





Figure 1. The conversion pipeline

The template receives the document metadata and the document attributes:

```
#let asciidoctor(title: none, authors: (), attributes: (:), ..args, body) = {
  let company = attributes.at("company", default: none)
  set page(header: [#company #h(1fr) #title])
  body
}
```

**Technical debt**

The STEM notations (latexmath, asciimath) are displayed as source code: Typst has no TeX parser. Remote images are not supported yet.

# 4. Next steps

1. Publish AsciidoctorJ 4 and the Typst module to Maven Central.
2. Provide a gallery of templates.
3. Support remote images.

IMPORTANT
The next report is due on 2027-01-15.

CAUTION
This document is internal: don't share it outside of the company.