

FMOD Masking Project API

FMOD 版本号:2.03.09

FMOD for Unity: <https://www.fmod.com/download>

下载Leo分支里的内容, 安装FMOD for unity package

工程链接为位置 GlobalGameJam\Masking GameJam\Masking GameJam.fspro

资产方面:

GlobalGameJam\Masking GameJam\Audio\.....

已经全部导入至工程

GlobalGameJam\Masking GameJam\Build\Desktop\.....

上面是build的bank位置, 可以放进去Unity工程中


以下是工程参数**API**解析:

加粗为默认选择。

以下为Level Sound Design(event)中:

Ejection, 模式Labeled, 分为**NA(0)**、isCharging(1)、isReleased(2)

这两个音效用于蓄力以及发射瞬间触发。



输入isCharging或者数字1后, 会选择到Ejection_1_pre这个音效, 然后执行fmod.play(), 要记得立刻输入NA或者可以pass进去数字0(在这个工程里面大部分都是用的Labeled模式, 都以此类推)。

Collision, 模式Labeled, 分为**NA(0)**以及Hit(1), 用于碰撞边框时。
虽然能看到资产列表里有三个, 但是工程里已经设置为随机触发, 所以只需要pass进去Hit(1), 然后执行fmod.play()。

Parameter type:
User: Labeled

Parameter name:
Collision

Labels:

NA	Value: 0
Hit	Value: 1

Statement, 模式Labeled, 分为**NA(0)**, Gravity ONOFF(1)以及Collision ONOFF(2), 用于开始按下鼠标左右键时触发, 松开可以不用触发第二次(看看效果如何)。

Parameter type:
User: Labeled

Parameter name:
Statement

Labels:

NA	Value: 0
Gravity ONOFF	Value: 1
Collision ONOFF	Value: 2


VF, 模式Labeled, 分为**NA(0)**, Victory(1)以及Fail(2), 用于成功与失败时触发。

The screenshot shows a configuration window for a parameter. At the top, 'Parameter type:' is set to 'User: Labeled'. Below, 'Parameter name:' is 'VF'. The 'Labels:' section contains three entries: 'NA' with 'Value: 0', 'Victory' with 'Value: 1', and 'Fail' with 'Value: 2'.

Assets	OneShot/Loop	Parameter
Ejection_1_pre	OS	Ejection(isCharging)
Ejection_3_fire	OS	Ejection(isReleased)
hit_1	OS	Collision(Hit)
hit_2	OS	Collision(Hit)
hit_3	OS	Collision(Hit)
Collision_1	OS	Statement(Collision ONOFF)
Collision_2	OS	Statement(Collision ONOFF)
Collision_3	OS	Statement(Collision ONOFF)
Gravity_1	OS	Statement(Gravity ONOFF)
Gravity_2	OS	Statement(Gravity ONOFF)
Gravity_3	OS	Statement(Gravity ONOFF)
Game_victory	OS	VF(Victory)
Game_fail	OS	VF(Fail)

以下为BGM(event)中：

Prepare, 模式Labeled, 分为**Close(0)**以及**Open(1)**, 用于音乐效果控制。



The image shows a dark-themed user interface for configuring a parameter. It has three main sections: 'Parameter type:', 'Parameter name:', and 'Labels:'. The 'Parameter type:' section has a dropdown menu currently showing 'User: Labeled'. The 'Parameter name:' section has a text input field containing 'Prepare'. The 'Labels:' section contains two entries: 'Close' with a 'Value: 0' button next to it, and 'Open' with a 'Value: 1' button next to it.

Label	Value
Close	0
Open	1

Close的效果为高切, 在小球还没有发射出去之前(或者就是死了再次回到起点)
Open的效果为全频段, 当发射瞬间可以切为Open