

Document title

Subtitle of document



Document title

Subtitle of document

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Aenean ut elit odio. Donec fermentum tellus neque, vitae fringilla orci pretium vitae. Fusce maximus finibus facilisis. Donec ut ullamcorper turpis. Donec ut porta ipsum. Nullam cursus mauris a sapien ornare pulvinar. Aenean malesuada molestie erat quis mattis. Praesent scelerisque posuere faucibus.

Jane Doe^{1,2,*} and John Doe¹

1. University of Hamburg, Biology Department
 2. Institute of Something, Hamburg, Germany

* Correspondence: Jane Doe jane.doe@uni-hamburg.de

2025-06-04

Contents

1	Dynamic Report	2
1.1	Regression Analysis	2
1.1.1	Plot A Models	2
1.1.2	Plot B Models	3
1.2	Scatter Plots with Regression Lines	4
1.2.1	Plot A Visualizations	4
1.2.2	Plot B Visualizations	6


```
## $plotA_x_1
## [1] "disp"
##
## $plotA_x_2
## [1] "cyl"
##
## $plotA_x_3
## [1] "cyl"
##
## $plotB_x_1
## [1] "cyl"
##
## $plotB_x_2
## [1] "disp"
##
## $plotB_x_3
## [1] "qsec"
##
## $bookmark_url
## [1] "http://127.0.0.1:7949/?_inputs_&nav=%22Report%20Export%22&download_trigger=1&parse_u
```

1 Dynamic Report

See [site](#)

1.1 Regression Analysis

Here are my regression models:

1.1.1 Plot A Models

1.1.1.1 Plot A 1

Variable: disp

Call: lm(formula = fml, data = mtcars)

Residuals: Min 1Q Median 3Q Max -4.892 -2.202 -0.963 1.627 7.231

Coefficients: Estimate Std. Error t value Pr(>|t|)

(Intercept) 29.59985 1.22972 24.07 < 2e-16 **disp -0.04122 0.00471 -8.75 9.4e-10** — Signif. codes: 0 “**0.001**” 0.01 “ 0.05 ‘ 0.1 ’ 1

Residual standard error: 3.25 on 30 degrees of freedom Multiple R-squared: 0.718, Adjusted R-squared: 0.709 F-statistic: 76.5 on 1 and 30 DF, p-value: 9.38e-10

The fitting result is: mpg = 29.6 + -0.0412 * disp

1.1.1.2 Plot A 2

Variable: cyl

Call: lm(formula = fml, data = mtcars)

Residuals: Min 1Q Median 3Q Max -4.981 -2.119 0.222 1.072 7.519

Coefficients: Estimate Std. Error t value Pr(>|t|)

(Intercept) 37.885 2.074 18.27 < 2e-16 **cyl -2.876 0.322 -8.92 6.1e-10** — Signif. codes: 0 “**0.001**” 0.01 “ 0.05 ‘ 0.1 ’ 1

Residual standard error: 3.21 on 30 degrees of freedom Multiple R-squared: 0.726, Adjusted R-squared: 0.717 F-statistic: 79.6 on 1 and 30 DF, p-value: 6.11e-10

The fitting result is: mpg = 37.88 + -2.876 * cyl

1.1.1.3 Plot A 3

Variable: cyl

Call: lm(formula = fml, data = mtcars)

Residuals: Min 1Q Median 3Q Max -4.981 -2.119 0.222 1.072 7.519

Coefficients: Estimate Std. Error t value Pr(>|t|)

(Intercept) 37.885 2.074 18.27 < 2e-16 **cyl -2.876 0.322 -8.92 6.1e-10** — Signif. codes: 0 ‘‘ **0.001** ’’ 0.01 ‘’ 0.05 ‘’ 0.1 ‘’ 1

Residual standard error: 3.21 on 30 degrees of freedom Multiple R-squared: 0.726, Adjusted R-squared: 0.717 F-statistic: 79.6 on 1 and 30 DF, p-value: 6.11e-10

The fitting result is: mpg = 37.88 + -2.876 * cyl

1.1.2 Plot B Models

1.1.2.1 Plot B 1

Variable: cyl

Call: lm(formula = fml, data = mtcars)

Residuals: Min 1Q Median 3Q Max -4.981 -2.119 0.222 1.072 7.519

Coefficients: Estimate Std. Error t value Pr(>|t|)

(Intercept) 37.885 2.074 18.27 < 2e-16 **cyl -2.876 0.322 -8.92 6.1e-10** — Signif. codes: 0 ‘‘ **0.001** ’’ 0.01 ‘’ 0.05 ‘’ 0.1 ‘’ 1

Residual standard error: 3.21 on 30 degrees of freedom Multiple R-squared: 0.726, Adjusted R-squared: 0.717 F-statistic: 79.6 on 1 and 30 DF, p-value: 6.11e-10

The fitting result is: mpg = 37.88 + -2.876 * cyl

1.1.2.2 Plot B 2

Variable: disp

Call: lm(formula = fml, data = mtcars)

Residuals: Min 1Q Median 3Q Max -4.892 -2.202 -0.963 1.627 7.231

Coefficients: Estimate Std. Error t value Pr(>|t|)

(Intercept) 29.59985 1.22972 24.07 < 2e-16 **disp -0.04122 0.00471 -8.75 9.4e-10** — Signif. codes: 0 ‘‘ **0.001** ’’ 0.01 ‘’ 0.05 ‘’ 0.1 ‘’ 1

Residual standard error: 3.25 on 30 degrees of freedom Multiple R-squared: 0.718, Adjusted R-squared: 0.709 F-statistic: 76.5 on 1 and 30 DF, p-value: 9.38e-10

The fitting result is: mpg = 29.6 + -0.0412 * disp

1.1.2.3 Plot B 3

Variable: qsec

Call: lm(formula = fml, data = mtcars)

Residuals: Min 1Q Median 3Q Max -9.88 -3.45 -0.72 2.28 11.65

Coefficients: Estimate Std. Error t value Pr(>|t|)

(Intercept) -5.114 10.030 -0.51 0.614


qsec 1.412 0.559 2.53 0.017 * — Signif. codes: 0 ‘‘**0.001**’’ 0.01 ‘‘ 0.05 ‘‘ 0.1 ‘‘ 1



Residual standard error: 5.56 on 30 degrees of freedom Multiple R-squared: 0.175, Adjusted R-squared: 0.148 F-statistic: 6.38 on 1 and 30 DF, p-value: 0.0171

The fitting result is: $mpg = -5.114 + 1.412 * qsec$

1.2 Scatter Plots with Regression Lines

1.2.1 Plot A Visualizations





1.2.2 Plot B Visualizations

