




Effective Prompt Engineering

Andrew Scoppa



Helpful Resources

- [Getting started with GitHub Copilot](#)
- [Configuring GitHub Copilot in your environment](#)
- [GitHub Copilot Trust Center](#)





OpenAI, Microsoft & GitHub



Copilot

When the OpenAI innovation meets the Microsoft scale at GitHub, the home of developers



Powered by GPT



Secure and scalable by default on Microsoft Azure



Built with developers at the main seat



Integrated across the whole software supply chain



Supported by the most popular IDEs



What is the role of a LLM?

“ A Large Language Model (LLM) like GPT-4 plays the role of understanding and generating human-like text based on the input it receives.



Training

The model is trained on large amounts of text data, with parameters to learn patterns, grammar and facts



Architecture

Most use a neural network called Transformer, effective at handling sequential data



Prediction

Find the most likely output for next token based on patterns learned during training



Inference

The input is tokenized, and processed through the different transformer layers to capture context and relationship.

The model generates predictions for the next token and repeats until a complete response is generated.

<>Tokenization

Input is broken down into smaller units (words, subwords, characters)



Contextual

Surrounding tokens are used to understand meaning and predict next token



Fine-Tuning

Apply a specific dataset for a particular task after training (e.g. code, java, legal documents)


This response can be controlled or guided through **prompt engineering** to achieve desired outcomes



What is the “Copilot Intent Classifier”?

The Copilot Intent Classifier is used to determine what kind of assistance or response the user is seeking, such as generating code, explaining code, making changes to existing code, or providing general programming help.

In the context of the Copilot Intent Classifier, the LLM helps in interpreting the user's input, determining the intent behind it, and generating appropriate responses or code snippets.



GPT Models

Copilot is always evolving and much of this evolution is powered by the evolving models behind it



Past (Codex)

- AI Hallucination problem
- Outdated/Deprecated code
- Lack of contextual understanding
- Failing to suggest best practices
- But it worked!

Present (GPT-3.5 GPT-4)

- Faster
- More efficient in regards to GPU usage
- Larger context window
- More recent training data

Future (Specific Models)*

- Code-specific models
- Enhanced experience and quality through fine-tuning
- Customization of models

* GPT keeps evolving and the latest can be found in github.com/blog



What is Prompt Engineering?



Prompt Engineering is the strategic crafting of user inputs to guide the AI towards producing desired code outputs.

A nuanced understanding of prompt engineering allows developers to optimize their use of Copilot, ensuring they get the most out of this advanced coding assistant.

```
15  /*
16  Create a function 'sqrGen' which returns a lamda function
17  that will square the argument passed to the lambda
18  Example usage:
19  auto sqr = sqrGen(); int result = sqr(5); // result will be 25
20  ✨
21  auto sqrGen() {
22  ...return [](int m) -> int {return m * m;};
23  }
```




Prompt Quality

For better prediction

Vague Prompt

Q: "How do I implement this API?"

A: "You can implement an API by writing the necessary code and setting up your server to handle requests"

- General
- Non-actionable
- Too broad
- Not very helpful

General Prompt, Little Context

Q: "How do I implement an API in Java?"

A: "To implement an API in Java, you need to use a framework like Spring Boot. You will define your endpoints, handle HTTP requests, and set up your server to process these requests."

- Some context (framework)
- Narrows down response
- Still lacks depth

Specific Prompt, Detailed Context

Q: "How do I implement a RESTful API in Java using Spring Boot? Provide steps to set up a basic API with a sample endpoint that returns a list of users"

A: "1) Set up your project ...
2) Create your Main application class:

```
package com.example.demo;  
import org.springframework.boot.SpringApplication;  
...
```

- Clear, detailed & comprehensive
- Instructions and code samples
- More accurate



Best Practices



To be understood by the machine, you have to behave like an engineer

**Write Clear
Instructions**

**Split Complex Tasks into
Simpler Subtasks**

**Use External
Tools**

**Provide
References**

Give the Model Time to Think

Test Changes



Best Practices

Write Clear Instructions

- Models can't read minds
- Long outputs? Ask for brief
- Too simple outputs? Ask for expert-level writing
- Did not like the format? Exemplify the output

Tactics:

- 1) Include details on prompt
- 2) Ask the model to be a persona ("act like a senior Java engineer")
- 3) Use delimiters to separate parts of prompts
- 4) Specify steps required to complete the task
- 5) Provide examples
- 6) Say how long the output should be

Provide References

- References reduce chances of a confident wrong answer when asked about citations or URLs

Tactics:

- 1) Instruct to answer using reference text
- 2) Instruct to answer with citations from a reference text



Best Practices

Split Complex into Simpler Tasks

- Just like Software Engineering, solving a bigger problem is disproportionately harder than combining the solution of smaller, easier problems.
- The bigger the tasks, the higher the error rates

Tactics:

- 1) Summarize or filter previous dialogue
- 2) Construct full summaries of the code base

Give the model time to think

- Prefer to ask for a thought process instead of straight answer
- This gives the model time to “reflect” on the response and converge to a better output

Tactics:

- 1) Instruct to work out a solution instead of rushing to conclusion
- 2) Construct the context with snippets of information from the whole context to start guiding the model



Best Practices

Use External Tools

- Copilot and other Large Language Models are not the best tools for all jobs
- If a task can be done more reliably by another tool, use it and feed the results into Copilot

Tactics:

- 1) Sometimes a calculator is faster at math than a LLM
- 2) Give the model references to access contextual information (although Copilot does not yet have capabilities of browsing the web, the model it was trained on might have references to the same link or website)

Test Changes Systematically

- Just like code, the output of LLMs should be tested constantly
- The earlier and the smaller the test scope, the easier to spot and fix the problems

Tactics:

- 1) Deal with the output like if it was a function that needs unit testing to sparkle confidence

Using Prompt Engineering

You need to create a function named 'job' that simulates a workload by iterating a specified number of times, sleeping for a random time during each iteration.



Create a Plan

Define the Objective

- Clearly state the goal: To create a function that simulates a workload with random delays

Break Down the Task

- Identify the key components:
function definition, loop structure, etc

Create Prompts for Each Component

- Write specific prompts to generate code for each component.

Combine the Generated Code

- Integrate the code generated from each prompt into a complete function.



Example Prompt steps

Function Definition:

- Write a Python function named `job` that takes an integer parameter `workload`.

Loop Structure:

- Add a for loop inside the `job` function that iterates from `workload` down to 1.

Random Number Generation:

- Inside the loop, generate a random float between 0.5 and 1.5 using the `random` module.

Sleep for Random Duration:

- Use the `time.sleep` function to pause the execution for the generated random duration.

Console Output:

- Print the current step number to the console inside the loop.



Example solution

Create a lambda function named 'job' that simulates a workload.

Arguments:

- 'workload': an integer representing the number of steps in the workload

Returns: void

Details:

- Use a 'for loop' to to simulate a workload by iterating from the given workload value down to 1.
- For each iteration, it performs the following steps:
 - 1) Generates a random sleep time between 0.5 and 1.5 seconds.
 - 2) Pauses the execution for the generated sleep time.
 - 3) Prints a message indicating the completion of the current step.

Errors:

- If the workload is less than or equal to 0, the function should throw an `invalid_argument` exception with the message "Invalid workload value".

Example:

```
job(10);
```



Use Pseudocode for Granular Prompting

1. Function Definition:

- Define a function `binary_gcd` that takes two unsigned integers `numerator` and `denominator`.

2. Base Cases:

- If `numerator` is 0, return `denominator`.
- If `denominator` is 0, return `numerator`.

3. Both Numbers Even:

- If both `numerator` and `denominator` are even:
 - Return 2 times the result of `binary_gcd(numerator / 2, denominator / 2)`.

4. One Number Even, One Odd:

- If `numerator` is even and `denominator` is odd:
 - Return the result of `binary_gcd(numerator / 2, denominator)`.
- If `numerator` is odd and `denominator` is even:
 - Return the result of `binary_gcd(numerator, denominator / 2)`.

5. Both Numbers Odd:

- If both `numerator` and `denominator` are odd:
 - If `numerator` is greater than `denominator`:
 - Return the result of `binary_gcd((numerator - denominator) / 2, denominator)`.
 - Else:
 - Return the result of `binary_gcd((denominator - numerator) / 2, numerator)`.



At a Lower Level...

Given the following:

Mask: 0b1010

Array 1: [0b1010, 0b1100, ..., 0b1111]

Array 2: [0b0110, 0b0011, ..., 0b0000]

How would you use prompt engineering to generate a transformation procedure that produces the following result?

Array 1: [0b0010, 0b0110, ..., 0b0101]

Array 2: [0b1110, 0b1001, ..., 0b1010]

The solution should be a function that takes the mask, arrays, and size as arguments.



Detailed Prompt

Generate a function 'conditionalBitSwap' that takes in 4 arguments:

- 'arr1': an array of char
- 'arr2': an array of char
- 'mask': a char that represents a char bit mask.
- 'arrLen': a size_t that represents the length of the array.

Implementation details:

- the conditionalBitSwap function swaps the bits in the same positions of the elements of two arrays, but only if the corresponding bit in the mask is set and the bits to be swapped are different.
- the conditionalBitSwap function should not return anything.

Example:

```
arr1 = [0b1010, 0b1100]
arr2 = [0b0110, 0b0011]
mask = 0b1010
```

After calling conditionalBitSwap(arr1, arr2, mask, 2), arr1 and arr2 should be:

```
arr1 = [0b0010, 0b0110]
arr2 = [0b1110, 0b1001]
```



Q & A



Thank you

