



1. Créer un dossier appelé learn\_git.




2. Créer un fichier appelé third.txt.



3. Initialiser un dépôt git vide.

```
PROBLEMS  OUTPUT  DEBUG CONSOLE  TERMINAL  PORTS

PS C:\Users\B.PC\Desktop\learn_git> git init
Initialized empty Git repository in C:/Users/B.PC/Desktop/learn_git/.git/
PS C:\Users\B.PC\Desktop\learn_git> 
```



4. Ajouter third.txt à la staging area.

```
PROBLEMS  OUTPUT  DEBUG CONSOLE  TERMINAL  PORTS

PS C:\Users\B.PC\Desktop\learn_git> git add third.txt
PS C:\Users\B.PC\Desktop\learn_git> git status
On branch master

No commits yet

Changes to be committed:
  (use "git rm --cached <file>..." to unstage)
        new file:   third.txt

PS C:\Users\B.PC\Desktop\learn_git> 
```


5. Commiter avec le message "adding third.txt".
6. Vérifiez votre validation avec git log.

```
PROBLEMS  OUTPUT  DEBUG CONSOLE  TERMINAL  PORTS

PS C:\Users\B.PC\Desktop\learn_git> git commit -m "adding third.txt"
[master (root-commit) 37b63ad] adding third.txt
 1 file changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 third.txt
PS C:\Users\B.PC\Desktop\learn_git> git log
commit 37b63ad7cf10a846b520298aef19bfce278ee223 (HEAD -> master)
Author: Ghada KHENIENE <khenieneghada@gmail.com>
Date:   Tue Oct 15 18:06:46 2024 +0100

    adding third.txt
PS C:\Users\B.PC\Desktop\learn_git> 
```

7. Créez un autre fichier appelé fourth.txt.
8. Ajoutez fourth.txt à la staging area.



9. Effectuez un commit avec le message "adding fourth.txt".

fourth.txt	adding fourth.txt	46 minutes ago
------------	-------------------	----------------


10. Enlevez le fichier third.txt.
11. Ajoutez cette modification à la staging area. (En utilisant la commande "git add ."

```
PS C:\Users\B.PC\Desktop\learn_git> git add .
PS C:\Users\B.PC\Desktop\learn_git> git status
On branch master
Your branch is up to date with 'origin/master'.

Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
    deleted:    third.txt

PS C:\Users\B.PC\Desktop\learn_git> 
```

12. Commiter avec le message "removing third.txt".
13. Vérifiez vos commits en utilisant git log.



```
commit 03c297ed0b8859b1d044c07b91fe0fa1f4a55686 (HEAD -> master, origin/master)
Author: Ghada KHENIENE <khenieneghada@gmail.com>
Date: Tue Oct 15 18:17:31 2024 +0100

    removing third.txt

commit e0342fb597918a81f6e5acb4881c88f6529c293f
Author: Ghada KHENIENE <khenieneghada@gmail.com>
Date: Tue Oct 15 18:12:58 2024 +0100
```

14. Changez vos paramètres globaux pour core.pager=cat - vous pouvez en savoir plus ici.
15. Écrivez la commande appropriée pour lister toutes les configurations globales pour git sur votre machine.

```
PS C:\Users\B.PC\Desktop\learn_git> git config --global core.pager "cat"
>>
PS C:\Users\B.PC\Desktop\learn_git> 
```

