

## Supplify Manual QA Checklist

Web ERP, Android, and iOS — end-to-end manual regression

Generated 2026-09-26

Repository commit 2611b950

Source: docs/qa/regression-checklist.md

Supplify — Full system manual QA checklist (Web ERP + Mobile)

Use this document for **end-to-end manual testing** of the **web ERP** ( apps/web + apps/api ) and **native mobile apps** (Android + iOS) across **Public, Restaurant, Supplier, Driver, Staff portal**, and **Platform Admin** personas.

**Printable PDF:** From repo root run `pnpm docs:qa:pdf` → docs/qa/output/Supplify-Manual-QA-Checklist.pdf (landscape A4). HTML fallback: docs/qa/output/Supplify-Manual-QA-Checklist.html (browser → Print → Save as PDF).

**Recommended test order (fresh database wipe):** Part 0 → Part 1 → Part 2 → Part 3 → Parts 4–12 (web ERP) → **Part 13** (mobile, both platforms) → **Part 14** (cross-platform parity spot checks) → Part 10–11 if QA lead runs API/CI smoke.

Surfaces under test

| Surface        | Where to run                                                                | Primary checklist sections            |
|----------------|-----------------------------------------------------------------------------|---------------------------------------|
| Web ERP        | http://localhost:5173 (or staging URL) + same-origin API                    | Parts 0–12, Part 14 (web side)        |
| Android        | C:/myProjects/supplify-mobile — Expo dev client or EAS <b>preview</b> build | Part 13 (repeat every case) + Part 14 |
| iOS            | C:/myProjects/supplify-mobile-ios — Simulator or TestFlight <b>preview</b>  | Part 13 (repeat every case) + Part 14 |
| API-only smoke | curl / Postman / <code>pnpm test:api</code>                                 | Part 10–11                            |

**Web-only (no native screen — verify on web only):** Platform admin console tabs, bulk product image import UI, org overview analytics depth, consumer guest menu admin, staff portal `/staff/*`, most supplier settings tabs (warehouses/zones, branding upload, deal boost admin review), impersonation banner workflows, and responsive web layout polish.

**Mobile-first or mobile-only:** Driver foreground GPS, POD camera/signature capture, Expo push tap deep links, native offline banner + pull-to-refresh, branch/workspace switcher on device.

How to use this checklist

- 1. **Record results:** Pass / Fail / Blocked / N/A in **Pass?**; add tester name, date, build/branch/app version, API environment, device/OS (mobile), and notes in the sign-off table.
- 2. **Test matrix:** Parts 0–3 must run before anything else on a wiped database. Parts 4–12 can run in parallel across web personas once accounts exist. Part 13 requires the same API backend the web tests used (shared entitlements and seed data).
- 3. **Deep links:** Many web routes work when typed in the address bar even if not in the sidebar — test those once per persona.
- 4. **Delivery GPS:** Web: restaurant **\$6.6.1** ( GPS-R01–R10 ); supplier **\$7.4.1** ( GPS-S01–S09 ); driver web **\$7.4.2** ( DRV-GPS1–3 ). Mobile driver: **Part 13.4** ( MOB-D\* ). Spec: [drivers-and-gps-tracking.md](#).
- 5. **Billing stub card:** 4242424242424242 (any future expiry/CVC) when BILLING\_GATEWAY=stub.
- 6. **Release delta packs:** After Parts 0–3, run the **2026-09-10 release smoke pack** on web; re-run the overlapping mobile rows in **Part 13** and **Part 14** (orders, quotes, fulfillment/POD, receiving).
- 7. **Mobile preflight (optional, before Part 13):** In each mobile repo: `npx tsc --noEmit`, `npm test -- --runInBand`, `npx expo-doctor` — records build health; does not replace manual Part 13.

Route map (quick reference)

| Path               | Persona                                            |
|--------------------|----------------------------------------------------|
| /login             | Public                                             |
| /legal/reaccept    | Authenticated users with stale legal pack          |
| /legal/:slug       | Public / authenticated — read-only legal documents |
| /register/complete | Pending / needs setup                              |

| Path                                                                       | Persona                                               |
|----------------------------------------------------------------------------|-------------------------------------------------------|
| /reserve , /reserve/:slug , /reserve/confirmation , /reserve/manage/:token | Guest                                                 |
| /reserve/waitlist/:token/accept , /reserve/waitlist/:token/decline         | Guest (waitlist table offer)                          |
| /supplier/:slug                                                            | Public mini-store (guest + restaurant when logged in) |
| /staff , /staff/login , /staff/dashboard                                   | Staff portal (operational staff; not /app )           |
| /app/quote-requests , /app/quote-requests/new , /app/quote-requests/:id    | Restaurant — RFQ / compare offers                     |
| /app/quote-requests/supplier                                               | Supplier — quote inbox                                |
| /app/activate                                                              | Locked tenant billing activation                      |
| /app/orders , /app/orders/:id                                              | Restaurant & Supplier                                 |
| /app/products , /app/products/:id                                          | Both (supplier edits catalog)                         |
| /app/cart , /app/quick-lists , /app/deals                                  | Restaurant                                            |
| /app/restaurant-inventory                                                  | Restaurant ( INVENTORY_VIEW )                         |
| /app/receiving                                                             | Restaurant                                            |
| /app/reservations                                                          | Restaurant ( RESERVATIONS_VIEW )                      |
| /app/staff                                                                 | Restaurant ( STAFF_VIEW )                             |
| /app/suppliers , /app/suppliers/:id                                        | Restaurant                                            |
| /app/restaurants , /app/restaurants/:id                                    | Supplier                                              |
| /app/fulfillment                                                           | Supplier                                              |
| /app/inventory                                                             | Supplier (not in sidebar — deep link)                 |
| /app/invoices                                                              | Both ( INVOICES_VIEW )                                |
| /app/chat                                                                  | Both                                                  |
| /app/settings , /app/onboarding                                            | Restaurant → onboarding; Supplier → supplier settings |
| /app/supplier-settings                                                     | Supplier (duplicate of settings — deep link)          |
| /app/admin , /app/admin/suppliers , /app/admin/restaurants                 | Platform admin                                        |

Part 0 — Environment: fresh-database setup

Run this part whenever you wipe the database and want to start from scratch. Every step must succeed before moving to Part 1.

0.1 Wipe and rebuild the database

| ID       | Steps                                                                                                                                                          | Expected                                         | Pass? |
|----------|----------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------|-------|
| SETUP-01 | Stop all running services ( ctrl+c  in each terminal or  pnpm run dev teardown )                                                                               | No API or web process running on ports 3001/5173 | pass  |
| SETUP-02 | Drop and recreate the database: run your project's DB reset script (e.g.  pnpm run db:reset  or  psql -c "DROP DATABASE supplify; CREATE DATABASE supplify;" ) | Clean empty database; no tables                  | pass  |

| ID       | Steps                                                                                                                                                  | Expected                                                                                                                                                                                                                                           | Pass? |
|----------|--------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|
| SETUP-03 | Run all migrations: <code>pnpm run db:migrate</code>                                                                                                   | All <b>223</b> migrations apply through <code>0222_one_open_staff_time_entry</code> (incl. 0196 – 0203 hospitality/promotions/quote inbox); no errors                                                                                              | pass  |
| SETUP-04 | Seed the subscription plan catalog: <code>pnpm run seed:tier-catalog</code>                                                                            | Free, Silver, Gold, Platinum plans for RESTAURANT and SUPPLIER in <code>subscription_plan</code> table; confirm with <code>SELECT code, tenant_type FROM subscription_plan ORDER BY tenant_type, display_order;</code>                             | pass  |
| SETUP-05 | Verify plan catalog (post 0117 + 0145): <code>pnpm run log:tier-limits</code> or query <code>subscription_plan</code> for <code>code = 'silver'</code> | Silver restaurant: 1 branch, 20 orders/day, 5 suppliers, 250 SKUs, no <code>promotions</code> limit key; Silver supplier: 1 warehouse, <code>promotions</code> 3; Free <code>chats_per_day: 3</code> ; <code>advanced_roles</code> false on Silver | pass  |
| SETUP-06 | Start the API: <code>pnpm --filter @supplify/api dev</code>                                                                                            | API listening; migrations logged; no crash on startup                                                                                                                                                                                              | pass  |
| SETUP-07 | Start the web: <code>pnpm --filter @supplify/web dev</code>                                                                                            | Dev server running at <code>http://localhost:5173</code> (or configured port)                                                                                                                                                                      | pass  |
| SETUP-08 | Health check: <code>GET /api/health</code>                                                                                                             | <code>{ status: "ok" }</code>                                                                                                                                                                                                                      | pass  |
| SETUP-09 | Navigate to <code>/login</code> in browser                                                                                                             | Login page loads; no errors in console                                                                                                                                                                                                             | pass  |

## 0.2 Seed the platform admin account

| ID       | Steps                                                                                        | Expected                                                      | Pass? |
|----------|----------------------------------------------------------------------------------------------|---------------------------------------------------------------|-------|
| SETUP-10 | Run admin seed: <code>pnpm run seed:demo-users</code> (or equivalent Keycloak user creation) | Admin user created in Keycloak with <code>ADMIN</code> role   | pass  |
| SETUP-11 | Log in as <code>admin@supplify.com</code> / <code>SupplifyAdmin1!</code>                     | Redirected to <code>/app/admin</code> ; admin sidebar visible | pass  |
| SETUP-12 | <code>GET /api/auth/me</code>                                                                | Returns <code>role: "ADMIN"</code> , no <code>tenantId</code> | pass  |
| SETUP-13 | Log out                                                                                      | Returns to <code>/login</code>                                | pass  |

## Part 1 — Account creation: Restaurant (fresh start)

This section walks through the full onboarding journey for a brand-new restaurant account from zero. No pre-seeded demo data.

### 1.1 Registration

| ID      | Steps                                                                                                                                             | Expected                                                                                                                 | Pass? |
|---------|---------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------|-------|
| CRST-01 | Open Keycloak registration (or <code>/login</code> → Register link); create a new user with a unique email (e.g. <code>newresto@test.com</code> ) | User created in Keycloak with <code>PENDING</code> role                                                                  | Pass  |
| CRST-02 | Log in with the new account                                                                                                                       | Redirected to <code>/register/complete</code> (not the app)                                                              | Pass  |
| CRST-03 | On <code>/register/complete</code> : enter restaurant name, select <b>Restaurant</b> as tenant type, fill required fields, submit                 | Form submits; <code>POST /api/register/complete</code> returns 200; user + tenant record created                         | Pass  |
| CRST-04 | After submit, check redirect destination                                                                                                          | Either <code>/app/activate</code> (activation lock ON) or <code>/app/dashboard</code> (activation lock OFF) — note which | Pass  |
| CRST-05 | Open a second tab, navigate to <code>/app/orders</code>                                                                                           | Either loads (if unlocked) or redirects to <code>/app/activate</code>                                                    | Pass  |

## 1.2 Activation lock & plan selection

| ID      | Steps                                                                                                                                                         | Expected                                                                                                                  | Pass? |
|---------|---------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------|-------|
| CRST-06 | On <code>/app/activate</code> : inspect page                                                                                                                  | Activation banner; <b>Activate free plan</b> and <b>Compare plans &amp; pay</b> visible; no other app sections accessible | Pass  |
| CRST-07 | Click <b>Activate free plan</b> (or <b>Compare plans &amp; pay</b> → Free → confirm)                                                                          | Subscription Free ACTIVE; <code>pending_activation</code> cleared; redirected to dashboard                                | Pass  |
| CRST-08 | (Alt) Use upgrade modal: <b>Compare plans &amp; pay</b> → Free tier <b>Activate free plan</b> → confirm (no card)                                             | Same as CRST-07                                                                                                           | pass  |
| CRST-09 | (New session) Repeat CRST-01–CRST-04 with a second account; select <b>Silver plan</b> ; enter stub card <code>4242424242424242</code> , any future expiry/CVC | Subscription ACTIVE Silver; redirected to dashboard                                                                       | pass  |
| CRST-10 | (New session) Repeat with <b>Gold plan</b>                                                                                                                    | Subscription ACTIVE Gold; redirected to dashboard                                                                         | pass  |
| CRST-11 | Verify <code>GET /api/subscriptions/entitlements/current</code> for each account                                                                              | <code>plan.code</code> matches the selected plan; <code>features</code> object reflects plan tier                         | pass  |

## 1.3 Post-activation state (Free restaurant)

| ID      | Steps                                              | Expected                                                                      | Pass? |
|---------|----------------------------------------------------|-------------------------------------------------------------------------------|-------|
| CRST-12 | Log in as the Free restaurant; open dashboard      | Dashboard loads; no crash; limited feature set                                | pass  |
| CRST-13 | Navigate to <code>/app/orders</code>               | Orders list loads (Free allows basic ordering)                                | pass  |
| CRST-14 | Navigate to <code>/app/chat</code>                 | <b>403 or feature-gated paywall</b> — <code>chat</code> is not a Free feature | pass  |
| CRST-15 | Navigate to <code>/app/quick-lists</code>          | <b>403 or paywall</b> — <code>quick_lists</code> gated                        | pass  |
| CRST-16 | Open dashboard → Order calendar widget             | Paywall or upgrade CTA shown; calendar does not load                          |       |
| CRST-17 | Navigate to <code>/app/receiving</code>            | <b>403 or paywall</b> — <code>receiving_quality</code> gated                  |       |
| CRST-18 | Navigate to <code>/app/invoices</code>             | <b>403 or paywall</b> — <code>finance_invoices</code> gated                   |       |
| CRST-19 | Navigate to <code>/app/restaurant-inventory</code> | <b>403 or paywall</b> — <code>inventory_management</code> gated               |       |

## 1.4 Post-activation state (Silver restaurant)

| ID      | Steps                                                           | Expected                            | Pass? |
|---------|-----------------------------------------------------------------|-------------------------------------|-------|
| CRST-20 | Log in as Silver restaurant; navigate to <code>/app/chat</code> | Chat UI loads; can send a message   |       |
| CRST-21 | Navigate to <code>/app/quick-lists</code>                       | Quick lists load; can create a list |       |
| CRST-22 | Navigate to <code>/app/receiving</code>                         | Receiving page loads                |       |
| CRST-23 | Navigate to <code>/app/invoices</code>                          | Invoice list loads                  |       |
| CRST-24 | Navigate to <code>/app/restaurant-inventory</code>              | Inventory page loads                |       |
| CRST-25 | Dashboard → Order calendar                                      | Calendar loads; can filter by date  |       |

## 1.5 Post-activation state (Gold restaurant)

| ID      | Steps                                                              | Expected                                                                  | Pass? |
|---------|--------------------------------------------------------------------|---------------------------------------------------------------------------|-------|
| CRST-26 | Log in as Gold restaurant; navigate to Settings → Team → Roles tab | Advanced role management available ( <code>advanced_roles</code> feature) |       |
| CRST-27 | Navigate to Settings → Activity tab                                | Audit log shows activity ( <code>tenant_audit_log</code> feature)         |       |
| CRST-28 | Check Settings → Subscription → usage meters                       | Shows orders/day, SKUs, chat messages with plan limits                    |       |

## Part 2 — Account creation: Supplier (fresh start)

Mirror of Part 1 for the supplier persona.

### 2.1 Registration

| ID      | Steps                                                                         | Expected                                                              | Pass? |
|---------|-------------------------------------------------------------------------------|-----------------------------------------------------------------------|-------|
| CSUP-01 | Open Keycloak registration; create new user <code>newsupplier@test.com</code> | User created with <code>PENDING</code> role                           |       |
| CSUP-02 | Log in; redirected to <code>/register/complete</code>                         | Form loads                                                            |       |
| CSUP-03 | Select <b>Supplier</b> as tenant type; fill required fields; submit           | Supplier tenant created; <code>POST /api/register/complete</code> 200 |       |
| CSUP-04 | Observe redirect destination                                                  | <code>/app/activate</code> OR <code>/app/dashboard</code>             |       |

### 2.2 Activation lock & plan selection

| ID       | Steps                                                                   | Expected                                                                                   | Pass? |
|----------|-------------------------------------------------------------------------|--------------------------------------------------------------------------------------------|-------|
| CSUP-05  | On <code>/app/activate</code> : inspect page                            | <b>Activate free plan</b> and <b>Compare plans &amp; pay</b> visible                       |       |
| CSUP-06  | Click <b>Activate free plan</b> (no card required)                      | Subscription Free ACTIVE; <code>pending_activation</code> cleared; redirected to dashboard |       |
| CSUP-06b | (Alt) <b>Compare plans &amp; pay</b> → Free → <b>Activate free plan</b> | Same as CSUP-06                                                                            |       |
| CSUP-07  | (New session) Repeat with <b>Silver plan</b> + stub card                | Silver ACTIVE                                                                              |       |
| CSUP-08  | (New session) Repeat with <b>Gold plan</b> + stub card                  | Gold ACTIVE                                                                                |       |
| CSUP-09  | <code>GET /api/subscriptions/entitlements/current</code> for each       | <code>plan.code</code> and <code>features</code> correct per plan                          |       |

### 2.3 Post-activation state (Free supplier)

| ID      | Steps                                                       | Expected                                                            | Pass? |
|---------|-------------------------------------------------------------|---------------------------------------------------------------------|-------|
| CSUP-10 | Log in as Free supplier; navigate to <code>/app/chat</code> | <b>403 or paywall</b> — <code>chat</code> gated                     |       |
| CSUP-11 | Navigate to <code>/app/fulfillment</code>                   | <b>403 or paywall</b> — <code>fulfillment_tools</code> gated        |       |
| CSUP-12 | Navigate to Settings → Warehouses tab                       | Single warehouse allowed; adding a second warehouse blocked by plan |       |
| CSUP-13 | Navigate to <code>/app/invoices</code>                      | <b>403 or paywall</b> — <code>finance_invoices</code> gated         |       |

2.4 Post-activation state (Silver supplier)

| ID      | Steps                                                         | Expected                                                                                                                              | Pass? |
|---------|---------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------|-------|
| CSUP-14 | Log in as Silver supplier; navigate to <code>/app/chat</code> | Chat UI loads                                                                                                                         |       |
| CSUP-15 | Navigate to <code>/app/fulfillment</code>                     | Fulfillment page loads (manual fulfillment); <b>Driver dispatch</b> tab hidden or 403 ( <code>driver_management</code> off on Silver) |       |
| CSUP-16 | Navigate to <code>/app/invoices</code>                        | Invoice list loads                                                                                                                    |       |
| CSUP-17 | Settings → Warehouses: add a second warehouse                 | <b>Blocked</b> — Silver allows 1 warehouse ( <code>warehouses</code> limit); upgrade CTA                                              |       |

2.5 Post-activation state (Gold supplier)

| ID      | Steps                                                                           | Expected                                                     | Pass? |
|---------|---------------------------------------------------------------------------------|--------------------------------------------------------------|-------|
| CSUP-18 | Log in as Gold supplier; Settings → Warehouses → enable multi-warehouse routing | Toggle available ( <code>multi_warehouse</code> feature)     |       |
| CSUP-19 | Settings → Activity tab                                                         | Audit log available ( <code>tenant_audit_log</code> feature) |       |
| CSUP-20 | Settings → Plan: usage meters                                                   | SKUs, orders/day, warehouses shown with limits               |       |

Part 3 — Feature flag gates & tier progression

These tests verify that each feature-gated route correctly blocks Free accounts, unblocks on the appropriate paid tier, and that admin overrides work correctly.

**Required accounts:** Free restaurant, Silver restaurant, Gold restaurant, Free supplier, Silver supplier, Gold supplier, Admin.

**Silver catalog reference:** migration `0117_silver_tier_limits_features.sql` · [SUBSCRIPTIONS.md](#)

3.1 Restaurant feature gates

| ID        | Feature key                       | Free account                                                                                              | Silver account                  | Gold account                             | Pass? |
|-----------|-----------------------------------|-----------------------------------------------------------------------------------------------------------|---------------------------------|------------------------------------------|-------|
| GATE-R01  | <code>chat</code>                 | <code>/app/chat</code> → 403/paywall                                                                      | Loads                           | Loads                                    |       |
| GATE-R02  | <code>quick_lists</code>          | <code>/app/quick-lists</code> → 403/paywall                                                               | Loads                           | Loads                                    |       |
| GATE-R03  | <code>receiving_quality</code>    | <code>/app/receiving</code> → 403/paywall                                                                 | Loads                           | Loads                                    |       |
| GATE-R04  | <code>finance_invoices</code>     | <code>/app/invoices</code> → 403/paywall                                                                  | Loads                           | Loads                                    |       |
| GATE-R05  | <code>inventory_management</code> | <code>/app/restaurant-inventory</code> → 403/paywall                                                      | Loads                           | Loads                                    |       |
| GATE-R06  | <code>order_calendar</code>       | Dashboard calendar widget → paywall; <code>GET /api/orders/calendar</code> → 403                          | 200 + calendar data             | 200 + calendar data                      |       |
| GATE-R07  | <code>disputes_returns</code>     | <code>GET /api/disputes</code> → 403                                                                      | 200                             | 200                                      |       |
| GATE-R08  | <code>advanced_roles</code>       | Settings → Team: no role management UI                                                                    | Hidden/locked (Gold+)           | Available                                |       |
| GATE-R09  | <code>reports</code>              | <code>GET /api/reports</code> → 403                                                                       | 200 ( <code>basic_kpis</code> ) | 200                                      |       |
| GATE-R10  | <code>smart_reorder</code>        | <code>GET /api/restaurant-inventory/reorder-assistance</code> → 403                                       | 403                             | 200; <code>smartReorder.tier</code> gold |       |
| GATE-R10a | <code>smart_reorder</code> tier   | <code>POST .../reorder-assistance/explain</code> → 403                                                    | 403                             | 200 (heuristic or LLM)                   |       |
| GATE-R10b | <code>smart_reorder</code> tier   | <code>POST .../reorder-assistance/ask</code> → 403 (requires Platinum account)                            | 403                             | 403                                      |       |
| GATE-R10c | <code>ai_requests_per_day</code>  | At daily limit: <code>explain</code> → 200 heuristic + <code>usagelimited</code> ; <code>ask</code> → 400 | N/A (Silver off)                | Manual on Gold test tenant               |       |
| GATE-R10d | <code>ai_platform</code>          | Admin global off: <code>explain / ask</code> return heuristic ( <code>usedLlm: false</code> )             | Same                            | Same                                     |       |

| ID        | Feature key          | Free account                                                    | Silver account                     | Gold account                 | Pass? |
|-----------|----------------------|-----------------------------------------------------------------|------------------------------------|------------------------------|-------|
| GATE-R11  | waste_tracking       | Inventory → Waste tab; waste analytics                          | Manual entry only ( manual_entry ) | Analytics dashboard (Gold+)  |       |
| GATE-R12  | tenant_audit_log     | Settings → Activity tab → hidden or 403                         | Hidden/locked (Gold+)              | Visible and loads            |       |
| GATE-R13  | order_amendments     | Order amendment API → 403                                       | 200                                | 200                          |       |
| GATE-R14  | push_notifications   | Push endpoint → 403                                             | 200 (if VAPID configured)          | 200                          |       |
| GATE-R15  | supplier_reviews     | Reviews API → 403                                               | 200                                | 200                          |       |
| GATE-R16  | custom_branding      | Settings branding section → hidden or locked                    | Locked (Gold+)                     | Branding upload available    |       |
| GATE-R17  | multi_branch         | Settings → Branches: cannot add 2nd branch                      | 1 branch max (cannot add 2nd)      | Up to 3 branches             |       |
| GATE-R18  | feature_flags_access | Tenant flag override API → 403                                  | 403 (Gold+)                        | 200 (if UI exposed)          |       |
| GATE-R19  | supplier_deals       | /app/deals loads (sandbox); <b>1 redemption/day</b> cap         | Loads; 10/day cap                  | Loads; 50/day cap            |       |
| GATE-R20  | waitlist_auto_promo  | Cancel reservation → no auto-offer to waitlist                  | No auto-offer                      | Auto-offer on cancel (Gold+) |       |
| GATE-R21  | recipe_costing       | /app/recipes hidden; GET /api/recipes → 403                     | 403                                | 200; sidebar Recipes visible |       |
| GATE-R21a | recipe_costing       | GET /api/recipe-costing/dashboard → 403                         | 403                                | 200                          |       |
| GATE-R21b | RECIPES_VIEW_COSTS   | Purchaser: recipes list OK; cost fields hidden/403 on breakdown | Gold purchaser account             | Accountant sees costs        |       |

### 3.2 Supplier feature gates

| ID       | Feature key                     | Free account                                                 | Silver account           | Gold account     | Pass? |
|----------|---------------------------------|--------------------------------------------------------------|--------------------------|------------------|-------|
| GATE-S01 | chat                            | /app/chat → 403/paywall                                      | Loads                    | Loads            |       |
| GATE-S02 | fulfillment_tools / fulfillment | /app/fulfillment → 403/paywall                               | Loads (no drivers)       | Loads            |       |
| GATE-S03 | driver_management               | Driver dispatch tab → 403/hidden                             | Hidden/403 (Gold+)       | Available        |       |
| GATE-S04 | finance_invoices                | /app/invoices → 403/paywall                                  | Loads                    | Loads            |       |
| GATE-S05 | order_calendar                  | Dashboard calendar → paywall; GET /api/orders/calendar → 403 | 200                      | 200              |       |
| GATE-S06 | disputes_returns                | GET /api/disputes/incoming → 403                             | 200                      | 200              |       |
| GATE-S07 | warehouses                      | Settings → Warehouses: 0 warehouses (Free)                   | 1 warehouse max          | Up to 3          |       |
| GATE-S08 | multi_warehouse                 | Settings → multi-warehouse toggle hidden/locked              | Locked (Gold+)           | Toggle available |       |
| GATE-S09 | inventory_management            | /app/inventory → 403 or locked                               | Loads                    | Loads            |       |
| GATE-S10 | quick_lists                     | N/A (restaurant-only feature)                                | N/A                      | N/A              |       |
| GATE-S11 | advanced_roles                  | Settings → Team: no role management                          | Hidden/locked (Gold+)    | Available        |       |
| GATE-S12 | reports                         | Reports API → 403                                            | 200 ( basic_kpis )       | 200              |       |
| GATE-S13 | promotions                      | Promotions API → 403                                         | 200 (max 3 active deals) | 200              |       |
| GATE-S14 | tenant_audit_log                | Settings → Activity tab → hidden                             | Hidden/locked (Gold+)    | Visible          |       |
| GATE-S15 | order_amendments                | Order amendment API → 403                                    | 200                      | 200              |       |
| GATE-S16 | push_notifications              | Push endpoint → 403                                          | 200 (if configured)      | 200              |       |
| GATE-S17 | multi_branch                    | Settings → Branches: 1 branch only                           | 1 branch max             | Higher limit     |       |

| ID       | Feature key          | Free account                   | Silver account | Gold account | Pass? |
|----------|----------------------|--------------------------------|----------------|--------------|-------|
| GATE-S18 | feature_flags_access | Tenant flag override API → 403 | 403 (Gold+)    | 200          |       |
| GATE-S19 | custom_branding      | Branding section locked        | Locked (Gold+) | Available    |       |

### 3.3 Admin feature flag overrides (for gated features)

Test that admin can force-enable a feature for a Free tenant and force-disable it for a Gold tenant.

| ID       | Steps                                                                                                                            | Expected                                                           | Pass? |
|----------|----------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------|-------|
| GATE-A01 | Admin → Features tab → find <code>chat</code> global flag → disable it                                                           | POST <code>/api/feature-flags/global</code> disables chat globally |       |
| GATE-A02 | Log in as Gold restaurant; navigate to <code>/app/chat</code>                                                                    | <b>403</b> — global disable overrides plan entitlement             |       |
| GATE-A03 | Admin → re-enable <code>chat</code> globally                                                                                     | Restored                                                           |       |
| GATE-A04 | Admin → Features tab → Per-tenant override → select Free restaurant → force-enable <code>chat</code>                             | POST <code>/api/feature-flags/tenant-overrides</code> returns 200  |       |
| GATE-A05 | Log in as Free restaurant; navigate to <code>/app/chat</code>                                                                    | <b>Chat loads</b> — tenant override beats plan restriction         |       |
| GATE-A06 | Admin → remove the override for that tenant                                                                                      | Override deleted                                                   |       |
| GATE-A07 | Log in as Free restaurant again; navigate to <code>/app/chat</code>                                                              | <b>403/paywall</b> — back to plan restriction                      |       |
| GATE-A08 | Admin → Per-tenant override → select Gold restaurant → force-disable <code>reports</code>                                        | Override applied                                                   |       |
| GATE-A09 | Log in as Gold restaurant; call GET <code>/api/reports</code>                                                                    | <b>403</b> — tenant override disables feature even on Gold         |       |
| GATE-A10 | Admin → remove the override                                                                                                      | Gold restaurant regains <code>reports</code> access                |       |
| GATE-A11 | <code>entitlements_refresh</code> WebSocket: after admin applies override, logged-in tenant sees toast or UI refresh within ~30s | Entitlements refresh event received                                |       |

### 3.4 Plan upgrade & downgrade flow

| ID       | Steps                                                         | Expected                                                                         | Pass? |
|----------|---------------------------------------------------------------|----------------------------------------------------------------------------------|-------|
| GATE-U01 | Free restaurant → Settings → Subscription → upgrade to Silver | Billing modal opens; stub card accepted; subscription becomes Silver             |       |
| GATE-U02 | After upgrade: navigate to <code>/app/chat</code>             | Chat now loads (feature unlocked by plan upgrade)                                |       |
| GATE-U03 | Admin → Subscriptions → downgrade that tenant back to Free    | Subscription becomes Free; <code>invalidateTenantSubscriptionCache</code> called |       |
| GATE-U04 | Log in as that restaurant; navigate to <code>/app/chat</code> | 403/paywall returns (feature re-locked)                                          |       |
| GATE-U05 | Free supplier → upgrade to Gold via settings                  | All Gold supplier features now available                                         |       |

## Part 4 — Cross-cutting (all authenticated tenants)

### 4.1 Authentication & session

| ID      | Steps                                            | Expected                                                   | Pass? |
|---------|--------------------------------------------------|------------------------------------------------------------|-------|
| AUTH-01 | Open <code>/login</code> , sign in as restaurant | Redirect to app shell; sidebar shows restaurant nav        |       |
| AUTH-02 | Sign in as supplier                              | Supplier nav; no restaurant-only items                     |       |
| AUTH-03 | Sign in as admin                                 | Redirect to <code>/app/admin</code> (not tenant dashboard) |       |

| ID      | Steps                                          | Expected                                   | Pass? |
|---------|------------------------------------------------|--------------------------------------------|-------|
| AUTH-04 | Refresh page while logged in                   | Session persists; no login loop            |       |
| AUTH-05 | Log out (header avatar / logout)               | Returns to login; protected routes blocked |       |
| AUTH-06 | Open <code>/app/orders</code> while logged out | Redirect to login                          |       |

## 4.2 Registration & first-time setup

| ID      | Steps                                                                              | Expected                                                              | Pass? |
|---------|------------------------------------------------------------------------------------|-----------------------------------------------------------------------|-------|
| AUTH-07 | New Keycloak user with <code>PENDING</code> role → <code>/register/complete</code> | Form loads; complete profile/tenant type                              |       |
| AUTH-08 | Finish registration as <b>Restaurant</b>                                           | Lands in app or <code>/app/activate</code> if activation lock enabled |       |
| AUTH-09 | Finish registration as <b>Supplier</b>                                             | Same; supplier settings reachable when unlocked                       |       |
| AUTH-10 | User with <code>needsSetup</code> from <code>/api/register/status</code>           | Forced to <code>/register/complete</code> until done                  |       |

## 4.3 Legal re-acceptance (pack 2026-09-12)

Requires a user whose `legal_acceptance.document_version` ≠ current pack in `repo-root/legal-pack-version.json` (2026-09-12 at last doc update). See `../ui/LEGAL_PACK_REACCEPTANCE.md`.

| ID     | Steps                                                                        | Expected                                                                                                      | Pass? |
|--------|------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------|-------|
| LEG-01 | Log in as user on stale legal pack → navigate to <code>/app/dashboard</code> | Redirect to <code>/legal/reaccept</code> before app shell                                                     |       |
| LEG-02 | <code>/legal/reaccept</code> page                                            | Lists required documents for tenant type; accept-all checkbox required                                        |       |
| LEG-03 | Submit acceptance with current pack 2026-09-12                               | Redirect to <code>/app</code> ; <code>GET /auth/me</code> → <code>legalStatus.needsReacceptance: false</code> |       |
| LEG-04 | Staff portal user on stale pack → <code>/staff/dashboard</code>              | Redirect to <code>/legal/reaccept</code> first                                                                |       |
| LEG-05 | <code>PENDING</code> user during registration                                | <code>/register/complete</code> , <b>not</b> <code>/legal/reaccept</code>                                     |       |
| LEG-06 | <code>POST /auth/legal-acceptance</code> with wrong <code>packVersion</code> | 400 validation error                                                                                          |       |
| LEG-07 | Read-only <code>/legal/terms_and_conditions</code> while logged out          | Document loads; no re-accept gate on public legal routes                                                      |       |

## 4.4 Account activation lock (new tenants)

| ID     | Steps                                                    | Expected                                                                                                   | Pass? |
|--------|----------------------------------------------------------|------------------------------------------------------------------------------------------------------------|-------|
| BIL-01 | New restaurant after register — no payment               | <code>/app/activate</code> ; pending activation banner                                                     |       |
| BIL-02 | On activate page → <b>Compare plans &amp; pay</b>        | Upgrade/payment modal; <code>/api/billing/</code> * works (no 402)                                         |       |
| BIL-03 | Navigate to Orders/Dashboard while locked                | Redirect to <code>/app/activate</code> or 402 <code>ACCOUNT_LOCKED</code> + <code>pendingActivation</code> |       |
| BIL-04 | Paid checkout (stub card) for Silver/Gold                | Unlock; full app access                                                                                    |       |
| BIL-05 | Admin → Subscriptions → <b>Activate</b> on locked tenant | Unlocked without payment                                                                                   |       |

## 4.5 Billing, subscriptions & overdue

| ID     | Steps                                              | Expected                                          | Pass? |
|--------|----------------------------------------------------|---------------------------------------------------|-------|
| BIL-06 | Paid tenant → Settings → Plan / subscription tab   | Current plan, usage meters, <b>Manage billing</b> |       |
| BIL-07 | Payment modal → add card → checkout monthly/yearly | Success; subscription ACTIVE                      |       |

| ID     | Steps                                                 | Expected                                              | Pass? |
|--------|-------------------------------------------------------|-------------------------------------------------------|-------|
| BIL-08 | Simulate past-due (admin: mark subscription PAST_DUE) | Grace banner; <b>Pay now</b>                          |       |
| BIL-09 | Simulate locked overdue (admin: trigger lock)         | Red lock banner; most APIs 402; billing still works   |       |
| BIL-10 | Pay overdue balance                                   | Lock cleared; app usable                              |       |
| BIL-11 | Toggle auto-renew in billing UI                       | Persists; reflected on reload                         |       |
| BIL-12 | Free plan tenant                                      | No payment required; upgrade prompts where applicable |       |

4.6 Plan limits & upgrade UX

| ID      | Steps                                             | Expected                                                         | Pass? |
|---------|---------------------------------------------------|------------------------------------------------------------------|-------|
| PLN-01  | Free restaurant → Dashboard <b>Order calendar</b> | Paywall + upgrade CTA; no broken URL / "Try again"               |       |
| PLN-02  | Gold restaurant → Order calendar                  | Calendar loads; filters work                                     |       |
| PLN-03  | Hit daily order limit (or seed at limit)          | Block message; upgrade modal with limit label                    |       |
| PLN-04  | Hit chat limit                                    | Send blocked; upgrade nudge                                      |       |
| PLN-05  | Add branch over plan limit                        | Gate message references <code>multi_branch</code> / branch limit |       |
| PLN-06  | Supplier add warehouse over limit                 | Warehouse gate from plan                                         |       |
| PLN-06a | Silver supplier → add 2nd warehouse               | <b>Blocked</b> — Silver warehouses limit is 1; upgrade CTA       |       |
| PLN-06b | Gold supplier → enable multi-warehouse            | Settings toggle; routing rules API; split order badges           |       |
| PLN-06c | Supplier org → add branch over plan limit         | <code>multi_branch</code> / branch limit message                 |       |
| PLN-07  | Gold/Platinum → custom branding in settings       | Logo/colors upload (Gold); white-label if Platinum               |       |
| PLN-08  | Header <b>Plans</b> button                        | Upgrade/browse modal; plan comparison table                      |       |

4.7 Free Trial expiry (read-only lock)

**Spec:** `free-trial-expiry.md` · **Audit:** `FREE_TRIAL_BEHAVIOR_AUDIT.md`  
**Accounts:** Free restaurant or supplier ( `restaurant-free@...` / `supplier-free@...` ) or any tenant on plan `free` .  
**Simulate expiry:** run SQL below (replace subscription id) or set `free_sandbox_expires_at` in the past and wait for / trigger `free-sandbox-expiry` job.

```
UPDATE subscription
SET free_sandbox_expires_at = now() - interval '1 day',
    account_locked_at = now(),
    lock_reason = 'free_sandbox_expired'
WHERE id = '<subscription_id>';
```

| ID        | Steps                                                 | Expected                                                                                                                               | Pass? |
|-----------|-------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------|-------|
| BIL-FT-01 | Free tenant → log in after expiry SQL                 | Login succeeds; amber <b>Free Trial expired</b> banner; <b>Choose a plan</b> CTA                                                       |       |
| BIL-FT-02 | Open <code>/app/orders</code> (list)                  | Page loads; existing orders visible (read-only)                                                                                        |       |
| BIL-FT-03 | Open <code>/app/products</code> or supplier catalog   | List/detail <b>GET</b> works                                                                                                           |       |
| BIL-FT-04 | Try place order / POST cart checkout / create product | <b>402</b> ; message: <i>Your Free Trial has expired. Upgrade your plan to continue using Supplify.</i>                                |       |
| BIL-FT-05 | GET <code>/api/billing/status</code> while locked     | <b>200</b> ; <code>access.isLocked true</code> ; <code>freeSandboxExpired</code> OR <code>lockReason === 'free_sandbox_expired'</code> |       |

| ID        | Steps                                                                      | Expected                                                                     | Pass? |
|-----------|----------------------------------------------------------------------------|------------------------------------------------------------------------------|-------|
| BIL-FT-06 | POST /api/billing/checkout (upgrade to Silver)                             | Allowed (billing exempt from lock)                                           |       |
| BIL-FT-07 | Settings → Subscription tab                                                | Shows <b>Free Trial</b> label; expired copy; upgrade path                    |       |
| BIL-FT-08 | Admin → Platform settings → set trial length <b>5</b> or <b>100</b>        | Validation error; only <b>7–90</b> accepted                                  |       |
| BIL-FT-09 | Admin → Platform settings → save <b>30</b> days                            | Persists; new Free activations use clamped value                             |       |
| BIL-FT-10 | Admin → Subscriptions → locked free tenant → <b>Extend trial</b>           | Lock cleared; free_sandbox_expires_at ~30 days ahead; tenant can write again |       |
| BIL-FT-11 | Re-expire tenant; Admin → <b>Activate</b> / unlock on free_sandbox_expired | Unlock + trial extended (job should not re-lock immediately)                 |       |
| BIL-FT-12 | POST .../extend-free-trial with { "days": 30 } (API or admin action)       | <b>200</b> ; expiry ≈ now + 30 days                                          |       |

## 4.9 Supplier customer growth

**Spec:** supplier-customer-growth.md · **Migration:** 0169\_supplier\_growth\_program.sql

**Prereq:** Supplier user with CUSTOMERS\_IMPORT / CUSTOMERS\_MANAGE ; sample CSV with restaurant name + email.

| ID      | Steps                                                         | Expected                                                                | Pass? |
|---------|---------------------------------------------------------------|-------------------------------------------------------------------------|-------|
| GRW-01  | Supplier → /app/customer-growth → upload CSV → preview        | Valid/error row counts; no server error                                 |       |
| GRW-02  | Run import                                                    | Prospects created; auto-match sets existing_supplify when email matches |       |
| GRW-03  | Matched prospect → <b>Connect</b>                             | Restaurant receives connection request notification                     |       |
| GRW-03b | Restaurant → <b>decline</b> connection request                | Supplier receives connection_request_declined notification              |       |
| GRW-04  | Restaurant → accept connection request                        | supplier_follow row; prospect lifecycle_status = connected              |       |
| GRW-05  | Unmatched prospect → <b>Invite</b> (link)                     | Invite URL copied; supplier_growth_invitation pending                   |       |
| GRW-06  | Open /register?ref={token} → complete restaurant registration | Referral attribution; 30-day Free Trial; auto-follow supplier           |       |
| GRW-07  | Referred restaurant → first paid checkout (Silver)            | 20% discount on invoice; supplier reward granted per admin config       |       |
| GRW-08  | Supplier → <b>Sponsor</b> prospect (Silver)                   | Respects plan yearly limit; restaurant gets 1 month paid plan           |       |
| GRW-09  | Dashboard → Customer Growth widget                            | Shows imported / invited / converted counts                             |       |
| GRW-10  | Admin → Plans → Growth program settings → save discount %     | PATCH /api/admin-dashboard/growth-settings persists                     |       |
| GRW-11  | Supplier follow-up → reminder draft → <b>Send reminder</b>    | Restaurant team notified ( reorder_reminder ); draft status sent        |       |

## 4.8 Shell UI (Layout, Header, Sidebar)

| ID    | Steps                                        | Expected                                      | Pass? |
|-------|----------------------------------------------|-----------------------------------------------|-------|
| UX-01 | Sidebar: each visible nav item               | Correct route; active state highlight         |       |
| UX-02 | Orders nav badge                             | Shows pending count when pending orders exist |       |
| UX-03 | Header notifications bell                    | Panel opens; mark read / mark all read        |       |
| UX-04 | Header search (🔍)                            | Opens search UX if implemented                |       |
| UX-05 | Header settings icon                         | Navigates to settings                         |       |
| UX-06 | Header avatar → logout                       | Session ends                                  |       |
| UX-07 | <b>Branch switcher</b> (multi-branch tenant) | Lists linked accounts; switch updates context |       |

| ID     | Steps                                        | Expected                                             | Pass? |
|--------|----------------------------------------------|------------------------------------------------------|-------|
| UX-07a | Supplier with org → <b>All branches</b> link | Navigates to /app/org when multi_branch on           |       |
| UX-07b | Org Owner → add branch on /app/org           | Two-step modal: branch details → invite link copy    |       |
| UX-07c | Branch settings → Invitations tab            | List/revoke/resend; copy link works                  |       |
| UX-07d | Open /invite/branch?token=... (valid)        | Signup or accept while logged in; lands on dashboard |       |
| UX-07e | Expired / revoked invite link                | Correct error state; no account created              |       |
| UX-08  | Plan badge in sidebar footer                 | Shows plan name for non-free paid tiers              |       |
| UX-09  | Mobile/narrow viewport                       | Sidebar/layout usable; tabs wrap (supplier settings) |       |

## 4.9 Notifications preferences

**Spec:** notifications-summary.md · notifications-and-alerts.md

| ID     | Steps                                                      | Expected                                          | Pass? |
|--------|------------------------------------------------------------|---------------------------------------------------|-------|
| UX-10  | Settings → notifications (restaurant/supplier/admin)       | Toggles: email, WhatsApp, in-app, per-event types |       |
| UX-11  | Save preferences → reload                                  | Values persisted                                  |       |
| UX-12  | Trigger event (e.g. new order) with in-app on              | Notification appears in header                    |       |
| UX-12a | Same event as UX-12 (foreground tab)                       | Toast ~10s + short sound; optional browser banner |       |
| UX-12b | Log in as <b>second team user</b> (not contact_email only) | Same event visible in bell + toast for that user  |       |
| NOT-01 | Gold+ tenant: email + WhatsApp enabled                     | Order placed → supplier in-app + email (+ WA)     |       |
| NOT-02 | Staff cancels reservation (guest had email/phone)          | Guest cancel email/WhatsApp; staff notified       |       |
| NOT-03 | Paid checkout completes                                    | billing_activated notification                    |       |
| NOT-04 | Admin extends free trial                                   | billing_trial_extended notification               |       |
| NOT-05 | Assign tenant role to team user                            | Assignee receives auth.role_changed email         |       |
| NOT-06 | POST /api/notifications/test with emailTo                  | Test email delivered or log-only (dev)            |       |

## 4.10 Realtime & impersonation

Ref: features/admin-impersonation.md · IMPERSONATION\_AUDIT.md

| ID         | Steps                                               | Expected                                                | Pass? |
|------------|-----------------------------------------------------|---------------------------------------------------------|-------|
| ADM-IMP-01 | Admin starts impersonation on restaurant            | Redirect /app/dashboard ; sticky banner; restaurant nav |       |
| ADM-IMP-02 | Navigate orders, products, settings, inventory      | Pages load with tenant data (not empty/admin-only)      |       |
| ADM-IMP-03 | Switch branch (multi-branch tenant)                 | Branch switch works; data scoped to branch              |       |
| ADM-IMP-04 | While impersonating, open /app/admin                | Redirect to tenant dashboard                            |       |
| ADM-IMP-05 | Refresh browser during impersonation                | Session still active until cookie/JWT expiry            |       |
| ADM-IMP-06 | Exit impersonation                                  | /app/admin ; banner gone; admin nav                     |       |
| ADM-IMP-07 | Impersonate supplier; navigate fulfillment/products | Supplier nav and APIs work                              |       |

| ID         | Steps                                          | Expected                                         | Pass? |
|------------|------------------------------------------------|--------------------------------------------------|-------|
| ADM-IMP-08 | Billing checkout while impersonating           | 403 IMPERSONATION_RESTRICTED (or blocked UI)     |       |
| ADM-IMP-09 | Impersonate suspended tenant without confirm   | 403 TENANT_SUSPENDED ; confirm allows start      |       |
| ADM-IMP-10 | Audit log                                      | IMPERSONATION_START / IMPERSONATION_END entries  |       |
| ADM-IMP-11 | Plan change while logged in (admin or billing) | entitlements_refresh toast or refetch updates UI |       |

#### 4.11 WebSocket connectivity

| ID    | Steps                                                                                        | Expected                                                                                   | Pass? |
|-------|----------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------|-------|
| WS-01 | Log in as restaurant; open browser DevTools → Network → WS                                   | Socket.IO connection established; no repeated reconnects                                   |       |
| WS-02 | Send a chat message                                                                          | Message appears in real-time on recipient's screen without page refresh                    |       |
| WS-03 | Type in chat input on one session                                                            | Typing indicator visible on other session                                                  |       |
| WS-04 | Recipient's typing indicator shows for other party only (not self; not socket connection ID) | "typing..." indicator; no spurious self-typing                                             |       |
| WS-05 | notification_new over Socket.IO (user on dashboard)                                          | Toast + sound within ~1s of server event; no 12s poll delay                                |       |
| WS-06 | Multi-tab same user                                                                          | Single shared socket; duplicate toasts deduped by notification id                          |       |
| WS-07 | Mark message as read on one session                                                          | Read receipt updates on sender's session in real-time                                      |       |
| WS-08 | Admin changes a tenant's plan                                                                | Logged-in tenant receives entitlements_refresh event (toast or silent refetch) within ~30s |       |
| WS-09 | Network briefly disconnected (DevTools → throttle offline then back)                         | Socket reconnects; no duplicate messages; connection restored                              |       |
| WS-10 | Log out                                                                                      | WebSocket disconnected cleanly; no 401 errors in console                                   |       |

## Part 5 — Public & guest (no tenant login)

### 5.1 Guest reservation portal

| ID     | Steps                                                                                            | Expected                                                                  | Pass? |
|--------|--------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------|-------|
| PUB-01 | Open /reserve or /reserve/{restaurant-slug}                                                      | Booking UI loads; restaurant name shown                                   |       |
| PUB-02 | Complete booking (party size, date, time)                                                        | Confirmation page /reserve/confirmation                                   |       |
| PUB-03 | Copy manage link from confirmation email/UI                                                      | /reserve/manage/:token loads reservation                                  |       |
| PUB-04 | Cancel reservation via manage link                                                               | Status cancelled; reflected on restaurant board; restaurant team notified |       |
| PUB-05 | Reschedule via manage link                                                                       | New slot saved; restaurant team notified                                  |       |
| PUB-06 | Invalid/expired token                                                                            | Friendly error; no crash                                                  |       |
| PUB-14 | Gold+ restaurant: cancel seated reservation → waitlist guest with matching party size gets offer | Guest receives accept/decline link; board shows offer pending             |       |
| PUB-15 | Open /reserve/waitlist/:token/accept from offer email/UI                                         | Confirmation UI; reservation CONFIRMED ; waitlist entry accepted          |       |
| PUB-16 | Open /reserve/waitlist/:token/decline                                                            | Offer declined; next guest can be offered on expiry/manual promote        |       |
| PUB-17 | Public book: fill <b>occasion + allergies</b>                                                    | Confirmation + manage page show the notes; restaurant board shows them    |       |
| PUB-18 | Booking policy deposit required                                                                  | Guest must acknowledge deposit before confirm                             |       |
| PUB-19 | Blackout date on restaurant                                                                      | Public slot picker shows closed / no slots for that day                   |       |

| ID     | Steps                                               | Expected                                        | Pass? |
|--------|-----------------------------------------------------|-------------------------------------------------|-------|
| PUB-20 | After completed visit: open review link from invite | Guest can submit rating/review via manage token |       |
| PUB-21 | Ratings summary on public reserve page (if enabled) | Aggregate rating visible without login          |       |

## 5.2 Staff self-service portal

| ID     | Steps                                                                            | Expected                                                                                      | Pass? |
|--------|----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------|-------|
| PUB-07 | Open <code>/staff/login</code> (or <code>/staff</code> )                         | Keycloak sign-in + optional magic-link UI                                                     |       |
| PUB-08 | Manager: <code>/app/staff</code> → Team → <b>Create portal account</b> for staff | Account created; status Active; temp password (dev) or invite flow                            |       |
| PUB-09 | Staff signs in at <code>/staff/login</code> with work email                      | Lands on <code>/staff/dashboard</code> ; <b>cannot</b> open <code>/app</code> (redirect back) |       |
| PUB-10 | Staff: clock in/out, view own shifts, submit PTO/swap                            | Only own data; <code>GET /api/staff/members</code> returns 403 if forced                      |       |
| PUB-11 | Manager: copy login link, send invite, reset, disable portal access              | Link is <code>/staff/login</code> ; disable blocks login and magic link                       |       |
| PUB-12 | Magic link: request link (portal enabled) → <code>/staff/dashboard?token=</code> | Legacy session works; scoped to one staff profile                                             |       |
| PUB-13 | Session / token expiry                                                           | Prompt re-auth at <code>/staff/login</code>                                                   |       |

## Part 6 — Restaurant tenant

**Primary accounts:** `restaurant@supplify.com`, `restaurant-gold@supplify.com`, `restaurant-free@supplify.com`

**Sidebar:** Dashboard, Orders, Products, Quick Lists, Cart, Reservations, Receiving, Suppliers, Invoices, Chat, Staff, Inventory, Settings  
Hidden without RBAC permission or feature gate.

### 6.1 Dashboard (`/app/dashboard`)

| ID     | Steps                           | Expected                                                | Pass? |
|--------|---------------------------------|---------------------------------------------------------|-------|
| RST-01 | Load dashboard                  | KPI cards load (orders, spend, etc.)                    |       |
| RST-02 | <b>Recent orders</b> list       | Links to order detail                                   |       |
| RST-03 | <b>Spend trend</b> (30 days)    | Chart matches invoice/order data or empty-state message |       |
| RST-04 | <b>Reorder alerts</b>           | Suggestions; add to quick list works                    |       |
| RST-05 | <b>Order calendar</b> (Silver+) | Calendar events; filters                                |       |
| RST-06 | <b>Order calendar</b> (Free)    | Upgrade paywall only                                    |       |

### 6.2 Orders (`/app/orders`, `/app/orders/:id`)

| ID      | Steps                                                        | Expected                                                            | Pass? |
|---------|--------------------------------------------------------------|---------------------------------------------------------------------|-------|
| RST-07  | Orders list tabs: All, New, Processing, Shipped, Completed   | Correct filtering                                                   |       |
| RST-07a | Orders list <b>search</b> (order #, supplier name, SKU text) | Server-side search narrows list; clearing search restores full list |       |
| RST-07b | Orders <b>inbox filters</b> (status + date range if shown)   | Combined filters match API; empty state when no matches             |       |
| RST-08  | Open order detail                                            | Details, Items tabs load                                            |       |
| RST-09  | Place order from cart (see 6.4)                              | New order appears in list                                           |       |

| ID      | Steps                                                                   | Expected                                                                    | Pass? |
|---------|-------------------------------------------------------------------------|-----------------------------------------------------------------------------|-------|
| RST-10  | Cancel order (if permitted)                                             | Status cancelled; supplier notified                                         |       |
| RST-10a | Supplier declines <code>PLACED</code> order with reason (other session) | <b>Declined by supplier</b> + reason on list/detail; timeline shows decline |       |
| RST-10b | Supplier decline without reason (API or UI)                             | <code>400 DECLINE_REASON_REQUIRED</code> or UI blocks submit                |       |
| RST-11  | Order reminders / notifications                                         | Trigger where applicable                                                    |       |

### 6.3 Products & catalog ( `/app/products` , `/app/products/:id` )

| ID     | Steps                    | Expected                           | Pass? |
|--------|--------------------------|------------------------------------|-------|
| RST-12 | Browse supplier products | List, search, filters              |       |
| RST-13 | Product detail           | SKU, price, pack size, add to cart |       |
| RST-14 | Categories/tags if shown | Navigation works                   |       |

### 6.4 Cart ( `/app/cart` )

| ID     | Steps                            | Expected                                  | Pass? |
|--------|----------------------------------|-------------------------------------------|-------|
| RST-15 | Add items from products          | Cart persists after navigation            |       |
| RST-16 | Update quantities / remove lines | Totals recalculate                        |       |
| RST-17 | Submit order                     | Success; redirects to orders; cart clears |       |
| RST-18 | Empty cart checkout              | Validation prevents submit                |       |

#### 6.4.1 Supplier last-order cutoff & contract pricing — 2026-09-09/10

| ID      | Steps                                                                                  | Expected                                                                                         | Pass? |
|---------|----------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------|-------|
| RST-18a | Supplier sets <code>last_order_mode=cutoff</code> (absolute time) in Business settings | Setting saves; restaurant cart shows cutoff / rolled delivery date                               |       |
| RST-18b | Place order after cutoff                                                               | <code>requested_delivery_date</code> rolls to next allowed day (or blocks per mode)              |       |
| RST-18c | Supplier sets minutes-before-window + rollover days                                    | Cart countdown / next window matches rule                                                        |       |
| RST-18d | Restaurant with active contract: open cart after rehydrate (reload)                    | Lines show <b>Your price</b> (contract), not stale catalog list price                            |       |
| RST-18e | Scheduled quick-list auto-order with active contract                                   | Order lines snapshot <code>pricing_source=CONTRACT_PRICE</code> + <code>contract_price_id</code> |       |
| RST-18f | Supplier detail / catalog card with contract                                           | Contract badge only when <code>pricing_source === 'CONTRACT_PRICE'</code>                        |       |

### 6.5 Quick lists ( `/app/quick-lists` ) — requires `quick_lists` feature

| ID      | Steps                                                    | Expected                                           | Pass? |
|---------|----------------------------------------------------------|----------------------------------------------------|-------|
| RST-19  | Free account → navigate to <code>/app/quick-lists</code> | 403 or paywall; not accessible                     |       |
| RST-20  | Silver+ account → create quick list                      | Saved with name                                    |       |
| RST-21  | Add/remove SKUs                                          | Persists                                           |       |
| RST-22  | Order from quick list                                    | Creates order with lines                           |       |
| RST-23  | Scheduled quick list (if UI filter)                      | Scheduled vs unscheduled views                     |       |
| RST-23a | Quick lists page <b>stat cards</b> + empty state         | Summary counts load; empty state CTA when no lists |       |

## 6.6 Restaurant inventory ( /app/restaurant-inventory ) — requires `inventory_management` feature

| ID     | Steps                                                             | Expected                              | Pass? |
|--------|-------------------------------------------------------------------|---------------------------------------|-------|
| RST-24 | Free account → navigate to <code>/app/restaurant-inventory</code> | 403 or paywall                        |       |
| RST-25 | Silver+ → Tab: Current inventory                                  | SKU levels, par levels                |       |
| RST-26 | Tab: Movement history                                             | Events listed                         |       |
| RST-27 | Tab: Totals & sources                                             | Aggregates correct                    |       |
| RST-28 | Adjust stock (if UI)                                              | Quantity updates; audit in history    |       |
| RST-29 | User without <code>INVENTORY_VIEW</code>                          | Nav hidden; direct URL blocked or 403 |       |

## 6.7 Receiving ( /app/receiving ) — requires `receiving_quality` feature

| ID      | Steps                                                                                                        | Expected                                                                                                   | Pass? |
|---------|--------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------|-------|
| RST-30  | Free account → navigate to <code>/app/receiving</code>                                                       | 403 or paywall                                                                                             |       |
| RST-31  | Silver+ — supplier marks order <b>Mark Delivered</b> ( <code>DELIVERED</code> )                              | Restaurant pending list shows order; green “Supplier marked as delivered” message                          |       |
| RST-32  | <b>Receive Now</b> on pending order — full quantities                                                        | Order leaves pending; appears in <b>History</b> tab; order status <code>RECEIVED_FULL</code>               |       |
| RST-33  | Partial receive / discrepancies                                                                              | <code>RECEIVED_PARTIAL</code> or report status <code>PARTIAL</code> ; inventory reflects received qty only |       |
| RST-34  | Tab: History                                                                                                 | Past <code>receiving_report</code> rows listed (orders not received do not appear here)                    |       |
| RECV-01 | Order detail ( <code>DELIVERED</code> ) → <b>Receive this order</b> → <code>/app/receiving?order={id}</code> | Receive dialog opens for that order when still pending                                                     |       |
| RECV-02 | Order timeline tab ( <code>DELIVERED</code> , not yet received )                                             | Delivery step completed; <b>Confirm receipt</b> current (not “Order placed” in progress)                   |       |
| RECV-03 | Supplier order detail after <code>SHIPPED</code>                                                             | Button reads <b>Mark Delivered</b> (not “Complete Order”); sets <code>DELIVERED</code>                     |       |

### 6.6.1 Restaurant delivery GPS ( `GPS_ALLOW_RESTAURANT_LIVE_TRACKING` )

Prereq: supplier assigned driver; active assignment; API `GPS_ALLOW_RESTAURANT_LIVE_TRACKING=true` (default).

| ID      | Steps                                                                          | Expected                                                                     | Pass? |
|---------|--------------------------------------------------------------------------------|------------------------------------------------------------------------------|-------|
| GPS-R01 | Order detail (no driver yet)                                                   | “Delivery tracking will appear once the supplier assigns a driver.”          |       |
| GPS-R02 | After driver assigned, before first ping                                       | “Driver assigned. Waiting for the first GPS update.”                         |       |
| GPS-R03 | Driver en route (recent ping)                                                  | Live message + map or <b>Open in Google Maps</b> fallback; badge <b>Live</b> |       |
| GPS-R04 | Stale ping (or lower <code>GPS_STALE_AFTER_SECONDS</code> in dev)              | Stale copy with last update time                                             |       |
| GPS-R05 | <code>GPS_ALLOW_RESTAURANT_LIVE_TRACKING=false</code> (API restart)            | “Live tracking is not enabled for this order.”                               |       |
| GPS-R06 | <code>GPS_RESTAURANT_SHOW_DRIVER_PHONE=false</code> (default)                  | No driver phone on panel or API payload                                      |       |
| GPS-R07 | Order delivered ( <code>DELIVERED</code> )                                     | “Delivered. You can now receive the order.” + <b>Receive order</b> CTA       |       |
| GPS-R08 | Timeline tab                                                                   | Driver milestones without duplicating core order status rows                 |       |
| GPS-R09 | Wrong restaurant tenant → <code>GET /api/orders/:id/tracking</code> (devtools) | 404 — cannot read another restaurant’s tracking                              |       |
| GPS-R10 | Receiving after GPS deliver                                                    | Receiving still manual — GPS does not auto-receive (RECV-01/02)              |       |

## 6.8 Reservations ( /app/reservations )

| ID      | Steps                                                        | Expected                                                         | Pass? |
|---------|--------------------------------------------------------------|------------------------------------------------------------------|-------|
| RST-35  | Reservation board for selected date                          | Tables + reservations + waitlist                                 |       |
| RST-36  | Create reservation (drawer)                                  | Appears on board                                                 |       |
| RST-37  | Seat / confirm / cancel from board                           | Status transitions                                               |       |
| RST-37a | <b>Assign table</b> from board dropdown                      | Table shows guest on floor plan until completed/cancelled        |       |
| RST-37b | Guest <b>reschedule</b> via manage link                      | Board date/slot updates; staff notification                      |       |
| RST-38  | <b>Table builder</b>                                         | Add/edit floor plan tables                                       |       |
| RST-39  | Analytics panel (day/week/month)                             | Metrics load                                                     |       |
| RST-40  | Guest intelligence panel                                     | Guest stats load                                                 |       |
| RST-41  | Copy public <b>booking link</b>                              | Link works in incognito ( /reserve/... )                         |       |
| RST-42  | User without RESERVATIONS_VIEW                               | Nav hidden                                                       |       |
| RST-42a | Multi-branch restaurant: switch branch on reservations board | Board data scoped to selected branch; waitlist matches branch    |       |
| RST-42b | Guest cancel via manage link (public API parity)             | Same outcome as staff cancel; capacity freed; notifications sent |       |
| RST-42c | Over-capacity slot attempt (public book or staff create)     | Friendly validation; no double-book beyond capacity guard        |       |

### 6.8.1 Reservation excellence (migration 0198 ) — 2026-09-10

Spec: [hospitality-excellence design](#) · Feature: [reservations-foh.md](#)

| ID      | Steps                                                                  | Expected                                                                           | Pass? |
|---------|------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------|
| RST-42d | Mark seated guest <b>No-show</b> from board                            | Status <code>NO_SHOW</code> ; guest CRM no-show count increments                   |       |
| RST-42e | Open guest CRM / intelligence for returning guest                      | Visit count, tags/VIP, prior occasions visible                                     |       |
| RST-42f | Settings / booking: set party min/max + cancel window                  | Public book enforces limits; late cancel blocked or warned                         |       |
| RST-42g | Add blackout date (full day or window)                                 | Public slots closed for that date; board shows blackout                            |       |
| RST-42h | Delete blackout                                                        | Slots reopen                                                                       |       |
| RST-42i | Public book with <b>occasion</b> + <b>allergies</b>                    | Fields saved; visible on board / detail                                            |       |
| RST-42j | Deposit policy on: guest books                                         | Deposit acknowledgment required before confirm                                     |       |
| RST-42k | Completed reservation → guest receives review invite (or cron dry-run) | Review invite email/SMS path fires; manage-token review link works                 |       |
| RST-42l | Guest submits review via manage token                                  | Review linked to <code>reservation_id</code> ; appears in restaurant reviews inbox |       |
| RST-42m | Staff reply to reservation-linked review                               | Reply saved; guest-facing surface updated if applicable                            |       |
| RST-42n | Analytics: no-show rate / source mix                                   | Metrics include no-shows and booking sources after sample data                     |       |

## 6.9 Staff HR ( /app/staff )

| ID     | Steps                                           | Expected                            | Pass? |
|--------|-------------------------------------------------|-------------------------------------|-------|
| RST-43 | Tab: Team — list members                        | Roles shown; portal access status   |       |
| RST-44 | Add staff + create portal account / send invite | Staff record + portal controls work |       |
| RST-45 | Tab: Schedule & time                            | Shifts; clock events                |       |

| ID     | Steps                      | Expected                           | Pass? |
|--------|----------------------------|------------------------------------|-------|
| RST-46 | Tab: PTO & availability    | Request/approve PTO                |       |
| RST-47 | Tab: Announcements & swaps | Post announcement; shift swap flow |       |
| RST-48 | Tab: Docs & incidents      | Upload/view document; log incident |       |
| RST-49 | Tab: Payroll & insights    | Reports load                       |       |
| RST-50 | User without STAFF_VIEW    | Nav hidden                         |       |

### 6.10 Suppliers directory ( /app/suppliers , /app/suppliers/:id )

| ID      | Steps                                            | Expected                                                       | Pass? |
|---------|--------------------------------------------------|----------------------------------------------------------------|-------|
| RST-51  | List suppliers                                   | Search/filter                                                  |       |
| RST-51a | Suppliers page <b>stat cards</b> + empty state   | Followed/active supplier counts; helpful empty state when none |       |
| RST-52  | Supplier detail                                  | Catalog preview, follow/block if available                     |       |
| RST-53  | Start chat from supplier (requires chat feature) | Opens conversation if Silver+                                  |       |

### 6.11 Invoices ( /app/invoices ) — requires finance\_invoices feature

| ID     | Steps                                    | Expected              | Pass? |
|--------|------------------------------------------|-----------------------|-------|
| RST-54 | Free account → navigate to /app/invoices | 403 or paywall        |       |
| RST-55 | Silver+ → Invoice list                   | Filter by status/date |       |
| RST-56 | Open invoice → Details tab               | Line items, totals    |       |
| RST-57 | Payments tab                             | Payment history       |       |
| RST-58 | Related order tab                        | Links to order        |       |
| RST-59 | Download PDF (if offered)                | PDF opens             |       |
| RST-60 | User without INVOICES_VIEW               | Nav hidden            |       |

### 6.12 Chat ( /app/chat ) — requires chat feature

| ID     | Steps                                 | Expected                                                                    | Pass? |
|--------|---------------------------------------|-----------------------------------------------------------------------------|-------|
| RST-61 | Free account → navigate to /app/chat  | 403 or paywall                                                              |       |
| RST-62 | Silver+ → Conversation list           | Suppliers/restaurants shown                                                 |       |
| RST-63 | Send message                          | Delivered; appears in thread                                                |       |
| RST-64 | Receive message (second browser/user) | Message appears in thread within ~1s without manual refresh (Socket.IO)     |       |
| RST-65 | Unread state / read receipts          | Updates correctly                                                           |       |
| RST-66 | Typing indicator                      | "typing..." for other party only (not your own); not a socket connection ID |       |
| RST-67 | Notification toast (other page)       | New order/message notification toast within ~1s; bell count updates         |       |
| RST-68 | Socket reconnect                      | Brief API restart: client shows Reconnecting then Live; messages still flow |       |
| RST-69 | Mobile chat layout                    | List full-width; open thread with back; composer usable with keyboard       |       |

## 6.14 Deals (/app/deals) — requires `supplier_deals` feature

**UI:** page title **Available deals**; card CTA **Order with deal**. See `../ui/DEALS_BOOSTS_WORDING_CLEANUP.md`.

| ID     | Steps                                                      | Expected                                                                                         | Pass? |
|--------|------------------------------------------------------------|--------------------------------------------------------------------------------------------------|-------|
| RST-74 | Free Trial → <code>/app/deals</code>                       | Deals feed loads (sandbox <code>supplier_deals</code> ); <b>1 redemption/day</b> cap (RST-82/83) |       |
| RST-75 | Silver+ → Deals feed loads                                 | Cards from followed suppliers; sort/filter works                                                 |       |
| RST-76 | Sponsored deal visible                                     | Badge "Sponsored" on boosted deal from non-followed supplier                                     |       |
| RST-77 | <b>Order now</b> CTA                                       | Navigates to products; place order; discount on order detail                                     |       |
| RST-78 | <b>Use coupon</b> CTA                                      | Coupon copied; apply at cart checkout; discount applied                                          |       |
| RST-79 | <b>Message supplier</b> CTA                                | Chat opens with prefilled deal interest message                                                  |       |
| RST-80 | <b>View products</b> CTA                                   | Supplier catalog filtered; eligible products highlighted                                         |       |
| RST-81 | Order detail shows promotion name                          | <code>GET /api/orders/:id</code> returns <code>appliedPromotion</code> with deal name            |       |
| RST-82 | Free Trial restaurant: redeem deal at checkout (1st today) | Discount applies; usage meter increments                                                         |       |
| RST-83 | Free Trial restaurant: second deal redemption same day     | Blocked with limit message ( <code>deal_redemptions_per_day</code> = 1)                          |       |

## 6.15 Settings & onboarding (/app/settings, /app/onboarding)

| ID     | Steps                                                 | Expected                                                             | Pass? |
|--------|-------------------------------------------------------|----------------------------------------------------------------------|-------|
| RST-84 | Tab: Profile — edit name, address, logo               | Saves via API                                                        |       |
| RST-85 | Tab: Team — invite users, assign tenant roles         | RBAC roles applied                                                   |       |
| RST-86 | Tab: Branches — add/switch linked accounts            | Respects plan branch limit                                           |       |
| RST-87 | Tab: Subscription — plan, usage, billing CTA          | Matches entitlements                                                 |       |
| RST-88 | Tab: Notifications                                    | Same as UX-10                                                        |       |
| RST-89 | Tab: Activity (Gold+, <code>tenant_audit_log</code> ) | Rows show after live actions; Free account sees tab hidden or locked |       |
| RST-90 | Tab: Activity — Action / Resource dropdowns           | Human-readable labels; filter narrows list                           |       |
| RST-91 | Tab: Activity — Clear filters / date range            | Full day included on <b>To</b> date                                  |       |
| RST-92 | Custom branding (Gold+)                               | Logo/colors; preview                                                 |       |
| RST-93 | <code>/app/onboarding</code>                          | Same flows as settings (duplicate entry)                             |       |

## 6.16 Restaurant RBAC spot checks

| ID      | Steps                                                                               | Expected                                     | Pass? |
|---------|-------------------------------------------------------------------------------------|----------------------------------------------|-------|
| RBAC-R1 | Log in as <code>RESTAURANT_STAFF</code> (limited role)                              | Only permitted nav items; APIs 403 otherwise |       |
| RBAC-R2 | <code>RESTAURANT_MANAGER</code>                                                     | Broader access than staff; less than owner   |       |
| RBAC-R3 | <code>RESTAURANT_OWNER</code>                                                       | Full restaurant permissions                  |       |
| RBAC-R4 | Gold restaurant — Settings → Team → role assignment ( <code>advanced_roles</code> ) | Can assign/modify roles for team members     |       |
| RBAC-R5 | Free restaurant — no role management section                                        | Section hidden or locked                     |       |

| ID      | Steps                                                          | Expected                                               | Pass? |
|---------|----------------------------------------------------------------|--------------------------------------------------------|-------|
| RBAC-R6 | Invite user already linked to another restaurant/supplier      | Invitation or accept returns clear conflict            |       |
| RBAC-R7 | Creator after <code>/register/complete</code>                  | Owner role; <code>user_workspace_membership</code> row |       |
| RBAC-R8 | Manager cannot assign role with permissions they lack (API/UI) | 403 on assign; UI hides over-privileged roles          |       |
| RBAC-R9 | Cannot remove/downgrade last Owner in org                      | 400 with clear message                                 |       |

## Part 7 — Supplier tenant

**Primary accounts:** `supplier@supplify.com`, `supplier-gold@supplify.com`, `supplier-free@supplify.com`

**Sidebar:** Dashboard, Orders, Products, Fulfillment, Restaurants, Invoices, Chat, Settings

**Deep links:** `/app/inventory`, `/app/supplier-settings`

### 7.1 Dashboard ( `/app/dashboard` )

| ID     | Steps                                                  | Expected                                      | Pass? |
|--------|--------------------------------------------------------|-----------------------------------------------|-------|
| SUP-01 | Load dashboard                                         | Supplier KPIs                                 |       |
| SUP-02 | <b>Low stock</b> column (not "Reorder alerts")         | Lists SKUs below threshold; link to inventory |       |
| SUP-03 | Recent orders                                          | Links work                                    |       |
| SUP-04 | Order calendar (Silver+, <code>order_calendar</code> ) | Same gating as restaurant; paywall on Free    |       |

### 7.2 Orders ( `/app/orders` , `/app/orders/:id` )

| ID      | Steps                                            | Expected                                                                    | Pass? |
|---------|--------------------------------------------------|-----------------------------------------------------------------------------|-------|
| SUP-05  | List tabs                                        | Filter by status                                                            |       |
| SUP-06  | Accept/processing workflow                       | Status moves New → Processing                                               |       |
| SUP-06b | <b>Decline</b> <code>PLACED</code> order         | Modal requires reason; restaurant sees <b>Declined by supplier</b> + reason |       |
| SUP-07  | Mark shipped → <b>Mark Delivered</b>             | Restaurant sees <code>DELIVERED</code> ; can receive                        |       |
| SUP-08  | <b>Manual order</b> creation (if UI/API exposed) | Order created for restaurant                                                |       |
| SUP-09  | Order detail — supplier tabs                     | Picking notes, Delivery info, Packing slip                                  |       |
| SUP-10  | Invoice tab on order (if present)                | Linked invoice                                                              |       |

### 7.3 Products & pricing ( `/app/products` , `/app/products/:id` )

| ID     | Steps                                    | Expected             | Pass? |
|--------|------------------------------------------|----------------------|-------|
| SUP-11 | Create product                           | Appears in list      |       |
| SUP-12 | Edit product (name, SKU, category, tags) | Saves                |       |
| SUP-13 | Deactivate/delete (if supported)         | Removed from catalog |       |
| SUP-14 | Manage <b>prices</b> per SKU             | Price rows CRUD      |       |
| SUP-15 | Product images/upload (files API)        | Image displays       |       |

| ID      | Steps                                                      | Expected                                                                               | Pass? |
|---------|------------------------------------------------------------|----------------------------------------------------------------------------------------|-------|
| SUP-15a | <b>Import Product Images</b> — ZIP by SKU ( CATALOG_EDIT ) | Preview shows matched/unmatched; confirm starts job; poll progress; thumbnails in list |       |
| SUP-15b | <b>Import Product Images</b> — ZIP + mapping CSV           | Mapping CSV pairs SKU → filename; invalid rows in preview                              |       |
| SUP-15c | <b>Import Product Images</b> — replace existing off        | Products with existing image_url skipped ( skipped count)                              |       |
| SUP-15d | <b>Bulk Upload</b> CSV with image_url column               | Remote HTTP(S) image fetched; product row succeeds even if image fails                 |       |
| SUP-15e | Failure report after import job                            | GET .../import/:jobId/report CSV downloads failed rows                                 |       |
| SUP-15f | Concurrent import blocked                                  | Second import while job pending / processing returns <b>409</b>                        |       |
| SUP-16  | Plan SKU limit                                             | Block at limit with upgrade message                                                    |       |

#### 7.4 Fulfillment ( /app/fulfillment ) — requires fulfillment\_tools feature

| ID      | Steps                                              | Expected                                                                 | Pass? |
|---------|----------------------------------------------------|--------------------------------------------------------------------------|-------|
| SUP-17  | Free account → navigate to /app/fulfillment        | 403 or paywall                                                           |       |
| SUP-18  | Gold+ → Tab: Driver dispatch ( driver_management ) | Assign driver / dispatch list                                            |       |
| SUP-18a | Silver → Fulfillment → Driver dispatch             | Tab hidden or 403                                                        |       |
| SUP-19  | Tab: Pick lists                                    | Generate pick list from orders                                           |       |
| SUP-20  | Tab: Routes                                        | Route planning UI                                                        |       |
| SUP-21  | Tab: Delivery tracking                             | Table with GPS column; <b>View tracking</b> opens drawer; refreshes ~30s |       |
| SUP-22  | Tab: Exceptions                                    | Log/resolve exception                                                    |       |
| SUP-23  | Proof of delivery capture                          | Notes/signature fields save                                              |       |

##### 7.4.3 Dispatch cache, POD, multi-WH — 2026-09-10

Migrations: 0200 (POD one-per-order). Spec: [drivers-and-gps-tracking.md](#)

| ID     | Steps                                                                      | Expected                                                                                       | Pass? |
|--------|----------------------------------------------------------------------------|------------------------------------------------------------------------------------------------|-------|
| FUL-01 | Assign driver on dispatch board                                            | Order leaves <b>unassigned</b> within <b>&lt;45s</b> (cache invalidated; not stuck until TTL)  |       |
| FUL-02 | Create/activate/cancel route; remove stop                                  | Dispatch board refreshes assignment buckets without waiting full cache TTL                     |       |
| FUL-03 | Plan route for <b>tomorrow</b> ; assign stops                              | scheduled_delivery_date = route date (not forced to today); not treated overdue by tonight job |       |
| FUL-04 | Driver submits POD with photo <b>or</b> signature <b>or</b> recipient name | POD saved; dispatch shows has_pod                                                              |       |
| FUL-05 | Driver submits empty POD (no photo/signature/name)                         | <b>400</b> ; UI save disabled                                                                  |       |
| FUL-06 | Driver retries POD submit twice (flaky network)                            | Still <b>one</b> POD row per order (upsert); no duplicate proofs                               |       |
| FUL-07 | Multi-warehouse order: assign all warehouse legs                           | One driver leg per open WH assignment; order stays open until <b>all</b> legs terminal         |       |
| FUL-08 | Deliver only one WH leg of multi-WH order                                  | Order not fully DELIVERED until remaining legs delivered/failed                                |       |
| FUL-09 | Dispatch board warehouse badge                                             | Assigned warehouse visible on card                                                             |       |
| FUL-10 | Silver single-WH supplier → warehouse inventory mode                       | Inventory uses warehouse SoT (not blocked awaiting Gold multi-WH)                              |       |
| FUL-11 | Cancel route / remove stop that had assigned driver                        | Driver leg released; order returns to assignable pool (not orphaned under empty route)         |       |
| FUL-12 | Reassign driver                                                            | scheduled_delivery_date preserved; old route stop removed                                      |       |

**7.4.1 Delivery GPS tracking (Gold+, driver\_management + GPS\_TRACKING\_ENABLED )**

Prereq: migration 0137\_driver\_location\_tracking.sql ; API env GPS\_TRACKING\_ENABLED=true ; optional VITE\_GOOGLE\_MAPS\_API\_KEY for map embed.

| ID      | Steps                                                            | Expected                                                                     | Pass? |
|---------|------------------------------------------------------------------|------------------------------------------------------------------------------|-------|
| GPS-S01 | Command center → deliveries KPI area                             | <b>GPS today</b> widget: Live / Stale / No GPS / Failed; link to fulfillment |       |
| GPS-S02 | Fulfillment → Driver dispatch → assign driver → out for delivery | Each card shows GPS badge: Live, Stale, No GPS yet, or Tracking off          |       |
| GPS-S03 | Dispatch card → <b>View tracking</b>                             | Drawer: restaurant, driver, status, map or coordinate fallback, no fake ETA  |       |
| GPS-S04 | Fulfillment → <b>Delivery tracking</b> tab                       | GPS column; <b>View tracking</b> per row                                     |       |
| GPS-S05 | Fulfillment → Routes → open route → stop row                     | Per-stop GPS label; <b>View tracking</b> for that order                      |       |
| GPS-S06 | Supplier order detail (active delivery)                          | OrderDeliveryTrackingPanel with map/fallback; supplier-only                  |       |
| GPS-S07 | Driver marks delivered → dispatch <b>Delivered today</b>         | Last known GPS may still show; terminal orders not on active tracking tab    |       |
| GPS-S08 | Set GPS_STALE_AFTER_SECONDS low (dev) + old ping                 | Badge shows <b>GPS stale</b> / Stale label                                   |       |
| GPS-S09 | GPS_TRACKING_ENABLED=false (API restart)                         | Tracking off / disabled states; no server errors                             |       |

**7.4.2 Driver portal GPS ( /app/driver/deliveries or driver role)**

| ID       | Steps                                                  | Expected                                                                     | Pass? |
|----------|--------------------------------------------------------|------------------------------------------------------------------------------|-------|
| DRV-GPS1 | Log in as linked driver; open active assignment        | GPS badge (Live / waiting); browser location permission if prompted          |       |
| DRV-GPS2 | Advance to out_for_delivery; wait or simulate location | Supplier dispatch shows <b>Live</b> ; restaurant order detail updates (poll) |       |
| DRV-GPS3 | Mark delivered                                         | Order DELIVERED ; driver stops sending pings; restaurant sees delivered copy |       |

**7.5 Supplier inventory ( /app/inventory ) — requires inventory\_management feature**

| ID     | Steps                                     | Expected                                   | Pass? |
|--------|-------------------------------------------|--------------------------------------------|-------|
| SUP-24 | Free → /app/inventory or inventory API    | 403 or paywall ( inventory_management off) |       |
| SUP-25 | Silver+ → Open /app/inventory (deep link) | Stock by warehouse loads                   |       |
| SUP-26 | Low-stock alerts                          | Aligns with dashboard                      |       |
| SUP-27 | Stock adjustment                          | Quantity changes                           |       |

**7.6 Restaurants (customers) ( /app/restaurants , /app/restaurants/:id )**

| ID     | Steps                                  | Expected                                       | Pass? |
|--------|----------------------------------------|------------------------------------------------|-------|
| SUP-28 | Restaurant list                        | Stats render; <b>no currency format crash</b>  |       |
| SUP-29 | Restaurant detail                      | Order history, negotiated pricing if shown     |       |
| SUP-30 | <b>Restaurant pricing</b> / menu tiers | Create/edit tier; restaurant sees "my pricing" |       |

**7.7 Invoices & payments ( /app/invoices ) — requires finance\_invoices feature**

| ID     | Steps                                            | Expected        | Pass? |
|--------|--------------------------------------------------|-----------------|-------|
| SUP-31 | Free account → navigate to /app/invoices         | 403 or paywall  |       |
| SUP-32 | Silver+ → Issue invoice from order (if workflow) | Invoice created |       |

| ID     | Steps                         | Expected                  | Pass? |
|--------|-------------------------------|---------------------------|-------|
| SUP-33 | Record <b>full payment</b>    | Balance zero              |       |
| SUP-34 | Record <b>partial payment</b> | Remaining balance correct |       |
| SUP-35 | Apply <b>credit</b>           | Balance adjusted          |       |
| SUP-36 | Payment history tab           | All payments listed       |       |

## 7.8 Chat ( /app/chat ) — requires chat feature

| ID     | Steps                                         | Expected          | Pass? |
|--------|-----------------------------------------------|-------------------|-------|
| SUP-37 | Free account → navigate to /app/chat          | 403 or paywall    |       |
| SUP-38 | Silver+ → List conversations with restaurants | Loads             |       |
| SUP-39 | <b>Quick replies</b> (if enabled)             | Insert template   |       |
| SUP-40 | Send/receive messages                         | Same as RST-63–66 |       |

## 7.9 Supplier settings ( /app/settings — 9 tabs)

| ID      | Steps                                     | Expected                                                 | Pass? |
|---------|-------------------------------------------|----------------------------------------------------------|-------|
| SUP-41  | Tab: Profile                              | Company info saves                                       |       |
| SUP-42  | Tab: Contacts                             | Contact persons CRUD                                     |       |
| SUP-43  | Tab: Business                             | Tax, terms, policies                                     |       |
| SUP-44  | Tab: Warehouses                           | Add/edit warehouse; plan limit gate                      |       |
| SUP-44a | Silver+ → add warehouse within plan limit | Warehouse created                                        |       |
| SUP-44b | Exceed warehouse plan limit               | Block with upgrade CTA                                   |       |
| SUP-44c | Gold+ → multi-warehouse routing toggle    | Toggle available; routing rules configurable             |       |
| SUP-45  | Tab: Delivery                             | Zones, lead times, fees                                  |       |
| SUP-46  | Tab: Branches                             | Multi-account linking; branch limit respected            |       |
| SUP-47  | Tab: Notifications                        | Preferences save                                         |       |
| SUP-48  | Tab: Plan & billing                       | Subscription + payment modal                             |       |
| SUP-49  | Tab: Activity (Gold+, tenant_audit_log )  | Product/order events; filters work; Free sees tab hidden |       |
| SUP-50  | All tabs visible without overlap          | Tabs wrap on narrow screens                              |       |
| SUP-51  | /app/supplier-settings                    | Same as /app/settings                                    |       |

## 7.10 Supplier RBAC spot checks

| ID      | Steps                                                                | Expected                                 | Pass? |
|---------|----------------------------------------------------------------------|------------------------------------------|-------|
| RBAC-S1 | SUPPLIER_STAFF                                                       | Fulfillment-focused; restricted settings |       |
| RBAC-S2 | SUPPLIER_MANAGER                                                     | Catalog + orders                         |       |
| RBAC-S3 | SUPPLIER_OWNER                                                       | Full supplier access                     |       |
| RBAC-S4 | Gold supplier — Settings → Team → role assignment ( advanced_roles ) | Can assign/modify roles                  |       |

| ID      | Steps                                                                        | Expected                                          | Pass? |
|---------|------------------------------------------------------------------------------|---------------------------------------------------|-------|
| RBAC-S5 | Free/Silver supplier — no role management                                    | Section hidden or locked                          |       |
| RBAC-S6 | Settings → <b>Team &amp; roles</b> tab (Gold+, <code>advanced_roles</code> ) | <code>TeamRolesPanel</code> + branch invite panel |       |
| RBAC-S7 | Invite email already on another supplier account                             | Blocked at invite or accept                       |       |

## 7.11 Deals (/app/promotions) — requires promotions feature

**UI label:** sidebar and page title show **Deals** (route unchanged). See `../ui/DEALS_BOOSTS_WORDING_CLEANUP.md`.

| ID     | Steps                                           | Expected                                           | Pass? |
|--------|-------------------------------------------------|----------------------------------------------------|-------|
| SUP-52 | Free account → <code>/app/promotions</code>     | 403 or paywall                                     |       |
| SUP-53 | Create deal draft with <b>product targeting</b> | Select specific products; save draft               |       |
| SUP-54 | Create deal with <b>category targeting</b>      | Select categories; save draft                      |       |
| SUP-55 | Activate deal                                   | Status active (or pending approval if configured)  |       |
| SUP-56 | <b>Boost</b> active deal                        | Boost dialog; pricing tier; campaign active        |       |
| SUP-57 | Deal analytics                                  | Views, clicks, orders, messages, coupon uses shown |       |
| SUP-58 | Pause / resume deal                             | Status toggles correctly                           |       |
| SUP-59 | Sidebar nav label                               | <b>Deals</b> (not “Promotions”)                    |       |
| SUP-60 | Settings → Subscription usage                   | Limit labeled <b>Active deals</b>                  |       |

### 7.11.1 Promotion ad billing, targeting & ROAS — 2026-09-10

Migrations: `0197` , `0203` . Spec: `supplier-promotions-excellence` · `deals-and-promotions.md`

| ID     | Steps                                                                         | Expected                                                                                                                  | Pass? |
|--------|-------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------|-------|
| SUP-61 | Create deal with <b>restaurant types</b> + <b>areas</b> targeting             | Saved; publish copies audience to <code>boost target_audience</code>                                                      |       |
| SUP-62 | Create-deal dialog <b>restaurant-facing preview</b>                           | Preview matches what restaurants see                                                                                      |       |
| SUP-63 | Pay-activate boost (stub/mock) with idempotency key                           | <code>billing_invoice</code> ( <code>deal_boost</code> ) + payment; campaign activates                                    |       |
| SUP-64 | Retry same pay-activation with same idempotency key                           | No double charge; same outcome                                                                                            |       |
| SUP-65 | Purchase / pay featured placement                                             | <code>featured_placement</code> invoice; placement pending→active after pay                                               |       |
| SUP-66 | Deal analytics dialog                                                         | Shows <code>adSpend</code> , <code>attributedGmv</code> , <code>roas</code> , <code>costPerOrder</code> when spend exists |       |
| SUP-67 | <code>PAYMENTS_MODE=live</code> without payment method (dev toggle carefully) | Silent waive refused; explicit pay required                                                                               |       |
| SUP-68 | Restaurant profile: set <b>business type</b> + <b>area</b> ; matching deal    | Deal appears in restaurant feed for matching audience                                                                     |       |

## 7.12 Guest menu / kitchen 86 (restaurant consumer board)

| ID      | Steps                                                                      | Expected                                                    | Pass? |
|---------|----------------------------------------------------------------------------|-------------------------------------------------------------|-------|
| MENU-01 | Menu admin: set allergen + dietary tags on item                            | Tags persist ( <code>0201</code> ); guest menu filters work |       |
| MENU-02 | Download / share menu QR                                                   | QR opens public guest menu                                  |       |
| MENU-03 | Kitchen board: <b>86</b> (mark unavailable) with <code>CATALOG_EDIT</code> | Item unavailable on guest menu until restored               |       |

## Part 8 — Platform admin

**Primary account:** admin@supplify.com

**Sidebar:** Admin Dashboard, Supplier Admin, Restaurant Admin, Settings

### 8.1 Admin dashboard — main ( /app/admin )

#### Overview tab

| ID     | Steps                            | Expected                                    | Pass? |
|--------|----------------------------------|---------------------------------------------|-------|
| ADM-01 | Open /app/admin                  | Overview KPIs load                          |       |
| ADM-02 | Past-due / trial alerts banner   | Shows when any tenant is past-due or locked |       |
| ADM-03 | Charts: orders, revenue, signups | Render or empty state                       |       |

#### Activity tab

| ID     | Steps         | Expected                                                     | Pass? |
|--------|---------------|--------------------------------------------------------------|-------|
| ADM-04 | Activity feed | Recent platform events (registrations, plan changes, logins) |       |

#### Tenants tab

| ID     | Steps                               | Expected                                           | Pass? |
|--------|-------------------------------------|----------------------------------------------------|-------|
| ADM-05 | List all tenants                    | Restaurants + suppliers with plan and status shown |       |
| ADM-06 | Search/filter tenants               | Results update                                     |       |
| ADM-07 | Create new <b>restaurant</b> tenant | Tenant + locked subscription created               |       |
| ADM-08 | Create new <b>supplier</b> tenant   | Same                                               |       |
| ADM-09 | Open tenant detail                  | Profile, subscription summary, plan                |       |

#### Subscriptions tab

| ID     | Steps                                                                               | Expected                                                                       | Pass? |
|--------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------|-------|
| ADM-10 | List subscriptions                                                                  | Status, plan, lock state                                                       |       |
| ADM-11 | Change plan (upgrade/downgrade)                                                     | Preview + apply; cache invalidated; entitlements_refresh emitted               |       |
| ADM-12 | <b>Activate</b> pending-activation subscription                                     | Tenant unlocked immediately                                                    |       |
| ADM-13 | <b>Unlock</b> past-due locked subscription                                          | Lock cleared; tenant can log in to full app                                    |       |
| ADM-14 | <b>Extend trial</b> on free_sandbox_expired subscription (or API extend-free-trial) | Lock cleared; free_sandbox_expires_at extended 7–90 days; see <b>BIL-FT-10</b> |       |
| ADM-15 | After plan change: logged-in tenant receives entitlements_refresh event             | UI updates features without manual reload                                      |       |

#### Plans tab

| ID     | Steps                                                | Expected                                                 | Pass? |
|--------|------------------------------------------------------|----------------------------------------------------------|-------|
| ADM-16 | List plans by tenant type                            | Free, Silver, Gold, Platinum for RESTAURANT and SUPPLIER |       |
| ADM-17 | Edit plan limits (e.g. daily order limit, SKU limit) | Saves; tenants reflect on next entitlements fetch        |       |

| ID     | Steps                                                         | Expected                                                                            | Pass? |
|--------|---------------------------------------------------------------|-------------------------------------------------------------------------------------|-------|
| ADM-18 | Edit plan features (enable/disable a feature for a plan tier) | Saves; affects all tenants on that plan                                             |       |
| ADM-19 | Create plan version (if supported)                            | Appears in catalog                                                                  |       |
| ADM-20 | Verify plan features JSON contains expected keys              | All 23 restaurant / 22 supplier feature keys present with correct true/false values |       |

**Finance tab**

| ID     | Steps                 | Expected                        | Pass? |
|--------|-----------------------|---------------------------------|-------|
| ADM-21 | MRR / revenue metrics | Load                            |       |
| ADM-22 | Past-due amounts      | Match any seeded billing states |       |

**Usage tab**

| ID     | Steps                             | Expected                                                     | Pass? |
|--------|-----------------------------------|--------------------------------------------------------------|-------|
| ADM-23 | Tenant usage meters               | Orders/day, SKUs, chats, warehouses per tenant               |       |
| ADM-24 | <b>Limit overrides</b> per tenant | Override applies over plan; visible in tenant's entitlements |       |

**Features tab — global flags**

| ID     | Steps                                                                       | Expected                                                                        | Pass? |
|--------|-----------------------------------------------------------------------------|---------------------------------------------------------------------------------|-------|
| ADM-25 | Global feature flags list                                                   | All 23/22 feature keys listed with current state                                |       |
| ADM-26 | Disable a feature <b>globally</b> (e.g. chat )                              | POST /api/feature-flags/global 200; all tenants lose feature regardless of plan |       |
| ADM-27 | Verify: Gold restaurant hits /app/chat after global disable                 | 403 — global flag overrides plan                                                |       |
| ADM-28 | Re-enable feature globally                                                  | Tenants restore feature per plan                                                |       |
| ADM-29 | <b>Per-tenant override</b> — force enable on Free tenant                    | Override record created; tenant gains feature                                   |       |
| ADM-30 | Verify: Free tenant can now use the force-enabled feature                   | Feature accessible                                                              |       |
| ADM-31 | <b>Per-tenant override</b> — force disable on Gold tenant                   | Override record created; Gold tenant loses that feature                         |       |
| ADM-32 | Remove tenant override                                                      | Tenant returns to plan-defined entitlement                                      |       |
| ADM-33 | After any flag change, check logged-in tenant receives entitlements_refresh | WebSocket event delivered; UI updates                                           |       |
| ADM-34 | Audit log records every flag change                                         | Action logged under admin actor                                                 |       |

**Deals & Boosts tab — approvals & boost pricing**

| ID        | Steps                                            | Expected                                          | Pass? |
|-----------|--------------------------------------------------|---------------------------------------------------|-------|
| ADM-35    | Open <b>Deals &amp; Boosts</b> tab on /app/admin | Pending deals list + pricing tiers load           |       |
| ADM-36    | Approve pending deal                             | Deal status → active; visible to restaurants      |       |
| ADM-37    | Reject pending deal                              | Deal returns to draft                             |       |
| ADM-38    | Edit boost pricing tier amount                   | Saves via PATCH; suppliers see updated price      |       |
| ADM-AD-01 | Deals insights: <b>ad spend</b> / order GMV      | Real spend from boost/featured invoices           |       |
| ADM-AD-02 | Admin <b>Mark paid</b> on unpaid boost invoice   | Boost activates; invoice paid                     |       |
| ADM-AD-03 | Admin <b>Refund</b> boost                        | Refund recorded; boost paused/cancelled per rules |       |

| ID        | Steps                                        | Expected                                                                  | Pass? |
|-----------|----------------------------------------------|---------------------------------------------------------------------------|-------|
| ADM-AD-04 | Admin <b>Refund</b> featured placement       | Placement cancelled/refunded                                              |       |
| ADM-AD-05 | Simulate Stripe chargeback webhook (staging) | Boost paused / featured cancelled; payment <code>disputed ( 0203 )</code> |       |
| ADM-AD-06 | Subscriptions list pagination                | Default page $\leq 200$ ; cap 500                                         |       |

**Health tab**

| ID     | Steps                    | Expected                     | Pass? |
|--------|--------------------------|------------------------------|-------|
| ADM-35 | System health indicators | API/DB/Redis status or stubs |       |

**Audit tab**

| ID     | Steps                             | Expected                                                                    | Pass? |
|--------|-----------------------------------|-----------------------------------------------------------------------------|-------|
| ADM-36 | Audit log entries                 | Admin actions recorded (plan change, flag change, impersonation start/stop) |       |
| ADM-37 | Filter by actor/action/date       | Works correctly                                                             |       |
| ADM-38 | Export or paginate (if supported) | Loads without timeout on large log                                          |       |

**8.2 Supplier admin ( /app/admin/suppliers )**

| ID     | Steps                              | Expected               | Pass? |
|--------|------------------------------------|------------------------|-------|
| ADM-39 | Directory tab — supplier-only list | Suppliers only         |       |
| ADM-40 | Usage & quotas tab                 | Per-supplier meters    |       |
| ADM-41 | Audit logs tab                     | Supplier-scoped events |       |

**8.3 Restaurant admin ( /app/admin/restaurants )**

| ID     | Steps                                | Expected                 | Pass? |
|--------|--------------------------------------|--------------------------|-------|
| ADM-42 | Directory tab — restaurant-only list | Restaurants only         |       |
| ADM-43 | Usage & quotas tab                   | Per-restaurant meters    |       |
| ADM-44 | Audit logs tab                       | Restaurant-scoped events |       |

**8.4 Admin support tools**

| ID      | Steps                                                   | Expected                                                    | Pass? |
|---------|---------------------------------------------------------|-------------------------------------------------------------|-------|
| ADM-45  | <b>Impersonate</b> restaurant from Tenants tab          | <code>/app/dashboard</code> ; restaurant nav; sticky banner |       |
| ADM-46  | While impersonating: orders, settings, inventory        | Tenant APIs succeed; correct entitlements in UI             |       |
| ADM-47  | While impersonating: open <code>/app/admin</code>       | Redirect to tenant dashboard                                |       |
| ADM-48  | <b>Exit impersonation</b>                               | <code>/app/admin</code> ; banner gone                       |       |
| ADM-49  | <b>Impersonate</b> supplier; products/orders/warehouses | Supplier workspace navigable                                |       |
| ADM-49a | Impersonation audit + billing block                     | START/END in audit; checkout blocked while impersonating    |       |
| ADM-50  | Join chat as admin (if exposed)                         | Moderation/support view                                     |       |
| ADM-51  | Admin settings ( <code>/app/settings</code> )           | Profile + notification prefs only; no tenant data           |       |

## 8.5 Admin RBAC (if multiple admin users)

| ID      | Steps         | Expected                                 | Pass? |
|---------|---------------|------------------------------------------|-------|
| RBAC-A1 | SUPPORT_ADMIN | Tenants + impersonation; no finance tab  |       |
| RBAC-A2 | FINANCE_ADMIN | Finance + subscriptions; no features tab |       |
| RBAC-A3 | GROWTH_ADMIN  | Analytics-focused tools                  |       |
| RBAC-A4 | SUPER_ADMIN   | All admin tabs                           |       |

## Part 9 — End-to-end business flows (multi-persona)

| ID      | Steps                                                                                                              | Expected                                                   | Pass? |
|---------|--------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------|-------|
| E2E-01  | Restaurant places order → Supplier accepts → Ships → Restaurant receives                                           | Happy path all statuses                                    |       |
| E2E-01b | Restaurant places order → Supplier <b>declines with reason</b> → Restaurant sees decline label + notification      | Decline path                                               |       |
| E2E-02  | Order → Invoice issued → Payment recorded                                                                          | Invoice paid; balances correct                             |       |
| E2E-03  | Restaurant chats supplier about order (both Silver+)                                                               | Message thread linked contextually                         |       |
| E2E-04  | Guest books table → Restaurant board updates → Guest cancels via link                                              | Public + internal sync                                     |       |
| E2E-05  | Staff portal account clocks in on <code>/staff/dashboard</code> → Manager sees on <code>/app/staff</code>          | Time event recorded; staff cannot access <code>/app</code> |       |
| E2E-05b | Staff portal user navigates to <code>/app</code> OR <code>GET /api/orders</code>                                   | Redirect or 403 <code>STAFF_PORTAL_FORBIDDEN</code>        |       |
| E2E-06  | Restaurant quick list scheduled order → Appears on supplier orders                                                 | Scheduled metadata preserved                               |       |
| E2E-07  | Supplier low stock → Dashboard alert → Adjust inventory                                                            | Stock corrected                                            |       |
| E2E-08  | Free restaurant blocked on calendar → Upgrades to Silver → Calendar works                                          | Feature gate lifted; subscription cache invalidated        |       |
| E2E-09  | Admin impersonates → places test order → stops impersonation                                                       | Audit trail; no data leak across tenants                   |       |
| E2E-10  | Admin disables <code>chat</code> globally → Both tenants lose chat → Admin re-enables → Chat restored              | Feature gate toggles for all tenants consistently          |       |
| E2E-11  | Supplier creates product → Restaurant browses catalog → Restaurant adds to cart → Places order → Supplier fulfills | Full order lifecycle from catalog to delivery              |       |
| E2E-12  | Tenant subscription goes PAST_DUE (simulated) → Grace period timer → Account locked → Tenant pays → Unlocked       | Full billing lifecycle                                     |       |

## Part 10 — API smoke tests (optional for QA leads)

| ID     | Steps                                                            | Expected                             | Pass? |
|--------|------------------------------------------------------------------|--------------------------------------|-------|
| API-01 | <code>GET /api/auth/me</code> with session                       | User + tenant + permissions          |       |
| API-02 | <code>GET /api/subscriptions/entitlements/current</code>         | Plan, limits, usage, features object |       |
| API-03 | <code>GET /api/orders/calendar</code> (Silver+ restaurant)       | 200 + events                         |       |
| API-04 | <code>GET /api/orders/calendar</code> (Free restaurant)          | 403 feature error                    |       |
| API-05 | <code>POST /api/billing/checkout</code> (stub card, Silver plan) | 200 + active subscription            |       |
| API-06 | <code>GET /api/billing/status</code>                             | Plan, status, next billing date      |       |
| API-07 | <code>PATCH /api/billing/auto-renew { autoRenew: false }</code>  | 200; <code>auto_renew</code> updated |       |

| ID     | Steps                                                                     | Expected                                                               | Pass? |
|--------|---------------------------------------------------------------------------|------------------------------------------------------------------------|-------|
| API-08 | GET /api/public/reservations/...                                          | No auth required; 200                                                  |       |
| API-09 | Locked tenant POST /api/orders                                            | 402 ACCOUNT_LOCKED                                                     |       |
| API-10 | POST /api/files (file upload presign)                                     | Presigned URL returned; upload succeeds                                |       |
| API-11 | GET /api/chat/conversations (Free tenant)                                 | 403 FEATURE_DISABLED                                                   |       |
| API-12 | GET /api/quick-lists (Free tenant)                                        | 403 FEATURE_DISABLED                                                   |       |
| API-13 | GET /api/receiving (Free restaurant)                                      | 403 FEATURE_DISABLED                                                   |       |
| API-14 | GET /api/invoices (Free tenant)                                           | 403 FEATURE_DISABLED                                                   |       |
| API-15 | GET /api/restaurant-inventory (Free restaurant)                           | 403 FEATURE_DISABLED                                                   |       |
| API-16 | GET /api/fulfillment (Free supplier)                                      | 403 FEATURE_DISABLED                                                   |       |
| API-17 | GET /api/feature-flags/global (admin)                                     | 200 + list of all global flags                                         |       |
| API-18 | POST /api/feature-flags/global (non-admin)                                | 403                                                                    |       |
| API-19 | GET /api/subscriptions/entitlements/current — call 3× in quick succession | All return same data (cache hit); response time < 100ms on 2nd and 3rd |       |
| API-20 | GET /api/promotions/active (Silver+ restaurant)                           | 200 + deals array                                                      |       |
| API-21 | GET /api/promotions/active (Free Trial restaurant)                        | 200 + deals array (sandbox); 2nd redemption same day → limit error     |       |
| API-22 | GET /api/promotions/admin/pending (admin)                                 | 200 + pending deals                                                    |       |
| API-23 | GET /api/orders/:id after deal-applied order                              | 200 + appliedPromotion on order object                                 |       |
| API-24 | POST /api/orders with promotionId + couponCode                            | Discount applied; promotion_usages recorded                            |       |
| API-25 | GET /api/orders?search=... (restaurant/supplier)                          | Filtered list matches search term                                      |       |
| API-26 | GET /api/orders?status=...                                                | Status inbox filter applied server-side                                |       |

## Part 11 — Automated tests (CI parity)

| ID    | Command                                                                                                 | Expected                                                       | Pass? |
|-------|---------------------------------------------------------------------------------------------------------|----------------------------------------------------------------|-------|
| CI-01 | pnpm test:api                                                                                           | ~293 API test files / suite green (counts drift; trust exit 0) |       |
| CI-02 | pnpm test:web                                                                                           | ~126 web test files / suite green                              |       |
| CI-03 | pnpm test:ci (root)                                                                                     | Both packages green                                            |       |
| CI-04 | pnpm run e2e:playwright (if configured)                                                                 | E2E suite pass                                                 |       |
| CI-05 | Deals/promotions unit + API gates (see docs/features/deals-and-promotions.md § Tests)                   | Vitest + tests/api/promotions-deals-gates.spec.ts pass         |       |
| CI-06 | Realtime/socket subset: socket.test.js, useChatRealtime.test.ts, useNotificationAlerts.test.tsx         | Pass                                                           |       |
| CI-07 | Legal re-acceptance: legal-acceptance.test.js, legalReacceptanceGate.test.ts, dealDisplayLabels.test.ts | Pass                                                           |       |
| CI-08 | Plan audit (post 0145): planLimits.test.ts, planComparison.test.ts, npm run test:billing                | Pass; Free chats_per_day = 3                                   |       |

## Part 12 — Non-functional & browser matrix

| ID     | Area           | Steps                                      | Expected                                                                | Pass? |
|--------|----------------|--------------------------------------------|-------------------------------------------------------------------------|-------|
| NFR-01 | Browser        | Chrome latest                              | Full pass on critical paths                                             |       |
| NFR-02 | Browser        | Firefox / Safari                           | Layout acceptable                                                       |       |
| NFR-03 | Responsive     | Tablet width                               | Sidebar usable                                                          |       |
| NFR-04 | Performance    | Dashboard with prod-like data              | Loads < 5s                                                              |       |
| NFR-05 | Error handling | Stop API mid-request                       | Toast/error boundary; no white screen                                   |       |
| NFR-06 | Security       | Access other tenant ID in URL              | 403/404                                                                 |       |
| NFR-07 | Cache          | Subscription entitlements: call 3× rapidly | Same data; no N+1 to DB                                                 |       |
| NFR-08 | WebSocket      | 10-minute idle, then send chat message     | Socket reconnects; message delivers                                     |       |
| NFR-09 | Migration      | Run <code>db:migrate</code> on empty DB    | All <b>223</b> migrations apply through <code>0222</code> without error |       |
| NFR-10 | Concurrency    | Two users submit orders simultaneously     | Both orders created; no duplicates                                      |       |

## Part 13 — Mobile apps (Android + iOS)

Native clients: `C:/myProjects/supplify-mobile` (Android) and `C:/myProjects/supplify-mobile-ios` (iOS). Both talk to the **same API** as the web ERP. Run **every row on both platforms** unless marked Android-only or iOS-only.

**Accounts:** Reuse demo credentials from [Demo credentials](#) — at minimum Gold restaurant ( `restaurant-gold@supplify.com` ), Gold supplier ( `supplier-gold@supplify.com` ), a driver user linked to that supplier, and a restricted team member (Purchaser or Manager) for RBAC checks.

### 13.0 Mobile environment & build

| ID         | Steps                                                                                                             | Expected                                                      | Pass? (Android) | Pass? (iOS) |
|------------|-------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------|-----------------|-------------|
| MOB-ENV-01 | Point app <code>API_URL</code> / env at the same backend used for web QA (local or staging)                       | App reaches API; no certificate/host errors                   |                 |             |
| MOB-ENV-02 | Keycloak mobile redirect URI registered ( <code>supplify://auth/callback</code> )                                 | Login completes and returns to app                            |                 |             |
| MOB-ENV-03 | Install <b>dev client</b> or <b>EAS preview</b> build (not production store build unless that is the test target) | Version/build number recorded in sign-off                     |                 |             |
| MOB-ENV-04 | Optional release gate: <code>npx tsc --noEmit</code> in mobile repo                                               | Exit 0                                                        |                 |             |
| MOB-ENV-05 | Optional release gate: <code>npm test -- --runInBand</code>                                                       | Jest green                                                    |                 |             |
| MOB-ENV-06 | Optional release gate: <code>npx expo-doctor</code>                                                               | No blocking failures                                          |                 |             |
| MOB-ENV-07 | Cold start with network on                                                                                        | Splash → login or home within reasonable time; no redbox      |                 |             |
| MOB-ENV-08 | Toggle airplane mode mid-session → restore network                                                                | Offline banner; lists recover after reconnect/pull-to-refresh |                 |             |

### 13.1 Authentication, session, billing lock, workspace

| ID          | Steps                              | Expected                                                                                 | Pass? (Android) | Pass? (iOS) |
|-------------|------------------------------------|------------------------------------------------------------------------------------------|-----------------|-------------|
| MOB-AUTH-01 | Sign in as <b>restaurant</b> owner | Restaurant tabs: Home/Orders/Shop/Messages/More (per permissions)                        |                 |             |
| MOB-AUTH-02 | Sign in as <b>supplier</b> owner   | Supplier tabs: Dashboard/Orders/Fulfillment/Messages/More                                |                 |             |
| MOB-AUTH-03 | Sign in as <b>driver</b>           | Driver tabs: Deliveries / More only                                                      |                 |             |
| MOB-AUTH-04 | Sign in as <b>platform admin</b>   | Admin hub screen; links open web admin URLs in browser (no full admin console in native) |                 |             |

| ID          | Steps                                                                       | Expected                                                                                 | Pass? (Android) | Pass? (iOS) |
|-------------|-----------------------------------------------------------------------------|------------------------------------------------------------------------------------------|-----------------|-------------|
| MOB-AUTH-05 | Sign in as <b>restricted</b> restaurant user (e.g. Purchaser)               | Tabs and actions match permissions; gated screens show upgrade/permission message        |                 |             |
| MOB-AUTH-06 | Leave app backgrounded 10+ min → foreground                                 | Session still valid OR clean re-auth; no stale blank screens                             |                 |             |
| MOB-AUTH-07 | Force access-token expiry (wait or shorten TTL in dev)                      | Silent refresh once; on refresh failure → signed out to login                            |                 |             |
| MOB-AUTH-08 | Tenant with <b>billing lock</b> / activation pending                        | Billing locked screen; cannot reach operational data until unlocked                      |                 |             |
| MOB-AUTH-09 | Logout from Settings/More                                                   | Local session cleared; Keycloak session ended; login screen                              |                 |             |
| MOB-AUTH-10 | Multi-branch / linked account → switch <b>primary branch</b> in settings    | Identity refreshes; orders/catalog reflect new branch; no data leak from previous branch |                 |             |
| MOB-AUTH-11 | User with <code>PENDING</code> / incomplete registration                    | Pending/setup screen; cannot access tenant operations                                    |                 |             |
| MOB-AUTH-12 | Legal re-acceptance required ( <code>legalStatus.needsReacceptance</code> ) | Blocked from app until accepted (web legal flow or embedded WebView if implemented)      |                 |             |

## 13.2 Restaurant mobile

| ID      | Steps                                                                              | Expected                                                                                            | Pass? (Android) | Pass? (iOS) |
|---------|------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------|-----------------|-------------|
| MOB-R01 | <b>Home</b> dashboard loads KPIs/shortcuts                                         | No crash; data matches API entitlements                                                             |                 |             |
| MOB-R02 | <b>Shop</b> → pick supplier → <b>Catalog</b> → search/filter                       | Products load; contract/special prices shown when applicable                                        |                 |             |
| MOB-R03 | Add lines to <b>Cart</b> ; change quantities; remove line                          | Totals update; min order / cutoff warnings if configured                                            |                 |             |
| MOB-R04 | Place <b>standard order</b> from cart                                              | Success; appears in <b>Orders</b> list with correct status                                          |                 |             |
| MOB-R05 | <b>Orders</b> → search/filter → open <b>Order detail</b>                           | Header, items, status timeline load (no infinite spinner / crash on <code>{ order }</code> payload) |                 |             |
| MOB-R06 | Order detail → <b>tracking</b> (when shipped/out for delivery)                     | Map/ETA or status panel; matches web tracking semantics                                             |                 |             |
| MOB-R07 | <b>Quick lists</b> (Gold+): open list → load into cart → order                     | Gated on Free; works on Gold                                                                        |                 |             |
| MOB-R08 | <b>Deals</b> feed → apply deal → checkout                                          | Redemption respects plan limits; order shows promotion                                              |                 |             |
| MOB-R09 | <b>Quote requests</b> : create from cart → supplier notified → view detail         | Status updates when supplier responds                                                               |                 |             |
| MOB-R10 | Open supplier <b>quote response</b> → <b>Add to cart</b> → place order             | Locked quote price honored at checkout                                                              |                 |             |
| MOB-R11 | <b>Receiving</b> hub → receive delivered order → enter quantities/expiry           | Gated by plan/RBAC; order status moves toward received                                              |                 |             |
| MOB-R12 | <b>Disputes</b> : list → create from order → view detail                           | Gated; links to order lines                                                                         |                 |             |
| MOB-R13 | <b>Invoices</b> list → open invoice → <b>Statement</b> export/view                 | Gated on Free; currency shown per row                                                               |                 |             |
| MOB-R14 | <b>Inventory</b> / expiry views                                                    | Adjust or view stock per permissions                                                                |                 |             |
| MOB-R15 | <b>My prices</b> / contract price visibility                                       | Matches web contract pricing for restaurant                                                         |                 |             |
| MOB-R16 | <b>Messages</b> : list unread badge → open thread → send text                      | Realtime or refresh shows message; gated without <code>chat plan</code>                             |                 |             |
| MOB-R17 | <b>Messages</b> : attach image/PDF (if enabled)                                    | Upload succeeds; attachment visible in thread                                                       |                 |             |
| MOB-R18 | <b>Assistant</b> (More → Assistant) with <code>ai_platform</code>                  | Chat works; without feature → hidden or blocked                                                     |                 |             |
| MOB-R19 | <b>Reports</b> (More)                                                              | KPI/report tabs load for entitled plans                                                             |                 |             |
| MOB-R20 | <b>Recipes</b> / recipe costing (Gold+)                                            | Gated; costing fields respect <code>RECIPES_VIEW_COSTS</code>                                       |                 |             |
| MOB-R21 | <b>Reservations</b> / Host tab (when host-only or <code>RESERVATIONS_VIEW</code> ) | Board loads; create reservation                                                                     |                 |             |
| MOB-R22 | <b>Staff</b> list (operational staff management snapshot)                          | Loads for permitted roles                                                                           |                 |             |
| MOB-R23 | <b>Consumer</b> menu / guest orders / loyalty (hospitality modules in More)        | Screens load for entitled tenant; ordering hours respected                                          |                 |             |

| ID      | Steps                                                                     | Expected                                                                       | Pass? (Android) | Pass? (iOS) |
|---------|---------------------------------------------------------------------------|--------------------------------------------------------------------------------|-----------------|-------------|
| MOB-R24 | <b>Delivery location</b> save for active branch                           | PATCH succeeds with <code>SETTINGS_EDIT</code> ; read works for checkout roles |                 |             |
| MOB-R25 | <b>Notifications</b> inbox → tap row                                      | Navigates to order/chat/deal target                                            |                 |             |
| MOB-R26 | <b>Notification preferences</b> toggles → save → re-open                  | Persists via API                                                               |                 |             |
| MOB-R27 | <b>Subscription / plan</b> screen                                         | Shows current plan; upgrade path opens billing WebView/browser if configured   |                 |             |
| MOB-R28 | Free-tier restaurant: open <b>Chat / Quick lists / Invoices</b> from More | Feature gate or paywall — consistent with Part 3                               |                 |             |

### 13.3 Supplier mobile

| ID      | Steps                                                                | Expected                                                                         | Pass? (Android) | Pass? (iOS) |
|---------|----------------------------------------------------------------------|----------------------------------------------------------------------------------|-----------------|-------------|
| MOB-S01 | <b>Dashboard</b> loads command-center style metrics                  | Orders today, receivables, deliveries reflect API v2 summary                     |                 |             |
| MOB-S02 | <b>Orders</b> pipeline tabs / filters → open order detail            | Status actions only show allowed transitions                                     |                 |             |
| MOB-S03 | Accept → process → ship flow on test order (from restaurant MOB-R04) | Status matches web ERP; restaurant sees update                                   |                 |             |
| MOB-S04 | <b>Decline</b> order with reason                                     | Restaurant notified; decline visible on mobile + web                             |                 |             |
| MOB-S05 | <b>Fulfillment</b> dispatch board → assign driver                    | Sends <code>warehouse_assignment_id</code> ; driver sees stop                    |                 |             |
| MOB-S06 | <b>Reassign</b> driver on same leg                                   | Sends <code>driver_assignment_id</code> + warehouse leg; previous driver dropped |                 |             |
| MOB-S07 | <b>Active deliveries map</b>                                         | Pins/load for in-flight routes (Gold + fulfillment entitlement)                  |                 |             |
| MOB-S08 | <b>Run sheet</b> for today                                           | Orders list matches supplier timezone day boundary                               |                 |             |
| MOB-S09 | <b>Pick lists</b> → complete wave                                    | Stock committed for correct warehouse leg only                                   |                 |             |
| MOB-S10 | <b>Quote inbox</b> → respond per line (manager)                      | Prices/qty saved; restaurant sees compare view                                   |                 |             |
| MOB-S11 | Quote inbox as <b>view-only</b> user                                 | Can read; cannot submit response                                                 |                 |             |
| MOB-S12 | <b>Promotions / deals</b> → create draft → submit for review         | Validation matches web (description, discount rules)                             |                 |             |
| MOB-S13 | <b>Deal analytics</b> for active deal                                | Metrics load                                                                     |                 |             |
| MOB-S14 | <b>Featured placement</b> payment sheet (if used)                    | Payment pending until admin approval                                             |                 |             |
| MOB-S15 | <b>Products</b> list (mobile catalog management scope)               | CRUD within mobile scope; deep admin on web                                      |                 |             |
| MOB-S16 | <b>Contract pricing</b> mobile view/edit                             | Dates as YYYY-MM-DD ; min/discount clears persist                                |                 |             |
| MOB-S17 | <b>Warehouses / Drivers</b> lists                                    | Read/manage per RBAC; no cross-tenant rows                                       |                 |             |
| MOB-S18 | <b>Inventory</b> adjust at warehouse                                 | Insufficient stock returns error (no silent clamp)                               |                 |             |
| MOB-S19 | <b>Receivables / Incoming disputes</b>                               | Gated by finance/disputes features                                               |                 |             |
| MOB-S20 | <b>Customer growth</b> import/connect (if entitled)                  | CSV preview/import; connection request flow                                      |                 |             |
| MOB-S21 | <b>Customers</b> list / follow-ups                                   | Loads; reminder actions when permitted                                           |                 |             |
| MOB-S22 | <b>Messages + Assistant</b>                                          | Same gating as restaurant; supplier context tools work                           |                 |             |
| MOB-S23 | <b>Reports</b>                                                       | Supplier report tabs respect permissions                                         |                 |             |
| MOB-S24 | <b>Notifications</b> + push tap → order/chat                         | Deep link opens correct screen                                                   |                 |             |
| MOB-S25 | Silver supplier: <b>Fulfillment</b> without driver management        | Manual fulfillment OK; driver dispatch hidden/403                                |                 |             |

### 13.4 Driver mobile

| ID      | Steps                                                   | Expected                                                                                               | Pass? (Android) | Pass? (iOS) |
|---------|---------------------------------------------------------|--------------------------------------------------------------------------------------------------------|-----------------|-------------|
| MOB-D01 | <b>Today</b> stop list refreshes (pull + auto)          | Shows assigned stops only for logged-in driver                                                         |                 |             |
| MOB-D02 | Open stop → <b>Navigate</b> opens external maps         | Correct destination address                                                                            |                 |             |
| MOB-D03 | Mark <b>Out for delivery</b> while app foreground       | GPS tracking starts; parent order moves toward <b>SHIPPED</b> when applicable                          |                 |             |
| MOB-D04 | Background app during active delivery                   | <b>No false claim</b> of continued GPS if policy is foreground-only; status honest in UI               |                 |             |
| MOB-D05 | <b>POD</b> : photo + signature + receiver name → submit | Sends <code>driver_assignment_id</code> / <code>warehouse_assignment_id</code> ; idempotent completion |                 |             |
| MOB-D06 | POD with <b>oversize/invalid</b> image                  | Friendly error; can retry without losing photo                                                         |                 |             |
| MOB-D07 | <b>Failed delivery</b> → reason required                | Record saved; supplier dispatch shows exception                                                        |                 |             |
| MOB-D08 | <b>Run sheet</b> from driver More                       | Printable list for the day                                                                             |                 |             |
| MOB-D09 | Retry delivery after failure (supplier retried leg)     | New attempt visible; prior POD not overwritten incorrectly                                             |                 |             |
| MOB-D10 | Deliver without prior <b>SHIPPED</b> / out-for-delivery | Blocked with clear error (lifecycle integrity)                                                         |                 |             |
| MOB-D11 | Driver <b>notifications</b> tap                         | Opens stop or order detail                                                                             |                 |             |

### 13.5 Push notifications & deep links

| ID          | Steps                                             | Expected                                                                | Pass? (Android) | Pass? (iOS) |
|-------------|---------------------------------------------------|-------------------------------------------------------------------------|-----------------|-------------|
| MOB-PUSH-01 | Register device token on login                    | <code>POST /api/push/register</code> succeeds (Gold+ / entitled tenant) |                 |             |
| MOB-PUSH-02 | New order while app backgrounded (supplier)       | Push received; tap opens order detail                                   |                 |             |
| MOB-PUSH-03 | New chat message while backgrounded               | Push received; tap opens conversation                                   |                 |             |
| MOB-PUSH-04 | Mark all read in notifications                    | Badge counts clear                                                      |                 |             |
| MOB-PUSH-05 | Logout                                            | Token deregistered or invalidated; no pushes to old session             |                 |             |
| MOB-PUSH-06 | Physical device only: camera permission for POD   | Permission prompt; deny → graceful message                              |                 |             |
| MOB-PUSH-07 | Physical device only: location permission for GPS | Allow/deny paths handled; deny does not crash completion                |                 |             |

### 13.6 Device matrix (minimum)

| Target                               | Required smoke                                      | Pass? |
|--------------------------------------|-----------------------------------------------------|-------|
| Android emulator                     | MOB-AUTH-01, MOB-R04–R05, MOB-S03, login/navigation |       |
| Android physical device              | MOB-D03–D07, MOB-PUSH-02–03, camera/GPS             |       |
| iOS Simulator or EAS simulator build | MOB-AUTH-01, MOB-R04–R05, MOB-S03, login redirect   |       |
| iOS TestFlight / physical device     | MOB-D03–D07, MOB-PUSH-02–03, camera/GPS             |       |

Record **tester**, **app version/build**, **API URL**, **device/OS**, **date** on the release ticket and in the sign-off table.

## Part 14 — Cross-platform parity (web ↔ mobile spot checks)

After Parts 4–12 (web) and Part 13 (mobile), run these **paired** checks to catch client drift. Same backend, same accounts, within 15 minutes.

| ID     | Web (ERP) step                                   | Mobile step                                           | Expected parity                                                   | Pass? |
|--------|--------------------------------------------------|-------------------------------------------------------|-------------------------------------------------------------------|-------|
| PAR-01 | Restaurant places order on web                   | Supplier sees order on mobile <b>Orders</b>           | Same order id, lines, totals                                      |       |
| PAR-02 | Supplier accepts/ships on mobile                 | Restaurant <b>Order detail</b> on web updates         | Status timeline matches                                           |       |
| PAR-03 | Supplier assigns driver on web fulfillment       | Driver <b>Today</b> list on mobile                    | Stop appears with correct reference                               |       |
| PAR-04 | Driver completes POD on mobile                   | Web order → POD panel / delivered status              | Proof visible; status <code>DELIVERED</code> when rules satisfied |       |
| PAR-05 | Restaurant sends chat on mobile                  | Supplier reads on web <code>/app/chat</code>          | Message content + attachment parity                               |       |
| PAR-06 | RFQ created on web                               | Supplier <b>Quote inbox</b> on mobile                 | Same RFQ id; respond on mobile → web compare works                |       |
| PAR-07 | Deal redeemed on mobile                          | Web order detail shows <code>appliedPromotion</code>  | Discount amount matches                                           |       |
| PAR-08 | Receiving submitted on web                       | Mobile order detail shows received quantities         | Line-level qty match                                              |       |
| PAR-09 | Dispute opened on mobile                         | Web dispute banner on order                           | Same dispute id                                                   |       |
| PAR-10 | Admin impersonates restaurant on web             | Mobile login as that restaurant <b>blocked</b> or N/A | Impersonation is web session; mobile uses real login              |       |
| PAR-11 | Free-tier gate on web ( <code>/app/chat</code> ) | Mobile <b>Messages</b> tab                            | Both blocked with consistent messaging                            |       |
| PAR-12 | Branch switch on web header                      | Mobile branch switch in settings                      | Same active branch id on <code>GET /api/auth/me</code>            |       |
| PAR-13 | Invoice marked paid on web                       | Mobile invoice list balance                           | Open balance zero                                                 |       |
| PAR-14 | Order amendment accepted on web                  | Mobile order detail lines/qty                         | Amended lines match                                               |       |
| PAR-15 | Push notification for order status               | Web notification bell                                 | Same event type; no duplicate wrong-tenant payload                |       |

### Quote requests & supplier mini-store (2026-06-11; inbox v2 2026-09-10)

Spec: [QUOTE\\_REQUESTS\\_AND\\_SUPPLIER\\_MINISTORE.md](#) · Feature: [quote-requests.md](#) · Migration `0202`

| ID     | Step                                                | Expected                                                   | Pass? |
|--------|-----------------------------------------------------|------------------------------------------------------------|-------|
| QRF-01 | Restaurant → Products → <b>Request best price</b>   | Create page opens                                          |       |
| QRF-02 | Select products + suppliers → submit                | Quote request created; suppliers notified                  |       |
| QRF-03 | Supplier → <b>Quote inbox</b> → respond per line    | Response saved; restaurant notified                        |       |
| QRF-04 | Restaurant → Quote requests → <b>Compare offers</b> | Side-by-side table                                         |       |
| QRF-05 | <b>Add to cart</b> from winning response            | Cart populated; checkout still resolves server prices      |       |
| QRF-06 | Supplier settings → copy/preview catalog link       | URL <code>/supplier/:slug</code> works                     |       |
| QRF-07 | Guest opens mini-store                              | Products visible; <b>no prices</b>                         |       |
| QRF-08 | Logged-in restaurant on mini-store                  | Prices + add to cart                                       |       |
| QRF-09 | Disable public catalog in settings                  | <code>/supplier/:slug</code> returns not found             |       |
| QRF-10 | Supplier inbox: status tabs show live <b>counts</b> | pending / responded / declined / unread / urgent match API |       |
| QRF-11 | Search inbox by restaurant name                     | Debounced filter; list narrows                             |       |
| QRF-12 | Sort by <b>needed by</b>                            | Ascending needed-by date                                   |       |
| QRF-13 | Overdue / due-today urgency badges                  | Visible on cards                                           |       |
| QRF-14 | Unread marker clears after open                     | <code>viewed_at</code> set; unread count drops             |       |

| ID     | Step                                             | Expected                                            | Pass? |
|--------|--------------------------------------------------|-----------------------------------------------------|-------|
| QRF-15 | <b>Decline</b> pending RFQ with reason           | Status declined; restaurant notified; reason stored |       |
| QRF-16 | Open closed/cancelled RFQ response page          | Locked; canRespond=false ; decline/respond blocked  |       |
| QRF-17 | Respond with available line but empty unit price | Client + API reject                                 |       |
| QRF-18 | Inbox pagination                                 | Next page loads without duplicating rows            |       |

2026-09-10 release smoke pack (run today)

Use this pack after Parts 0–3 on a wiped DB, or as a focused delta on an existing QA env. Design specs: [hospitality](#), [promotions](#).

| Priority | IDs                     | Area                                    |
|----------|-------------------------|-----------------------------------------|
| P0       | RST-42d–42n, PUB-17–21  | Reservation excellence                  |
| P0       | RST-18a–18f             | Last-order cutoff + contract prices     |
| P0       | SUP-61–68, ADM-AD-01–05 | Promotions ad billing / ROAS / disputes |
| P0       | QRF-10–18               | Quote inbox v2                          |
| P0       | FUL-01–12               | Dispatch / POD / multi-WH               |
| P1       | MENU-01–03, NFR-11–13   | Guest menu 86 + branded 404/500         |
| P1       | RBAC-X01–X08            | Sep-10 permission gates                 |

RBAC hardening spot checks (2026-09-10)

| ID       | Steps                                                         | Expected              | Pass? |
|----------|---------------------------------------------------------------|-----------------------|-------|
| RBAC-X01 | Restaurant staff without INVOICES_VIEW → /app/invoices        | Nav hidden / 403      |       |
| RBAC-X02 | Restaurant without ORDERS_VIEW / CATALOG_VIEW → deals feed    | Blocked               |       |
| RBAC-X03 | Supplier without fulfillment perms → /app/fulfillment         | Blocked               |       |
| RBAC-X04 | Quote inbox without ORDERS_VIEW                               | Blocked               |       |
| RBAC-X05 | Assistant fab without ai_platform                             | Hidden / tools refuse |       |
| RBAC-X06 | Price mutation without CATALOG_EDIT                           | 403                   |       |
| RBAC-X07 | Restaurant tracking/POD without ORDERS_VIEW / receiving perms | 403                   |       |
| RBAC-X08 | Owner role: recipes permissions present on /auth/me           | RECIPES_* in list     |       |

Branded error pages

| ID     | Steps                                      | Expected                                | Pass? |
|--------|--------------------------------------------|-----------------------------------------|-------|
| NFR-11 | Navigate to /app/this-route-does-not-exist | Branded <b>404</b> (EN); no blank shell |       |
| NFR-12 | Switch locale to AR on 404                 | Arabic copy renders                     |       |
| NFR-13 | Force router error (dev) or broken chunk   | Branded <b>500</b> / error boundary     |       |

Demo credentials (for seeded environments)

| Account                                                       | Password             | Role / notes                                    |
|---------------------------------------------------------------|----------------------|-------------------------------------------------|
| admin@supplify.com                                            | SupplifyAdmin1!      | Platform admin                                  |
| restaurant@supplify.com                                       | SupplifyRestaurant1! | Golden Fork (demo restaurant)                   |
| supplier@supplify.com                                         | SupplifySupplier1!   | Fresh Foods Co. (demo supplier)                 |
| restaurant-free@supplify.com                                  | Supplify1!           | Free plan — calendar and chat gated             |
| restaurant-Silver@supplify.com                                | Supplify1!           | Silver tier                                     |
| restaurant-gold@supplify.com                                  | Supplify1!           | Gold — full features                            |
| restaurant-platinum@supplify.com                              | Supplify1!           | Platinum tier                                   |
| supplier-free@supplify.com                                    | Supplify1!           | Supplier free tier                              |
| supplier-gold@supplify.com                                    | Supplify1!           | Supplier Gold                                   |
| restaurant-gold-manager@supplify.com                          | Supplify1!           | Gold restaurant — Manager ( seed:tier-catalog ) |
| restaurant-gold-purchaser@supplify.com                        | Supplify1!           | Gold restaurant — Purchaser                     |
| restaurant-silver@supplify.com / supplier-silver@supplify.com | Supplify1!           | Silver tier ( tier-restaurant-silver slugs)     |
| restaurant-1@test.com ... restaurant-10@test.com              | (Keycloak)           | Prod-like seed ( seed:prodlike )                |

Sign-off

| Role / surface                     | Tester | Date | Build / branch / app version | API env & device | Open defects |
|------------------------------------|--------|------|------------------------------|------------------|--------------|
| Fresh DB setup (Part 0)            |        |      |                              |                  |              |
| Restaurant creation (Part 1)       |        |      |                              |                  |              |
| Supplier creation (Part 2)         |        |      |                              |                  |              |
| Feature gate verification (Part 3) |        |      |                              |                  |              |
| Cross-cutting / Auth (Part 4)      |        |      |                              |                  |              |
| Public / guest flows (Part 5)      |        |      |                              |                  |              |
| Restaurant tenant flows (Part 6)   |        |      |                              |                  |              |
| Supplier tenant flows (Part 7)     |        |      |                              |                  |              |
| Platform admin flows (Part 8)      |        |      |                              |                  |              |
| E2E business flows (Part 9)        |        |      |                              |                  |              |
| API smoke tests (Part 10)          |        |      |                              |                  |              |
| Automated tests (Part 11)          |        |      |                              |                  |              |
| Non-functional (Part 12)           |        |      |                              |                  |              |
| Mobile Android (Part 13)           |        |      |                              |                  |              |
| Mobile iOS (Part 13)               |        |      |                              |                  |              |
| Web ↔ mobile parity (Part 14)      |        |      |                              |                  |              |

*Full-system checklist for Supplify web ERP + native mobile. Fresh DB: Part 0 → Part 3 first. PDF: `pnpm docs:qa:pdf`. Mobile repos: `supplify-mobile`, `supplify-mobile-ios`.*