



Select a spec

default

Api Documentation ^{1.0}

[Base URL: localhost:6767/]
<https://localhost:6767/v2/api-docs>

Api Documentation
[Terms of service](#)
[Apache 2.0](#)

account-controller Account Controller >

basic-error-controller Basic Error Controller >

transaction-controller Transaction Controller v

POST /MakeTransaction MakeTransaction

Parameters

Cancel

Name	Description
------	-------------

Name

Description

transaction * required

transaction

(body)

Example Value Model

```
{
  "amount": 0,
  "date": "2021-12-03",
  "fromAccount": 0,
  "fromAccountName": "string",
  "otherBank": "string",
  "sameBankTransaction": true,
  "status": "string",
  "time": "2021-12-01T08:58:06.615Z",
  "toAccount": 0,
  "toAccountName": "string"
}
```

Cancel

Parameter content type

application/json

Execute

Clear

Responses

Response content type

/

Curl

```
curl -X POST
"https://localhost:6767/MakeTransaction" -H "accept: */*"
-H "Content-Type: application/json" -d '{"amount": 0
```

Request URL

https://localhost:6767/MakeTransaction

Server response

Code	Details
201	<div><div>Response body</div><div><pre>{ "message": "transaction was made", "status": 201, "httpStatus": "201 CREATED", "success": true, "exception": false, "body": "success" }</pre></div><div>Download</div></div> <div><div>Response headers</div><div><pre>connection: keep-alive content-type: application/json date: Wed, 01 Dec 2021 09:05:52 GMT keep-alive: timeout=60 transfer-encoding: chunked</pre></div></div>

Responses

Code	Description
200	<div><div>OK</div><div><div>Example Value</div><div>Model</div><div><pre>{ "body": {}, "exception": true, "httpStatus": "string", "message": "string", "status": 0, "success": true }</pre></div></div></div>
201	<div><div>Created</div></div>
401	<div><div>Unauthorized</div></div>
403	<div><div>Forbidden</div></div>

Code	Description
404	<i>Not Found</i>

GET

/transactions/{transactionId}

getTransactionByTransactionID

Parameters

Cancel

Name	Description
transactionId * required integer(\$int64) (path)	transactionId <div>67</div>

Execute

Clear

Responses

Response content type

/

Curl

curl -X GET
"https://localhost:67
67/transactions/67" -
H "accept: */*"

Request URL

https://localhost:6767/transactions/67

Server response

Code	Details
------	---------

Code

Details

200

Response body

```
{
  "message": "Success",
  "status": 200,
  "httpStatus": "200 OK",
  "success": true,
  "exception": false,
  "body": {
    "fromAccount": 0,
    "toAccount": 0,
    "fromAccountName": "string",
    "toAccountName": "string",
    "sameBankTransaction": true,
    "otherBank": "string",
    "amount": 0,
    "date": "2021-11-30",
    "time": "1970-01-01T21:26:47.548",
    "transactionType": "string",
    "status": "string",
    "transaction_id": 67
  }
}
```

[Download](#)

Response headers

```
connection: keep-alive
content-type: application/json
date: Wed, 01 Dec 2021 09:06:43 GMT
keep-alive: timeout=60
transfer-encoding: chunked
```

Responses

Code

Description

200

OK

Example Value Model

```
{
  "body": {},
  "exception": true,
  "httpStatus": "string",
  "message": "string",
  "status": 0,
  "success": true
}
```

401

Unauthorized

Code	Description
403	<i>Forbidden</i>
404	<i>Not Found</i>

PUT

/Transactions/{transactionId} updateTransaction

Parameters

Cancel

Name	Description
transaction * required (body)	<div>transaction</div> <div><div>Example Value</div><div>Model</div></div> <div><pre>{ "amount": 0, "date": "2021-06-01" "fromAccount": 0, "fromAccountName": "string", "otherBank": "string", "sameBankTransaction": true, "status": "string", "time": "2021-12-01T09:12:39.202Z", "toAccount": 0, "toAccountName": "string" }</pre></div> <div>Cancel</div> <div>Parameter content type</div> <div>application/json</div>
transactionId * required integer(\$int64) (path)	<div>transactionId</div> <div>43</div>

Execute

Responses

Response content type

/

Code	Description
200	<i>OK</i>
<div><div>Example Value</div><div>Model</div></div> <pre>{ "body": {}, "exception": true, "httpStatus": "string", "message": "string", "status": 0, "success": true }</pre>	
201	<i>Created</i>
401	<i>Unauthorized</i>
403	<i>Forbidden</i>
404	<i>Not Found</i>

DELETE /Transactions/{transactionId} deleteTransaction

Parameters

Cancel

Name	Description
transactionId * required integer(\$int32) (path)	transactionId <div>50</div>

Execute

Clear

Responses

Response content type

/

Curl

```
curl -X DELETE
"https://localhost:67
67/Transactions/50" -
H "accept: */*"
```

Request URL

https://localhost:6767/Transactions/50

Server response

Code	Details
200	<div><p>Response body</p><pre>{ "message": "success", "status": 200, "httpStatus": "200 OK", "success": true, "exception": false, "body": "success" }</pre></div> <div><p>Response headers</p><pre>connection: keep-alive content-type: application/json date: Wed, 01 Dec 2021 09:18:29 GMT keep-alive: timeout=60 transfer-encoding: chunked</pre></div> <div>Download</div>

Responses

Code	Description
------	-------------

Code	Description
200	<i>OK</i>
<div><div>Example Value</div><div>Model</div><pre>{ "body": {}, "exception": true, "httpStatus": "string", "message": "string", "status": 0, "success": true}</pre></div>	
204	<i>No Content</i>
401	<i>Unauthorized</i>
403	<i>Forbidden</i>

GET

/transactions/All

getAllTransaction

Parameters

Cancel

No parameters

Execute

Clear

Responses

Response content type

/

Curl

```
curl -X GET
"https://localhost:67
67/transactions/All"
-H "accept: */*"

```

<https://localhost:6767/transactions/All>

Code **Details**

200

Response body

```
"toAccountName": "string",
"sameBankTransaction": true,
"otherBank": "string",
"amount": 0,
"date": null,
"time": "1970-01-01T20:25:28.982",
"transactionType": "string",
"status": "string",
"transaction_id": 0
},
{
  "fromAccount": 56789000,
  "toAccount": 6783,
  "fromAccountName": "sab",
  "toAccountName": "zeyad",
  "sameBankTransaction": false,
  "otherBank": "yes",
  "amount": 30590,
  "date": null,
  "time": "1970-01-01T20:25:28.982",
  "transactionType": "famllly",
  "status": "active",
  "transaction_id": 3
},
{
  "fromAccount": 0,
  "toAccount": 0
```

[Download](#)

Response headers

```
connection: keep-alive
content-type: application/json
date: Wed, 01 Dec 2021 09:08:40 GMT
keep-alive: timeout=60
transfer-encoding: chunked
```

Code	Description
------	-------------

Code	Description
200	<i>OK</i>
<div>Example Value Model</div> <div><pre>{ "body": {}, "exception": true, "httpStatus": "string", "message": "string", "status": 0, "success": true }</pre></div>	
401	<i>Unauthorized</i>
403	<i>Forbidden</i>
404	<i>Not Found</i>

GET

/transactions/getByDate/{date}

getTransactionByDate

Parameters

Cancel

Name	Description
<div><div>date * required</div><div>string(\$date)</div><div>(path)</div></div>	<div>date</div> <div><div>2021-11-30</div></div>

Execute

Clear

Responses

Response content type

/

Curl

```
curl -X GET
"https://localhost:67
67/transactions/getBy
Date/2021-11-30" -H
"accept: */*"
```

Request URL

https://localhost:6767/transactions/getByDate/2021-11-30

Server response

Code

Details

200

Response body

```
{
  "message": "Transactions Fetched",
  "status": 200,
  "httpStatus": "200 OK",
  "success": true,
  "exception": false,
  "body": [
    {
      "fromAccount": 0,
      "toAccount": 0,
      "fromAccountName": "string",
      "toAccountName": "string",
      "sameBankTransaction": true,
      "otherBank": "string",
      "amount": 0,
      "date": "2021-11-30",
      "time": "1970-01-01T21:26:47.548",
      "transactionType": "string",
      "status": "string",
      "transaction_id": 67
    },
    {
      "fromAccount": 78678,
      "toAccount": 5555,
      "fromAccountName": "aljazira",
      "toAccountName": "ghina",
```

Download

Response headers

```
connection: keep-alive
content-type: application/json
date: Wed, 01 Dec 2021 09:19:34 GMT
keep-alive: timeout=60
transfer-encoding: chunked
```

Responses

Code

Description

Code	Description
200	<i>OK</i>
<div><div>Example Value</div><div>Model</div></div> <pre>{ "body": {}, "exception": true, "httpStatus": "string", "message": "string", "status": 0, "success": true}</pre>	
401	<i>Unauthorized</i>
403	<i>Forbidden</i>
404	<i>Not Found</i>

GET

/transactions/getByTypeAndDate/{transactiontype}/{date}

getTransactionByTypeAndDate

Parameters

Cancel

Name	Description
date * required string(\$date) (path)	date <div>2021-11-29</div>
transactiontype * required string (path)	transactiontype <div>string</div>

Execute

Responses

Response content type

/

Code	Description
200	<i>OK</i>
<div>Example Value Model</div> <pre>{ "body": {}, "exception": true, "httpStatus": "string", "message": "string", "status": 0, "success": true }</pre>	
401	<i>Unauthorized</i>
403	<i>Forbidden</i>
404	<i>Not Found</i>

GET

/transactions/transactiontype/{transactionType}

getTransactionByType

Parameters

Cancel

Name	Description
transactionType * required string (path)	transactionType <div>work</div>

Execute

Clear

Responses

Response content type

/

Curl

```
curl -X GET
"https://localhost:67
67/transactions/trans
actiontype/work" -H
"accept: */*"
```

Request URL

https://localhost:6767/transactions/transactiontype/work

Server response

Code

Details

200

Response body

```
{
  "message": "Transactions Fetched",
  "status": 200,
  "httpStatus": "200 OK",
  "success": true,
  "exception": false,
  "body": [
    {
      "fromAccount": 0,
      "toAccount": 0,
      "fromAccountName": "string",
      "toAccountName": "ghaida",
      "sameBankTransaction": false,
      "otherBank": "string",
      "amount": 888,
      "date": null,
      "time": "1970-01-01T07:42:01.459",
      "transactionType": "work",
      "status": "string",
      "transaction_id": 33
    }
  ]
}
```

Download

Response headers

```
connection: keep-alive
content-type: application/json
date: Wed, 01 Dec 2021 09:23:33 GMT
keep-alive: timeout=60
transfer-encoding: chunked
```

Responses

Code

Description

Code	Description
200	<i>OK</i>
<div><div>Example Value</div><div>Model</div><pre>{ "body": {}, "exception": true, "httpStatus": "string", "message": "string", "status": 0, "success": true}</pre></div>	
401	<i>Unauthorized</i>
403	<i>Forbidden</i>
404	<i>Not Found</i>

Models

>