

ASAP Components

Sitemap · Flows · UX best practices

Purpose

A reusable blueprint captured from a deep audit of the ASAP Components site — every page and route, every user flow, and the conversion / search / UX patterns worth repeating. Use it as the starting spec the next time we design a parts-distribution or B2B-quote site: copy the sitemap, reproduce the flows, and apply the practices checklist.

How this was produced

Routes enumerated from the Next.js app-router source; flows and components read directly from the codebase across four parallel audits; behaviour confirmed live in the running app. File-level references exist in the source but are omitted here for readability.

Contents

- 1 Sitemap - complete route map
- 2 Page inventory - what each page type contains
- 3 Core flows - step by step
- 4 UX & conversion best practices
- 5 Reusable pattern checklist (do this next time)
- 6 Watch-outs - things to wire properly
- 7 Appendix - canonical facts, data model & analytics catalog

1 Sitemap - complete route map

Next.js app router. 10 top-level pages + 3 dynamic route families + 2 API endpoints.

Top-level pages

Route	Page	Role
/	Home	Marketing + primary conversion hub (hero quote bar)
/about-us	About ASAP	Credibility; dual CTA (RFQ + contact)
/quality	Quality	Certification / compliance grid
/contact-us	Contact Us	Contact form + contact cards
/instant-rfq	Instant RFQ	Canonical full RFQ form (+ BOM)
/rfq/search	Search RFQ	Pre-filled RFQ from a searched part number
/search	Search results	Results table + category facet sidebar
/cart	RFQ Cart	Multi-part quote builder -> single RFQ
/blog	Blog index	Featured post + grid + sidebar
/sitemap	HTML sitemap	Human-readable index of the whole site

Dynamic route families

Route template	Count	What it renders
/blog/[slug]	12	Article: hero, author + reading time, body blocks, related, in-article search
/policies/[slug]	8	Policy: hero + templated body (Scope / Compliance / Contact)
/catalog/[category]/[axis]	21	Directory index OR parts listing (varies by axis type)
/catalog/[category]/list/[term]	many	Leaf listing for a manufacturer / part-type / FSC code
/catalog/[category]/quote/[manufacturer]/[part]	many	Part detail: spec table + compact RFQ + related parts

API endpoints: POST /api/rfq (RFQ / cart / BOM leads) and POST /api/contact (contact messages). Both issue a server reference and deliver via Resend / webhook / log.

Catalog taxonomy - 6 categories x their browse axes

Category (slug)	Browse axes (each an /[axis] page)
Board Level Components (electronic)	part-types, manufacturers
NSN Parts (nsn)	niin, fsc, nsn, manufacturers, cage-code, part-types
Aviation Parts (aviation)	part-types, bearings, fasteners, manufacturers
Standard Parts (standard)	bac, ms, as, nas (part listings)
Electrical Connectors (connectors)	manufacturers, types
Featured Parts (featured)	aircraft-windows, aircraft-engine, aircraft-instruments

Three orthogonal browse axes span the mega-menu: by market (category), by part type, and by brand (manufacturer) - every menu link resolves to a real catalog route; no menu-only dead ends.

Policies (8) & content

Policies: privacy, cookie, conflict-minerals, human-trafficking, customer-terms, supplier-terms, far-dfars, consignment.

Blog: 12 posts, slugs auto-derived from titles, statically generated.

Page inventory - what each page type contains

The building blocks to reproduce, page by page.

Home (/)

Ordered modules: (1) full-bleed hero + glass RFQ quote bar; (2) featured category carousel; (3) scroll-reveal 'About' with 6 proof cards; (4) in-demand recently-ordered carousel; (5) scroll-scrub mission statement emphasising '15 minutes / 365 days / AS9120B'; (6) manufacturers split; (7) top part-categories explorer (tabbed FSC / NSN / hot part numbers); (8) interactive proof band (Scale / Speed / Trust); (9) certifications marquee.

Instant RFQ (/instant-rfq) & Search RFQ (/rfq/search)

Two-column: the full RFQ form (part details + contact) with BOM upload on the left; a trust sidebar (military-supply reassurance, browse-by-category, Why-Choose-Us) on the right; certifications band below. /rfq/search pre-fills the part number from the query string; with no part it shows a search bar instead.

Catalog - axis directory (/catalog/[category]/[axis])

Branches by axis type: manufacturer / part-type / NIIN / NSN axes render an A-Z or numeric Directory Index (search box + alpha-range pills + grouped columns); CAGE renders a paginated code table; FSC renders a supply-class table; standard/featured axes render a parts listing. Every page pairs content with a sticky RFQ sidebar and breadcrumbs.

Catalog - parts listing & part detail

Listing table: Part No. (mono, links to detail) / Manufacturer / Description / optional extra column / Actions. Each row carries an RFQ button and an Add-to-cart control. Filter-within-results box + windowed pagination (15/page).

Part detail (/quote/...): spec definition list (Part No., Alternate P/N, Manufacturer, NSN, CAGE, NIIN), availability copy, an embedded compact RFQ form pre-filled with the part, and a grid of 16 related parts.

Content pages

- **About:** hero + dual CTA, full-bleed photo marquee, stats band, vision split, leadership rail, certifications.
- **Quality:** hero + responsive grid of all 16 certifications/memberships, each with a plain-language detail line.
- **Contact:** header with an 'Instant RFQ' shortcut, four contact cards (location/phone/email/response-time), contact form, certifications.
- **Blog:** index = featured post + staggered grid + sticky sidebar (search, categories, recent). Article = photo hero, meta row, typed body blocks, in-article search CTA, related posts.
- **Policies:** centered hero + templated body; all 8 share one structure (Scope / Compliance / Contact).
- **HTML sitemap:** column grid - Main links, one column per catalog category, and Policies & Terms.

3 Core flows - step by step

The reusable interaction blueprints. Six flows; the RFQ funnel is the spine.

Flow A - RFQ / lead capture (the north-star conversion)

Design principle: lightweight 'mini-forms' everywhere collect the minimum, then hand off pre-filled to one canonical full form. Only the full form / cart actually submits a lead.

Entry point	Collects	Routes to
Hero quote bar (home)	part / qty / email	/instant-rfq?partno=&qty;=&email;=
Catalog per-row 'RFQ' button	part number	/rfq/search?partno=
Search no-match fallback	raw query	/rfq/search?partno=
Manufacturer chips / CAGE table	manufacturer	/rfq/search?partno=&type;=Manufacturer
Part detail page	part + manufacturer	in-page compact RFQ
Cart	all cart lines + contact	POST /api/rfq (method=cart)

Funnel steps & analytics: mini-form submit fires `rfq_start` and passes values via query params (user never retypes) > full form first-field focus fires `rfq_form_start` > submit POSTs JSON to `/api/rfq` > server validates email, issues an authoritative reference (e.g. ASAP-K4F2A9), delivers the lead > success panel shows the reference and the 15-minute SLA > `generate_lead` fires (method `rfq` | `cart` | `bom`).

What makes this convert

- **AOG (Aircraft-on-Ground) checkbox** - a domain urgency lever that also auto-sets 'Need parts by = Immediately'.
- **Lead-qualification built into the form** - Company Type (Manufacturer / Distributor / Airline / Broker) and Need-By window, no extra friction.
- **Reassurance at the point of submit** - 'Quotes back within 15 minutes' + 'We never share your information'.
- **Progressive disclosure** - attaching a BOM collapses the whole part-details section to just contact info.
- **Server-authoritative reference** - stable, loggable, CRM-ready; shown to the user as proof of receipt.
- **Re-entrancy guards** - submit disables + relabels ('Submitting...') so no duplicate leads.

Flow B - Search

Two surfaces share one routing brain. **Header search bar:** a scoped type selector (Part Number / NSN / CAGE Code / Manufacturer) + ranked autocomplete (prefix > substring > secondary-field, with match highlighting).

Command palette (Cmd-K): global shortcut, modal with focus-trap; a curated zero-state (browse catalog + quick links), live typeahead grouped into Parts and Pages, full keyboard nav.

The no-dead-end rule: one shared resolver decides the destination - a real catalog match goes to `/search?q=`; anything with no match goes to `/rfq/search?partno=` (a pre-filled quote). A search never ends on an empty page. In the palette, pressing Enter on a no-match reads 'Press Enter to request a quote.'

Flow C - Browse catalog

Mega-menu (hover dropdowns) > category axis page > Directory Index (A-Z / numeric, with search + alpha pills) > list/[term] leaf listing > part detail. Every listing row offers both conversion paths (RFQ or Add-to-cart); every table has filter-within-results and pagination; breadcrumbs everywhere.

Flow D - Cart -> RFQ (multi-part quote builder)

The cart is framed as an **RFQ cart, not a checkout** - no prices, no totals in dollars. Add parts from any listing, or build one from scratch with 'Add line item by part number' (an autocomplete draft row that self-commits on blur, no confirm button; duplicate part numbers fold into the existing line and flash it). State persists in localStorage (hydrated after mount to avoid SSR mismatch). The cart page = a scrolling line table + a sticky contact form that POSTs every line as one RFQ.

Flow E - BOM upload

Upload a parts list / Bill of Materials. CSV & TXT are parsed client-side (delimiter auto-detect, header-alias mapping, quantity normalisation, catalog description lookup) into an **editable review table** (fix part numbers, pick manufacturers, adjust quantities, drop rows; invalid rows are tinted). XLS / PDF are attached for manual processing. A sample CSV download lowers friction; a parse failure offers an email fallback.

Flow F - Contact

Contact form (name / email / phone / company / country / message + required T&C; consent) POSTs to /api/contact; on success the form is replaced by a 'Message received' card promising a 15-minute response. Fires contact_submit.

Grouped so each can be lifted independently.

A. Lead conversion

- Put a low-friction quote entry (3 fields) above the fold, and a persistent RFQ CTA in the header of every page.
- Repeat the core promise ('quotes in 15 minutes, 24/7 x 365') at every decision point, not just the homepage.
- Offer two conversion paths on every listing row: instant RFQ (high intent) and add-to-cart (list building).
- Even non-commerce pages (About) end in a dual CTA - primary RFQ + secondary 'talk to us'.
- Hand off pre-filled data via query params so the user never retypes what they already gave you.
- Add domain-specific urgency levers (here: AOG) and qualify leads with in-form dropdowns.
- A parts-list / BOM upload path captures bulk buyers a single field never could.

B. Search

- Ship a Cmd-K command palette in addition to the header search - power users expect it.
- Scope search by identifier type (part / NSN / CAGE / manufacturer) - match how buyers actually search.
- Rank autocomplete prefix > substring > secondary field, and bold the matched span.
- Never dead-end: route a no-match query to a pre-filled quote request instead of an empty results page.
- Give every search surface a rich zero-state (curated browse + quick links), not a blank box.
- Define 'do we carry this?' once and reuse it across bar, palette, and the server route.

C. Navigation & information architecture

- Offer three orthogonal browse axes (market / part type / brand); ensure every nav link resolves to a real route.
- Breadcrumbs on every deep page; an HTML sitemap page for humans and crawlers.
- Overlay (transparent) header on the hero, sticky solid header everywhere else - content never slides under it.
- Mobile: a drawer using native details/summary accordions; every link closes the drawer.

D. Trust & proof

- Place credibility next to the ask: certifications, part counts, and named OEM logos beside conversion points.
- A dedicated Quality page spells out every accreditation in plain language.
- Animated count-up stat bands and an interactive proof band make the numbers feel earned.
- A compliance ribbon + independent-distributor disclaimer set correct legal expectations in the footer.

E. Motion system

- One-shot scroll-reveal on entry, with a safety-net timeout so content is never stranded invisible.
- Scroll-scrubbed word-by-word text reveal for editorial moments; gapless CSS marquees for logos/photos.
- Everything honours prefers-reduced-motion (global CSS reset + per-component guards) and is hydration-safe (server renders legible text; effects swap in after mount).

F. Accessibility

- Full combobox/listbox ARIA on search (roles, aria-expanded, aria-controls, aria-activedescendant).
- Modal palette: role=dialog + aria-modal, focus trap, scroll lock, and focus restored to the trigger on close.
- Dynamic, contextual aria-labels ('Cart, 3 items', 'Add MS27039 to cart', 'Remove ...').
- Semantic fieldset/legend on forms; native details/summary; visible focus rings; sr-only labels for icon buttons.

G. Responsive

- Distinct desktop vs mobile header layouts; wide tables scroll inside overflow-x with a min-width.
- Sticky sidebars only at lg; fluid type via clamp(); inputMode hints (numeric qty, text part-no).

H. Analytics & instrumentation

- A single typed event catalog is the source of truth - a wrong name/param is a compile error, not a lost hit.
- Route every hit through one track() gateway that no-ops during SSR / before consent / before the tag loads.
- Name one north-star conversion (generate_lead) and instrument micro-conversions (search, add_to_cart, rfq_start, rfq_form_start, bom_upload, contact_submit, tel/mailto/chat) so the whole funnel is diagnosable.
- Track outbound tel:/mailto: clicks with one delegated document listener - no per-link wiring.

I. Privacy & consent

- GA4 Consent Mode v2 defaults to denied; nothing tracks until the user accepts.
- Cookie banner offers an explicit 'Decline non-essential' (no dark pattern); the choice persists and re-applies.

5

Reusable pattern checklist (do this next time)

A build order for the next parts / B2B-quote site.

Pattern
[] Model the cart as a quote builder, not a checkout (no prices; converts to one RFQ).
[] Build ONE canonical full RFQ form; make every other entry a mini-form that hands off pre-filled.
[] Wire the analytics event catalog first (typed), with generate_lead as the north star.
[] Implement scoped autocomplete + a Cmd-K palette sharing one routing resolver.
[] Enforce the no-dead-end rule: unmatched search -> pre-filled quote.
[] Add per-row dual CTAs (RFQ + add-to-cart) on every listing.
[] Add a BOM/parts-list upload with client-side parse + editable review + sample file + email fallback.
[] Include a domain urgency lever and in-form lead qualification.
[] Issue a server-side reference number and show it on success.
[] Put reassurance microcopy (SLA + privacy) at the point of submit.
[] Three browse axes; breadcrumbs; HTML sitemap; overlay-then-sticky header; mobile drawer.
[] A trust layer: certifications page + marquee, stat count-ups, proof band, compliance ribbon.
[] Reduced-motion-safe, hydration-safe motion with reveal safety nets.
[] Consent-first analytics (denied by default) + persistent cookie choice.
[] Full combobox/dialog ARIA, dynamic aria-labels, semantic forms, overflow-x tables.

6

Watch-outs - things to wire properly

Gaps found in this build; fix them in the reference implementation.

Do not carry these forward

- **BOM line items are not transmitted** - only the file name + count reach the server, so edited rows are lost. Send the parsed lines (the cart path does).
- **The T&C; consent checkbox has no field name** - acknowledgement is gated in the browser but never recorded in the delivered lead. Persist it.
- **Inconsistent lead schema** - the compact form uses a single 'contactName' while the full form uses first/last; the cart's Need-By labels differ from the RFQ form's. Unify the schema.
- **Three RFQ mini-form components are built but unwired** (QuickQuote, InlineRfqForm, InstantRfqQuickForm). Delete or mount them deliberately.
- **Static placeholders** - blog pagination, social-share buttons, and the blog sidebar search/category chips are non-functional. Wire or hide.
- **Hard-coded values** - footer copyright year and 'Last updated' dates are literals. Generate them.
- **contact_submit fires with empty params** though a 'topic' param is available - populate it for segmentation.

Company facts to template

Field	Value
Positioning	Aerospace & defense parts distributor; 'supporting the USA and her allies'
Quote SLA	Guaranteed quotes back within 15 minutes, 24/7 x 365
Scale claims	10M+ parts; 5,100+ manufacturers; 40 Federal Supply Classes; 5M+ board-level parts
Fulfilment	100% U.S.A.-fulfilled; same-day delivery capability on AOG
Key accreditations	AS9120B / ISO 9001:2015; FAA AC 00-56B; ITAR; NIST 800-171; AS6081
Identifiers	CAGE Code 6RE77; D-U-N-S registered
Payments accepted	Visa, Mastercard, Discover, Amex

Search data model

A small curated table of canonical parts (part number, manufacturer, category, description, NSN, NIIN, CAGE) is the single searchable source of truth; NIIN is the NSN minus its 4-digit FSC prefix. Four autocomplete pools (part / NSN / CAGE / manufacturer) all deep-link to the same part page. Larger listing/directory data is generated deterministically from seeds so URLs are stable and shareable.

Cart data model

CartLine = { partNo, manufacturer, description?, quantity }. Identity key = slugified-manufacturer + verbatim part number (casing/spacing variants collapse). No price field anywhere. Persisted to localStorage under a versioned key, hydrated after mount, quantity clamped to a whole number ≥ 1 .

Analytics event catalog

Event	Meaning	Key params
search	A search was performed	query, source, results_count
view_item	Part / quote page viewed	part_no, manufacturer, category
add_to_cart	Part added to quote cart	part_no, manufacturer, quantity
rfq_start	A mini-form routed into the RFQ	source, part_no
rfq_form_start	First field of the RFQ focused	variant
bom_upload	A BOM was attached	file_name, parts_count, format
generate_lead	PRIMARY - completed RFQ	method (rfq cart bom), parts_count, aog, reference
contact_submit	Contact form submitted	topic
tel_click / mailto_click	Phone / email link clicked	location
chat_open	Chat widget opened	location

End of playbook. Pair this with the companion 'Best-Practice Teardown' one-pager for the conversion-focused summary.