

## Tables (25)

Name	Type	Schema
<b>Administrator_administrator</b>		CREATE TABLE "Administrator_administrator" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "email" varchar(255) NOT NULL UNIQUE, "password" varchar(128) NOT NULL, "date_joined" datetime NOT NULL, "is_active" bool NOT NULL, "is_admin" bool NOT NULL, "last_login" datetime NULL, "username" varchar(100) NOT NULL UNIQUE)
id	integer	"id" integer NOT NULL
email	varchar(255)	"email" varchar(255) NOT NULL UNIQUE
password	varchar(128)	"password" varchar(128) NOT NULL
date_joined	datetime	"date_joined" datetime NOT NULL
is_active	bool	"is_active" bool NOT NULL
is_admin	bool	"is_admin" bool NOT NULL
last_login	datetime	"last_login" datetime
username	varchar(100)	"username" varchar(100) NOT NULL UNIQUE
<b>Administrator_announcement</b>		CREATE TABLE "Administrator_announcement" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "title" varchar(200) NOT NULL, "content" text NOT NULL, "created_at" datetime NOT NULL)
id	integer	"id" integer NOT NULL
title	varchar(200)	"title" varchar(200) NOT NULL
content	text	"content" text NOT NULL
created_at	datetime	"created_at" datetime NOT NULL
<b>Administrator_settings</b>		CREATE TABLE "Administrator_settings" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "key" varchar(100) NOT NULL UNIQUE, "value" varchar(255) NOT NULL)
id	integer	"id" integer NOT NULL
key	varchar(100)	"key" varchar(100) NOT NULL UNIQUE
value	varchar(255)	"value" varchar(255) NOT NULL
<b>Home_contactus</b>		CREATE TABLE "Home_contactus" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "name" varchar(100) NOT NULL, "email" varchar(254) NOT NULL, "subject" varchar(200) NOT NULL, "message" text NOT NULL)
id	integer	"id" integer NOT NULL
name	varchar(100)	"name" varchar(100) NOT NULL
email	varchar(254)	"email" varchar(254) NOT NULL
subject	varchar(200)	"subject" varchar(200) NOT NULL
message	text	"message" text NOT NULL
<b>Publisher_app</b>		CREATE TABLE "Publisher_app" ("content_ptr_id" bigint NOT NULL PRIMARY KEY REFERENCES "Publisher_content" ("id") DEFERRABLE INITIALLY DEFERRED, "price" decimal NULL)
content_ptr_id	bigint	"content_ptr_id" bigint NOT NULL
price	decimal	"price" decimal
<b>Publisher_category</b>		CREATE TABLE "Publisher_category" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "name" varchar(100) NOT NULL UNIQUE, "description" text NOT NULL)
id	integer	"id" integer NOT NULL
name	varchar(100)	"name" varchar(100) NOT NULL UNIQUE
description	text	"description" text NOT NULL

Name	Type	Schema
<b>Publisher_content</b>		CREATE TABLE "Publisher_content" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "title" varchar(200) NOT NULL, "description" text NOT NULL, "logo" varchar(100) NOT NULL, "cover_image1" varchar(100) NOT NULL, "cover_image2" varchar(100) NOT NULL, "cover_image3" varchar(100) NOT NULL, "cover_image4" varchar(100) NOT NULL, "type" varchar(4) NOT NULL, "status" varchar(20) NOT NULL, "publisher_id" bigint NOT NULL REFERENCES "Publisher_publisher" ("id") DEFERRABLE INITIALLY DEFERRED, "file_path" varchar(150) NOT NULL, "apk_version" varchar(20) NOT NULL, "content_type" varchar(5) NOT NULL, "created_at" datetime NOT NULL)
id	integer	"id" integer NOT NULL
title	varchar(200)	"title" varchar(200) NOT NULL
description	text	"description" text NOT NULL
logo	varchar(100)	"logo" varchar(100) NOT NULL
cover_image1	varchar(100)	"cover_image1" varchar(100) NOT NULL
cover_image2	varchar(100)	"cover_image2" varchar(100) NOT NULL
cover_image3	varchar(100)	"cover_image3" varchar(100) NOT NULL
cover_image4	varchar(100)	"cover_image4" varchar(100) NOT NULL
type	varchar(4)	"type" varchar(4) NOT NULL
status	varchar(20)	"status" varchar(20) NOT NULL
publisher_id	bigint	"publisher_id" bigint NOT NULL
file_path	varchar(150)	"file_path" varchar(150) NOT NULL
apk_version	varchar(20)	"apk_version" varchar(20) NOT NULL
content_type	varchar(5)	"content_type" varchar(5) NOT NULL
created_at	datetime	"created_at" datetime NOT NULL
<b>Publisher_contentcategory</b>		CREATE TABLE "Publisher_contentcategory" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "category_id" bigint NOT NULL REFERENCES "Publisher_category" ("id") DEFERRABLE INITIALLY DEFERRED, "content_id" bigint NOT NULL REFERENCES "Publisher_content" ("id") DEFERRABLE INITIALLY DEFERRED)
id	integer	"id" integer NOT NULL
category_id	bigint	"category_id" bigint NOT NULL
content_id	bigint	"content_id" bigint NOT NULL
<b>Publisher_ebook</b>		CREATE TABLE "Publisher_ebook" ("content_ptr_id" bigint NOT NULL PRIMARY KEY REFERENCES "Publisher_content" ("id") DEFERRABLE INITIALLY DEFERRED, "price" decimal NULL)
content_ptr_id	bigint	"content_ptr_id" bigint NOT NULL
price	decimal	"price" decimal
<b>Publisher_game</b>		CREATE TABLE "Publisher_game" ("content_ptr_id" bigint NOT NULL PRIMARY KEY REFERENCES "Publisher_content" ("id") DEFERRABLE INITIALLY DEFERRED, "price" decimal NULL)
content_ptr_id	bigint	"content_ptr_id" bigint NOT NULL
price	decimal	"price" decimal
<b>Publisher_publisher</b>		CREATE TABLE "Publisher_publisher" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "email" varchar(255) NOT NULL UNIQUE, "password" varchar(128) NOT NULL, "date_joined" datetime NOT NULL, "is_active" bool NOT NULL, "is_admin"

Name	Type	Schema
		bool NOT NULL, "last_login" datetime NULL, "username" varchar(100) NOT NULL UNIQUE)
id	integer	"id" integer NOT NULL
email	varchar(255)	"email" varchar(255) NOT NULL UNIQUE
password	varchar(128)	"password" varchar(128) NOT NULL
date_joined	datetime	"date_joined" datetime NOT NULL
is_active	bool	"is_active" bool NOT NULL
is_admin	bool	"is_admin" bool NOT NULL
last_login	datetime	"last_login" datetime
username	varchar(100)	"username" varchar(100) NOT NULL UNIQUE
<b>User_purchase</b>		CREATE TABLE "User_purchase" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "purchase_date" datetime NOT NULL, "user_id" bigint NOT NULL REFERENCES "User_user" ("id") DEFERRABLE INITIALLY DEFERRED, "ebook_id" bigint NULL REFERENCES "Publisher_ebook" ("content_ptr_id") DEFERRABLE INITIALLY DEFERRED, "game_id" bigint NULL REFERENCES "Publisher_game" ("content_ptr_id") DEFERRABLE INITIALLY DEFERRED, "app_id" bigint NULL REFERENCES "Publisher_app" ("content_ptr_id") DEFERRABLE INITIALLY DEFERRED)
id	integer	"id" integer NOT NULL
purchase_date	datetime	"purchase_date" datetime NOT NULL
user_id	bigint	"user_id" bigint NOT NULL
ebook_id	bigint	"ebook_id" bigint
game_id	bigint	"game_id" bigint
app_id	bigint	"app_id" bigint
<b>User_review</b>		CREATE TABLE "User_review" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "text" text NOT NULL, "created_at" datetime NOT NULL, "content_id" bigint NOT NULL REFERENCES "Publisher_content" ("id") DEFERRABLE INITIALLY DEFERRED, "user_id" bigint NOT NULL REFERENCES "User_user" ("id") DEFERRABLE INITIALLY DEFERRED, "rating" integer NOT NULL)
id	integer	"id" integer NOT NULL
text	text	"text" text NOT NULL
created_at	datetime	"created_at" datetime NOT NULL
content_id	bigint	"content_id" bigint NOT NULL
user_id	bigint	"user_id" bigint NOT NULL
rating	integer	"rating" integer NOT NULL
<b>User_user</b>		CREATE TABLE "User_user" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "email" varchar(255) NOT NULL UNIQUE, "password" varchar(128) NOT NULL, "date_joined" datetime NOT NULL, "is_active" bool NOT NULL, "is_admin" bool NOT NULL, "last_login" datetime NULL, "username" varchar(100) NOT NULL UNIQUE)
id	integer	"id" integer NOT NULL
email	varchar(255)	"email" varchar(255) NOT NULL UNIQUE
password	varchar(128)	"password" varchar(128) NOT NULL
date_joined	datetime	"date_joined" datetime NOT NULL
is_active	bool	"is_active" bool NOT NULL
is_admin	bool	"is_admin" bool NOT NULL
last_login	datetime	"last_login" datetime

Name	Type	Schema
username	varchar(100)	"username" varchar(100) NOT NULL UNIQUE
<b>auth_group</b>		CREATE TABLE "auth_group" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "name" varchar(150) NOT NULL UNIQUE)
id	integer	"id" integer NOT NULL
name	varchar(150)	"name" varchar(150) NOT NULL UNIQUE
<b>auth_group_permissions</b>		CREATE TABLE "auth_group_permissions" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "group_id" integer NOT NULL REFERENCES "auth_group" ("id") DEFERRABLE INITIALLY DEFERRED, "permission_id" integer NOT NULL REFERENCES "auth_permission" ("id") DEFERRABLE INITIALLY DEFERRED)
id	integer	"id" integer NOT NULL
group_id	integer	"group_id" integer NOT NULL
permission_id	integer	"permission_id" integer NOT NULL
<b>auth_permission</b>		CREATE TABLE "auth_permission" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "content_type_id" integer NOT NULL REFERENCES "django_content_type" ("id") DEFERRABLE INITIALLY DEFERRED, "codename" varchar(100) NOT NULL, "name" varchar(255) NOT NULL)
id	integer	"id" integer NOT NULL
content_type_id	integer	"content_type_id" integer NOT NULL
codename	varchar(100)	"codename" varchar(100) NOT NULL
name	varchar(255)	"name" varchar(255) NOT NULL
<b>auth_user</b>		CREATE TABLE "auth_user" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "password" varchar(128) NOT NULL, "last_login" datetime NULL, "is_superuser" bool NOT NULL, "username" varchar(150) NOT NULL UNIQUE, "last_name" varchar(150) NOT NULL, "email" varchar(254) NOT NULL, "is_staff" bool NOT NULL, "is_active" bool NOT NULL, "date_joined" datetime NOT NULL, "first_name" varchar(150) NOT NULL)
id	integer	"id" integer NOT NULL
password	varchar(128)	"password" varchar(128) NOT NULL
last_login	datetime	"last_login" datetime
is_superuser	bool	"is_superuser" bool NOT NULL
username	varchar(150)	"username" varchar(150) NOT NULL UNIQUE
last_name	varchar(150)	"last_name" varchar(150) NOT NULL
email	varchar(254)	"email" varchar(254) NOT NULL
is_staff	bool	"is_staff" bool NOT NULL
is_active	bool	"is_active" bool NOT NULL
date_joined	datetime	"date_joined" datetime NOT NULL
first_name	varchar(150)	"first_name" varchar(150) NOT NULL
<b>auth_user_groups</b>		CREATE TABLE "auth_user_groups" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "user_id" integer NOT NULL REFERENCES "auth_user" ("id") DEFERRABLE INITIALLY DEFERRED, "group_id" integer NOT NULL REFERENCES "auth_group" ("id") DEFERRABLE INITIALLY DEFERRED)
id	integer	"id" integer NOT NULL
user_id	integer	"user_id" integer NOT NULL
group_id	integer	"group_id" integer NOT NULL
<b>auth_user_user_permissions</b>		CREATE TABLE "auth_user_user_permissions" ("id"

Name	Type	Schema
		integer NOT NULL PRIMARY KEY AUTOINCREMENT, "user_id" integer NOT NULL REFERENCES "auth_user" ("id") DEFERRABLE INITIALLY DEFERRED, "permission_id" integer NOT NULL REFERENCES "auth_permission" ("id") DEFERRABLE INITIALLY DEFERRED)
id	integer	"id" integer NOT NULL
user_id	integer	"user_id" integer NOT NULL
permission_id	integer	"permission_id" integer NOT NULL
<b>django_admin_log</b>		CREATE TABLE "django_admin_log" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "object_id" text NULL, "object_repr" varchar(200) NOT NULL, "action_flag" smallint unsigned NOT NULL CHECK ("action_flag" >= 0), "change_message" text NOT NULL, "content_type_id" integer NULL REFERENCES "django_content_type" ("id") DEFERRABLE INITIALLY DEFERRED, "user_id" integer NOT NULL REFERENCES "auth_user" ("id") DEFERRABLE INITIALLY DEFERRED, "action_time" datetime NOT NULL)
id	integer	"id" integer NOT NULL
object_id	text	"object_id" text
object_repr	varchar(200)	"object_repr" varchar(200) NOT NULL
action_flag	smallint unsigned	"action_flag" smallint unsigned NOT NULL CHECK("action_flag" >= 0)
change_message	text	"change_message" text NOT NULL
content_type_id	integer	"content_type_id" integer
user_id	integer	"user_id" integer NOT NULL
action_time	datetime	"action_time" datetime NOT NULL
<b>django_content_type</b>		CREATE TABLE "django_content_type" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "app_label" varchar(100) NOT NULL, "model" varchar(100) NOT NULL)
id	integer	"id" integer NOT NULL
app_label	varchar(100)	"app_label" varchar(100) NOT NULL
model	varchar(100)	"model" varchar(100) NOT NULL
<b>django_migrations</b>		CREATE TABLE "django_migrations" ("id" integer NOT NULL PRIMARY KEY AUTOINCREMENT, "app" varchar(255) NOT NULL, "name" varchar(255) NOT NULL, "applied" datetime NOT NULL)
id	integer	"id" integer NOT NULL
app	varchar(255)	"app" varchar(255) NOT NULL
name	varchar(255)	"name" varchar(255) NOT NULL
applied	datetime	"applied" datetime NOT NULL
<b>django_session</b>		CREATE TABLE "django_session" ("session_key" varchar(40) NOT NULL PRIMARY KEY, "session_data" text NOT NULL, "expire_date" datetime NOT NULL)
session_key	varchar(40)	"session_key" varchar(40) NOT NULL
session_data	text	"session_data" text NOT NULL
expire_date	datetime	"expire_date" datetime NOT NULL
<b>sqlite_sequence</b>		CREATE TABLE sqlite_sequence(name,seq)
name		"name"
seq		"seq"

## Indices (25)

Name	Type	Schema
<b>Publisher_content_publisher_id_5458a617</b>		CREATE INDEX "Publisher_content_publisher_id_5458a617" ON "Publisher_content" ("publisher_id")
publisher_id		"publisher_id"
<b>Publisher_contentcategory_category_id_24843e41</b>		CREATE INDEX "Publisher_contentcategory_category_id_24843e41" ON "Publisher_contentcategory" ("category_id")
category_id		"category_id"
<b>Publisher_contentcategory_content_id_293a2973</b>		CREATE INDEX "Publisher_contentcategory_content_id_293a2973" ON "Publisher_contentcategory" ("content_id")
content_id		"content_id"
<b>Publisher_contentcategory_content_id_category_id_93222e12_uniq</b>		CREATE UNIQUE INDEX "Publisher_contentcategory_content_id_category_id_93222e12_uniq" ON "Publisher_contentcategory" ("content_id", "category_id")
content_id		"content_id"
category_id		"category_id"
<b>User_purchase_app_id_d59663b4</b>		CREATE INDEX "User_purchase_app_id_d59663b4" ON "User_purchase" ("app_id")
app_id		"app_id"
<b>User_purchase_ebook_id_dbd841c0</b>		CREATE INDEX "User_purchase_ebook_id_dbd841c0" ON "User_purchase" ("ebook_id")
ebook_id		"ebook_id"
<b>User_purchase_game_id_11ebf768</b>		CREATE INDEX "User_purchase_game_id_11ebf768" ON "User_purchase" ("game_id")
game_id		"game_id"
<b>User_purchase_user_id_bbf3888e</b>		CREATE INDEX "User_purchase_user_id_bbf3888e" ON "User_purchase" ("user_id")
user_id		"user_id"
<b>User_review_content_id_76a563e1</b>		CREATE INDEX "User_review_content_id_76a563e1" ON "User_review" ("content_id")
content_id		"content_id"
<b>User_review_user_id_e9645489</b>		CREATE INDEX "User_review_user_id_e9645489" ON "User_review" ("user_id")
user_id		"user_id"
<b>auth_group_permissions_group_id_b120cbf9</b>		CREATE INDEX "auth_group_permissions_group_id_b120cbf9" ON "auth_group_permissions" ("group_id")
group_id		"group_id"
<b>auth_group_permissions_group_id_permission_id_0cd325b0_uniq</b>		CREATE UNIQUE INDEX "auth_group_permissions_group_id_permission_id_0cd325b0_uniq" ON "auth_group_permissions" ("group_id", "permission_id")
group_id		"group_id"
permission_id		"permission_id"
<b>auth_group_permissions_permission_id_84c5c92e</b>		CREATE INDEX "auth_group_permissions_permission_id_84c5c92e" ON "auth_group_permissions" ("permission_id")
permission_id		"permission_id"

Name	Type	Schema
<b>auth_permission_content_type_id_2f476e4b</b>		CREATE INDEX "auth_permission_content_type_id_2f476e4b" ON "auth_permission" ("content_type_id")
content_type_id		"content_type_id"
<b>auth_permission_content_type_id_codename_01ab375a_uniq</b>		CREATE UNIQUE INDEX "auth_permission_content_type_id_codename_01ab375a_uniq" ON "auth_permission" ("content_type_id", "codename")
content_type_id		"content_type_id"
codename		"codename"
<b>auth_user_groups_group_id_97559544</b>		CREATE INDEX "auth_user_groups_group_id_97559544" ON "auth_user_groups" ("group_id")
group_id		"group_id"
<b>auth_user_groups_user_id_6a12ed8b</b>		CREATE INDEX "auth_user_groups_user_id_6a12ed8b" ON "auth_user_groups" ("user_id")
user_id		"user_id"
<b>auth_user_groups_user_id_group_id_94350c0c_uniq</b>		CREATE UNIQUE INDEX "auth_user_groups_user_id_group_id_94350c0c_uniq" ON "auth_user_groups" ("user_id", "group_id")
user_id		"user_id"
group_id		"group_id"
<b>auth_user_user_permissions_permission_id_1fbb5f2c</b>		CREATE INDEX "auth_user_user_permissions_permission_id_1fbb5f2c" ON "auth_user_user_permissions" ("permission_id")
permission_id		"permission_id"
<b>auth_user_user_permissions_user_id_a95ead1b</b>		CREATE INDEX "auth_user_user_permissions_user_id_a95ead1b" ON "auth_user_user_permissions" ("user_id")
user_id		"user_id"
<b>auth_user_user_permissions_user_id_permission_id_14a6b632_uniq</b>		CREATE UNIQUE INDEX "auth_user_user_permissions_user_id_permission_id_14a6b632_uniq" ON "auth_user_user_permissions" ("user_id", "permission_id")
user_id		"user_id"
permission_id		"permission_id"
<b>django_admin_log_content_type_id_c4bce8eb</b>		CREATE INDEX "django_admin_log_content_type_id_c4bce8eb" ON "django_admin_log" ("content_type_id")
content_type_id		"content_type_id"
<b>django_admin_log_user_id_c564eba6</b>		CREATE INDEX "django_admin_log_user_id_c564eba6" ON "django_admin_log" ("user_id")
user_id		"user_id"
<b>django_content_type_app_label_model_76bd3d3b_uniq</b>		CREATE UNIQUE INDEX "django_content_type_app_label_model_76bd3d3b_uniq" ON "django_content_type" ("app_label", "model")
app_label		"app_label"
model		"model"
<b>django_session_expire_date</b>		CREATE INDEX "django_session_expire_date_a5c62663" ON "django_session" ("expire_date")

Name	Type	Schema
<b>ate_a5c62663</b>		
expire_date		"expire_date"

## Views (0)

Name	Type	Schema
------	------	--------

## Triggers (0)

Name	Type	Schema
------	------	--------