

VHEGEN: A vibronic Hamiltonian expansion generator for trigonal and tetragonal polyatomic systems

Robert A. Lang

Riley J. Hickman

Tao Zeng

Thank you for using **VHEGEN**, the V-ibronic H-amiltonian E-xpansion GEN-erator for trigonal and tetragonal polyatomic systems. This is a **VHEGEN** output file compiled by **pdflatex**. If the **VHEGEN** package was used in research resulting in a publication, please reference the article in *Computer Physics Communications* which describes the program ([doi here]). Additional information regarding the matrix element expansion process, including the independent matrix element eigenvalues, their root formulas and constraints, and their transformation to the real basis (if applicable), can be found in the **log** output file. For questions, bugs, or comments, please contact robert.lang@mail.utoronto.ca.

Contents

1	Vibronic interaction	2
2	Vibronic Hamiltonian operator in the complex E basis	2
3	Matrix element expansions in the complex E basis	2
3.1	Order: 0	2
3.2	Order: 1	2
3.3	Order: 2	3
3.4	Order: 3	4
3.5	Order: 4	5
3.6	Order: 5	6
3.7	Order: 6	9
4	Vibronic Hamiltonian operator in the real E basis	13
5	Matrix element expansions in the real E basis	14
5.1	Order: 0	14
5.2	Order: 1	14
5.3	Order: 2	15
5.4	Order: 3	16
5.5	Order: 4	16
5.6	Order: 5	18
5.7	Order: 6	20

1 Vibronic interaction

$E'' \otimes (e' + e')$ in D_{3h}

2 Vibronic Hamiltonian operator in the complex E basis

$$\hat{H} = \begin{pmatrix} |+\rangle & |-\rangle \end{pmatrix} \begin{pmatrix} H_{++} & H_{+-} \\ H_{-+} & H_{--} \end{pmatrix} \begin{pmatrix} \langle +| \\ \langle -| \end{pmatrix}$$

3 Matrix element expansions in the complex E basis

3.1 Order: 0

Number of terms: H_{++} : 1, H_{--} : 1, H_{+-} : 0.

Polar e-coordinates:

$$H_{++}^{(0)} = a_{0,0,0,0}^r$$

$$H_{--}^{(0)} = a_{0,0,0,0}^r$$

$$H_{+-}^{(0)} = 0$$

$$H_{-+}^{(0)} = 0$$

Cartesian e-coordinates:

$$H_{++}^{(0)} = a_{0,0,0,0}^r$$

$$H_{--}^{(0)} = a_{0,0,0,0}^r$$

$$H_{+-}^{(0)} = 0$$

$$H_{-+}^{(0)} = 0$$

3.2 Order: 1

Number of terms: H_{++} : 0, H_{--} : 0, H_{+-} : 4.

Polar e-coordinates:

$$H_{++}^{(1)} = 0$$

$$H_{--}^{(1)} = 0$$

$$H_{+-}^{(1)} = -ib_{0,0,-1,-1}^r \rho_\alpha \sin(\phi_\alpha) + b_{0,0,-1,-1}^r \rho_\alpha \cos(\phi_\alpha) - ib_{0,0,0,-1}^r \rho_\beta \sin(\phi_\beta) + b_{0,0,0,-1}^r \rho_\beta \cos(\phi_\beta)$$

$$H_{-+}^{(1)} = ib_{0,0,-1,-1}^r \rho_\alpha \sin(\phi_\alpha) + b_{0,0,-1,-1}^r \rho_\alpha \cos(\phi_\alpha) + ib_{0,0,0,-1}^r \rho_\beta \sin(\phi_\beta) + b_{0,0,0,-1}^r \rho_\beta \cos(\phi_\beta)$$

Cartesian e-coordinates:

$$H_{++}^{(1)} = 0$$

$$H_{--}^{(1)} = 0$$

$$H_{+-}^{(1)} = b_{0,0,-1,-1}^r x_\alpha - ib_{0,0,-1,-1}^r y_\alpha + b_{0,0,0,-1}^r x_\beta - ib_{0,0,0,-1}^r y_\beta$$

$$H_{-+}^{(1)} = b_{0,0,-1,-1}^r x_\alpha + ib_{0,0,-1,-1}^r y_\alpha + b_{0,0,0,-1}^r x_\beta + ib_{0,0,0,-1}^r y_\beta$$

3.3 Order: 2

Number of terms: H_{++} : 3, H_{--} : 3, H_{+-} : 6.

Polar e-coordinates:

$$H_{++}^{(2)} = a_{0,0,1,0}^r \rho_\alpha \rho_\beta \cos(\phi_\alpha - \phi_\beta) + a_{0,2,0,0}^r \rho_\beta^2 + a_{2,0,0,0}^r \rho_\alpha^2$$

$$H_{--}^{(2)} = a_{0,0,1,0}^r \rho_\alpha \rho_\beta \cos(\phi_\alpha - \phi_\beta) + a_{0,2,0,0}^r \rho_\beta^2 + a_{2,0,0,0}^r \rho_\alpha^2$$

$$H_{+-}^{(2)} = ib_{0,0,0,2}^r \rho_\beta^2 \sin(2\phi_\beta) + b_{0,0,0,2}^r \rho_\beta^2 \cos(2\phi_\beta) + ib_{0,0,1,2}^r \rho_\alpha \rho_\beta \sin(\phi_\alpha + \phi_\beta) + b_{0,0,1,2}^r \rho_\alpha \rho_\beta \cos(\phi_\alpha + \phi_\beta) \\ + ib_{0,0,2,2}^r \rho_\alpha^2 \sin(2\phi_\alpha) + b_{0,0,2,2}^r \rho_\alpha^2 \cos(2\phi_\alpha)$$

$$H_{-+}^{(2)} = -ib_{0,0,0,2}^r \rho_\beta^2 \sin(2\phi_\beta) + b_{0,0,0,2}^r \rho_\beta^2 \cos(2\phi_\beta) - ib_{0,0,1,2}^r \rho_\alpha \rho_\beta \sin(\phi_\alpha + \phi_\beta) + b_{0,0,1,2}^r \rho_\alpha \rho_\beta \cos(\phi_\alpha + \phi_\beta) \\ - ib_{0,0,2,2}^r \rho_\alpha^2 \sin(2\phi_\alpha) + b_{0,0,2,2}^r \rho_\alpha^2 \cos(2\phi_\alpha)$$

Cartesian e-coordinates:

$$H_{++}^{(2)} = a_{0,0,1,0}^r (x_\alpha x_\beta + y_\alpha y_\beta) + a_{0,2,0,0}^r (x_\beta^2 + y_\beta^2) + a_{2,0,0,0}^r (x_\alpha^2 + y_\alpha^2)$$

$$H_{--}^{(2)} = a_{0,0,1,0}^r (x_\alpha x_\beta + y_\alpha y_\beta) + a_{0,2,0,0}^r (x_\beta^2 + y_\beta^2) + a_{2,0,0,0}^r (x_\alpha^2 + y_\alpha^2)$$

$$H_{+-}^{(2)} = 2ib_{0,0,0,2}^r x_\beta y_\beta + b_{0,0,0,2}^r (x_\beta - y_\beta) (x_\beta + y_\beta) + b_{0,0,1,2}^r (x_\alpha x_\beta - y_\alpha y_\beta) + ib_{0,0,1,2}^r (x_\alpha y_\beta + x_\beta y_\alpha) \\ + 2ib_{0,0,2,2}^r x_\alpha y_\alpha + b_{0,0,2,2}^r (x_\alpha - y_\alpha) (x_\alpha + y_\alpha)$$

$$H_{-+}^{(2)} = -2ib_{0,0,0,2}^r x_\beta y_\beta + b_{0,0,0,2}^r (x_\beta - y_\beta) (x_\beta + y_\beta) + b_{0,0,1,2}^r (x_\alpha x_\beta - y_\alpha y_\beta) - ib_{0,0,1,2}^r (x_\alpha y_\beta + x_\beta y_\alpha) \\ - 2ib_{0,0,2,2}^r x_\alpha y_\alpha + b_{0,0,2,2}^r (x_\alpha - y_\alpha) (x_\alpha + y_\alpha)$$

3.4 Order: 3

Number of terms: H_{++} : 4, H_{--} : 4, H_{+-} : 12.

Polar e-coordinates:

$$H_{++}^{(3)} = a_{0,0,0,3}^r \rho_\beta^3 \cos(3\phi_\beta) + a_{0,0,1,3}^r \rho_\alpha \rho_\beta^2 \cos(\phi_\alpha + 2\phi_\beta) + a_{0,0,2,3}^r \rho_\alpha^2 \rho_\beta \cos(2\phi_\alpha + \phi_\beta) + a_{0,0,3,3}^r \rho_\alpha^3 \cos(3\phi_\alpha)$$

$$H_{--}^{(3)} = a_{0,0,0,3}^r \rho_\beta^3 \cos(3\phi_\beta) + a_{0,0,1,3}^r \rho_\alpha \rho_\beta^2 \cos(\phi_\alpha + 2\phi_\beta) + a_{0,0,2,3}^r \rho_\alpha^2 \rho_\beta \cos(2\phi_\alpha + \phi_\beta) + a_{0,0,3,3}^r \rho_\alpha^3 \cos(3\phi_\alpha)$$

$$H_{+-}^{(3)} = -ib_{0,0,-2,-1}^r \rho_\alpha^2 \rho_\beta \sin(2\phi_\alpha - \phi_\beta) + b_{0,0,-2,-1}^r \rho_\alpha^2 \rho_\beta \cos(2\phi_\alpha - \phi_\beta) + ib_{0,0,1,-1}^r \rho_\alpha \rho_\beta^2 \sin(\phi_\alpha - 2\phi_\beta) \\ + b_{0,0,1,-1}^r \rho_\alpha \rho_\beta^2 \cos(\phi_\alpha - 2\phi_\beta) - ib_{0,2,-1,-1}^r \rho_\alpha \rho_\beta^2 \sin(\phi_\alpha) + b_{0,2,-1,-1}^r \rho_\alpha \rho_\beta^2 \cos(\phi_\alpha) \\ - ib_{0,2,0,-1}^r \rho_\beta^3 \sin(\phi_\beta) + b_{0,2,0,-1}^r \rho_\beta^3 \cos(\phi_\beta) - ib_{2,0,-1,-1}^r \rho_\alpha^3 \sin(\phi_\alpha) + b_{2,0,-1,-1}^r \rho_\alpha^3 \cos(\phi_\alpha) \\ - ib_{2,0,0,-1}^r \rho_\alpha^2 \rho_\beta \sin(\phi_\beta) + b_{2,0,0,-1}^r \rho_\alpha^2 \rho_\beta \cos(\phi_\beta)$$

$$H_{-+}^{(3)} = ib_{0,0,-2,-1}^r \rho_\alpha^2 \rho_\beta \sin(2\phi_\alpha - \phi_\beta) + b_{0,0,-2,-1}^r \rho_\alpha^2 \rho_\beta \cos(2\phi_\alpha - \phi_\beta) - ib_{0,0,1,-1}^r \rho_\alpha \rho_\beta^2 \sin(\phi_\alpha - 2\phi_\beta) \\ + b_{0,0,1,-1}^r \rho_\alpha \rho_\beta^2 \cos(\phi_\alpha - 2\phi_\beta) + ib_{0,2,-1,-1}^r \rho_\alpha \rho_\beta^2 \sin(\phi_\alpha) + b_{0,2,-1,-1}^r \rho_\alpha \rho_\beta^2 \cos(\phi_\alpha) \\ + ib_{0,2,0,-1}^r \rho_\beta^3 \sin(\phi_\beta) + b_{0,2,0,-1}^r \rho_\beta^3 \cos(\phi_\beta) + ib_{2,0,-1,-1}^r \rho_\alpha^3 \sin(\phi_\alpha) + b_{2,0,-1,-1}^r \rho_\alpha^3 \cos(\phi_\alpha) \\ + ib_{2,0,0,-1}^r \rho_\alpha^2 \rho_\beta \sin(\phi_\beta) + b_{2,0,0,-1}^r \rho_\alpha^2 \rho_\beta \cos(\phi_\beta)$$

Cartesian e-coordinates:

$$H_{++}^{(3)} = a_{0,0,0,3}^r x_\beta (x_\beta^2 - 3y_\beta^2) + a_{0,0,1,3}^r (x_\alpha (x_\beta^2 - y_\beta^2) - 2x_\beta y_\alpha y_\beta) \\ + a_{0,0,2,3}^r (-2x_\alpha y_\alpha y_\beta + x_\beta (x_\alpha^2 - y_\alpha^2)) + a_{0,0,3,3}^r x_\alpha (x_\alpha^2 - 3y_\alpha^2)$$

$$H_{--}^{(3)} = a_{0,0,0,3}^r x_\beta (x_\beta^2 - 3y_\beta^2) + a_{0,0,1,3}^r (x_\alpha (x_\beta^2 - y_\beta^2) - 2x_\beta y_\alpha y_\beta) \\ + a_{0,0,2,3}^r (-2x_\alpha y_\alpha y_\beta + x_\beta (x_\alpha^2 - y_\alpha^2)) + a_{0,0,3,3}^r x_\alpha (x_\alpha^2 - 3y_\alpha^2)$$

$$\begin{aligned}
H_{+-}^{(3)} = & ib_{0,0,-2,-1}^r (-2x_\alpha x_\beta y_\alpha + y_\beta (x_\alpha^2 - y_\alpha^2)) + b_{0,0,-2,-1}^r (2x_\alpha y_\alpha y_\beta + x_\beta (x_\alpha^2 - y_\alpha^2)) \\
& + b_{0,0,1,-1}^r (x_\alpha (x_\beta^2 - y_\beta^2) + 2x_\beta y_\alpha y_\beta) - ib_{0,0,1,-1}^r (2x_\alpha x_\beta y_\beta + y_\alpha (-x_\beta^2 + y_\beta^2)) \\
& + b_{0,2,-1,-1}^r x_\alpha (x_\beta^2 + y_\beta^2) - ib_{0,2,-1,-1}^r y_\alpha (x_\beta^2 + y_\beta^2) + b_{0,2,0,-1}^r x_\beta (x_\beta^2 + y_\beta^2) - ib_{0,2,0,-1}^r y_\beta (x_\beta^2 + y_\beta^2) \\
& + b_{2,0,-1,-1}^r x_\alpha (x_\alpha^2 + y_\alpha^2) - ib_{2,0,-1,-1}^r y_\alpha (x_\alpha^2 + y_\alpha^2) + b_{2,0,0,-1}^r x_\beta (x_\alpha^2 + y_\alpha^2) - ib_{2,0,0,-1}^r y_\beta (x_\alpha^2 + y_\alpha^2)
\end{aligned}$$

$$\begin{aligned}
H_{-+}^{(3)} = & -ib_{0,0,-2,-1}^r (-2x_\alpha x_\beta y_\alpha + y_\beta (x_\alpha^2 - y_\alpha^2)) + b_{0,0,-2,-1}^r (2x_\alpha y_\alpha y_\beta + x_\beta (x_\alpha^2 - y_\alpha^2)) \\
& + b_{0,0,1,-1}^r (x_\alpha (x_\beta^2 - y_\beta^2) + 2x_\beta y_\alpha y_\beta) + ib_{0,0,1,-1}^r (2x_\alpha x_\beta y_\beta + y_\alpha (-x_\beta^2 + y_\beta^2)) \\
& + b_{0,2,-1,-1}^r x_\alpha (x_\beta^2 + y_\beta^2) + ib_{0,2,-1,-1}^r y_\alpha (x_\beta^2 + y_\beta^2) + b_{0,2,0,-1}^r x_\beta (x_\beta^2 + y_\beta^2) + ib_{0,2,0,-1}^r y_\beta (x_\beta^2 + y_\beta^2) \\
& + b_{2,0,-1,-1}^r x_\alpha (x_\alpha^2 + y_\alpha^2) + ib_{2,0,-1,-1}^r y_\alpha (x_\alpha^2 + y_\alpha^2) + b_{2,0,0,-1}^r x_\beta (x_\alpha^2 + y_\alpha^2) + ib_{2,0,0,-1}^r y_\beta (x_\alpha^2 + y_\alpha^2)
\end{aligned}$$

3.5 Order: 4

Number of terms: H_{++} : 6, H_{--} : 6, H_{+-} : 26.

Polar e-coordinates:

$$\begin{aligned}
H_{++}^{(4)} = & a_{0,0,2,0}^r \rho_\alpha^2 \rho_\beta^2 \cos(2\phi_\alpha - 2\phi_\beta) + a_{0,2,1,0}^r \rho_\alpha \rho_\beta^3 \cos(\phi_\alpha - \phi_\beta) \\
& + a_{0,4,0,0}^r \rho_\beta^4 + a_{2,0,1,0}^r \rho_\alpha^3 \rho_\beta \cos(\phi_\alpha - \phi_\beta) + a_{2,2,0,0}^r \rho_\alpha^2 \rho_\beta^2 + a_{4,0,0,0}^r \rho_\alpha^4
\end{aligned}$$

$$\begin{aligned}
H_{--}^{(4)} = & a_{0,0,2,0}^r \rho_\alpha^2 \rho_\beta^2 \cos(2\phi_\alpha - 2\phi_\beta) + a_{0,2,1,0}^r \rho_\alpha \rho_\beta^3 \cos(\phi_\alpha - \phi_\beta) \\
& + a_{0,4,0,0}^r \rho_\beta^4 + a_{2,0,1,0}^r \rho_\alpha^3 \rho_\beta \cos(\phi_\alpha - \phi_\beta) + a_{2,2,0,0}^r \rho_\alpha^2 \rho_\beta^2 + a_{4,0,0,0}^r \rho_\alpha^4
\end{aligned}$$

$$\begin{aligned}
H_{+-}^{(4)} = & -ib_{0,0,-1,-4}^r \rho_\alpha \rho_\beta^3 \sin(\phi_\alpha + 3\phi_\beta) + b_{0,0,-1,-4}^r \rho_\alpha \rho_\beta^3 \cos(\phi_\alpha + 3\phi_\beta) - ib_{0,0,-1,2}^r \rho_\alpha \rho_\beta^3 \sin(\phi_\alpha - 3\phi_\beta) \\
& + b_{0,0,-1,2}^r \rho_\alpha \rho_\beta^3 \cos(\phi_\alpha - 3\phi_\beta) - ib_{0,0,-2,-4}^r \rho_\alpha^2 \rho_\beta^2 \sin(2\phi_\alpha + 2\phi_\beta) + b_{0,0,-2,-4}^r \rho_\alpha^2 \rho_\beta^2 \cos(2\phi_\alpha + 2\phi_\beta) \\
& - ib_{0,0,-3,-4}^r \rho_\alpha^3 \rho_\beta \sin(3\phi_\alpha + \phi_\beta) + b_{0,0,-3,-4}^r \rho_\alpha^3 \rho_\beta \cos(3\phi_\alpha + \phi_\beta) - ib_{0,0,-4,-4}^r \rho_\alpha^4 \sin(4\phi_\alpha) + b_{0,0,-4,-4}^r \rho_\alpha^4 \cos(4\phi_\alpha) \\
& - ib_{0,0,0,-4}^r \rho_\beta^4 \sin(4\phi_\beta) + b_{0,0,0,-4}^r \rho_\beta^4 \cos(4\phi_\beta) + ib_{0,0,3,2}^r \rho_\alpha^3 \rho_\beta \sin(3\phi_\alpha - \phi_\beta) + b_{0,0,3,2}^r \rho_\alpha^3 \rho_\beta \cos(3\phi_\alpha - \phi_\beta) \\
& + ib_{0,2,0,2}^r \rho_\beta^4 \sin(2\phi_\beta) + b_{0,2,0,2}^r \rho_\beta^4 \cos(2\phi_\beta) + ib_{0,2,1,2}^r \rho_\alpha \rho_\beta^3 \sin(\phi_\alpha + \phi_\beta) + b_{0,2,1,2}^r \rho_\alpha \rho_\beta^3 \cos(\phi_\alpha + \phi_\beta) \\
& + ib_{0,2,2,2}^r \rho_\alpha^2 \rho_\beta^2 \sin(2\phi_\alpha) + b_{0,2,2,2}^r \rho_\alpha^2 \rho_\beta^2 \cos(2\phi_\alpha) + ib_{2,0,0,2}^r \rho_\alpha^2 \rho_\beta^2 \sin(2\phi_\beta) + b_{2,0,0,2}^r \rho_\alpha^2 \rho_\beta^2 \cos(2\phi_\beta) \\
& + ib_{2,0,1,2}^r \rho_\alpha^3 \rho_\beta \sin(\phi_\alpha + \phi_\beta) + b_{2,0,1,2}^r \rho_\alpha^3 \rho_\beta \cos(\phi_\alpha + \phi_\beta) + ib_{2,0,2,2}^r \rho_\alpha^4 \sin(2\phi_\alpha) + b_{2,0,2,2}^r \rho_\alpha^4 \cos(2\phi_\alpha)
\end{aligned}$$

$$\begin{aligned}
H_{-+}^{(4)} = & ib_{0,0,-1,-4}^r \rho_\alpha \rho_\beta^3 \sin(\phi_\alpha + 3\phi_\beta) + b_{0,0,-1,-4}^r \rho_\alpha \rho_\beta^3 \cos(\phi_\alpha + 3\phi_\beta) + ib_{0,0,-1,2}^r \rho_\alpha \rho_\beta^3 \sin(\phi_\alpha - 3\phi_\beta) \\
& + b_{0,0,-1,2}^r \rho_\alpha \rho_\beta^3 \cos(\phi_\alpha - 3\phi_\beta) + ib_{0,0,-2,-4}^r \rho_\alpha^2 \rho_\beta^2 \sin(2\phi_\alpha + 2\phi_\beta) + b_{0,0,-2,-4}^r \rho_\alpha^2 \rho_\beta^2 \cos(2\phi_\alpha + 2\phi_\beta) \\
& + ib_{0,0,-3,-4}^r \rho_\alpha^3 \rho_\beta \sin(3\phi_\alpha + \phi_\beta) + b_{0,0,-3,-4}^r \rho_\alpha^3 \rho_\beta \cos(3\phi_\alpha + \phi_\beta) + ib_{0,0,-4,-4}^r \rho_\alpha^4 \sin(4\phi_\alpha) + b_{0,0,-4,-4}^r \rho_\alpha^4 \cos(4\phi_\alpha) \\
& + ib_{0,0,0,-4}^r \rho_\beta^4 \sin(4\phi_\beta) + b_{0,0,0,-4}^r \rho_\beta^4 \cos(4\phi_\beta) - ib_{0,0,3,2}^r \rho_\alpha^3 \rho_\beta \sin(3\phi_\alpha - \phi_\beta) + b_{0,0,3,2}^r \rho_\alpha^3 \rho_\beta \cos(3\phi_\alpha - \phi_\beta) \\
& - ib_{0,2,0,2}^r \rho_\beta^4 \sin(2\phi_\beta) + b_{0,2,0,2}^r \rho_\beta^4 \cos(2\phi_\beta) - ib_{0,2,1,2}^r \rho_\alpha \rho_\beta^3 \sin(\phi_\alpha + \phi_\beta) + b_{0,2,1,2}^r \rho_\alpha \rho_\beta^3 \cos(\phi_\alpha + \phi_\beta) \\
& - ib_{0,2,2,2}^r \rho_\alpha^2 \rho_\beta^2 \sin(2\phi_\alpha) + b_{0,2,2,2}^r \rho_\alpha^2 \rho_\beta^2 \cos(2\phi_\alpha) - ib_{2,0,0,2}^r \rho_\alpha^2 \rho_\beta^2 \sin(2\phi_\beta) + b_{2,0,0,2}^r \rho_\alpha^2 \rho_\beta^2 \cos(2\phi_\beta) \\
& - ib_{2,0,1,2}^r \rho_\alpha^3 \rho_\beta \sin(\phi_\alpha + \phi_\beta) + b_{2,0,1,2}^r \rho_\alpha^3 \rho_\beta \cos(\phi_\alpha + \phi_\beta) - ib_{2,0,2,2}^r \rho_\alpha^4 \sin(2\phi_\alpha) + b_{2,0,2,2}^r \rho_\alpha^4 \cos(2\phi_\alpha)
\end{aligned}$$

Cartesian e-coordinates:

$$H_{++}^{(4)} = a_{0,0,2,0}^r (x_\alpha (x_\beta - y_\beta) + y_\alpha (x_\beta + y_\beta)) (x_\alpha (x_\beta + y_\beta) + y_\alpha (-x_\beta + y_\beta)) + a_{0,2,1,0}^r (x_\beta^2 + y_\beta^2) (x_\alpha x_\beta + y_\alpha y_\beta) \\ + a_{0,4,0,0}^r (x_\beta^2 + y_\beta^2)^2 + a_{2,0,1,0}^r (x_\alpha^2 + y_\alpha^2) (x_\alpha x_\beta + y_\alpha y_\beta) + a_{2,2,0,0}^r (x_\alpha^2 + y_\alpha^2) (x_\beta^2 + y_\beta^2) + a_{4,0,0,0}^r (x_\alpha^2 + y_\alpha^2)^2$$

$$H_{--}^{(4)} = a_{0,0,2,0}^r (x_\alpha (x_\beta - y_\beta) + y_\alpha (x_\beta + y_\beta)) (x_\alpha (x_\beta + y_\beta) + y_\alpha (-x_\beta + y_\beta)) + a_{0,2,1,0}^r (x_\beta^2 + y_\beta^2) (x_\alpha x_\beta + y_\alpha y_\beta) \\ + a_{0,4,0,0}^r (x_\beta^2 + y_\beta^2)^2 + a_{2,0,1,0}^r (x_\alpha^2 + y_\alpha^2) (x_\alpha x_\beta + y_\alpha y_\beta) + a_{2,2,0,0}^r (x_\alpha^2 + y_\alpha^2) (x_\beta^2 + y_\beta^2) + a_{4,0,0,0}^r (x_\alpha^2 + y_\alpha^2)^2$$

$$H_{+-}^{(4)} = b_{0,0,-1,-4}^r (x_\alpha (x_\beta^3 - 3x_\beta y_\beta^2) + y_\alpha (-3x_\beta^2 y_\beta + y_\beta^3)) - ib_{0,0,-1,-4}^r (x_\alpha (3x_\beta^2 y_\beta - y_\beta^3) + y_\alpha (x_\beta^3 - 3x_\beta y_\beta^2)) \\ + b_{0,0,-1,2}^r (x_\alpha (x_\beta^3 - 3x_\beta y_\beta^2) + y_\alpha (3x_\beta^2 y_\beta - y_\beta^3)) + ib_{0,0,-1,2}^r (x_\alpha (3x_\beta^2 y_\beta - y_\beta^3) + y_\alpha (-x_\beta^3 + 3x_\beta y_\beta^2)) \\ - 2ib_{0,0,-2,-4}^r (x_\alpha x_\beta - y_\alpha y_\beta) (x_\alpha y_\beta + x_\beta y_\alpha) + b_{0,0,-2,-4}^r (x_\alpha (x_\beta - y_\beta) + y_\alpha (-x_\beta - y_\beta)) (x_\alpha (x_\beta + y_\beta) + y_\alpha (x_\beta - y_\beta)) \\ + b_{0,0,-3,-4}^r (x_\alpha^3 x_\beta - 3x_\alpha^2 y_\alpha y_\beta - 3x_\alpha x_\beta y_\alpha^2 + y_\alpha^3 y_\beta) - ib_{0,0,-3,-4}^r (x_\alpha^3 y_\beta + 3x_\alpha^2 x_\beta y_\alpha - 3x_\alpha y_\alpha^2 y_\beta - x_\beta y_\alpha^3) \\ - 4ib_{0,0,-4,-4}^r x_\alpha y_\alpha (x_\alpha - y_\alpha) (x_\alpha + y_\alpha) + b_{0,0,-4,-4}^r (x_\alpha^2 - 2x_\alpha y_\alpha - y_\alpha^2) (x_\alpha^2 + 2x_\alpha y_\alpha - y_\alpha^2) \\ - 4ib_{0,0,0,-4}^r x_\beta y_\beta (x_\beta - y_\beta) (x_\beta + y_\beta) + b_{0,0,0,-4}^r (x_\beta^2 - 2x_\beta y_\beta - y_\beta^2) (x_\beta^2 + 2x_\beta y_\beta - y_\beta^2) \\ + b_{0,0,3,2}^r (x_\alpha^3 x_\beta + 3x_\alpha^2 y_\alpha y_\beta - 3x_\alpha x_\beta y_\alpha^2 - y_\alpha^3 y_\beta) - ib_{0,0,3,2}^r (x_\alpha^3 y_\beta - 3x_\alpha^2 x_\beta y_\alpha - 3x_\alpha y_\alpha^2 y_\beta + x_\beta y_\alpha^3) \\ + 2ib_{0,2,0,2}^r x_\beta y_\beta (x_\beta^2 + y_\beta^2) + b_{0,2,0,2}^r (x_\beta - y_\beta) (x_\beta + y_\beta) (x_\beta^2 + y_\beta^2) + b_{0,2,1,2}^r (x_\beta^2 + y_\beta^2) (x_\alpha x_\beta - y_\alpha y_\beta) \\ + ib_{0,2,1,2}^r (x_\beta^2 + y_\beta^2) (x_\alpha y_\beta + x_\beta y_\alpha) + 2ib_{0,2,2,2}^r x_\alpha y_\alpha (x_\beta^2 + y_\beta^2) + b_{0,2,2,2}^r (x_\alpha - y_\alpha) (x_\alpha + y_\alpha) (x_\beta^2 + y_\beta^2) \\ + 2ib_{2,0,0,2}^r x_\beta y_\beta (x_\alpha^2 + y_\alpha^2) + b_{2,0,0,2}^r (x_\alpha^2 + y_\alpha^2) (x_\beta - y_\beta) (x_\beta + y_\beta) + b_{2,0,1,2}^r (x_\alpha^2 + y_\alpha^2) (x_\alpha x_\beta - y_\alpha y_\beta) \\ + ib_{2,0,1,2}^r (x_\alpha^2 + y_\alpha^2) (x_\alpha y_\beta + x_\beta y_\alpha) + 2ib_{2,0,2,2}^r x_\alpha y_\alpha (x_\alpha^2 + y_\alpha^2) + b_{2,0,2,2}^r (x_\alpha - y_\alpha) (x_\alpha + y_\alpha) (x_\alpha^2 + y_\alpha^2)$$

$$H_{-+}^{(4)} = b_{0,0,-1,-4}^r (x_\alpha (x_\beta^3 - 3x_\beta y_\beta^2) + y_\alpha (-3x_\beta^2 y_\beta + y_\beta^3)) + ib_{0,0,-1,-4}^r (x_\alpha (3x_\beta^2 y_\beta - y_\beta^3) + y_\alpha (x_\beta^3 - 3x_\beta y_\beta^2)) \\ + b_{0,0,-1,2}^r (x_\alpha (x_\beta^3 - 3x_\beta y_\beta^2) + y_\alpha (3x_\beta^2 y_\beta - y_\beta^3)) - ib_{0,0,-1,2}^r (x_\alpha (3x_\beta^2 y_\beta - y_\beta^3) + y_\alpha (-x_\beta^3 + 3x_\beta y_\beta^2)) \\ + 2ib_{0,0,-2,-4}^r (x_\alpha x_\beta - y_\alpha y_\beta) (x_\alpha y_\beta + x_\beta y_\alpha) + b_{0,0,-2,-4}^r (x_\alpha (x_\beta - y_\beta) + y_\alpha (-x_\beta - y_\beta)) (x_\alpha (x_\beta + y_\beta) + y_\alpha (x_\beta - y_\beta)) \\ + b_{0,0,-3,-4}^r (x_\alpha^3 x_\beta - 3x_\alpha^2 y_\alpha y_\beta - 3x_\alpha x_\beta y_\alpha^2 + y_\alpha^3 y_\beta) + ib_{0,0,-3,-4}^r (x_\alpha^3 y_\beta + 3x_\alpha^2 x_\beta y_\alpha - 3x_\alpha y_\alpha^2 y_\beta - x_\beta y_\alpha^3) \\ + 4ib_{0,0,-4,-4}^r x_\alpha y_\alpha (x_\alpha - y_\alpha) (x_\alpha + y_\alpha) + b_{0,0,-4,-4}^r (x_\alpha^2 - 2x_\alpha y_\alpha - y_\alpha^2) (x_\alpha^2 + 2x_\alpha y_\alpha - y_\alpha^2) \\ + 4ib_{0,0,0,-4}^r x_\beta y_\beta (x_\beta - y_\beta) (x_\beta + y_\beta) + b_{0,0,0,-4}^r (x_\beta^2 - 2x_\beta y_\beta - y_\beta^2) (x_\beta^2 + 2x_\beta y_\beta - y_\beta^2) \\ + b_{0,0,3,2}^r (x_\alpha^3 x_\beta + 3x_\alpha^2 y_\alpha y_\beta - 3x_\alpha x_\beta y_\alpha^2 - y_\alpha^3 y_\beta) + ib_{0,0,3,2}^r (x_\alpha^3 y_\beta - 3x_\alpha^2 x_\beta y_\alpha - 3x_\alpha y_\alpha^2 y_\beta + x_\beta y_\alpha^3) \\ - 2ib_{0,2,0,2}^r x_\beta y_\beta (x_\beta^2 + y_\beta^2) + b_{0,2,0,2}^r (x_\beta - y_\beta) (x_\beta + y_\beta) (x_\beta^2 + y_\beta^2) + b_{0,2,1,2}^r (x_\beta^2 + y_\beta^2) (x_\alpha x_\beta - y_\alpha y_\beta) \\ - ib_{0,2,1,2}^r (x_\beta^2 + y_\beta^2) (x_\alpha y_\beta + x_\beta y_\alpha) - 2ib_{0,2,2,2}^r x_\alpha y_\alpha (x_\beta^2 + y_\beta^2) + b_{0,2,2,2}^r (x_\alpha - y_\alpha) (x_\alpha + y_\alpha) (x_\beta^2 + y_\beta^2) \\ - 2ib_{2,0,0,2}^r x_\beta y_\beta (x_\alpha^2 + y_\alpha^2) + b_{2,0,0,2}^r (x_\alpha^2 + y_\alpha^2) (x_\beta - y_\beta) (x_\beta + y_\beta) + b_{2,0,1,2}^r (x_\alpha^2 + y_\alpha^2) (x_\alpha x_\beta - y_\alpha y_\beta) \\ - ib_{2,0,1,2}^r (x_\alpha^2 + y_\alpha^2) (x_\alpha y_\beta + x_\beta y_\alpha) - 2ib_{2,0,2,2}^r x_\alpha y_\alpha (x_\alpha^2 + y_\alpha^2) + b_{2,0,2,2}^r (x_\alpha - y_\alpha) (x_\alpha + y_\alpha) (x_\alpha^2 + y_\alpha^2)$$

3.6 Order: 5

Number of terms: H_{++} : 10, H_{--} : 10, H_{+-} : 36.

Polar e-coordinates:

$$H_{++}^{(5)} = a_{0,0,-1,3}^r \rho_\alpha \rho_\beta^4 \cos(\phi_\alpha - 4\phi_\beta) + a_{0,0,4,3}^r \rho_\alpha^4 \rho_\beta \cos(4\phi_\alpha - \phi_\beta) + a_{0,2,0,3}^r \rho_\beta^5 \cos(3\phi_\beta) + a_{0,2,1,3}^r \rho_\alpha \rho_\beta^4 \cos(\phi_\alpha + 2\phi_\beta) \\ + a_{0,2,2,3}^r \rho_\alpha^2 \rho_\beta^3 \cos(2\phi_\alpha + \phi_\beta) + a_{0,2,3,3}^r \rho_\alpha^3 \rho_\beta^2 \cos(3\phi_\alpha) + a_{2,0,0,3}^r \rho_\alpha^2 \rho_\beta^3 \cos(3\phi_\beta) + a_{2,0,1,3}^r \rho_\alpha^3 \rho_\beta^2 \cos(\phi_\alpha + 2\phi_\beta) \\ + a_{2,0,2,3}^r \rho_\alpha^4 \rho_\beta \cos(2\phi_\alpha + \phi_\beta) + a_{2,0,3,3}^r \rho_\alpha^5 \cos(3\phi_\alpha)$$

$$\begin{aligned}
H_{--}^{(5)} = & a_{0,0,-1,3}^r \rho_\alpha \rho_\beta^4 \cos(\phi_\alpha - 4\phi_\beta) + a_{0,0,4,3}^r \rho_\alpha^4 \rho_\beta \cos(4\phi_\alpha - \phi_\beta) + a_{0,2,0,3}^r \rho_\beta^5 \cos(3\phi_\beta) + a_{0,2,1,3}^r \rho_\alpha \rho_\beta^4 \cos(\phi_\alpha + 2\phi_\beta) \\
& + a_{0,2,2,3}^r \rho_\alpha^2 \rho_\beta^3 \cos(2\phi_\alpha + \phi_\beta) + a_{0,2,3,3}^r \rho_\alpha^3 \rho_\beta^2 \cos(3\phi_\alpha) + a_{2,0,0,3}^r \rho_\alpha^2 \rho_\beta^3 \cos(3\phi_\beta) + a_{2,0,1,3}^r \rho_\alpha^3 \rho_\beta^2 \cos(\phi_\alpha + 2\phi_\beta) \\
& + a_{2,0,2,3}^r \rho_\alpha^4 \rho_\beta \cos(2\phi_\alpha + \phi_\beta) + a_{2,0,3,3}^r \rho_\alpha^5 \cos(3\phi_\alpha)
\end{aligned}$$

$$\begin{aligned}
H_{+-}^{(5)} = & -ib_{0,0,-3,-1}^r \rho_\alpha^3 \rho_\beta^2 \sin(3\phi_\alpha - 2\phi_\beta) + b_{0,0,-3,-1}^r \rho_\alpha^3 \rho_\beta^2 \cos(3\phi_\alpha - 2\phi_\beta) + ib_{0,0,0,5}^r \rho_\beta^5 \sin(5\phi_\beta) + b_{0,0,0,5}^r \rho_\beta^5 \cos(5\phi_\beta) \\
& + ib_{0,0,1,5}^r \rho_\alpha \rho_\beta^4 \sin(\phi_\alpha + 4\phi_\beta) + b_{0,0,1,5}^r \rho_\alpha \rho_\beta^4 \cos(\phi_\alpha + 4\phi_\beta) + ib_{0,0,2,-1}^r \rho_\alpha^2 \rho_\beta^3 \sin(2\phi_\alpha - 3\phi_\beta) \\
& + b_{0,0,2,-1}^r \rho_\alpha^2 \rho_\beta^3 \cos(2\phi_\alpha - 3\phi_\beta) + ib_{0,0,2,5}^r \rho_\alpha^2 \rho_\beta^3 \sin(2\phi_\alpha + 3\phi_\beta) + b_{0,0,2,5}^r \rho_\alpha^2 \rho_\beta^3 \cos(2\phi_\alpha + 3\phi_\beta) \\
& + ib_{0,0,3,5}^r \rho_\alpha^3 \rho_\beta^2 \sin(3\phi_\alpha + 2\phi_\beta) + b_{0,0,3,5}^r \rho_\alpha^3 \rho_\beta^2 \cos(3\phi_\alpha + 2\phi_\beta) + ib_{0,0,4,5}^r \rho_\alpha^4 \rho_\beta \sin(4\phi_\alpha + \phi_\beta) \\
& + b_{0,0,4,5}^r \rho_\alpha^4 \rho_\beta \cos(4\phi_\alpha + \phi_\beta) + ib_{0,0,5,5}^r \rho_\alpha^5 \sin(5\phi_\alpha) + b_{0,0,5,5}^r \rho_\alpha^5 \cos(5\phi_\alpha) - ib_{0,2,-2,-1}^r \rho_\alpha^2 \rho_\beta^3 \sin(2\phi_\alpha - \phi_\beta) \\
& + b_{0,2,-2,-1}^r \rho_\alpha^2 \rho_\beta^3 \cos(2\phi_\alpha - \phi_\beta) + ib_{0,2,1,-1}^r \rho_\alpha \rho_\beta^4 \sin(\phi_\alpha - 2\phi_\beta) + b_{0,2,1,-1}^r \rho_\alpha \rho_\beta^4 \cos(\phi_\alpha - 2\phi_\beta) \\
& - ib_{0,4,-1,-1}^r \rho_\alpha \rho_\beta^4 \sin(\phi_\alpha) + b_{0,4,-1,-1}^r \rho_\alpha \rho_\beta^4 \cos(\phi_\alpha) - ib_{0,4,0,-1}^r \rho_\beta^5 \sin(\phi_\beta) + b_{0,4,0,-1}^r \rho_\beta^5 \cos(\phi_\beta) \\
& - ib_{2,0,-2,-1}^r \rho_\alpha^4 \rho_\beta \sin(2\phi_\alpha - \phi_\beta) + b_{2,0,-2,-1}^r \rho_\alpha^4 \rho_\beta \cos(2\phi_\alpha - \phi_\beta) + ib_{2,0,1,-1}^r \rho_\alpha^3 \rho_\beta^2 \sin(\phi_\alpha - 2\phi_\beta) \\
& + b_{2,0,1,-1}^r \rho_\alpha^3 \rho_\beta^2 \cos(\phi_\alpha - 2\phi_\beta) - ib_{2,2,-1,-1}^r \rho_\alpha^3 \rho_\beta^2 \sin(\phi_\alpha) + b_{2,2,-1,-1}^r \rho_\alpha^3 \rho_\beta^2 \cos(\phi_\alpha) \\
& - ib_{2,2,0,-1}^r \rho_\alpha^2 \rho_\beta^3 \sin(\phi_\beta) + b_{2,2,0,-1}^r \rho_\alpha^2 \rho_\beta^3 \cos(\phi_\beta) - ib_{4,0,-1,-1}^r \rho_\alpha^5 \sin(\phi_\alpha) + b_{4,0,-1,-1}^r \rho_\alpha^5 \cos(\phi_\alpha) \\
& - ib_{4,0,0,-1}^r \rho_\alpha^4 \rho_\beta \sin(\phi_\beta) + b_{4,0,0,-1}^r \rho_\alpha^4 \rho_\beta \cos(\phi_\beta)
\end{aligned}$$

$$\begin{aligned}
H_{-+}^{(5)} = & ib_{0,0,-3,-1}^r \rho_\alpha^3 \rho_\beta^2 \sin(3\phi_\alpha - 2\phi_\beta) + b_{0,0,-3,-1}^r \rho_\alpha^3 \rho_\beta^2 \cos(3\phi_\alpha - 2\phi_\beta) - ib_{0,0,0,5}^r \rho_\beta^5 \sin(5\phi_\beta) + b_{0,0,0,5}^r \rho_\beta^5 \cos(5\phi_\beta) \\
& - ib_{0,0,1,5}^r \rho_\alpha \rho_\beta^4 \sin(\phi_\alpha + 4\phi_\beta) + b_{0,0,1,5}^r \rho_\alpha \rho_\beta^4 \cos(\phi_\alpha + 4\phi_\beta) - ib_{0,0,2,-1}^r \rho_\alpha^2 \rho_\beta^3 \sin(2\phi_\alpha - 3\phi_\beta) \\
& + b_{0,0,2,-1}^r \rho_\alpha^2 \rho_\beta^3 \cos(2\phi_\alpha - 3\phi_\beta) - ib_{0,0,2,5}^r \rho_\alpha^2 \rho_\beta^3 \sin(2\phi_\alpha + 3\phi_\beta) + b_{0,0,2,5}^r \rho_\alpha^2 \rho_\beta^3 \cos(2\phi_\alpha + 3\phi_\beta) \\
& - ib_{0,0,3,5}^r \rho_\alpha^3 \rho_\beta^2 \sin(3\phi_\alpha + 2\phi_\beta) + b_{0,0,3,5}^r \rho_\alpha^3 \rho_\beta^2 \cos(3\phi_\alpha + 2\phi_\beta) - ib_{0,0,4,5}^r \rho_\alpha^4 \rho_\beta \sin(4\phi_\alpha + \phi_\beta) \\
& + b_{0,0,4,5}^r \rho_\alpha^4 \rho_\beta \cos(4\phi_\alpha + \phi_\beta) - ib_{0,0,5,5}^r \rho_\alpha^5 \sin(5\phi_\alpha) + b_{0,0,5,5}^r \rho_\alpha^5 \cos(5\phi_\alpha) + ib_{0,2,-2,-1}^r \rho_\alpha^2 \rho_\beta^3 \sin(2\phi_\alpha - \phi_\beta) \\
& + b_{0,2,-2,-1}^r \rho_\alpha^2 \rho_\beta^3 \cos(2\phi_\alpha - \phi_\beta) - ib_{0,2,1,-1}^r \rho_\alpha \rho_\beta^4 \sin(\phi_\alpha - 2\phi_\beta) + b_{0,2,1,-1}^r \rho_\alpha \rho_\beta^4 \cos(\phi_\alpha - 2\phi_\beta) \\
& + ib_{0,4,-1,-1}^r \rho_\alpha \rho_\beta^4 \sin(\phi_\alpha) + b_{0,4,-1,-1}^r \rho_\alpha \rho_\beta^4 \cos(\phi_\alpha) + ib_{0,4,0,-1}^r \rho_\beta^5 \sin(\phi_\beta) + b_{0,4,0,-1}^r \rho_\beta^5 \cos(\phi_\beta) \\
& + ib_{2,0,-2,-1}^r \rho_\alpha^4 \rho_\beta \sin(2\phi_\alpha - \phi_\beta) + b_{2,0,-2,-1}^r \rho_\alpha^4 \rho_\beta \cos(2\phi_\alpha - \phi_\beta) - ib_{2,0,1,-1}^r \rho_\alpha^3 \rho_\beta^2 \sin(\phi_\alpha - 2\phi_\beta) \\
& + b_{2,0,1,-1}^r \rho_\alpha^3 \rho_\beta^2 \cos(\phi_\alpha - 2\phi_\beta) + ib_{2,2,-1,-1}^r \rho_\alpha^3 \rho_\beta^2 \sin(\phi_\alpha) + b_{2,2,-1,-1}^r \rho_\alpha^3 \rho_\beta^2 \cos(\phi_\alpha) \\
& + ib_{2,2,0,-1}^r \rho_\alpha^2 \rho_\beta^3 \sin(\phi_\beta) + b_{2,2,0,-1}^r \rho_\alpha^2 \rho_\beta^3 \cos(\phi_\beta) + ib_{4,0,-1,-1}^r \rho_\alpha^5 \sin(\phi_\alpha) + b_{4,0,-1,-1}^r \rho_\alpha^5 \cos(\phi_\alpha) \\
& + ib_{4,0,0,-1}^r \rho_\alpha^4 \rho_\beta \sin(\phi_\beta) + b_{4,0,0,-1}^r \rho_\alpha^4 \rho_\beta \cos(\phi_\beta)
\end{aligned}$$

Cartesian e-coordinates:

$$\begin{aligned}
H_{++}^{(5)} = & a_{0,0,-1,3}^r (x_\alpha (x_\beta^4 - 6x_\beta^2 y_\beta^2 + y_\beta^4) + y_\alpha (4x_\beta^3 y_\beta - 4x_\beta y_\beta^3)) + a_{0,0,4,3}^r (4x_\alpha^3 y_\alpha y_\beta - 4x_\alpha y_\alpha^3 y_\beta + x_\beta (x_\alpha^4 - 6x_\alpha^2 y_\alpha^2 + y_\alpha^4)) \\
& + a_{0,2,0,3\beta}^r (x_\beta^2 - 3y_\beta^2) (x_\beta^2 + y_\beta^2) + a_{0,2,1,3}^r (x_\beta^2 + y_\beta^2) (x_\alpha (x_\beta^2 - y_\beta^2) - 2x_\beta y_\alpha y_\beta) \\
& + a_{0,2,2,3}^r (x_\beta^2 + y_\beta^2) (-2x_\alpha y_\alpha y_\beta + x_\beta (x_\alpha^2 - y_\alpha^2)) + a_{0,2,3,3\alpha}^r x_\alpha (x_\alpha^2 - 3y_\alpha^2) (x_\beta^2 + y_\beta^2) \\
& + a_{2,0,0,3\beta}^r (x_\alpha^2 + y_\alpha^2) (x_\beta^2 - 3y_\beta^2) + a_{2,0,1,3}^r (x_\alpha^2 + y_\alpha^2) (x_\alpha (x_\beta^2 - y_\beta^2) - 2x_\beta y_\alpha y_\beta) \\
& + a_{2,0,2,3}^r (x_\alpha^2 + y_\alpha^2) (-2x_\alpha y_\alpha y_\beta + x_\beta (x_\alpha^2 - y_\alpha^2)) + a_{2,0,3,3\alpha}^r x_\alpha (x_\alpha^2 - 3y_\alpha^2) (x_\alpha^2 + y_\alpha^2)
\end{aligned}$$

$$\begin{aligned}
H_{--}^{(5)} = & a_{0,-0,1,3}^r (x_\alpha (x_\beta^4 - 6x_\beta^2 y_\beta^2 + y_\beta^4) + y_\alpha (4x_\beta^3 y_\beta - 4x_\beta y_\beta^3)) + a_{0,0,4,3}^r (4x_\alpha^3 y_\alpha y_\beta - 4x_\alpha y_\alpha^3 y_\beta + x_\beta (x_\alpha^4 - 6x_\alpha^2 y_\alpha^2 + y_\alpha^4)) \\
& + a_{0,2,0,3}^r x_\beta (x_\beta^2 - 3y_\beta^2) (x_\beta^2 + y_\beta^2) + a_{0,2,1,3}^r (x_\beta^2 + y_\beta^2) (x_\alpha (x_\beta^2 - y_\beta^2) - 2x_\beta y_\alpha y_\beta) \\
& + a_{0,2,2,3}^r (x_\beta^2 + y_\beta^2) (-2x_\alpha y_\alpha y_\beta + x_\beta (x_\alpha^2 - y_\alpha^2)) + a_{0,2,3,3}^r x_\alpha (x_\alpha^2 - 3y_\alpha^2) (x_\beta^2 + y_\beta^2) \\
& + a_{2,0,0,3}^r x_\beta (x_\alpha^2 + y_\alpha^2) (x_\beta^2 - 3y_\beta^2) + a_{2,0,1,3}^r (x_\alpha^2 + y_\alpha^2) (x_\alpha (x_\beta^2 - y_\beta^2) - 2x_\beta y_\alpha y_\beta) \\
& + a_{2,0,2,3}^r (x_\alpha^2 + y_\alpha^2) (-2x_\alpha y_\alpha y_\beta + x_\beta (x_\alpha^2 - y_\alpha^2)) + a_{2,0,3,3}^r x_\alpha (x_\alpha^2 - 3y_\alpha^2) (x_\alpha^2 + y_\alpha^2)
\end{aligned}$$

3.7 Order: 6

Number of terms: H_{++} : 17, H_{--} : 17, H_{+-} : 54.

Polar e-coordinates:

$$\begin{aligned}
 H_{++}^{(6)} = & a_{0,0,0,6}^r \rho_\beta^6 \cos(6\phi_\beta) + a_{0,0,1,6}^r \rho_\alpha \rho_\beta^5 \cos(\phi_\alpha + 5\phi_\beta) + a_{0,0,2,6}^r \rho_\alpha^2 \rho_\beta^4 \cos(2\phi_\alpha + 4\phi_\beta) + a_{0,0,3,0}^r \rho_\alpha^3 \rho_\beta^3 \cos(3\phi_\alpha - 3\phi_\beta) \\
 & + a_{0,0,3,6}^r \rho_\alpha^3 \rho_\beta^3 \cos(3\phi_\alpha + 3\phi_\beta) + a_{0,0,4,6}^r \rho_\alpha^4 \rho_\beta^2 \cos(4\phi_\alpha + 2\phi_\beta) + a_{0,0,5,6}^r \rho_\alpha^5 \rho_\beta \cos(5\phi_\alpha + \phi_\beta) + a_{0,0,6,6}^r \rho_\alpha^6 \cos(6\phi_\alpha) \\
 & + a_{0,2,2,0}^r \rho_\alpha^2 \rho_\beta^4 \cos(2\phi_\alpha - 2\phi_\beta) + a_{0,4,1,0}^r \rho_\alpha \rho_\beta^5 \cos(\phi_\alpha - \phi_\beta) + a_{0,6,0,0}^r \rho_\beta^6 + a_{2,0,2,0}^r \rho_\alpha^4 \rho_\beta^2 \cos(2\phi_\alpha - 2\phi_\beta) \\
 & + a_{2,2,1,0}^r \rho_\alpha^3 \rho_\beta^3 \cos(\phi_\alpha - \phi_\beta) + a_{2,4,0,0}^r \rho_\alpha^2 \rho_\beta^4 + a_{4,0,1,0}^r \rho_\alpha^5 \rho_\beta \cos(\phi_\alpha - \phi_\beta) + a_{4,2,0,0}^r \rho_\alpha^4 \rho_\beta^2 + a_{6,0,0,0}^r \rho_\alpha^6
 \end{aligned}$$

$$\begin{aligned}
 H_{--}^{(6)} = & a_{0,0,0,6}^r \rho_\beta^6 \cos(6\phi_\beta) + a_{0,0,1,6}^r \rho_\alpha \rho_\beta^5 \cos(\phi_\alpha + 5\phi_\beta) + a_{0,0,2,6}^r \rho_\alpha^2 \rho_\beta^4 \cos(2\phi_\alpha + 4\phi_\beta) + a_{0,0,3,0}^r \rho_\alpha^3 \rho_\beta^3 \cos(3\phi_\alpha - 3\phi_\beta) \\
 & + a_{0,0,3,6}^r \rho_\alpha^3 \rho_\beta^3 \cos(3\phi_\alpha + 3\phi_\beta) + a_{0,0,4,6}^r \rho_\alpha^4 \rho_\beta^2 \cos(4\phi_\alpha + 2\phi_\beta) + a_{0,0,5,6}^r \rho_\alpha^5 \rho_\beta \cos(5\phi_\alpha + \phi_\beta) + a_{0,0,6,6}^r \rho_\alpha^6 \cos(6\phi_\alpha) \\
 & + a_{0,2,2,0}^r \rho_\alpha^2 \rho_\beta^4 \cos(2\phi_\alpha - 2\phi_\beta) + a_{0,4,1,0}^r \rho_\alpha \rho_\beta^5 \cos(\phi_\alpha - \phi_\beta) + a_{0,6,0,0}^r \rho_\beta^6 + a_{2,0,2,0}^r \rho_\alpha^4 \rho_\beta^2 \cos(2\phi_\alpha - 2\phi_\beta) \\
 & + a_{2,2,1,0}^r \rho_\alpha^3 \rho_\beta^3 \cos(\phi_\alpha - \phi_\beta) + a_{2,4,0,0}^r \rho_\alpha^2 \rho_\beta^4 + a_{4,0,1,0}^r \rho_\alpha^5 \rho_\beta \cos(\phi_\alpha - \phi_\beta) + a_{4,2,0,0}^r \rho_\alpha^4 \rho_\beta^2 + a_{6,0,0,0}^r \rho_\alpha^6
 \end{aligned}$$

$$\begin{aligned}
 H_{+-}^{(6)} = & -ib_{0,0,-2,2}^r \rho_\alpha^2 \rho_\beta^4 \sin(2\phi_\alpha - 4\phi_\beta) + b_{0,0,-2,2}^r \rho_\alpha^2 \rho_\beta^4 \cos(2\phi_\alpha - 4\phi_\beta) - ib_{0,0,-5,-4}^r \rho_\alpha^5 \rho_\beta \sin(5\phi_\alpha - \phi_\beta) \\
 & + b_{0,0,-5,-4}^r \rho_\alpha^5 \rho_\beta \cos(5\phi_\alpha - \phi_\beta) + ib_{0,0,1,-4}^r \rho_\alpha \rho_\beta^5 \sin(\phi_\alpha - 5\phi_\beta) + b_{0,0,1,-4}^r \rho_\alpha \rho_\beta^5 \cos(\phi_\alpha - 5\phi_\beta) \\
 & + ib_{0,0,4,2}^r \rho_\alpha^4 \rho_\beta^2 \sin(4\phi_\alpha - 2\phi_\beta) + b_{0,0,4,2}^r \rho_\alpha^4 \rho_\beta^2 \cos(4\phi_\alpha - 2\phi_\beta) - ib_{0,2,-1,-4}^r \rho_\alpha \rho_\beta^5 \sin(\phi_\alpha + 3\phi_\beta) \\
 & + b_{0,2,-1,-4}^r \rho_\alpha \rho_\beta^5 \cos(\phi_\alpha + 3\phi_\beta) - ib_{0,2,-1,2}^r \rho_\alpha \rho_\beta^5 \sin(\phi_\alpha - 3\phi_\beta) + b_{0,2,-1,2}^r \rho_\alpha \rho_\beta^5 \cos(\phi_\alpha - 3\phi_\beta) \\
 & - ib_{0,2,-2,-4}^r \rho_\alpha^2 \rho_\beta^4 \sin(2\phi_\alpha + 2\phi_\beta) + b_{0,2,-2,-4}^r \rho_\alpha^2 \rho_\beta^4 \cos(2\phi_\alpha + 2\phi_\beta) - ib_{0,2,-3,-4}^r \rho_\alpha^3 \rho_\beta^3 \sin(3\phi_\alpha + \phi_\beta) \\
 & + b_{0,2,-3,-4}^r \rho_\alpha^3 \rho_\beta^3 \cos(3\phi_\alpha + \phi_\beta) - ib_{0,2,-4,-4}^r \rho_\alpha^4 \rho_\beta^2 \sin(4\phi_\alpha) + b_{0,2,-4,-4}^r \rho_\alpha^4 \rho_\beta^2 \cos(4\phi_\alpha) - ib_{0,2,0,-4}^r \rho_\beta^6 \sin(4\phi_\beta) \\
 & + b_{0,2,0,-4}^r \rho_\beta^6 \cos(4\phi_\beta) + ib_{0,2,3,2}^r \rho_\alpha^3 \rho_\beta^3 \sin(3\phi_\alpha - \phi_\beta) + b_{0,2,3,2}^r \rho_\alpha^3 \rho_\beta^3 \cos(3\phi_\alpha - \phi_\beta) + ib_{0,4,0,2}^r \rho_\beta^6 \sin(2\phi_\beta) \\
 & + b_{0,4,0,2}^r \rho_\beta^6 \cos(2\phi_\beta) + ib_{0,4,1,2}^r \rho_\alpha \rho_\beta^5 \sin(\phi_\alpha + \phi_\beta) + b_{0,4,1,2}^r \rho_\alpha \rho_\beta^5 \cos(\phi_\alpha + \phi_\beta) + ib_{0,4,2,2}^r \rho_\alpha^2 \rho_\beta^4 \sin(2\phi_\alpha) \\
 & + b_{0,4,2,2}^r \rho_\alpha^2 \rho_\beta^4 \cos(2\phi_\alpha) - ib_{2,0,-1,-4}^r \rho_\alpha^3 \rho_\beta^3 \sin(\phi_\alpha + 3\phi_\beta) + b_{2,0,-1,-4}^r \rho_\alpha^3 \rho_\beta^3 \cos(\phi_\alpha + 3\phi_\beta) \\
 & - ib_{2,0,-1,2}^r \rho_\alpha^3 \rho_\beta^3 \sin(\phi_\alpha - 3\phi_\beta) + b_{2,0,-1,2}^r \rho_\alpha^3 \rho_\beta^3 \cos(\phi_\alpha - 3\phi_\beta) - ib_{2,0,-2,-4}^r \rho_\alpha^4 \rho_\beta^2 \sin(2\phi_\alpha + 2\phi_\beta) \\
 & + b_{2,0,-2,-4}^r \rho_\alpha^4 \rho_\beta^2 \cos(2\phi_\alpha + 2\phi_\beta) - ib_{2,0,-3,-4}^r \rho_\alpha^5 \rho_\beta \sin(3\phi_\alpha + \phi_\beta) + b_{2,0,-3,-4}^r \rho_\alpha^5 \rho_\beta \cos(3\phi_\alpha + \phi_\beta) \\
 & - ib_{2,0,-4,-4}^r \rho_\alpha^6 \sin(4\phi_\alpha) + b_{2,0,-4,-4}^r \rho_\alpha^6 \cos(4\phi_\alpha) - ib_{2,0,0,-4}^r \rho_\alpha^2 \rho_\beta^4 \sin(4\phi_\beta) + b_{2,0,0,-4}^r \rho_\alpha^2 \rho_\beta^4 \cos(4\phi_\beta) \\
 & + ib_{2,0,3,2}^r \rho_\alpha^5 \rho_\beta \sin(3\phi_\alpha - \phi_\beta) + b_{2,0,3,2}^r \rho_\alpha^5 \rho_\beta \cos(3\phi_\alpha - \phi_\beta) + ib_{2,2,0,2}^r \rho_\alpha^2 \rho_\beta^4 \sin(2\phi_\beta) + b_{2,2,0,2}^r \rho_\alpha^2 \rho_\beta^4 \cos(2\phi_\beta) \\
 & + ib_{2,2,1,2}^r \rho_\alpha^3 \rho_\beta^3 \sin(\phi_\alpha + \phi_\beta) + b_{2,2,1,2}^r \rho_\alpha^3 \rho_\beta^3 \cos(\phi_\alpha + \phi_\beta) + ib_{2,2,2,2}^r \rho_\alpha^4 \rho_\beta^2 \sin(2\phi_\alpha) + b_{2,2,2,2}^r \rho_\alpha^4 \rho_\beta^2 \cos(2\phi_\alpha) \\
 & + ib_{4,0,0,2}^r \rho_\alpha^4 \rho_\beta^2 \sin(2\phi_\beta) + b_{4,0,0,2}^r \rho_\alpha^4 \rho_\beta^2 \cos(2\phi_\beta) + ib_{4,0,1,2}^r \rho_\alpha^5 \rho_\beta \sin(\phi_\alpha + \phi_\beta) + b_{4,0,1,2}^r \rho_\alpha^5 \rho_\beta \cos(\phi_\alpha + \phi_\beta) \\
 & + ib_{4,0,2,2}^r \rho_\alpha^6 \sin(2\phi_\alpha) + b_{4,0,2,2}^r \rho_\alpha^6 \cos(2\phi_\alpha)
 \end{aligned}$$

$$\begin{aligned}
H_{-+}^{(6)} = & ib_{0,0,-2,2}^r \rho_\alpha^2 \rho_\beta^4 \sin(2\phi_\alpha - 4\phi_\beta) + b_{0,0,-2,2}^r \rho_\alpha^2 \rho_\beta^4 \cos(2\phi_\alpha - 4\phi_\beta) + ib_{0,0,-5,-4}^r \rho_\alpha^5 \rho_\beta \sin(5\phi_\alpha - \phi_\beta) \\
& + b_{0,0,-5,-4}^r \rho_\alpha^5 \rho_\beta \cos(5\phi_\alpha - \phi_\beta) - ib_{0,0,1,-4}^r \rho_\alpha \rho_\beta^5 \sin(\phi_\alpha - 5\phi_\beta) + b_{0,0,1,-4}^r \rho_\alpha \rho_\beta^5 \cos(\phi_\alpha - 5\phi_\beta) \\
& - ib_{0,0,4,2}^r \rho_\alpha^4 \rho_\beta^2 \sin(4\phi_\alpha - 2\phi_\beta) + b_{0,0,4,2}^r \rho_\alpha^4 \rho_\beta^2 \cos(4\phi_\alpha - 2\phi_\beta) + ib_{0,2,-1,-4}^r \rho_\alpha \rho_\beta^5 \sin(\phi_\alpha + 3\phi_\beta) \\
& + b_{0,2,-1,-4}^r \rho_\alpha \rho_\beta^5 \cos(\phi_\alpha + 3\phi_\beta) + ib_{0,2,-1,2}^r \rho_\alpha \rho_\beta^5 \sin(\phi_\alpha - 3\phi_\beta) + b_{0,2,-1,2}^r \rho_\alpha \rho_\beta^5 \cos(\phi_\alpha - 3\phi_\beta) \\
& + ib_{0,2,-2,-4}^r \rho_\alpha^2 \rho_\beta^4 \sin(2\phi_\alpha + 2\phi_\beta) + b_{0,2,-2,-4}^r \rho_\alpha^2 \rho_\beta^4 \cos(2\phi_\alpha + 2\phi_\beta) + ib_{0,2,-3,-4}^r \rho_\alpha^3 \rho_\beta^3 \sin(3\phi_\alpha + \phi_\beta) \\
& + b_{0,2,-3,-4}^r \rho_\alpha^3 \rho_\beta^3 \cos(3\phi_\alpha + \phi_\beta) + ib_{0,2,-4,-4}^r \rho_\alpha^4 \rho_\beta^2 \sin(4\phi_\alpha) + b_{0,2,-4,-4}^r \rho_\alpha^4 \rho_\beta^2 \cos(4\phi_\alpha) + ib_{0,2,0,-4}^r \rho_\beta^6 \sin(4\phi_\beta) \\
& + b_{0,2,0,-4}^r \rho_\beta^6 \cos(4\phi_\beta) - ib_{0,2,3,2}^r \rho_\alpha^3 \rho_\beta^3 \sin(3\phi_\alpha - \phi_\beta) + b_{0,2,3,2}^r \rho_\alpha^3 \rho_\beta^3 \cos(3\phi_\alpha - \phi_\beta) - ib_{0,4,0,2}^r \rho_\beta^6 \sin(2\phi_\beta) \\
& + b_{0,4,0,2}^r \rho_\beta^6 \cos(2\phi_\beta) - ib_{0,4,1,2}^r \rho_\alpha \rho_\beta^5 \sin(\phi_\alpha + \phi_\beta) + b_{0,4,1,2}^r \rho_\alpha \rho_\beta^5 \cos(\phi_\alpha + \phi_\beta) - ib_{0,4,2,2}^r \rho_\alpha^2 \rho_\beta^4 \sin(2\phi_\alpha) \\
& + b_{0,4,2,2}^r \rho_\alpha^2 \rho_\beta^4 \cos(2\phi_\alpha) + ib_{2,0,-1,-4}^r \rho_\alpha^3 \rho_\beta^3 \sin(\phi_\alpha + 3\phi_\beta) + b_{2,0,-1,-4}^r \rho_\alpha^3 \rho_\beta^3 \cos(\phi_\alpha + 3\phi_\beta) \\
& + ib_{2,0,-1,2}^r \rho_\alpha^3 \rho_\beta^3 \sin(\phi_\alpha - 3\phi_\beta) + b_{2,0,-1,2}^r \rho_\alpha^3 \rho_\beta^3 \cos(\phi_\alpha - 3\phi_\beta) + ib_{2,0,-2,-4}^r \rho_\alpha^4 \rho_\beta^2 \sin(2\phi_\alpha + 2\phi_\beta) \\
& + b_{2,0,-2,-4}^r \rho_\alpha^4 \rho_\beta^2 \cos(2\phi_\alpha + 2\phi_\beta) + ib_{2,0,-3,-4}^r \rho_\alpha^5 \rho_\beta \sin(3\phi_\alpha + \phi_\beta) + b_{2,0,-3,-4}^r \rho_\alpha^5 \rho_\beta \cos(3\phi_\alpha + \phi_\beta) \\
& + ib_{2,0,-4,-4}^r \rho_\alpha^6 \sin(4\phi_\alpha) + b_{2,0,-4,-4}^r \rho_\alpha^6 \cos(4\phi_\alpha) + ib_{2,0,0,-4}^r \rho_\alpha^2 \rho_\beta^4 \sin(4\phi_\beta) + b_{2,0,0,-4}^r \rho_\alpha^2 \rho_\beta^4 \cos(4\phi_\beta) \\
& - ib_{2,0,3,2}^r \rho_\alpha^5 \rho_\beta \sin(3\phi_\alpha - \phi_\beta) + b_{2,0,3,2}^r \rho_\alpha^5 \rho_\beta \cos(3\phi_\alpha - \phi_\beta) - ib_{2,2,0,2}^r \rho_\alpha^2 \rho_\beta^4 \sin(2\phi_\beta) + b_{2,2,0,2}^r \rho_\alpha^2 \rho_\beta^4 \cos(2\phi_\beta) \\
& - ib_{2,2,1,2}^r \rho_\alpha^3 \rho_\beta^3 \sin(\phi_\alpha + \phi_\beta) + b_{2,2,1,2}^r \rho_\alpha^3 \rho_\beta^3 \cos(\phi_\alpha + \phi_\beta) - ib_{2,2,2,2}^r \rho_\alpha^4 \rho_\beta^2 \sin(2\phi_\alpha) + b_{2,2,2,2}^r \rho_\alpha^4 \rho_\beta^2 \cos(2\phi_\alpha) \\
& - ib_{4,0,0,2}^r \rho_\alpha^4 \rho_\beta^2 \sin(2\phi_\beta) + b_{4,0,0,2}^r \rho_\alpha^4 \rho_\beta^2 \cos(2\phi_\beta) - ib_{4,0,1,2}^r \rho_\alpha^5 \rho_\beta \sin(\phi_\alpha + \phi_\beta) + b_{4,0,1,2}^r \rho_\alpha^5 \rho_\beta \cos(\phi_\alpha + \phi_\beta) \\
& - ib_{4,0,2,2}^r \rho_\alpha^6 \sin(2\phi_\alpha) + b_{4,0,2,2}^r \rho_\alpha^6 \cos(2\phi_\alpha)
\end{aligned}$$

Cartesian e-coordinates:

$$\begin{aligned}
H_{++}^{(6)} = & a_{0,0,0,6}^r (x_\beta - y_\beta)(x_\beta + y_\beta)(x_\beta^2 - 4x_\beta y_\beta + y_\beta^2)(x_\beta^2 + 4x_\beta y_\beta + y_\beta^2) \\
& + a_{0,0,1,6}^r (x_\alpha(x_\beta^5 - 10x_\beta^3 y_\beta^2 + 5x_\beta y_\beta^4) + y_\alpha(-5x_\beta^4 y_\beta + 10x_\beta^2 y_\beta^3 - y_\beta^5)) \\
& + a_{0,0,2,6}^r (x_\alpha(x_\beta^2 - 2x_\beta y_\beta - y_\beta^2) + y_\alpha(-x_\beta^2 - 2x_\beta y_\beta + y_\beta^2))(x_\alpha(x_\beta^2 + 2x_\beta y_\beta - y_\beta^2) + y_\alpha(x_\beta^2 - 2x_\beta y_\beta - y_\beta^2)) \\
& + a_{0,0,3,0}^r (x_\alpha x_\beta + y_\alpha y_\beta)(x_\alpha^2 x_\beta^2 - 3x_\alpha^2 y_\beta^2 + 8x_\alpha x_\beta y_\alpha y_\beta - 3x_\beta^2 y_\alpha^2 + y_\alpha^2 y_\beta^2) \\
& + a_{0,0,3,6}^r (x_\alpha x_\beta - y_\alpha y_\beta)(x_\alpha^2 x_\beta^2 - 3x_\alpha^2 y_\beta^2 - 8x_\alpha x_\beta y_\alpha y_\beta - 3x_\beta^2 y_\alpha^2 + y_\alpha^2 y_\beta^2) + a_{0,0,4,6}^r (x_\alpha(-2x_\beta y_\alpha - 2y_\alpha y_\beta) \\
& + x_\beta(x_\alpha^2 - y_\alpha^2) + y_\beta(-x_\alpha^2 + y_\alpha^2))(x_\alpha(2x_\beta y_\alpha - 2y_\alpha y_\beta) + x_\beta(x_\alpha^2 - y_\alpha^2) + y_\beta(x_\alpha^2 - y_\alpha^2)) \\
& + a_{0,0,5,6}^r (-5x_\alpha^4 y_\alpha y_\beta + 5x_\alpha x_\beta y_\alpha^4 + x_\beta(x_\alpha^5 - 10x_\alpha^3 y_\alpha^2) + y_\beta(10x_\alpha^2 y_\alpha^3 - y_\alpha^5)) \\
& + a_{0,0,6,6}^r (x_\alpha - y_\alpha)(x_\alpha + y_\alpha)(x_\alpha^2 - 4x_\alpha y_\alpha + y_\alpha^2)(x_\alpha^2 + 4x_\alpha y_\alpha + y_\alpha^2) \\
& + a_{0,2,2,0}^r (x_\beta^2 + y_\beta^2)(x_\alpha(x_\beta - y_\beta) + y_\alpha(x_\beta + y_\beta))(x_\alpha(x_\beta + y_\beta) + y_\alpha(-x_\beta + y_\beta)) + a_{0,4,1,0}^r (x_\beta^2 + y_\beta^2)^2 (x_\alpha x_\beta + y_\alpha y_\beta) \\
& + a_{0,6,0,0}^r (x_\beta^2 + y_\beta^2)^3 + a_{2,0,2,0}^r (x_\alpha^2 + y_\alpha^2)(x_\alpha(x_\beta - y_\beta) + y_\alpha(x_\beta + y_\beta))(x_\alpha(x_\beta + y_\beta) + y_\alpha(-x_\beta + y_\beta)) \\
& + a_{2,2,1,0}^r (x_\alpha^2 + y_\alpha^2)(x_\beta^2 + y_\beta^2)(x_\alpha x_\beta + y_\alpha y_\beta) + a_{2,4,0,0}^r (x_\alpha^2 + y_\alpha^2)(x_\beta^2 + y_\beta^2)^2 + a_{4,0,1,0}^r (x_\alpha^2 + y_\alpha^2)^2 (x_\alpha x_\beta + y_\alpha y_\beta) \\
& + a_{4,2,0,0}^r (x_\alpha^2 + y_\alpha^2)^2 (x_\beta^2 + y_\beta^2) + a_{6,0,0,0}^r (x_\alpha^2 + y_\alpha^2)^3
\end{aligned}$$

$$\begin{aligned}
H_{--}^{(6)} = & a_{0,0,0,6}^r (x_\beta - y_\beta) (x_\beta + y_\beta) (x_\beta^2 - 4x_\beta y_\beta + y_\beta^2) (x_\beta^2 + 4x_\beta y_\beta + y_\beta^2) \\
& + a_{0,0,1,6}^r (x_\alpha (x_\beta^5 - 10x_\beta^3 y_\beta^2 + 5x_\beta y_\beta^4) + y_\alpha (-5x_\beta^4 y_\beta + 10x_\beta^2 y_\beta^3 - y_\beta^5)) \\
& + a_{0,0,2,6}^r (x_\alpha (x_\beta^2 - 2x_\beta y_\beta - y_\beta^2) + y_\alpha (-x_\beta^2 - 2x_\beta y_\beta + y_\beta^2)) (x_\alpha (x_\beta^2 + 2x_\beta y_\beta - y_\beta^2) + y_\alpha (x_\beta^2 - 2x_\beta y_\beta - y_\beta^2)) \\
& + a_{0,0,3,0}^r (x_\alpha x_\beta + y_\alpha y_\beta) (x_\alpha^2 x_\beta^2 - 3x_\alpha^2 y_\beta^2 + 8x_\alpha x_\beta y_\alpha y_\beta - 3x_\beta^2 y_\alpha^2 + y_\alpha^2 y_\beta^2) \\
& + a_{0,0,3,6}^r (x_\alpha x_\beta - y_\alpha y_\beta) (x_\alpha^2 x_\beta^2 - 3x_\alpha^2 y_\beta^2 - 8x_\alpha x_\beta y_\alpha y_\beta - 3x_\beta^2 y_\alpha^2 + y_\alpha^2 y_\beta^2) + a_{0,0,4,6}^r (x_\alpha (-2x_\beta y_\alpha - 2y_\alpha y_\beta) \\
& \quad + x_\beta (x_\alpha^2 - y_\alpha^2) + y_\beta (-x_\alpha^2 + y_\alpha^2)) (x_\alpha (2x_\beta y_\alpha - 2y_\alpha y_\beta) + x_\beta (x_\alpha^2 - y_\alpha^2) + y_\beta (x_\alpha^2 - y_\alpha^2)) \\
& + a_{0,0,5,6}^r (-5x_\alpha^4 y_\alpha y_\beta + 5x_\alpha x_\beta y_\alpha^4 + x_\beta (x_\alpha^5 - 10x_\alpha^3 y_\alpha^2) + y_\beta (10x_\alpha^2 y_\alpha^3 - y_\alpha^5)) \\
& + a_{0,0,6,6}^r (x_\alpha - y_\alpha) (x_\alpha + y_\alpha) (x_\alpha^2 - 4x_\alpha y_\alpha + y_\alpha^2) (x_\alpha^2 + 4x_\alpha y_\alpha + y_\alpha^2) \\
& + a_{0,2,2,0}^r (x_\beta^2 + y_\beta^2) (x_\alpha (x_\beta - y_\beta) + y_\alpha (x_\beta + y_\beta)) (x_\alpha (x_\beta + y_\beta) + y_\alpha (-x_\beta + y_\beta)) + a_{0,4,1,0}^r (x_\beta^2 + y_\beta^2)^2 (x_\alpha x_\beta + y_\alpha y_\beta) \\
& + a_{0,6,0,0}^r (x_\beta^2 + y_\beta^2)^3 + a_{2,0,2,0}^r (x_\alpha^2 + y_\alpha^2) (x_\alpha (x_\beta - y_\beta) + y_\alpha (x_\beta + y_\beta)) (x_\alpha (x_\beta + y_\beta) + y_\alpha (-x_\beta + y_\beta)) \\
& + a_{2,2,1,0}^r (x_\alpha^2 + y_\alpha^2) (x_\beta^2 + y_\beta^2) (x_\alpha x_\beta + y_\alpha y_\beta) + a_{2,4,0,0}^r (x_\alpha^2 + y_\alpha^2) (x_\beta^2 + y_\beta^2)^2 + a_{4,0,1,0}^r (x_\alpha^2 + y_\alpha^2)^2 (x_\alpha x_\beta + y_\alpha y_\beta) \\
& + a_{4,2,0,0}^r (x_\alpha^2 + y_\alpha^2)^2 (x_\beta^2 + y_\beta^2) + a_{6,0,0,0}^r (x_\alpha^2 + y_\alpha^2)^3
\end{aligned}$$

$$\begin{aligned}
H_{+-}^{(6)} = & 2ib_{0,0,-2,2}^r (x_\alpha (x_\beta^2 - y_\beta^2) + 2x_\beta y_\alpha y_\beta) (2x_\alpha x_\beta y_\beta + y_\alpha (-x_\beta^2 + y_\beta^2)) \\
& + b_{0,0,-2,2}^r (x_\alpha (x_\beta^2 - 2x_\beta y_\beta - y_\beta^2) + y_\alpha (x_\beta^2 + 2x_\beta y_\beta - y_\beta^2)) (x_\alpha (x_\beta^2 + 2x_\beta y_\beta - y_\beta^2) + y_\alpha (-x_\beta^2 + 2x_\beta y_\beta + y_\beta^2)) \\
& + ib_{0,0,-5,-4}^r (-5x_\alpha^4 x_\beta y_\alpha + 5x_\alpha y_\alpha^4 y_\beta + x_\beta (10x_\alpha^2 y_\alpha^3 - y_\alpha^5) + y_\beta (x_\alpha^5 - 10x_\alpha^3 y_\alpha^2)) \\
& + b_{0,0,-5,-4}^r (5x_\alpha^4 y_\alpha y_\beta + 5x_\alpha x_\beta y_\alpha^4 + x_\beta (x_\alpha^5 - 10x_\alpha^3 y_\alpha^2) + y_\beta (-10x_\alpha^2 y_\alpha^3 + y_\alpha^5)) \\
& + b_{0,0,1,-4}^r (x_\alpha (x_\beta^5 - 10x_\beta^3 y_\beta^2 + 5x_\beta y_\beta^4) + y_\alpha (5x_\beta^4 y_\beta - 10x_\beta^2 y_\beta^3 + y_\beta^5)) \\
& - ib_{0,0,1,-4}^r (x_\alpha (5x_\beta^4 y_\beta - 10x_\beta^2 y_\beta^3 + y_\beta^5) + y_\alpha (-x_\beta^5 + 10x_\beta^3 y_\beta^2 - 5x_\beta y_\beta^4)) \\
& - 2ib_{0,0,4,2}^r (-2x_\alpha x_\beta y_\alpha + y_\beta (x_\alpha^2 - y_\alpha^2)) (2x_\alpha y_\alpha y_\beta + x_\beta (x_\alpha^2 - y_\alpha^2)) \\
& + b_{0,0,4,2}^r (x_\alpha (-2x_\beta y_\alpha + 2y_\alpha y_\beta) + x_\beta (x_\alpha^2 - y_\alpha^2) + y_\beta (x_\alpha^2 - y_\alpha^2)) (x_\alpha (2x_\beta y_\alpha + 2y_\alpha y_\beta) + x_\beta (x_\alpha^2 - y_\alpha^2) \\
& \quad + y_\beta (-x_\alpha^2 + y_\alpha^2)) + b_{0,2,-1,-4}^r (x_\beta^2 + y_\beta^2) (x_\alpha (x_\beta^3 - 3x_\beta y_\beta^2) + y_\alpha (-3x_\beta^2 y_\beta + y_\beta^3)) \\
& - ib_{0,2,-1,-4}^r (x_\beta^2 + y_\beta^2) (x_\alpha (3x_\beta^2 y_\beta - y_\beta^3) + y_\alpha (x_\beta^3 - 3x_\beta y_\beta^2)) \\
& + b_{0,2,-1,2}^r (x_\beta^2 + y_\beta^2) (x_\alpha (x_\beta^3 - 3x_\beta y_\beta^2) + y_\alpha (3x_\beta^2 y_\beta - y_\beta^3)) \\
& + ib_{0,2,-1,2}^r (x_\beta^2 + y_\beta^2) (x_\alpha (3x_\beta^2 y_\beta - y_\beta^3) + y_\alpha (-x_\beta^3 + 3x_\beta y_\beta^2)) - 2ib_{0,2,-2,-4}^r (x_\beta^2 + y_\beta^2) (x_\alpha x_\beta - y_\alpha y_\beta) (x_\alpha y_\beta + x_\beta y_\alpha) \\
& + b_{0,2,-2,-4}^r (x_\beta^2 + y_\beta^2) (x_\alpha (x_\beta - y_\beta) + y_\alpha (-x_\beta - y_\beta)) (x_\alpha (x_\beta + y_\beta) + y_\alpha (x_\beta - y_\beta)) \\
& + b_{0,2,-3,-4}^r (x_\beta^2 + y_\beta^2) (x_\alpha^3 x_\beta - 3x_\alpha^2 y_\alpha y_\beta - 3x_\alpha x_\beta y_\alpha^2 + y_\alpha^3 y_\beta) \\
& - ib_{0,2,-3,-4}^r (x_\beta^2 + y_\beta^2) (x_\alpha^3 y_\beta + 3x_\alpha^2 x_\beta y_\alpha - 3x_\alpha y_\alpha^2 y_\beta - x_\beta y_\alpha^3) - 4ib_{0,2,-4,-4}^r x_\alpha y_\alpha (x_\alpha - y_\alpha) (x_\alpha + y_\alpha) (x_\beta^2 + y_\beta^2) \\
& + b_{0,2,-4,-4}^r (x_\beta^2 + y_\beta^2) (x_\alpha^2 - 2x_\alpha y_\alpha - y_\alpha^2) (x_\alpha^2 + 2x_\alpha y_\alpha - y_\alpha^2) - 4ib_{0,2,0,-4}^r x_\beta y_\beta (x_\beta - y_\beta) (x_\beta + y_\beta) (x_\beta^2 + y_\beta^2) \\
& + b_{0,2,0,-4}^r (x_\beta^2 + y_\beta^2) (x_\beta^2 - 2x_\beta y_\beta - y_\beta^2) (x_\beta^2 + 2x_\beta y_\beta - y_\beta^2) + b_{0,2,3,2}^r (x_\beta^2 + y_\beta^2) (x_\alpha^3 x_\beta + 3x_\alpha^2 y_\alpha y_\beta - 3x_\alpha x_\beta y_\alpha^2 - y_\alpha^3 y_\beta) \\
& - ib_{0,2,3,2}^r (x_\beta^2 + y_\beta^2) (x_\alpha^3 y_\beta - 3x_\alpha^2 x_\beta y_\alpha - 3x_\alpha y_\alpha^2 y_\beta + x_\beta y_\alpha^3) + 2ib_{0,4,0,2}^r x_\beta y_\beta (x_\beta^2 + y_\beta^2)^2 \\
& + b_{0,4,0,2}^r (x_\beta - y_\beta) (x_\beta + y_\beta) (x_\beta^2 + y_\beta^2)^2 + b_{0,4,1,2}^r (x_\beta^2 + y_\beta^2)^2 (x_\alpha x_\beta - y_\alpha y_\beta) \\
& + ib_{0,4,1,2}^r (x_\beta^2 + y_\beta^2)^2 (x_\alpha y_\beta + x_\beta y_\alpha) + 2ib_{0,4,2,2}^r x_\alpha y_\alpha (x_\beta^2 + y_\beta^2)^2 \\
& + b_{0,4,2,2}^r (x_\alpha - y_\alpha) (x_\alpha + y_\alpha) (x_\beta^2 + y_\beta^2)^2 + b_{2,0,-1,-4}^r (x_\alpha^2 + y_\alpha^2) (x_\alpha (x_\beta^3 - 3x_\beta y_\beta^2) + y_\alpha (-3x_\beta^2 y_\beta + y_\beta^3)) \\
& - ib_{2,0,-1,-4}^r (x_\alpha^2 + y_\alpha^2) (x_\alpha (3x_\beta^2 y_\beta - y_\beta^3) + y_\alpha (x_\beta^3 - 3x_\beta y_\beta^2)) \\
& + b_{2,0,-1,2}^r (x_\alpha^2 + y_\alpha^2) (x_\alpha (x_\beta^3 - 3x_\beta y_\beta^2) + y_\alpha (3x_\beta^2 y_\beta - y_\beta^3)) \\
& + ib_{2,0,-1,2}^r (x_\alpha^2 + y_\alpha^2) (x_\alpha (3x_\beta^2 y_\beta - y_\beta^3) + y_\alpha (-x_\beta^3 + 3x_\beta y_\beta^2)) - 2ib_{2,0,-2,-4}^r (x_\alpha^2 + y_\alpha^2) (x_\alpha x_\beta - y_\alpha y_\beta) (x_\alpha y_\beta + x_\beta y_\alpha) \\
& + b_{2,0,-2,-4}^r (x_\alpha^2 + y_\alpha^2) (x_\alpha (x_\beta - y_\beta) + y_\alpha (-x_\beta - y_\beta)) (x_\alpha (x_\beta + y_\beta) + y_\alpha (x_\beta - y_\beta)) \\
& + b_{2,0,-3,-4}^r (x_\alpha^2 + y_\alpha^2) (x_\alpha^3 x_\beta - 3x_\alpha^2 y_\alpha y_\beta - 3x_\alpha x_\beta y_\alpha^2 + y_\alpha^3 y_\beta) \\
& - ib_{2,0,-3,-4}^r (x_\alpha^2 + y_\alpha^2) (x_\alpha^3 y_\beta + 3x_\alpha^2 x_\beta y_\alpha - 3x_\alpha y_\alpha^2 y_\beta - x_\beta y_\alpha^3) - 4ib_{2,0,-4,-4}^r x_\alpha y_\alpha (x_\alpha - y_\alpha) (x_\alpha + y_\alpha) (x_\alpha^2 + y_\alpha^2) \\
& + b_{2,0,-4,-4}^r (x_\alpha^2 + y_\alpha^2) (x_\alpha^2 - 2x_\alpha y_\alpha - y_\alpha^2) (x_\alpha^2 + 2x_\alpha y_\alpha - y_\alpha^2) - 4ib_{2,0,0,-4}^r x_\beta y_\beta (x_\alpha^2 + y_\alpha^2) (x_\beta - y_\beta) (x_\beta + y_\beta) \\
& + b_{2,0,0,-4}^r (x_\alpha^2 + y_\alpha^2) (x_\beta^2 - 2x_\beta y_\beta - y_\beta^2) (x_\beta^2 + 2x_\beta y_\beta - y_\beta^2) + b_{2,0,3,2}^r (x_\alpha^2 + y_\alpha^2) (x_\alpha^3 x_\beta + 3x_\alpha^2 y_\alpha y_\beta - 3x_\alpha x_\beta y_\alpha^2 - y_\alpha^3 y_\beta) \\
& - ib_{2,0,3,2}^r (x_\alpha^2 + y_\alpha^2) (x_\alpha^3 y_\beta - 3x_\alpha^2 x_\beta y_\alpha - 3x_\alpha y_\alpha^2 y_\beta + x_\beta y_\alpha^3) + 2ib_{2,0,2,2}^r x_\beta y_\beta (x_\alpha^2 + y_\alpha^2) (x_\beta^2 + y_\beta^2) \\
& + b_{2,2,0,2}^r (x_\alpha^2 + y_\alpha^2) (x_\beta - y_\beta) (x_\beta + y_\beta) (x_\beta^2 + y_\beta^2) + b_{2,2,1,2}^r (x_\alpha^2 + y_\alpha^2) (x_\beta^2 + y_\beta^2) (x_\alpha x_\beta - y_\alpha y_\beta) \\
& + ib_{2,2,1,2}^r (x_\alpha^2 + y_\alpha^2) (x_\beta^2 + y_\beta^2) (x_\alpha y_\beta + x_\beta y_\alpha) + 2ib_{2,2,2,2}^r x_\alpha y_\alpha (x_\alpha^2 + y_\alpha^2) (x_\beta^2 + y_\beta^2) \\
& + b_{2,2,2,2}^r (x_\alpha - y_\alpha) (x_\alpha + y_\alpha) (x_\alpha^2 + y_\alpha^2) (x_\beta^2 + y_\beta^2) + 2ib_{4,0,0,2}^r x_\beta y_\beta (x_\alpha^2 + y_\alpha^2)^2 \\
& + b_{4,0,0,2}^r (x_\alpha^2 + y_\alpha^2)^2 (x_\beta - y_\beta) (x_\beta + y_\beta) + b_{4,0,1,2}^r (x_\alpha^2 + y_\alpha^2)^2 (x_\alpha x_\beta - y_\alpha y_\beta) \\
& + ib_{4,0,1,2}^r (x_\alpha^2 + y_\alpha^2)^2 (x_\alpha y_\beta + x_\beta y_\alpha) + 2ib_{4,0,2,2}^r x_\alpha y_\alpha (x_\alpha^2 + y_\alpha^2)^2 + b_{4,0,2,2}^r (x_\alpha - y_\alpha) (x_\alpha + y_\alpha) (x_\alpha^2 + y_\alpha^2)^2
\end{aligned}$$

$$\begin{aligned}
H_{-+}^{(6)} = & -2ib_{0,0,-2,2}^r (x_\alpha (x_\beta^2 - y_\beta^2) + 2x_\beta y_\alpha y_\beta) (2x_\alpha x_\beta y_\beta + y_\alpha (-x_\beta^2 + y_\beta^2)) \\
& + b_{0,0,-2,2}^r (x_\alpha (x_\beta^2 - 2x_\beta y_\beta - y_\beta^2) + y_\alpha (x_\beta^2 + 2x_\beta y_\beta - y_\beta^2)) (x_\alpha (x_\beta^2 + 2x_\beta y_\beta - y_\beta^2) + y_\alpha (-x_\beta^2 + 2x_\beta y_\beta + y_\beta^2)) \\
& - ib_{0,0,-5,-4}^r (-5x_\alpha^4 x_\beta y_\alpha + 5x_\alpha y_\alpha^4 y_\beta + x_\beta (10x_\alpha^2 y_\alpha^3 - y_\alpha^5) + y_\beta (x_\alpha^5 - 10x_\alpha^3 y_\alpha^2)) \\
& + b_{0,0,-5,-4}^r (5x_\alpha^4 y_\alpha y_\beta + 5x_\alpha x_\beta y_\alpha^4 + x_\beta (x_\alpha^5 - 10x_\alpha^3 y_\alpha^2) + y_\beta (-10x_\alpha^2 y_\alpha^3 + y_\alpha^5)) \\
& + b_{0,0,1,-4}^r (x_\alpha (x_\beta^5 - 10x_\beta^3 y_\beta^2 + 5x_\beta y_\beta^4) + y_\alpha (5x_\beta^4 y_\beta - 10x_\beta^2 y_\beta^3 + y_\beta^5)) \\
& + ib_{0,0,1,-4}^r (x_\alpha (5x_\beta^4 y_\beta - 10x_\beta^2 y_\beta^3 + y_\beta^5) + y_\alpha (-x_\beta^5 + 10x_\beta^3 y_\beta^2 - 5x_\beta y_\beta^4)) \\
& + 2ib_{0,0,4,2}^r (-2x_\alpha x_\beta y_\alpha + y_\beta (x_\alpha^2 - y_\alpha^2)) (2x_\alpha y_\alpha y_\beta + x_\beta (x_\alpha^2 - y_\alpha^2)) \\
& + b_{0,0,4,2}^r (x_\alpha (-2x_\beta y_\alpha + 2y_\alpha y_\beta) + x_\beta (x_\alpha^2 - y_\alpha^2) + y_\beta (x_\alpha^2 - y_\alpha^2)) (x_\alpha (2x_\beta y_\alpha + 2y_\alpha y_\beta) + x_\beta (x_\alpha^2 - y_\alpha^2) \\
& \quad + y_\beta (-x_\alpha^2 + y_\alpha^2)) + b_{0,2,-1,-4}^r (x_\beta^2 + y_\beta^2) (x_\alpha (x_\beta^3 - 3x_\beta y_\beta^2) + y_\alpha (-3x_\beta^2 y_\beta + y_\beta^3)) \\
& + ib_{0,2,-1,-4}^r (x_\beta^2 + y_\beta^2) (x_\alpha (3x_\beta^2 y_\beta - y_\beta^3) + y_\alpha (x_\beta^3 - 3x_\beta y_\beta^2)) \\
& + b_{0,2,-1,2}^r (x_\beta^2 + y_\beta^2) (x_\alpha (x_\beta^3 - 3x_\beta y_\beta^2) + y_\alpha (3x_\beta^2 y_\beta - y_\beta^3)) \\
& - ib_{0,2,-1,2}^r (x_\beta^2 + y_\beta^2) (x_\alpha (3x_\beta^2 y_\beta - y_\beta^3) + y_\alpha (-x_\beta^3 + 3x_\beta y_\beta^2)) + 2ib_{0,2,-2,-4}^r (x_\beta^2 + y_\beta^2) (x_\alpha x_\beta - y_\alpha y_\beta) (x_\alpha y_\beta + x_\beta y_\alpha) \\
& + b_{0,2,-2,-4}^r (x_\beta^2 + y_\beta^2) (x_\alpha (x_\beta - y_\beta) + y_\alpha (-x_\beta - y_\beta)) (x_\alpha (x_\beta + y_\beta) + y_\alpha (x_\beta - y_\beta)) \\
& + b_{0,2,-3,-4}^r (x_\beta^2 + y_\beta^2) (x_\alpha^3 x_\beta - 3x_\alpha^2 y_\alpha y_\beta - 3x_\alpha x_\beta y_\alpha^2 + y_\alpha^3 y_\beta) \\
& + ib_{0,2,-3,-4}^r (x_\beta^2 + y_\beta^2) (x_\alpha^3 y_\beta + 3x_\alpha^2 x_\beta y_\alpha - 3x_\alpha y_\alpha^2 y_\beta - x_\beta y_\alpha^3) + 4ib_{0,2,-4,-4}^r x_\alpha y_\alpha (x_\alpha - y_\alpha) (x_\alpha + y_\alpha) (x_\beta^2 + y_\beta^2) \\
& + b_{0,2,-4,-4}^r (x_\beta^2 + y_\beta^2) (x_\alpha^2 - 2x_\alpha y_\alpha - y_\alpha^2) (x_\alpha^2 + 2x_\alpha y_\alpha - y_\alpha^2) + 4ib_{0,2,0,-4}^r x_\beta y_\beta (x_\beta - y_\beta) (x_\beta + y_\beta) (x_\beta^2 + y_\beta^2) \\
& + b_{0,2,0,-4}^r (x_\beta^2 + y_\beta^2) (x_\beta^2 - 2x_\beta y_\beta - y_\beta^2) (x_\beta^2 + 2x_\beta y_\beta - y_\beta^2) + b_{0,2,3,2}^r (x_\beta^2 + y_\beta^2) (x_\alpha^3 x_\beta + 3x_\alpha^2 y_\alpha y_\beta - 3x_\alpha x_\beta y_\alpha^2 - y_\alpha^3 y_\beta) \\
& + ib_{0,2,3,2}^r (x_\beta^2 + y_\beta^2) (x_\alpha^3 y_\beta - 3x_\alpha^2 x_\beta y_\alpha - 3x_\alpha y_\alpha^2 y_\beta + x_\beta y_\alpha^3) - 2ib_{0,4,0,2}^r x_\beta y_\beta (x_\beta^2 + y_\beta^2)^2 \\
& + b_{0,4,0,2}^r (x_\beta - y_\beta) (x_\beta + y_\beta) (x_\beta^2 + y_\beta^2)^2 + b_{0,4,1,2}^r (x_\beta^2 + y_\beta^2)^2 (x_\alpha x_\beta - y_\alpha y_\beta) \\
& - ib_{0,4,1,2}^r (x_\beta^2 + y_\beta^2)^2 (x_\alpha y_\beta + x_\beta y_\alpha) - 2ib_{0,4,2,2}^r x_\alpha y_\alpha (x_\beta^2 + y_\beta^2)^2 \\
& + b_{0,4,2,2}^r (x_\alpha - y_\alpha) (x_\alpha + y_\alpha) (x_\beta^2 + y_\beta^2)^2 + b_{2,0,-1,-4}^r (x_\alpha^2 + y_\alpha^2) (x_\alpha (x_\beta^3 - 3x_\beta y_\beta^2) + y_\alpha (-3x_\beta^2 y_\beta + y_\beta^3)) \\
& + ib_{2,0,-1,-4}^r (x_\alpha^2 + y_\alpha^2) (x_\alpha (3x_\beta^2 y_\beta - y_\beta^3) + y_\alpha (x_\beta^3 - 3x_\beta y_\beta^2)) \\
& + b_{2,0,-1,2}^r (x_\alpha^2 + y_\alpha^2) (x_\alpha (x_\beta^3 - 3x_\beta y_\beta^2) + y_\alpha (3x_\beta^2 y_\beta - y_\beta^3)) \\
& - ib_{2,0,-1,2}^r (x_\alpha^2 + y_\alpha^2) (x_\alpha (3x_\beta^2 y_\beta - y_\beta^3) + y_\alpha (-x_\beta^3 + 3x_\beta y_\beta^2)) + 2ib_{2,0,-2,-4}^r (x_\alpha^2 + y_\alpha^2) (x_\alpha x_\beta - y_\alpha y_\beta) (x_\alpha y_\beta + x_\beta y_\alpha) \\
& + b_{2,0,-2,-4}^r (x_\alpha^2 + y_\alpha^2) (x_\alpha (x_\beta - y_\beta) + y_\alpha (-x_\beta - y_\beta)) (x_\alpha (x_\beta + y_\beta) + y_\alpha (x_\beta - y_\beta)) \\
& + b_{2,0,-3,-4}^r (x_\alpha^2 + y_\alpha^2) (x_\alpha^3 x_\beta - 3x_\alpha^2 y_\alpha y_\beta - 3x_\alpha x_\beta y_\alpha^2 + y_\alpha^3 y_\beta) \\
& + ib_{2,0,-3,-4}^r (x_\alpha^2 + y_\alpha^2) (x_\alpha^3 y_\beta + 3x_\alpha^2 x_\beta y_\alpha - 3x_\alpha y_\alpha^2 y_\beta - x_\beta y_\alpha^3) + 4ib_{2,0,-4,-4}^r x_\alpha y_\alpha (x_\alpha - y_\alpha) (x_\alpha + y_\alpha) (x_\alpha^2 + y_\alpha^2) \\
& + b_{2,0,-4,-4}^r (x_\alpha^2 + y_\alpha^2) (x_\alpha^2 - 2x_\alpha y_\alpha - y_\alpha^2) (x_\alpha^2 + 2x_\alpha y_\alpha - y_\alpha^2) + 4ib_{2,0,0,-4}^r x_\beta y_\beta (x_\alpha^2 + y_\alpha^2) (x_\beta - y_\beta) (x_\beta + y_\beta) \\
& + b_{2,0,0,-4}^r (x_\alpha^2 + y_\alpha^2) (x_\beta^2 - 2x_\beta y_\beta - y_\beta^2) (x_\beta^2 + 2x_\beta y_\beta - y_\beta^2) + b_{2,0,3,2}^r (x_\alpha^2 + y_\alpha^2) (x_\alpha^3 x_\beta + 3x_\alpha^2 y_\alpha y_\beta - 3x_\alpha x_\beta y_\alpha^2 - y_\alpha^3 y_\beta) \\
& + ib_{2,0,3,2}^r (x_\alpha^2 + y_\alpha^2) (x_\alpha^3 y_\beta - 3x_\alpha^2 x_\beta y_\alpha - 3x_\alpha y_\alpha^2 y_\beta + x_\beta y_\alpha^3) - 2ib_{2,2,0,2}^r x_\beta y_\beta (x_\alpha^2 + y_\alpha^2) (x_\beta^2 + y_\beta^2) \\
& + b_{2,2,0,2}^r (x_\alpha^2 + y_\alpha^2) (x_\beta - y_\beta) (x_\beta + y_\beta) (x_\beta^2 + y_\beta^2) + b_{2,2,1,2}^r (x_\alpha^2 + y_\alpha^2) (x_\beta^2 + y_\beta^2) (x_\alpha x_\beta - y_\alpha y_\beta) \\
& - ib_{2,2,1,2}^r (x_\alpha^2 + y_\alpha^2) (x_\beta^2 + y_\beta^2) (x_\alpha y_\beta + x_\beta y_\alpha) - 2ib_{2,2,2,2}^r x_\alpha y_\alpha (x_\alpha^2 + y_\alpha^2) (x_\beta^2 + y_\beta^2) \\
& + b_{2,2,2,2}^r (x_\alpha - y_\alpha) (x_\alpha + y_\alpha) (x_\alpha^2 + y_\alpha^2) (x_\beta^2 + y_\beta^2) - 2ib_{4,0,0,2}^r x_\beta y_\beta (x_\alpha^2 + y_\alpha^2)^2 \\
& + b_{4,0,0,2}^r (x_\alpha^2 + y_\alpha^2)^2 (x_\beta - y_\beta) (x_\beta + y_\beta) + b_{4,0,1,2}^r (x_\alpha^2 + y_\alpha^2)^2 (x_\alpha x_\beta - y_\alpha y_\beta) \\
& - ib_{4,0,1,2}^r (x_\alpha^2 + y_\alpha^2)^2 (x_\alpha y_\beta + x_\beta y_\alpha) - 2ib_{4,0,2,2}^r x_\alpha y_\alpha (x_\alpha^2 + y_\alpha^2)^2 + b_{4,0,2,2}^r (x_\alpha - y_\alpha) (x_\alpha + y_\alpha) (x_\alpha^2 + y_\alpha^2)^2
\end{aligned}$$

4 Vibronic Hamiltonian operator in the real E basis

$$\hat{H} = (|X\rangle \quad |Y\rangle) \begin{pmatrix} H_{XX} & H_{XY} \\ H_{YX} & H_{YY} \end{pmatrix} \begin{pmatrix} \langle X| \\ \langle Y| \end{pmatrix}$$

5 Matrix element expansions in the real E basis

5.1 Order: 0

Number of terms: H_{XX} : 1 (all from H_{++}), H_{XY} : 0, H_{YY} : 0.

Polar e-coordinates:

$$H_{XX}^{(0)} = a_{0,0,0,0}^r$$

$$H_{XY}^{(0)} = 0$$

$$H_{YX}^{(0)} = 0$$

$$H_{YY}^{(0)} = a_{0,0,0,0}^r$$

Cartesian e-coordinates:

$$H_{XX}^{(0)} = a_{0,0,0,0}^r$$

$$H_{XY}^{(0)} = 0$$

$$H_{YX}^{(0)} = 0$$

$$H_{YY}^{(0)} = a_{0,0,0,0}^r$$

5.2 Order: 1

Number of terms: H_{XX} : 2 (all from H_{+-}), H_{XY} : 2 (all from H_{+-}), H_{YY} : 2 (all from H_{+-}).

Polar e-coordinates:

$$H_{XX}^{(1)} = b_{0,0,-1,-1}^r \rho_\alpha \cos(\phi_\alpha) + b_{0,0,0,-1}^r \rho_\beta \cos(\phi_\beta)$$

$$H_{XY}^{(1)} = b_{0,0,-1,-1}^r \rho_\alpha \sin(\phi_\alpha) + b_{0,0,0,-1}^r \rho_\beta \sin(\phi_\beta)$$

$$H_{YX}^{(1)} = b_{0,0,-1,-1}^r \rho_\alpha \sin(\phi_\alpha) + b_{0,0,0,-1}^r \rho_\beta \sin(\phi_\beta)$$

$$H_{YY}^{(1)} = -b_{0,0,-1,-1}^r \rho_\alpha \cos(\phi_\alpha) - b_{0,0,0,-1}^r \rho_\beta \cos(\phi_\beta)$$

Cartesian e-coordinates:

$$H_{XX}^{(1)} = b_{0,0,-1,-1}^r x_\alpha + b_{0,0,0,-1}^r x_\beta$$

$$H_{XY}^{(1)} = b_{0,0,-1,-1}^r y_\alpha + b_{0,0,0,-1}^r y_\beta$$

$$H_{YX}^{(1)} = b_{0,0,-1,-1}^r y_\alpha + b_{0,0,0,-1}^r y_\beta$$

$$H_{YY}^{(1)} = -b_{0,0,-1,-1}^r x_\alpha - b_{0,0,0,-1}^r x_\beta$$

5.3 Order: 2

Number of terms: H_{XX} : 6 (3 from H_{++} , 3 from H_{+-}), H_{XY} : 3 (all from H_{+-}), H_{YX} : 3 (all from H_{+-}).

Polar e-coordinates:

$$H_{XX}^{(2)} = a_{0,0,1,0}^r \rho_\alpha \rho_\beta \cos(\phi_\alpha - \phi_\beta) + a_{0,2,0,0}^r \rho_\beta^2 + a_{2,0,0,0}^r \rho_\alpha^2 + b_{0,0,0,2}^r \rho_\beta^2 \cos(2\phi_\beta) \\ + b_{0,0,1,2}^r \rho_\alpha \rho_\beta \cos(\phi_\alpha + \phi_\beta) + b_{0,0,2,2}^r \rho_\alpha^2 \cos(2\phi_\alpha)$$

$$H_{XY}^{(2)} = -b_{0,0,0,2}^r \rho_\beta^2 \sin(2\phi_\beta) - b_{0,0,1,2}^r \rho_\alpha \rho_\beta \sin(\phi_\alpha + \phi_\beta) - b_{0,0,2,2}^r \rho_\alpha^2 \sin(2\phi_\alpha)$$

$$H_{YX}^{(2)} = -b_{0,0,0,2}^r \rho_\beta^2 \sin(2\phi_\beta) - b_{0,0,1,2}^r \rho_\alpha \rho_\beta \sin(\phi_\alpha + \phi_\beta) - b_{0,0,2,2}^r \rho_\alpha^2 \sin(2\phi_\alpha)$$

$$H_{YY}^{(2)} = a_{0,0,1,0}^r \rho_\alpha \rho_\beta \cos(\phi_\alpha - \phi_\beta) + a_{0,2,0,0}^r \rho_\beta^2 + a_{2,0,0,0}^r \rho_\alpha^2 - b_{0,0,0,2}^r \rho_\beta^2 \cos(2\phi_\beta) \\ - b_{0,0,1,2}^r \rho_\alpha \rho_\beta \cos(\phi_\alpha + \phi_\beta) - b_{0,0,2,2}^r \rho_\alpha^2 \cos(2\phi_\alpha)$$

Cartesian e-coordinates:

$$H_{XX}^{(2)} = a_{0,0,1,0}^r (x_\alpha x_\beta + y_\alpha y_\beta) + a_{0,2,0,0}^r (x_\beta^2 + y_\beta^2) + a_{2,0,0,0}^r (x_\alpha^2 + y_\alpha^2) + b_{0,0,0,2}^r (x_\beta - y_\beta)(x_\beta + y_\beta) \\ + b_{0,0,1,2}^r (x_\alpha x_\beta - y_\alpha y_\beta) + b_{0,0,2,2}^r (x_\alpha - y_\alpha)(x_\alpha + y_\alpha)$$

$$H_{XY}^{(2)} = -2b_{0,0,0,2}^r x_\beta y_\beta - b_{0,0,1,2}^r (x_\alpha y_\beta + x_\beta y_\alpha) - 2b_{0,0,2,2}^r x_\alpha y_\alpha$$

$$H_{YX}^{(2)} = -2b_{0,0,0,2}^r x_\beta y_\beta - b_{0,0,1,2}^r (x_\alpha y_\beta + x_\beta y_\alpha) - 2b_{0,0,2,2}^r x_\alpha y_\alpha$$

$$H_{YY}^{(2)} = a_{0,0,1,0}^r (x_\alpha x_\beta + y_\alpha y_\beta) + a_{0,2,0,0}^r (x_\beta^2 + y_\beta^2) + a_{2,0,0,0}^r (x_\alpha^2 + y_\alpha^2) - b_{0,0,0,2}^r (x_\beta - y_\beta)(x_\beta + y_\beta) \\ - b_{0,0,1,2}^r (x_\alpha x_\beta - y_\alpha y_\beta) - b_{0,0,2,2}^r (x_\alpha - y_\alpha)(x_\alpha + y_\alpha)$$

5.4 Order: 3

Number of terms: H_{XX} : 10 (4 from H_{++} , 6 from H_{+-}), H_{XY} : 6 (all from H_{+-}), H_{YY} : 6 (all from H_{+-}).

Polar e-coordinates:

$$\begin{aligned} H_{XX}^{(3)} = & a_{0,0,0,3}^r \rho_\beta^3 \cos(3\phi_\beta) + a_{0,0,1,3}^r \rho_\alpha \rho_\beta^2 \cos(\phi_\alpha + 2\phi_\beta) + a_{0,0,2,3}^r \rho_\alpha^2 \rho_\beta \cos(2\phi_\alpha + \phi_\beta) + a_{0,0,3,3}^r \rho_\alpha^3 \cos(3\phi_\alpha) \\ & + b_{0,0,-2,-1}^r \rho_\alpha^2 \rho_\beta \cos(2\phi_\alpha - \phi_\beta) + b_{0,0,1,-1}^r \rho_\alpha \rho_\beta^2 \cos(\phi_\alpha - 2\phi_\beta) + b_{0,2,-1,-1}^r \rho_\alpha \rho_\beta^2 \cos(\phi_\alpha) + b_{0,2,0,-1}^r \rho_\beta^3 \cos(\phi_\beta) \\ & + b_{2,0,-1,-1}^r \rho_\alpha^3 \cos(\phi_\alpha) + b_{2,0,0,-1}^r \rho_\alpha^2 \rho_\beta \cos(\phi_\beta) \end{aligned}$$

$$\begin{aligned} H_{XY}^{(3)} = & b_{0,0,-2,-1}^r \rho_\alpha^2 \rho_\beta \sin(2\phi_\alpha - \phi_\beta) - b_{0,0,1,-1}^r \rho_\alpha \rho_\beta^2 \sin(\phi_\alpha - 2\phi_\beta) + b_{0,2,-1,-1}^r \rho_\alpha \rho_\beta^2 \sin(\phi_\alpha) + b_{0,2,0,-1}^r \rho_\beta^3 \sin(\phi_\beta) \\ & + b_{2,0,-1,-1}^r \rho_\alpha^3 \sin(\phi_\alpha) + b_{2,0,0,-1}^r \rho_\alpha^2 \rho_\beta \sin(\phi_\beta) \end{aligned}$$

$$\begin{aligned} H_{YX}^{(3)} = & b_{0,0,-2,-1}^r \rho_\alpha^2 \rho_\beta \sin(2\phi_\alpha - \phi_\beta) - b_{0,0,1,-1}^r \rho_\alpha \rho_\beta^2 \sin(\phi_\alpha - 2\phi_\beta) + b_{0,2,-1,-1}^r \rho_\alpha \rho_\beta^2 \sin(\phi_\alpha) + b_{0,2,0,-1}^r \rho_\beta^3 \sin(\phi_\beta) \\ & + b_{2,0,-1,-1}^r \rho_\alpha^3 \sin(\phi_\alpha) + b_{2,0,0,-1}^r \rho_\alpha^2 \rho_\beta \sin(\phi_\beta) \end{aligned}$$

$$\begin{aligned} H_{YY}^{(3)} = & a_{0,0,0,3}^r \rho_\beta^3 \cos(3\phi_\beta) + a_{0,0,1,3}^r \rho_\alpha \rho_\beta^2 \cos(\phi_\alpha + 2\phi_\beta) + a_{0,0,2,3}^r \rho_\alpha^2 \rho_\beta \cos(2\phi_\alpha + \phi_\beta) + a_{0,0,3,3}^r \rho_\alpha^3 \cos(3\phi_\alpha) \\ & - b_{0,0,-2,-1}^r \rho_\alpha^2 \rho_\beta \cos(2\phi_\alpha - \phi_\beta) - b_{0,0,1,-1}^r \rho_\alpha \rho_\beta^2 \cos(\phi_\alpha - 2\phi_\beta) - b_{0,2,-1,-1}^r \rho_\alpha \rho_\beta^2 \cos(\phi_\alpha) - b_{0,2,0,-1}^r \rho_\beta^3 \cos(\phi_\beta) \\ & - b_{2,0,-1,-1}^r \rho_\alpha^3 \cos(\phi_\alpha) - b_{2,0,0,-1}^r \rho_\alpha^2 \rho_\beta \cos(\phi_\beta) \end{aligned}$$

Cartesian e-coordinates:

$$\begin{aligned} H_{XX}^{(3)} = & a_{0,0,0,3}^r x_\beta (x_\beta^2 - 3y_\beta^2) + a_{0,0,1,3}^r (x_\alpha (x_\beta^2 - y_\beta^2) - 2x_\beta y_\alpha y_\beta) + a_{0,0,2,3}^r (-2x_\alpha y_\alpha y_\beta + x_\beta (x_\alpha^2 - y_\alpha^2)) \\ & + a_{0,0,3,3}^r x_\alpha (x_\alpha^2 - 3y_\alpha^2) + b_{0,0,-2,-1}^r (2x_\alpha y_\alpha y_\beta + x_\beta (x_\alpha^2 - y_\alpha^2)) + b_{0,0,1,-1}^r (x_\alpha (x_\beta^2 - y_\beta^2) + 2x_\beta y_\alpha y_\beta) \\ & + b_{0,2,-1,-1}^r x_\alpha (x_\beta^2 + y_\beta^2) + b_{0,2,0,-1}^r x_\beta (x_\beta^2 + y_\beta^2) + b_{2,0,-1,-1}^r x_\alpha (x_\alpha^2 + y_\alpha^2) + b_{2,0,0,-1}^r x_\beta (x_\alpha^2 + y_\alpha^2) \end{aligned}$$

$$\begin{aligned} H_{XY}^{(3)} = & -b_{0,0,-2,-1}^r (-2x_\alpha x_\beta y_\alpha + y_\beta (x_\alpha^2 - y_\alpha^2)) + b_{0,0,1,-1}^r (2x_\alpha x_\beta y_\beta + y_\alpha (-x_\beta^2 + y_\beta^2)) \\ & + b_{0,2,-1,-1}^r y_\alpha (x_\beta^2 + y_\beta^2) + b_{0,2,0,-1}^r y_\beta (x_\beta^2 + y_\beta^2) + b_{2,0,-1,-1}^r y_\alpha (x_\alpha^2 + y_\alpha^2) + b_{2,0,0,-1}^r y_\beta (x_\alpha^2 + y_\alpha^2) \end{aligned}$$

$$\begin{aligned} H_{YX}^{(3)} = & -b_{0,0,-2,-1}^r (-2x_\alpha x_\beta y_\alpha + y_\beta (x_\alpha^2 - y_\alpha^2)) + b_{0,0,1,-1}^r (2x_\alpha x_\beta y_\beta + y_\alpha (-x_\beta^2 + y_\beta^2)) \\ & + b_{0,2,-1,-1}^r y_\alpha (x_\beta^2 + y_\beta^2) + b_{0,2,0,-1}^r y_\beta (x_\beta^2 + y_\beta^2) + b_{2,0,-1,-1}^r y_\alpha (x_\alpha^2 + y_\alpha^2) + b_{2,0,0,-1}^r y_\beta (x_\alpha^2 + y_\alpha^2) \end{aligned}$$

$$\begin{aligned} H_{YY}^{(3)} = & a_{0,0,0,3}^r x_\beta (x_\beta^2 - 3y_\beta^2) + a_{0,0,1,3}^r (x_\alpha (x_\beta^2 - y_\beta^2) - 2x_\beta y_\alpha y_\beta) + a_{0,0,2,3}^r (-2x_\alpha y_\alpha y_\beta + x_\beta (x_\alpha^2 - y_\alpha^2)) \\ & + a_{0,0,3,3}^r x_\alpha (x_\alpha^2 - 3y_\alpha^2) - b_{0,0,-2,-1}^r (2x_\alpha y_\alpha y_\beta + x_\beta (x_\alpha^2 - y_\alpha^2)) - b_{0,0,1,-1}^r (x_\alpha (x_\beta^2 - y_\beta^2) + 2x_\beta y_\alpha y_\beta) \\ & - b_{0,2,-1,-1}^r x_\alpha (x_\beta^2 + y_\beta^2) - b_{0,2,0,-1}^r x_\beta (x_\beta^2 + y_\beta^2) - b_{2,0,-1,-1}^r x_\alpha (x_\alpha^2 + y_\alpha^2) - b_{2,0,0,-1}^r x_\beta (x_\alpha^2 + y_\alpha^2) \end{aligned}$$

5.5 Order: 4

Number of terms: H_{XX} : 19 (6 from H_{++} , 13 from H_{+-}), H_{XY} : 13 (all from H_{+-}), H_{YY} : 13 (all from H_{+-}).

Polar e-coordinates:

$$\begin{aligned}
H_{XX}^{(4)} = & a_{0,0,2,0}^r \rho_\alpha^2 \rho_\beta^2 \cos(2\phi_\alpha - 2\phi_\beta) + a_{0,2,1,0}^r \rho_\alpha \rho_\beta^3 \cos(\phi_\alpha - \phi_\beta) + a_{0,4,0,0}^r \rho_\beta^4 + a_{2,0,1,0}^r \rho_\alpha^3 \rho_\beta \cos(\phi_\alpha - \phi_\beta) + a_{2,2,0,0}^r \rho_\alpha^2 \rho_\beta^2 \\
& + a_{4,0,0,0}^r \rho_\alpha^4 + b_{0,0,-1,-4}^r \rho_\alpha \rho_\beta^3 \cos(\phi_\alpha + 3\phi_\beta) + b_{0,0,-1,2}^r \rho_\alpha \rho_\beta^3 \cos(\phi_\alpha - 3\phi_\beta) + b_{0,0,-2,-4}^r \rho_\alpha^2 \rho_\beta^2 \cos(2\phi_\alpha + 2\phi_\beta) \\
& + b_{0,0,-3,-4}^r \rho_\alpha^3 \rho_\beta \cos(3\phi_\alpha + \phi_\beta) + b_{0,0,-4,-4}^r \rho_\alpha^4 \cos(4\phi_\alpha) + b_{0,0,0,-4}^r \rho_\beta^4 \cos(4\phi_\beta) + b_{0,0,3,2}^r \rho_\alpha^3 \rho_\beta \cos(3\phi_\alpha - \phi_\beta) \\
& + b_{0,2,0,2}^r \rho_\beta^4 \cos(2\phi_\beta) + b_{0,2,1,2}^r \rho_\alpha \rho_\beta^3 \cos(\phi_\alpha + \phi_\beta) + b_{0,2,2,2}^r \rho_\alpha^2 \rho_\beta^2 \cos(2\phi_\alpha) + b_{2,0,0,2}^r \rho_\alpha^2 \rho_\beta^2 \cos(2\phi_\beta) \\
& + b_{2,0,1,2}^r \rho_\alpha^3 \rho_\beta \cos(\phi_\alpha + \phi_\beta) + b_{2,0,2,2}^r \rho_\alpha^4 \cos(2\phi_\alpha)
\end{aligned}$$

$$\begin{aligned}
H_{XY}^{(4)} = & b_{0,0,-1,-4}^r \rho_\alpha \rho_\beta^3 \sin(\phi_\alpha + 3\phi_\beta) + b_{0,0,-1,2}^r \rho_\alpha \rho_\beta^3 \sin(\phi_\alpha - 3\phi_\beta) + b_{0,0,-2,-4}^r \rho_\alpha^2 \rho_\beta^2 \sin(2\phi_\alpha + 2\phi_\beta) \\
& + b_{0,0,-3,-4}^r \rho_\alpha^3 \rho_\beta \sin(3\phi_\alpha + \phi_\beta) + b_{0,0,-4,-4}^r \rho_\alpha^4 \sin(4\phi_\alpha) + b_{0,0,0,-4}^r \rho_\beta^4 \sin(4\phi_\beta) - b_{0,0,3,2}^r \rho_\alpha^3 \rho_\beta \sin(3\phi_\alpha - \phi_\beta) \\
& - b_{0,2,0,2}^r \rho_\beta^4 \sin(2\phi_\beta) - b_{0,2,1,2}^r \rho_\alpha \rho_\beta^3 \sin(\phi_\alpha + \phi_\beta) - b_{0,2,2,2}^r \rho_\alpha^2 \rho_\beta^2 \sin(2\phi_\alpha) - b_{2,0,0,2}^r \rho_\alpha^2 \rho_\beta^2 \sin(2\phi_\beta) \\
& - b_{2,0,1,2}^r \rho_\alpha^3 \rho_\beta \sin(\phi_\alpha + \phi_\beta) - b_{2,0,2,2}^r \rho_\alpha^4 \sin(2\phi_\alpha)
\end{aligned}$$

$$\begin{aligned}
H_{YY}^{(4)} = & b_{0,0,-1,-4}^r \rho_\alpha \rho_\beta^3 \sin(\phi_\alpha + 3\phi_\beta) + b_{0,0,-1,2}^r \rho_\alpha \rho_\beta^3 \sin(\phi_\alpha - 3\phi_\beta) + b_{0,0,-2,-4}^r \rho_\alpha^2 \rho_\beta^2 \sin(2\phi_\alpha + 2\phi_\beta) \\
& + b_{0,0,-3,-4}^r \rho_\alpha^3 \rho_\beta \sin(3\phi_\alpha + \phi_\beta) + b_{0,0,-4,-4}^r \rho_\alpha^4 \sin(4\phi_\alpha) + b_{0,0,0,-4}^r \rho_\beta^4 \sin(4\phi_\beta) - b_{0,0,3,2}^r \rho_\alpha^3 \rho_\beta \sin(3\phi_\alpha - \phi_\beta) \\
& - b_{0,2,0,2}^r \rho_\beta^4 \sin(2\phi_\beta) - b_{0,2,1,2}^r \rho_\alpha \rho_\beta^3 \sin(\phi_\alpha + \phi_\beta) - b_{0,2,2,2}^r \rho_\alpha^2 \rho_\beta^2 \sin(2\phi_\alpha) - b_{2,0,0,2}^r \rho_\alpha^2 \rho_\beta^2 \sin(2\phi_\beta) \\
& - b_{2,0,1,2}^r \rho_\alpha^3 \rho_\beta \sin(\phi_\alpha + \phi_\beta) - b_{2,0,2,2}^r \rho_\alpha^4 \sin(2\phi_\alpha)
\end{aligned}$$

$$\begin{aligned}
H_{YY}^{(4)} = & a_{0,0,2,0}^r \rho_\alpha^2 \rho_\beta^2 \cos(2\phi_\alpha - 2\phi_\beta) + a_{0,2,1,0}^r \rho_\alpha \rho_\beta^3 \cos(\phi_\alpha - \phi_\beta) + a_{0,4,0,0}^r \rho_\beta^4 + a_{2,0,1,0}^r \rho_\alpha^3 \rho_\beta \cos(\phi_\alpha - \phi_\beta) + a_{2,2,0,0}^r \rho_\alpha^2 \rho_\beta^2 \\
& + a_{4,0,0,0}^r \rho_\alpha^4 - b_{0,0,-1,-4}^r \rho_\alpha \rho_\beta^3 \cos(\phi_\alpha + 3\phi_\beta) - b_{0,0,-1,2}^r \rho_\alpha \rho_\beta^3 \cos(\phi_\alpha - 3\phi_\beta) - b_{0,0,-2,-4}^r \rho_\alpha^2 \rho_\beta^2 \cos(2\phi_\alpha + 2\phi_\beta) \\
& - b_{0,0,-3,-4}^r \rho_\alpha^3 \rho_\beta \cos(3\phi_\alpha + \phi_\beta) - b_{0,0,-4,-4}^r \rho_\alpha^4 \cos(4\phi_\alpha) - b_{0,0,0,-4}^r \rho_\beta^4 \cos(4\phi_\beta) - b_{0,0,3,2}^r \rho_\alpha^3 \rho_\beta \cos(3\phi_\alpha - \phi_\beta) \\
& - b_{0,2,0,2}^r \rho_\beta^4 \cos(2\phi_\beta) - b_{0,2,1,2}^r \rho_\alpha \rho_\beta^3 \cos(\phi_\alpha + \phi_\beta) - b_{0,2,2,2}^r \rho_\alpha^2 \rho_\beta^2 \cos(2\phi_\alpha) - b_{2,0,0,2}^r \rho_\alpha^2 \rho_\beta^2 \cos(2\phi_\beta) \\
& - b_{2,0,1,2}^r \rho_\alpha^3 \rho_\beta \cos(\phi_\alpha + \phi_\beta) - b_{2,0,2,2}^r \rho_\alpha^4 \cos(2\phi_\alpha)
\end{aligned}$$

Cartesian e-coordinates:

$$\begin{aligned}
H_{XX}^{(4)} = & a_{0,0,2,0}^r (x_\alpha (x_\beta - y_\beta) + y_\alpha (x_\beta + y_\beta)) (x_\alpha (x_\beta + y_\beta) + y_\alpha (-x_\beta + y_\beta)) + a_{0,2,1,0}^r (x_\beta^2 + y_\beta^2) (x_\alpha x_\beta + y_\alpha y_\beta) \\
& + a_{0,4,0,0}^r (x_\beta^2 + y_\beta^2)^2 + a_{2,0,1,0}^r (x_\alpha^2 + y_\alpha^2) (x_\alpha x_\beta + y_\alpha y_\beta) + a_{2,2,0,0}^r (x_\alpha^2 + y_\alpha^2) (x_\beta^2 + y_\beta^2) + a_{4,0,0,0}^r (x_\alpha^2 + y_\alpha^2)^2 \\
& + b_{0,0,-1,-4}^r (x_\alpha (x_\beta^3 - 3x_\beta y_\beta^2) + y_\alpha (-3x_\beta^2 y_\beta + y_\beta^3)) + b_{0,0,-1,2}^r (x_\alpha (x_\beta^3 - 3x_\beta y_\beta^2) + y_\alpha (3x_\beta^2 y_\beta - y_\beta^3)) \\
& + b_{0,0,-2,-4}^r (x_\alpha (x_\beta - y_\beta) + y_\alpha (-x_\beta - y_\beta)) (x_\alpha (x_\beta + y_\beta) + y_\alpha (x_\beta - y_\beta)) \\
& + b_{0,0,-3,-4}^r (x_\alpha^3 x_\beta - 3x_\alpha^2 y_\alpha y_\beta - 3x_\alpha x_\beta y_\alpha^2 + y_\alpha^3 y_\beta) + b_{0,0,-4,-4}^r (x_\alpha^2 - 2x_\alpha y_\alpha - y_\alpha^2) (x_\alpha^2 + 2x_\alpha y_\alpha - y_\alpha^2) \\
& + b_{0,0,0,-4}^r (x_\beta^2 - 2x_\beta y_\beta - y_\beta^2) (x_\beta^2 + 2x_\beta y_\beta - y_\beta^2) + b_{0,0,3,2}^r (x_\alpha^3 x_\beta + 3x_\alpha^2 y_\alpha y_\beta - 3x_\alpha x_\beta y_\alpha^2 - y_\alpha^3 y_\beta) \\
& + b_{0,2,0,2}^r (x_\beta - y_\beta) (x_\beta + y_\beta) (x_\beta^2 + y_\beta^2) + b_{0,2,1,2}^r (x_\beta^2 + y_\beta^2) (x_\alpha x_\beta - y_\alpha y_\beta) + b_{0,2,2,2}^r (x_\alpha - y_\alpha) (x_\alpha + y_\alpha) (x_\beta^2 + y_\beta^2) \\
& + b_{2,0,0,2}^r (x_\alpha^2 + y_\alpha^2) (x_\beta - y_\beta) (x_\beta + y_\beta) + b_{2,0,1,2}^r (x_\alpha^2 + y_\alpha^2) (x_\alpha x_\beta - y_\alpha y_\beta) + b_{2,0,2,2}^r (x_\alpha - y_\alpha) (x_\alpha + y_\alpha) (x_\alpha^2 + y_\alpha^2)
\end{aligned}$$

$$\begin{aligned}
H_{XY}^{(4)} = & b_{0,0,-1,-4}^r (x_\alpha (3x_\beta^2 y_\beta - y_\beta^3) + y_\alpha (x_\beta^3 - 3x_\beta y_\beta^2)) - b_{0,0,-1,2}^r (x_\alpha (3x_\beta^2 y_\beta - y_\beta^3) + y_\alpha (-x_\beta^3 + 3x_\beta y_\beta^2)) \\
& + 2b_{0,0,-2,-4}^r (x_\alpha x_\beta - y_\alpha y_\beta) (x_\alpha y_\beta + x_\beta y_\alpha) + b_{0,0,-3,-4}^r (x_\alpha^3 y_\beta + 3x_\alpha^2 x_\beta y_\alpha - 3x_\alpha y_\alpha^2 y_\beta - x_\beta y_\alpha^3) \\
& + 4b_{0,0,-4,-4}^r x_\alpha y_\alpha (x_\alpha - y_\alpha) (x_\alpha + y_\alpha) + 4b_{0,0,0,-4}^r x_\beta y_\beta (x_\beta - y_\beta) (x_\beta + y_\beta) \\
& + b_{0,0,3,2}^r (x_\alpha^3 y_\beta - 3x_\alpha^2 x_\beta y_\alpha - 3x_\alpha y_\alpha^2 y_\beta + x_\beta y_\alpha^3) - 2b_{0,2,0,2}^r x_\beta y_\beta (x_\beta^2 + y_\beta^2) - b_{0,2,1,2}^r (x_\beta^2 + y_\beta^2) (x_\alpha y_\beta + x_\beta y_\alpha) \\
& - 2b_{0,2,2,2}^r x_\alpha y_\alpha (x_\beta^2 + y_\beta^2) - 2b_{2,0,0,2}^r x_\beta y_\beta (x_\alpha^2 + y_\alpha^2) - b_{2,0,1,2}^r (x_\alpha^2 + y_\alpha^2) (x_\alpha y_\beta + x_\beta y_\alpha) - 2b_{2,0,2,2}^r x_\alpha y_\alpha (x_\alpha^2 + y_\alpha^2)
\end{aligned}$$

$$\begin{aligned}
H_{YX}^{(4)} = & b_{0,0,-1,-4}^r (x_\alpha (3x_\beta^2 y_\beta - y_\beta^3) + y_\alpha (x_\beta^3 - 3x_\beta y_\beta^2)) - b_{0,0,-1,2}^r (x_\alpha (3x_\beta^2 y_\beta - y_\beta^3) + y_\alpha (-x_\beta^3 + 3x_\beta y_\beta^2)) \\
& + 2b_{0,0,-2,-4}^r (x_\alpha x_\beta - y_\alpha y_\beta) (x_\alpha y_\beta + x_\beta y_\alpha) + b_{0,0,-3,-4}^r (x_\alpha^3 y_\beta + 3x_\alpha^2 x_\beta y_\alpha - 3x_\alpha y_\alpha^2 y_\beta - x_\beta y_\alpha^3) \\
& + 4b_{0,0,-4,-4}^r x_\alpha y_\alpha (x_\alpha - y_\alpha) (x_\alpha + y_\alpha) + 4b_{0,0,0,-4}^r x_\beta y_\beta (x_\beta - y_\beta) (x_\beta + y_\beta) \\
& + b_{0,0,3,2}^r (x_\alpha^3 y_\beta - 3x_\alpha^2 x_\beta y_\alpha - 3x_\alpha y_\alpha^2 y_\beta + x_\beta y_\alpha^3) - 2b_{0,2,0,2}^r x_\beta y_\beta (x_\beta^2 + y_\beta^2) - b_{0,2,1,2}^r (x_\beta^2 + y_\beta^2) (x_\alpha y_\beta + x_\beta y_\alpha) \\
& - 2b_{0,2,2,2}^r x_\alpha y_\alpha (x_\beta^2 + y_\beta^2) - 2b_{2,0,0,2}^r x_\beta y_\beta (x_\alpha^2 + y_\alpha^2) - b_{2,0,1,2}^r (x_\alpha^2 + y_\alpha^2) (x_\alpha y_\beta + x_\beta y_\alpha) - 2b_{2,0,2,2}^r x_\alpha y_\alpha (x_\alpha^2 + y_\alpha^2)
\end{aligned}$$

$$\begin{aligned}
H_{YY}^{(4)} = & a_{0,0,2,0}^r (x_\alpha (x_\beta - y_\beta) + y_\alpha (x_\beta + y_\beta)) (x_\alpha (x_\beta + y_\beta) + y_\alpha (-x_\beta + y_\beta)) + a_{0,2,1,0}^r (x_\beta^2 + y_\beta^2) (x_\alpha x_\beta + y_\alpha y_\beta) \\
& + a_{0,4,0,0}^r (x_\beta^2 + y_\beta^2)^2 + a_{2,0,1,0}^r (x_\alpha^2 + y_\alpha^2) (x_\alpha x_\beta + y_\alpha y_\beta) + a_{2,2,0,0}^r (x_\alpha^2 + y_\alpha^2) (x_\beta^2 + y_\beta^2) + a_{4,0,0,0}^r (x_\alpha^2 + y_\alpha^2)^2 \\
& - b_{0,0,-1,-4}^r (x_\alpha (x_\beta^3 - 3x_\beta y_\beta^2) + y_\alpha (-3x_\beta^2 y_\beta + y_\beta^3)) - b_{0,0,-1,2}^r (x_\alpha (x_\beta^3 - 3x_\beta y_\beta^2) + y_\alpha (3x_\beta^2 y_\beta - y_\beta^3)) \\
& - b_{0,0,-2,-4}^r (x_\alpha (x_\beta - y_\beta) + y_\alpha (-x_\beta - y_\beta)) (x_\alpha (x_\beta + y_\beta) + y_\alpha (x_\beta - y_\beta)) \\
& - b_{0,0,-3,-4}^r (x_\alpha^3 x_\beta - 3x_\alpha^2 y_\alpha y_\beta - 3x_\alpha x_\beta y_\alpha^2 + y_\alpha^3 y_\beta) - b_{0,0,-4,-4}^r (x_\alpha^2 - 2x_\alpha y_\alpha - y_\alpha^2) (x_\alpha^2 + 2x_\alpha y_\alpha - y_\alpha^2) \\
& - b_{0,0,0,-4}^r (x_\beta^2 - 2x_\beta y_\beta - y_\beta^2) (x_\beta^2 + 2x_\beta y_\beta - y_\beta^2) - b_{0,0,3,2}^r (x_\alpha^3 x_\beta + 3x_\alpha^2 y_\alpha y_\beta - 3x_\alpha x_\beta y_\alpha^2 - y_\alpha^3 y_\beta) \\
& - b_{0,2,0,2}^r (x_\beta - y_\beta) (x_\beta + y_\beta) (x_\beta^2 + y_\beta^2) - b_{0,2,1,2}^r (x_\beta^2 + y_\beta^2) (x_\alpha x_\beta - y_\alpha y_\beta) - b_{0,2,2,2}^r (x_\alpha - y_\alpha) (x_\alpha + y_\alpha) (x_\beta^2 + y_\beta^2) \\
& - b_{2,0,0,2}^r (x_\alpha^2 + y_\alpha^2) (x_\beta - y_\beta) (x_\beta + y_\beta) - b_{2,0,1,2}^r (x_\alpha^2 + y_\alpha^2) (x_\alpha x_\beta - y_\alpha y_\beta) - b_{2,0,2,2}^r (x_\alpha - y_\alpha) (x_\alpha + y_\alpha) (x_\alpha^2 + y_\alpha^2)
\end{aligned}$$

5.6 Order: 5

Number of terms: H_{XX} : 28 (10 from H_{++} , 18 from H_{+-}), H_{XY} : 18 (all from H_{+-}), H_{YY} : 18 (all from H_{+-}).

Polar e-coordinates:

$$\begin{aligned}
H_{XX}^{(5)} = & a_{0,0,-1,3}^r \rho_\alpha \rho_\beta^4 \cos(\phi_\alpha - 4\phi_\beta) + a_{0,0,4,3}^r \rho_\alpha^4 \rho_\beta \cos(4\phi_\alpha - \phi_\beta) + a_{0,2,0,3}^r \rho_\beta^5 \cos(3\phi_\beta) + a_{0,2,1,3}^r \rho_\alpha \rho_\beta^4 \cos(\phi_\alpha + 2\phi_\beta) \\
& + a_{0,2,2,3}^r \rho_\alpha^2 \rho_\beta^3 \cos(2\phi_\alpha + \phi_\beta) + a_{0,2,3,3}^r \rho_\alpha^3 \rho_\beta^2 \cos(3\phi_\alpha) + a_{2,0,0,3}^r \rho_\alpha^2 \rho_\beta^3 \cos(3\phi_\beta) + a_{2,0,1,3}^r \rho_\alpha^3 \rho_\beta^2 \cos(\phi_\alpha + 2\phi_\beta) \\
& + a_{2,0,2,3}^r \rho_\alpha^4 \rho_\beta \cos(2\phi_\alpha + \phi_\beta) + a_{2,0,3,3}^r \rho_\alpha^5 \cos(3\phi_\alpha) + b_{0,0,-3,-1}^r \rho_\alpha^3 \rho_\beta^2 \cos(3\phi_\alpha - 2\phi_\beta) + b_{0,0,0,5}^r \rho_\beta^5 \cos(5\phi_\beta) \\
& + b_{0,0,1,5}^r \rho_\alpha \rho_\beta^4 \cos(\phi_\alpha + 4\phi_\beta) + b_{0,0,2,-1}^r \rho_\alpha^2 \rho_\beta^3 \cos(2\phi_\alpha - 3\phi_\beta) + b_{0,0,2,5}^r \rho_\alpha^2 \rho_\beta^3 \cos(2\phi_\alpha + 3\phi_\beta) \\
& + b_{0,0,3,5}^r \rho_\alpha^3 \rho_\beta^2 \cos(3\phi_\alpha + 2\phi_\beta) + b_{0,0,4,5}^r \rho_\alpha^4 \rho_\beta \cos(4\phi_\alpha + \phi_\beta) + b_{0,0,5,5}^r \rho_\alpha^5 \cos(5\phi_\alpha) \\
& + b_{0,2,-2,-1}^r \rho_\alpha^2 \rho_\beta^3 \cos(2\phi_\alpha - \phi_\beta) + b_{0,2,1,-1}^r \rho_\alpha \rho_\beta^4 \cos(\phi_\alpha - 2\phi_\beta) + b_{0,4,-1,-1}^r \rho_\alpha \rho_\beta^4 \cos(\phi_\alpha) \\
& + b_{0,4,0,-1}^r \rho_\beta^5 \cos(\phi_\beta) + b_{2,0,-2,-1}^r \rho_\alpha^4 \rho_\beta \cos(2\phi_\alpha - \phi_\beta) + b_{2,0,1,-1}^r \rho_\alpha^3 \rho_\beta^2 \cos(\phi_\alpha - 2\phi_\beta) \\
& + b_{2,2,-1,-1}^r \rho_\alpha^3 \rho_\beta^2 \cos(\phi_\alpha) + b_{2,2,0,-1}^r \rho_\alpha^2 \rho_\beta^3 \cos(\phi_\beta) + b_{4,0,-1,-1}^r \rho_\alpha^5 \cos(\phi_\alpha) + b_{4,0,0,-1}^r \rho_\alpha^4 \rho_\beta \cos(\phi_\beta)
\end{aligned}$$

$$\begin{aligned}
H_{XY}^{(5)} = & b_{0,0,-3,-1}^r \rho_\alpha^3 \rho_\beta^2 \sin(3\phi_\alpha - 2\phi_\beta) - b_{0,0,0,5}^r \rho_\beta^5 \sin(5\phi_\beta) - b_{0,0,1,5}^r \rho_\alpha \rho_\beta^4 \sin(\phi_\alpha + 4\phi_\beta) - b_{0,0,2,-1}^r \rho_\alpha^2 \rho_\beta^3 \sin(2\phi_\alpha - 3\phi_\beta) \\
& - b_{0,0,2,5}^r \rho_\alpha^2 \rho_\beta^3 \sin(2\phi_\alpha + 3\phi_\beta) - b_{0,0,3,5}^r \rho_\alpha^3 \rho_\beta^2 \sin(3\phi_\alpha + 2\phi_\beta) - b_{0,0,4,5}^r \rho_\alpha^4 \rho_\beta \sin(4\phi_\alpha + \phi_\beta) - b_{0,0,5,5}^r \rho_\alpha^5 \sin(5\phi_\alpha) \\
& + b_{0,2,-2,-1}^r \rho_\alpha^2 \rho_\beta^3 \sin(2\phi_\alpha - \phi_\beta) - b_{0,2,1,-1}^r \rho_\alpha \rho_\beta^4 \sin(\phi_\alpha - 2\phi_\beta) + b_{0,4,-1,-1}^r \rho_\alpha \rho_\beta^4 \sin(\phi_\alpha) + b_{0,4,0,-1}^r \rho_\beta^5 \sin(\phi_\beta) \\
& + b_{2,0,-2,-1}^r \rho_\alpha^4 \rho_\beta \sin(2\phi_\alpha - \phi_\beta) - b_{2,0,1,-1}^r \rho_\alpha^3 \rho_\beta^2 \sin(\phi_\alpha - 2\phi_\beta) + b_{2,2,-1,-1}^r \rho_\alpha^3 \rho_\beta^2 \sin(\phi_\alpha) + b_{2,2,0,-1}^r \rho_\alpha^2 \rho_\beta^3 \sin(\phi_\beta) \\
& + b_{4,0,-1,-1}^r \rho_\alpha^5 \sin(\phi_\alpha) + b_{4,0,0,-1}^r \rho_\alpha^4 \rho_\beta \sin(\phi_\beta)
\end{aligned}$$

$$\begin{aligned}
H_{YY}^{(5)} = & b_{0,0,-3,-1}^r \rho_\alpha^3 \rho_\beta^2 \sin(3\phi_\alpha - 2\phi_\beta) - b_{0,0,0,5}^r \rho_\beta^5 \sin(5\phi_\beta) - b_{0,0,1,5}^r \rho_\alpha \rho_\beta^4 \sin(\phi_\alpha + 4\phi_\beta) - b_{0,0,2,-1}^r \rho_\alpha^2 \rho_\beta^3 \sin(2\phi_\alpha - 3\phi_\beta) \\
& - b_{0,0,2,5}^r \rho_\alpha^2 \rho_\beta^3 \sin(2\phi_\alpha + 3\phi_\beta) - b_{0,0,3,5}^r \rho_\alpha^3 \rho_\beta^2 \sin(3\phi_\alpha + 2\phi_\beta) - b_{0,0,4,5}^r \rho_\alpha^4 \rho_\beta \sin(4\phi_\alpha + \phi_\beta) - b_{0,0,5,5}^r \rho_\alpha^5 \sin(5\phi_\alpha) \\
& + b_{0,2,-2,-1}^r \rho_\alpha^2 \rho_\beta^3 \sin(2\phi_\alpha - \phi_\beta) - b_{0,2,1,-1}^r \rho_\alpha \rho_\beta^4 \sin(\phi_\alpha - 2\phi_\beta) + b_{0,4,-1,-1}^r \rho_\alpha \rho_\beta^4 \sin(\phi_\alpha) + b_{0,4,0,-1}^r \rho_\beta^5 \sin(\phi_\beta) \\
& + b_{2,0,-2,-1}^r \rho_\alpha^4 \rho_\beta \sin(2\phi_\alpha - \phi_\beta) - b_{2,0,1,-1}^r \rho_\alpha^3 \rho_\beta^2 \sin(\phi_\alpha - 2\phi_\beta) + b_{2,2,-1,-1}^r \rho_\alpha^3 \rho_\beta^2 \sin(\phi_\alpha) + b_{2,2,0,-1}^r \rho_\alpha^2 \rho_\beta^3 \sin(\phi_\beta) \\
& + b_{4,0,-1,-1}^r \rho_\alpha^5 \sin(\phi_\alpha) + b_{4,0,0,-1}^r \rho_\alpha^4 \rho_\beta \sin(\phi_\beta)
\end{aligned}$$

$$\begin{aligned}
H_{YY}^{(5)} = & a_{0,0,-1,3}^r \rho_\alpha \rho_\beta^4 \cos(\phi_\alpha - 4\phi_\beta) + a_{0,0,4,3}^r \rho_\alpha^4 \rho_\beta \cos(4\phi_\alpha - \phi_\beta) + a_{0,2,0,3}^r \rho_\beta^5 \cos(3\phi_\beta) + a_{0,2,1,3}^r \rho_\alpha \rho_\beta^4 \cos(\phi_\alpha + 2\phi_\beta) \\
& + a_{0,2,2,3}^r \rho_\alpha^2 \rho_\beta^3 \cos(2\phi_\alpha + \phi_\beta) + a_{0,2,3,3}^r \rho_\alpha^3 \rho_\beta^2 \cos(3\phi_\alpha) + a_{2,0,0,3}^r \rho_\alpha^2 \rho_\beta^3 \cos(3\phi_\beta) + a_{2,0,1,3}^r \rho_\alpha^3 \rho_\beta^2 \cos(\phi_\alpha + 2\phi_\beta) \\
& + a_{2,0,2,3}^r \rho_\alpha^4 \rho_\beta \cos(2\phi_\alpha + \phi_\beta) + a_{2,0,3,3}^r \rho_\alpha^5 \cos(3\phi_\alpha) - b_{0,0,-3,-1}^r \rho_\alpha^3 \rho_\beta^2 \cos(3\phi_\alpha - 2\phi_\beta) - b_{0,0,0,5}^r \rho_\beta^5 \cos(5\phi_\beta) \\
& - b_{0,0,1,5}^r \rho_\alpha \rho_\beta^4 \cos(\phi_\alpha + 4\phi_\beta) - b_{0,0,2,-1}^r \rho_\alpha^2 \rho_\beta^3 \cos(2\phi_\alpha - 3\phi_\beta) - b_{0,0,2,5}^r \rho_\alpha^2 \rho_\beta^3 \cos(2\phi_\alpha + 3\phi_\beta) \\
& - b_{0,0,3,5}^r \rho_\alpha^3 \rho_\beta^2 \cos(3\phi_\alpha + 2\phi_\beta) - b_{0,0,4,5}^r \rho_\alpha^4 \rho_\beta \cos(4\phi_\alpha + \phi_\beta) - b_{0,0,5,5}^r \rho_\alpha^5 \cos(5\phi_\alpha) \\
& - b_{0,2,-2,-1}^r \rho_\alpha^2 \rho_\beta^3 \cos(2\phi_\alpha - \phi_\beta) - b_{0,2,1,-1}^r \rho_\alpha \rho_\beta^4 \cos(\phi_\alpha - 2\phi_\beta) - b_{0,4,-1,-1}^r \rho_\alpha \rho_\beta^4 \cos(\phi_\alpha) - b_{0,4,0,-1}^r \rho_\beta^5 \cos(\phi_\beta) \\
& - b_{2,0,-2,-1}^r \rho_\alpha^4 \rho_\beta \cos(2\phi_\alpha - \phi_\beta) - b_{2,0,1,-1}^r \rho_\alpha^3 \rho_\beta^2 \cos(\phi_\alpha - 2\phi_\beta) - b_{2,2,-1,-1}^r \rho_\alpha^3 \rho_\beta^2 \cos(\phi_\alpha) - b_{2,2,0,-1}^r \rho_\alpha^2 \rho_\beta^3 \cos(\phi_\beta) \\
& - b_{4,0,-1,-1}^r \rho_\alpha^5 \cos(\phi_\alpha) - b_{4,0,0,-1}^r \rho_\alpha^4 \rho_\beta \cos(\phi_\beta)
\end{aligned}$$

Cartesian e-coordinates:

$$\begin{aligned}
H_{XX}^{(5)} = & a_{0,0,-1,3}^r (x_\alpha (x_\beta^4 - 6x_\beta^2 y_\beta^2 + y_\beta^4) + y_\alpha (4x_\beta^3 y_\beta - 4x_\beta y_\beta^3)) + a_{0,0,4,3}^r (4x_\alpha^3 y_\alpha y_\beta - 4x_\alpha y_\alpha^3 y_\beta + x_\beta (x_\alpha^4 - 6x_\alpha^2 y_\alpha^2 + y_\alpha^4)) \\
& + a_{0,2,0,3}^r x_\beta (x_\beta^2 - 3y_\beta^2) (x_\beta^2 + y_\beta^2) + a_{0,2,1,3}^r (x_\beta^2 + y_\beta^2) (x_\alpha (x_\beta^2 - y_\beta^2) - 2x_\beta y_\alpha y_\beta) \\
& + a_{0,2,2,3}^r (x_\beta^2 + y_\beta^2) (-2x_\alpha y_\alpha y_\beta + x_\beta (x_\alpha^2 - y_\alpha^2)) + a_{0,2,3,3}^r x_\alpha (x_\alpha^2 - 3y_\alpha^2) (x_\beta^2 + y_\beta^2) + a_{2,0,0,3}^r x_\beta (x_\alpha^2 + y_\alpha^2) (x_\beta^2 - 3y_\beta^2) \\
& + a_{2,0,1,3}^r (x_\alpha^2 + y_\alpha^2) (x_\alpha (x_\beta^2 - y_\beta^2) - 2x_\beta y_\alpha y_\beta) + a_{2,0,2,3}^r (x_\alpha^2 + y_\alpha^2) (-2x_\alpha y_\alpha y_\beta + x_\beta (x_\alpha^2 - y_\alpha^2)) \\
& + a_{2,0,3,3}^r x_\alpha (x_\alpha^2 - 3y_\alpha^2) (x_\beta^2 + y_\beta^2) + b_{0,0,-3,-1}^r (x_\alpha^3 x_\beta^2 - x_\alpha^3 y_\beta^2 + 6x_\alpha^2 x_\beta y_\alpha y_\beta + x_\alpha (-3x_\beta^2 y_\alpha^2 + 3y_\alpha^2 y_\beta^2) - 2x_\beta y_\alpha^3 y_\beta) \\
& + b_{0,0,0,5}^r x_\beta (x_\beta^4 - 10x_\beta^2 y_\beta^2 + 5y_\beta^4) + b_{0,0,1,5}^r (x_\alpha (x_\beta^4 - 6x_\beta^2 y_\beta^2 + y_\beta^4) + y_\alpha (-4x_\beta^3 y_\beta + 4x_\beta y_\beta^3)) \\
& + b_{0,0,2,-1}^r (x_\alpha^2 x_\beta^3 + x_\alpha (6x_\beta^2 y_\alpha y_\beta - 2y_\alpha y_\beta^3) - x_\beta^3 y_\alpha^2 + x_\beta (-3x_\alpha^2 y_\beta^2 + 3y_\alpha^2 y_\beta^2)) \\
& + b_{0,0,2,5}^r (x_\alpha^2 x_\beta^3 + x_\alpha (-6x_\beta^2 y_\alpha y_\beta + 2y_\alpha y_\beta^3) - x_\beta^3 y_\alpha^2 + x_\beta (-3x_\alpha^2 y_\beta^2 + 3y_\alpha^2 y_\beta^2)) \\
& + b_{0,0,3,5}^r (x_\alpha^3 x_\beta^2 - x_\alpha^3 y_\beta^2 - 6x_\alpha^2 x_\beta y_\alpha y_\beta + x_\alpha (-3x_\beta^2 y_\alpha^2 + 3y_\alpha^2 y_\beta^2) + 2x_\beta y_\alpha^3 y_\beta) \\
& + b_{0,0,4,5}^r (-4x_\alpha^3 y_\alpha y_\beta + 4x_\alpha y_\alpha^3 y_\beta + x_\beta (x_\alpha^4 - 6x_\alpha^2 y_\alpha^2 + y_\alpha^4)) + b_{0,0,5,5}^r x_\alpha (x_\alpha^4 - 10x_\alpha^2 y_\alpha^2 + 5y_\alpha^4) \\
& + b_{0,2,-2,-1}^r (x_\beta^2 + y_\beta^2) (2x_\alpha y_\alpha y_\beta + x_\beta (x_\alpha^2 - y_\alpha^2)) + b_{0,2,1,-1}^r (x_\beta^2 + y_\beta^2) (x_\alpha (x_\beta^2 - y_\beta^2) + 2x_\beta y_\alpha y_\beta) \\
& + b_{0,4,-1,-1}^r x_\alpha (x_\beta^2 + y_\beta^2)^2 + b_{0,4,0,-1}^r x_\beta (x_\beta^2 + y_\beta^2)^2 + b_{2,0,-2,-1}^r (x_\alpha^2 + y_\alpha^2) (2x_\alpha y_\alpha y_\beta + x_\beta (x_\alpha^2 - y_\alpha^2)) \\
& + b_{2,0,1,-1}^r (x_\alpha^2 + y_\alpha^2) (x_\alpha (x_\beta^2 - y_\beta^2) + 2x_\beta y_\alpha y_\beta) + b_{2,2,-1,-1}^r x_\alpha (x_\alpha^2 + y_\alpha^2) (x_\beta^2 + y_\beta^2) \\
& + b_{2,2,0,-1}^r x_\beta (x_\alpha^2 + y_\alpha^2) (x_\beta^2 + y_\beta^2) + b_{4,0,-1,-1}^r x_\alpha (x_\alpha^2 + y_\alpha^2)^2 + b_{4,0,0,-1}^r x_\beta (x_\alpha^2 + y_\alpha^2)^2
\end{aligned}$$

$$\begin{aligned}
H_{XY}^{(5)} = & -b_{0,0,-3,-1}^r (2x_\alpha^3 x_\beta y_\beta - 6x_\alpha x_\beta y_\alpha^2 y_\beta + x_\beta^2 y_\alpha^3 - y_\alpha^3 y_\beta^2 + y_\alpha (-3x_\alpha^2 x_\beta^2 + 3x_\alpha^2 y_\beta^2)) \\
& - b_{0,0,0,5}^r y_\beta (5x_\beta^4 - 10x_\beta^2 y_\beta^2 + y_\beta^4) - b_{0,0,1,5}^r (x_\alpha (4x_\beta^3 y_\beta - 4x_\beta y_\beta^3) + y_\alpha (x_\beta^4 - 6x_\beta^2 y_\beta^2 + y_\beta^4)) \\
& + b_{0,0,2,-1}^r (-x_\alpha^2 y_\beta^3 + x_\alpha (-2x_\beta^3 y_\alpha + 6x_\beta y_\alpha y_\beta^2) + y_\alpha^2 y_\beta^3 + y_\beta (3x_\alpha^2 x_\beta^2 - 3x_\beta^2 y_\alpha^2)) \\
& - b_{0,0,2,5}^r (-x_\alpha^2 y_\beta^3 + x_\alpha (2x_\beta^3 y_\alpha - 6x_\beta y_\alpha y_\beta^2) + y_\alpha^2 y_\beta^3 + y_\beta (3x_\alpha^2 x_\beta^2 - 3x_\beta^2 y_\alpha^2)) \\
& - b_{0,0,3,5}^r (2x_\alpha^3 x_\beta y_\beta - 6x_\alpha x_\beta y_\alpha^2 y_\beta - x_\beta^2 y_\alpha^3 + y_\alpha^3 y_\beta^2 + y_\alpha (3x_\alpha^2 x_\beta^2 - 3x_\alpha^2 y_\beta^2)) \\
& - b_{0,0,4,5}^r (4x_\alpha^3 x_\beta y_\alpha - 4x_\alpha x_\beta y_\alpha^3 + y_\beta (x_\alpha^4 - 6x_\alpha^2 y_\alpha^2 + y_\alpha^4)) - b_{0,0,5,5}^r y_\alpha (5x_\alpha^4 - 10x_\alpha^2 y_\alpha^2 + y_\alpha^4) \\
& - b_{0,2,-2,-1}^r (x_\beta^2 + y_\beta^2) (-2x_\alpha x_\beta y_\alpha + y_\beta (x_\alpha^2 - y_\alpha^2)) + b_{0,2,1,-1}^r (x_\beta^2 + y_\beta^2) (2x_\alpha x_\beta y_\beta + y_\alpha (-x_\beta^2 + y_\beta^2)) \\
& + b_{0,4,-1,-1}^r y_\alpha (x_\beta^2 + y_\beta^2)^2 + b_{0,4,0,-1}^r y_\beta (x_\beta^2 + y_\beta^2)^2 - b_{2,0,-2,-1}^r (x_\alpha^2 + y_\alpha^2) (-2x_\alpha x_\beta y_\alpha + y_\beta (x_\alpha^2 - y_\alpha^2)) \\
& + b_{2,0,1,-1}^r (x_\alpha^2 + y_\alpha^2) (2x_\alpha x_\beta y_\beta + y_\alpha (-x_\beta^2 + y_\beta^2)) + b_{2,2,-1,-1}^r y_\alpha (x_\alpha^2 + y_\alpha^2) (x_\beta^2 + y_\beta^2) \\
& + b_{2,2,0,-1}^r y_\beta (x_\alpha^2 + y_\alpha^2) (x_\beta^2 + y_\beta^2) + b_{4,0,-1,-1}^r y_\alpha (x_\alpha^2 + y_\alpha^2)^2 + b_{4,0,0,-1}^r y_\beta (x_\alpha^2 + y_\alpha^2)^2
\end{aligned}$$

$$\begin{aligned}
H_{YX}^{(5)} = & -b_{0,0,-3,-1}^r (2x_\alpha^3 x_\beta y_\beta - 6x_\alpha x_\beta y_\alpha^2 y_\beta + x_\beta^2 y_\alpha^3 - y_\alpha^3 y_\beta^2 + y_\alpha (-3x_\alpha^2 x_\beta^2 + 3x_\alpha^2 y_\beta^2)) \\
& -b_{0,0,0,5}^r y_\beta (5x_\beta^4 - 10x_\beta^2 y_\beta^2 + y_\beta^4) - b_{0,0,1,5}^r (x_\alpha (4x_\beta^3 y_\beta - 4x_\beta y_\beta^3) + y_\alpha (x_\beta^4 - 6x_\beta^2 y_\beta^2 + y_\beta^4)) \\
& + b_{0,0,2,-1}^r (-x_\alpha^2 y_\beta^3 + x_\alpha (-2x_\beta^3 y_\alpha + 6x_\beta y_\alpha y_\beta^2) + y_\alpha^2 y_\beta^3 + y_\beta (3x_\alpha^2 x_\beta^2 - 3x_\beta^2 y_\alpha^2)) \\
& -b_{0,0,2,5}^r (-x_\alpha^2 y_\beta^3 + x_\alpha (2x_\beta^3 y_\alpha - 6x_\beta y_\alpha y_\beta^2) + y_\alpha^2 y_\beta^3 + y_\beta (3x_\alpha^2 x_\beta^2 - 3x_\beta^2 y_\alpha^2)) \\
& -b_{0,0,3,5}^r (2x_\alpha^3 x_\beta y_\beta - 6x_\alpha x_\beta y_\alpha^2 y_\beta - x_\beta^2 y_\alpha^3 + y_\alpha^3 y_\beta^2 + y_\alpha (3x_\alpha^2 x_\beta^2 - 3x_\alpha^2 y_\beta^2)) \\
& -b_{0,0,4,5}^r (4x_\alpha^3 x_\beta y_\alpha - 4x_\alpha x_\beta y_\alpha^3 + y_\beta (x_\alpha^4 - 6x_\alpha^2 y_\alpha^2 + y_\alpha^4)) - b_{0,0,5,5}^r y_\alpha (5x_\alpha^4 - 10x_\alpha^2 y_\alpha^2 + y_\alpha^4) \\
& -b_{0,2,-2,-1}^r (x_\beta^2 + y_\beta^2) (-2x_\alpha x_\beta y_\alpha + y_\beta (x_\alpha^2 - y_\alpha^2)) + b_{0,2,1,-1}^r (x_\beta^2 + y_\beta^2) (2x_\alpha x_\beta y_\beta + y_\alpha (-x_\beta^2 + y_\beta^2)) \\
& + b_{0,4,-1,-1}^r y_\alpha (x_\beta^2 + y_\beta^2)^2 + b_{0,4,0,-1}^r y_\beta (x_\beta^2 + y_\beta^2)^2 - b_{2,0,-2,-1}^r (x_\alpha^2 + y_\alpha^2) (-2x_\alpha x_\beta y_\alpha + y_\beta (x_\alpha^2 - y_\alpha^2)) \\
& + b_{2,0,1,-1}^r (x_\alpha^2 + y_\alpha^2) (2x_\alpha x_\beta y_\beta + y_\alpha (-x_\beta^2 + y_\beta^2)) + b_{2,2,-1,-1}^r y_\alpha (x_\alpha^2 + y_\alpha^2) (x_\beta^2 + y_\beta^2) \\
& + b_{2,2,0,-1}^r y_\beta (x_\alpha^2 + y_\alpha^2) (x_\beta^2 + y_\beta^2) + b_{4,0,-1,-1}^r y_\alpha (x_\alpha^2 + y_\alpha^2)^2 + b_{4,0,0,-1}^r y_\beta (x_\alpha^2 + y_\alpha^2)^2
\end{aligned}$$

$$\begin{aligned}
H_{YY}^{(5)} = & a_{0,0,-1,3}^r (x_\alpha (x_\beta^4 - 6x_\beta^2 y_\beta^2 + y_\beta^4) + y_\alpha (4x_\beta^3 y_\beta - 4x_\beta y_\beta^3)) + a_{0,0,4,3}^r (4x_\alpha^3 y_\alpha y_\beta - 4x_\alpha y_\alpha^3 y_\beta + x_\beta (x_\alpha^4 - 6x_\alpha^2 y_\alpha^2 + y_\alpha^4)) \\
& + a_{0,2,0,3}^r x_\beta (x_\beta^2 - 3y_\beta^2) (x_\beta^2 + y_\beta^2) + a_{0,2,1,3}^r (x_\beta^2 + y_\beta^2) (x_\alpha (x_\beta^2 - y_\beta^2) - 2x_\beta y_\alpha y_\beta) \\
& + a_{0,2,2,3}^r (x_\beta^2 + y_\beta^2) (-2x_\alpha y_\alpha y_\beta + x_\beta (x_\alpha^2 - y_\alpha^2)) + a_{0,2,3,3}^r x_\alpha (x_\alpha^2 - 3y_\alpha^2) (x_\beta^2 + y_\beta^2) + a_{2,0,0,3}^r x_\beta (x_\alpha^2 + y_\alpha^2) (x_\beta^2 - 3y_\beta^2) \\
& + a_{2,0,1,3}^r (x_\alpha^2 + y_\alpha^2) (x_\alpha (x_\beta^2 - y_\beta^2) - 2x_\beta y_\alpha y_\beta) + a_{2,0,2,3}^r (x_\alpha^2 + y_\alpha^2) (-2x_\alpha y_\alpha y_\beta + x_\beta (x_\alpha^2 - y_\alpha^2)) \\
& + a_{2,0,3,3}^r x_\alpha (x_\alpha^2 - 3y_\alpha^2) (x_\alpha^2 + y_\alpha^2) - b_{0,0,-3,-1}^r (x_\alpha^3 x_\beta^2 - x_\alpha^3 y_\beta^2 + 6x_\alpha^2 x_\beta y_\alpha y_\beta + x_\alpha (-3x_\beta^2 y_\alpha^2 + 3y_\alpha^2 y_\beta^2) - 2x_\beta y_\alpha^3 y_\beta) \\
& - b_{0,0,0,5}^r x_\beta (x_\beta^4 - 10x_\beta^2 y_\beta^2 + 5y_\beta^4) - b_{0,0,1,5}^r (x_\alpha (x_\beta^4 - 6x_\beta^2 y_\beta^2 + y_\beta^4) + y_\alpha (-4x_\beta^3 y_\beta + 4x_\beta y_\beta^3)) \\
& - b_{0,0,2,-1}^r (x_\alpha^2 x_\beta^3 + x_\alpha (6x_\beta^2 y_\alpha y_\beta - 2y_\alpha y_\beta^3) - x_\beta^3 y_\alpha^2 + x_\beta (-3x_\alpha^2 y_\beta^2 + 3y_\alpha^2 y_\beta^2)) \\
& - b_{0,0,2,5}^r (x_\alpha^2 x_\beta^3 + x_\alpha (-6x_\beta^2 y_\alpha y_\beta + 2y_\alpha y_\beta^3) - x_\beta^3 y_\alpha^2 + x_\beta (-3x_\alpha^2 y_\beta^2 + 3y_\alpha^2 y_\beta^2)) \\
& - b_{0,0,3,5}^r (x_\alpha^3 x_\beta^2 - x_\alpha^3 y_\beta^2 - 6x_\alpha^2 x_\beta y_\alpha y_\beta + x_\alpha (-3x_\beta^2 y_\alpha^2 + 3y_\alpha^2 y_\beta^2) + 2x_\beta y_\alpha^3 y_\beta) \\
& - b_{0,0,4,5}^r (-4x_\alpha^3 y_\alpha y_\beta + 4x_\alpha y_\alpha^3 y_\beta + x_\beta (x_\alpha^4 - 6x_\alpha^2 y_\alpha^2 + y_\alpha^4)) - b_{0,0,5,5}^r x_\alpha (x_\alpha^4 - 10x_\alpha^2 y_\alpha^2 + 5y_\alpha^4) \\
& - b_{0,2,-2,-1}^r (x_\beta^2 + y_\beta^2) (2x_\alpha y_\alpha y_\beta + x_\beta (x_\alpha^2 - y_\alpha^2)) - b_{0,2,1,-1}^r (x_\beta^2 + y_\beta^2) (x_\alpha (x_\beta^2 - y_\beta^2) + 2x_\beta y_\alpha y_\beta) \\
& - b_{0,4,-1,-1}^r x_\alpha (x_\beta^2 + y_\beta^2)^2 - b_{0,4,0,-1}^r x_\beta (x_\beta^2 + y_\beta^2)^2 - b_{2,0,-2,-1}^r (x_\alpha^2 + y_\alpha^2) (2x_\alpha y_\alpha y_\beta + x_\beta (x_\alpha^2 - y_\alpha^2)) \\
& - b_{2,0,1,-1}^r (x_\alpha^2 + y_\alpha^2) (x_\alpha (x_\beta^2 - y_\beta^2) + 2x_\beta y_\alpha y_\beta) - b_{2,2,-1,-1}^r x_\alpha (x_\alpha^2 + y_\alpha^2) (x_\beta^2 + y_\beta^2) \\
& - b_{2,2,0,-1}^r x_\beta (x_\alpha^2 + y_\alpha^2) (x_\beta^2 + y_\beta^2) - b_{4,0,-1,-1}^r x_\alpha (x_\alpha^2 + y_\alpha^2)^2 - b_{4,0,0,-1}^r x_\beta (x_\alpha^2 + y_\alpha^2)^2
\end{aligned}$$

5.7 Order: 6

Number of terms: H_{XX} : 44 (17 from H_{++} , 27 from H_{+-}), H_{XY} : 27 (all from H_{+-}), H_{YY} : 27 (all from H_{+-}).

Polar e-coordinates:

$$\begin{aligned}
H_{XX}^{(6)} = & a_{0,0,0,6}^r \rho_\beta^6 \cos(6\phi_\beta) + a_{0,0,1,6}^r \rho_\alpha \rho_\beta^5 \cos(\phi_\alpha + 5\phi_\beta) + a_{0,0,2,6}^r \rho_\alpha^2 \rho_\beta^4 \cos(2\phi_\alpha + 4\phi_\beta) + a_{0,0,3,6}^r \rho_\alpha^3 \rho_\beta^3 \cos(3\phi_\alpha - 3\phi_\beta) \\
& + a_{0,0,3,6}^r \rho_\alpha^3 \rho_\beta^3 \cos(3\phi_\alpha + 3\phi_\beta) + a_{0,0,4,6}^r \rho_\alpha^4 \rho_\beta^2 \cos(4\phi_\alpha + 2\phi_\beta) + a_{0,0,5,6}^r \rho_\alpha^5 \rho_\beta \cos(5\phi_\alpha + \phi_\beta) + a_{0,0,6,6}^r \rho_\alpha^6 \cos(6\phi_\alpha) \\
& + a_{0,2,2,0}^r \rho_\alpha^2 \rho_\beta^4 \cos(2\phi_\alpha - 2\phi_\beta) + a_{0,4,1,0}^r \rho_\alpha \rho_\beta^5 \cos(\phi_\alpha - \phi_\beta) + a_{0,6,0,0}^r \rho_\beta^6 + a_{2,0,2,0}^r \rho_\alpha^4 \rho_\beta^2 \cos(2\phi_\alpha - 2\phi_\beta) \\
& + a_{2,2,1,0}^r \rho_\alpha^3 \rho_\beta^3 \cos(\phi_\alpha - \phi_\beta) + a_{2,4,0,0}^r \rho_\alpha^2 \rho_\beta^4 + a_{4,0,1,0}^r \rho_\alpha \rho_\beta^5 \cos(\phi_\alpha - \phi_\beta) + a_{4,2,0,0}^r \rho_\alpha^4 \rho_\beta^2 + a_{6,0,0,0}^r \rho_\alpha^6 \\
& + b_{0,0,-2,2}^r \rho_\alpha^2 \rho_\beta^4 \cos(2\phi_\alpha - 4\phi_\beta) + b_{0,0,-5,-4}^r \rho_\alpha^5 \rho_\beta \cos(5\phi_\alpha - \phi_\beta) + b_{0,0,1,-4}^r \rho_\alpha \rho_\beta^5 \cos(\phi_\alpha - 5\phi_\beta) \\
& + b_{0,0,4,2}^r \rho_\alpha^4 \rho_\beta^2 \cos(4\phi_\alpha - 2\phi_\beta) + b_{0,2,-1,-4}^r \rho_\alpha \rho_\beta^5 \cos(\phi_\alpha + 3\phi_\beta) + b_{0,2,-1,2}^r \rho_\alpha \rho_\beta^5 \cos(\phi_\alpha - 3\phi_\beta) \\
& + b_{0,2,-2,-4}^r \rho_\alpha^2 \rho_\beta^4 \cos(2\phi_\alpha + 2\phi_\beta) + b_{0,2,-3,-4}^r \rho_\alpha^3 \rho_\beta^3 \cos(3\phi_\alpha + \phi_\beta) + b_{0,2,-4,-4}^r \rho_\alpha^4 \rho_\beta^2 \cos(4\phi_\alpha) \\
& + b_{0,2,0,-4}^r \rho_\beta^6 \cos(4\phi_\beta) + b_{0,2,3,2}^r \rho_\alpha^3 \rho_\beta^3 \cos(3\phi_\alpha - \phi_\beta) + b_{0,4,0,2}^r \rho_\beta^6 \cos(2\phi_\beta) + b_{0,4,1,2}^r \rho_\alpha \rho_\beta^5 \cos(\phi_\alpha + \phi_\beta) \\
& + b_{0,4,2,2}^r \rho_\alpha^2 \rho_\beta^4 \cos(2\phi_\alpha) + b_{2,0,-1,-4}^r \rho_\alpha^3 \rho_\beta^3 \cos(\phi_\alpha + 3\phi_\beta) + b_{2,0,-1,2}^r \rho_\alpha^3 \rho_\beta^3 \cos(\phi_\alpha - 3\phi_\beta) \\
& + b_{2,0,-2,-4}^r \rho_\alpha^4 \rho_\beta^2 \cos(2\phi_\alpha + 2\phi_\beta) + b_{2,0,-3,-4}^r \rho_\alpha^5 \rho_\beta \cos(3\phi_\alpha + \phi_\beta) + b_{2,0,-4,-4}^r \rho_\alpha^6 \cos(4\phi_\alpha) \\
& + b_{2,0,0,-4}^r \rho_\alpha^2 \rho_\beta^4 \cos(4\phi_\beta) + b_{2,0,3,2}^r \rho_\alpha^5 \rho_\beta \cos(3\phi_\alpha - \phi_\beta) + b_{2,2,0,2}^r \rho_\alpha^2 \rho_\beta^4 \cos(2\phi_\beta) + b_{2,2,1,2}^r \rho_\alpha^3 \rho_\beta^3 \cos(\phi_\alpha + \phi_\beta) \\
& + b_{2,2,2,2}^r \rho_\alpha^4 \rho_\beta^2 \cos(2\phi_\alpha) + b_{4,0,0,2}^r \rho_\alpha^4 \rho_\beta^2 \cos(2\phi_\beta) + b_{4,0,1,2}^r \rho_\alpha^5 \rho_\beta \cos(\phi_\alpha + \phi_\beta) + b_{4,0,2,2}^r \rho_\alpha^6 \cos(2\phi_\alpha)
\end{aligned}$$

Cartesian e-coordinates:

$$\begin{aligned}
H_{XX}^{(6)} = & a_{0,0,0,6}^r (x_\beta - y_\beta) (x_\beta + y_\beta) (x_\beta^2 - 4x_\beta y_\beta + y_\beta^2) (x_\beta^2 + 4x_\beta y_\beta + y_\beta^2) \\
& + a_{0,0,1,6}^r (x_\alpha (x_\beta^5 - 10x_\beta^3 y_\beta^2 + 5x_\beta y_\beta^4) + y_\alpha (-5x_\beta^4 y_\beta + 10x_\beta^2 y_\beta^3 - y_\beta^5)) \\
& + a_{0,0,2,6}^r (x_\alpha (x_\beta^2 - 2x_\beta y_\beta - y_\beta^2) + y_\alpha (-x_\beta^2 - 2x_\beta y_\beta + y_\beta^2)) (x_\alpha (x_\beta^2 + 2x_\beta y_\beta - y_\beta^2) + y_\alpha (x_\beta^2 - 2x_\beta y_\beta - y_\beta^2)) \\
& + a_{0,0,3,0}^r (x_\alpha x_\beta + y_\alpha y_\beta) (x_\alpha^2 x_\beta^2 - 3x_\alpha^2 y_\beta^2 + 8x_\alpha x_\beta y_\alpha y_\beta - 3x_\beta^2 y_\alpha^2 + y_\alpha^2 y_\beta^2) \\
& + a_{0,0,3,6}^r (x_\alpha x_\beta - y_\alpha y_\beta) (x_\alpha^2 x_\beta^2 - 3x_\alpha^2 y_\beta^2 - 8x_\alpha x_\beta y_\alpha y_\beta - 3x_\beta^2 y_\alpha^2 + y_\alpha^2 y_\beta^2) + a_{0,0,4,6}^r (x_\alpha (-2x_\beta y_\alpha - 2y_\alpha y_\beta) \\
& \quad + x_\beta (x_\alpha^2 - y_\alpha^2) + y_\beta (-x_\alpha^2 + y_\alpha^2)) (x_\alpha (2x_\beta y_\alpha - 2y_\alpha y_\beta) + x_\beta (x_\alpha^2 - y_\alpha^2) + y_\beta (x_\alpha^2 - y_\alpha^2)) \\
& + a_{0,0,5,6}^r (-5x_\alpha^4 y_\alpha y_\beta + 5x_\alpha x_\beta y_\alpha^4 + x_\beta (x_\alpha^5 - 10x_\alpha^3 y_\alpha^2) + y_\beta (10x_\alpha^2 y_\alpha^3 - y_\alpha^5)) \\
& + a_{0,0,6,6}^r (x_\alpha - y_\alpha) (x_\alpha + y_\alpha) (x_\alpha^2 - 4x_\alpha y_\alpha + y_\alpha^2) (x_\alpha^2 + 4x_\alpha y_\alpha + y_\alpha^2) \\
& + a_{0,2,2,0}^r (x_\beta^2 + y_\beta^2) (x_\alpha (x_\beta - y_\beta) + y_\alpha (x_\beta + y_\beta)) (x_\alpha (x_\beta + y_\beta) + y_\alpha (-x_\beta + y_\beta)) + a_{0,4,1,0}^r (x_\beta^2 + y_\beta^2)^2 (x_\alpha x_\beta + y_\alpha y_\beta) \\
& + a_{0,6,0,0}^r (x_\beta^2 + y_\beta^2)^3 + a_{2,0,2,0}^r (x_\alpha^2 + y_\alpha^2) (x_\alpha (x_\beta - y_\beta) + y_\alpha (x_\beta + y_\beta)) (x_\alpha (x_\beta + y_\beta) + y_\alpha (-x_\beta + y_\beta)) \\
& + a_{2,2,1,0}^r (x_\alpha^2 + y_\alpha^2) (x_\beta^2 + y_\beta^2) (x_\alpha x_\beta + y_\alpha y_\beta) + a_{2,4,0,0}^r (x_\alpha^2 + y_\alpha^2) (x_\beta^2 + y_\beta^2)^2 \\
& + a_{4,0,1,0}^r (x_\alpha^2 + y_\alpha^2)^2 (x_\alpha x_\beta + y_\alpha y_\beta) + a_{4,2,0,0}^r (x_\alpha^2 + y_\alpha^2)^2 (x_\beta^2 + y_\beta^2) + a_{6,0,0,0}^r (x_\alpha^2 + y_\alpha^2)^3 \\
& + b_{0,0,-2,2}^r (x_\alpha (x_\beta^2 - 2x_\beta y_\beta - y_\beta^2) + y_\alpha (x_\beta^2 + 2x_\beta y_\beta - y_\beta^2)) (x_\alpha (x_\beta^2 + 2x_\beta y_\beta - y_\beta^2) + y_\alpha (-x_\beta^2 + 2x_\beta y_\beta + y_\beta^2)) \\
& + b_{0,0,-5,-4}^r (5x_\alpha^4 y_\alpha y_\beta + 5x_\alpha x_\beta y_\alpha^4 + x_\beta (x_\alpha^5 - 10x_\alpha^3 y_\alpha^2) + y_\beta (-10x_\alpha^2 y_\alpha^3 + y_\alpha^5)) \\
& + b_{0,0,1,-4}^r (x_\alpha (x_\beta^5 - 10x_\beta^3 y_\beta^2 + 5x_\beta y_\beta^4) + y_\alpha (5x_\beta^4 y_\beta - 10x_\beta^2 y_\beta^3 + y_\beta^5)) \\
& + b_{0,0,4,2}^r (x_\alpha (-2x_\beta y_\alpha + 2y_\alpha y_\beta) + x_\beta (x_\alpha^2 - y_\alpha^2) + y_\beta (x_\alpha^2 - y_\alpha^2)) (x_\alpha (2x_\beta y_\alpha + 2y_\alpha y_\beta) + x_\beta (x_\alpha^2 - y_\alpha^2) \\
& \quad + y_\beta (-x_\alpha^2 + y_\alpha^2)) + b_{0,2,-1,-4}^r (x_\beta^2 + y_\beta^2) (x_\alpha (x_\beta^3 - 3x_\beta y_\beta^2) + y_\alpha (-3x_\beta^2 y_\beta + y_\beta^3)) \\
& + b_{0,2,-1,2}^r (x_\beta^2 + y_\beta^2) (x_\alpha (x_\beta^3 - 3x_\beta y_\beta^2) + y_\alpha (3x_\beta^2 y_\beta - y_\beta^3)) \\
& + b_{0,2,-2,-4}^r (x_\beta^2 + y_\beta^2) (x_\alpha (x_\beta - y_\beta) + y_\alpha (-x_\beta - y_\beta)) (x_\alpha (x_\beta + y_\beta) + y_\alpha (x_\beta - y_\beta)) \\
& + b_{0,2,-3,-4}^r (x_\beta^2 + y_\beta^2) (x_\alpha^3 x_\beta - 3x_\alpha^2 y_\alpha y_\beta - 3x_\alpha x_\beta y_\alpha^2 + y_\alpha^3 y_\beta) \\
& + b_{0,2,-4,-4}^r (x_\beta^2 + y_\beta^2) (x_\alpha^2 - 2x_\alpha y_\alpha - y_\alpha^2) (x_\alpha^2 + 2x_\alpha y_\alpha - y_\alpha^2) \\
& + b_{0,2,0,-4}^r (x_\beta^2 + y_\beta^2) (x_\beta^2 - 2x_\beta y_\beta - y_\beta^2) (x_\beta^2 + 2x_\beta y_\beta - y_\beta^2) + b_{0,2,3,2}^r (x_\beta^2 + y_\beta^2) (x_\alpha^3 x_\beta + 3x_\alpha^2 y_\alpha y_\beta - 3x_\alpha x_\beta y_\alpha^2 - y_\alpha^3 y_\beta) \\
& + b_{0,4,0,2}^r (x_\beta - y_\beta) (x_\beta + y_\beta) (x_\beta^2 + y_\beta^2)^2 + b_{0,4,1,2}^r (x_\beta^2 + y_\beta^2)^2 (x_\alpha x_\beta - y_\alpha y_\beta) \\
& + b_{0,4,2,2}^r (x_\alpha - y_\alpha) (x_\alpha + y_\alpha) (x_\beta^2 + y_\beta^2)^2 + b_{2,0,-1,-4}^r (x_\alpha^2 + y_\alpha^2) (x_\alpha (x_\beta^3 - 3x_\beta y_\beta^2) + y_\alpha (-3x_\beta^2 y_\beta + y_\beta^3)) \\
& + b_{2,0,-1,2}^r (x_\alpha^2 + y_\alpha^2) (x_\alpha (x_\beta^3 - 3x_\beta y_\beta^2) + y_\alpha (3x_\beta^2 y_\beta - y_\beta^3)) \\
& + b_{2,0,-2,-4}^r (x_\alpha^2 + y_\alpha^2) (x_\alpha (x_\beta - y_\beta) + y_\alpha (-x_\beta - y_\beta)) (x_\alpha (x_\beta + y_\beta) + y_\alpha (x_\beta - y_\beta)) \\
& + b_{2,0,-3,-4}^r (x_\alpha^2 + y_\alpha^2) (x_\alpha^3 x_\beta - 3x_\alpha^2 y_\alpha y_\beta - 3x_\alpha x_\beta y_\alpha^2 + y_\alpha^3 y_\beta) \\
& + b_{2,0,-4,-4}^r (x_\alpha^2 + y_\alpha^2) (x_\alpha^2 - 2x_\alpha y_\alpha - y_\alpha^2) (x_\alpha^2 + 2x_\alpha y_\alpha - y_\alpha^2) \\
& + b_{2,0,0,-4}^r (x_\alpha^2 + y_\alpha^2) (x_\beta^2 - 2x_\beta y_\beta - y_\beta^2) (x_\beta^2 + 2x_\beta y_\beta - y_\beta^2) \\
& + b_{2,0,3,2}^r (x_\alpha^2 + y_\alpha^2) (x_\alpha^3 x_\beta + 3x_\alpha^2 y_\alpha y_\beta - 3x_\alpha x_\beta y_\alpha^2 - y_\alpha^3 y_\beta) + b_{2,2,0,2}^r (x_\alpha^2 + y_\alpha^2) (x_\beta - y_\beta) (x_\beta + y_\beta) (x_\beta^2 + y_\beta^2) \\
& + b_{2,2,1,2}^r (x_\alpha^2 + y_\alpha^2) (x_\beta^2 + y_\beta^2) (x_\alpha x_\beta - y_\alpha y_\beta) + b_{2,2,2,2}^r (x_\alpha - y_\alpha) (x_\alpha + y_\alpha) (x_\alpha^2 + y_\alpha^2) (x_\beta^2 + y_\beta^2) \\
& + b_{4,0,0,2}^r (x_\alpha^2 + y_\alpha^2)^2 (x_\beta - y_\beta) (x_\beta + y_\beta) + b_{4,0,1,2}^r (x_\alpha^2 + y_\alpha^2)^2 (x_\alpha x_\beta - y_\alpha y_\beta) + b_{4,0,2,2}^r (x_\alpha - y_\alpha) (x_\alpha + y_\alpha) (x_\alpha^2 + y_\alpha^2)^2
\end{aligned}$$

$$\begin{aligned}
H_{YY}^{(6)} = & a_{0,0,0,6}^r (x_\beta - y_\beta) (x_\beta + y_\beta) (x_\beta^2 - 4x_\beta y_\beta + y_\beta^2) (x_\beta^2 + 4x_\beta y_\beta + y_\beta^2) \\
& + a_{0,0,1,6}^r (x_\alpha (x_\beta^5 - 10x_\beta^3 y_\beta^2 + 5x_\beta y_\beta^4) + y_\alpha (-5x_\beta^4 y_\beta + 10x_\beta^2 y_\beta^3 - y_\beta^5)) \\
& + a_{0,0,2,6}^r (x_\alpha (x_\beta^2 - 2x_\beta y_\beta - y_\beta^2) + y_\alpha (-x_\beta^2 - 2x_\beta y_\beta + y_\beta^2)) (x_\alpha (x_\beta^2 + 2x_\beta y_\beta - y_\beta^2) + y_\alpha (x_\beta^2 - 2x_\beta y_\beta - y_\beta^2)) \\
& + a_{0,0,3,0}^r (x_\alpha x_\beta + y_\alpha y_\beta) (x_\alpha^2 x_\beta^2 - 3x_\alpha^2 y_\beta^2 + 8x_\alpha x_\beta y_\alpha y_\beta - 3x_\beta^2 y_\alpha^2 + y_\alpha^2 y_\beta^2) \\
& + a_{0,0,3,6}^r (x_\alpha x_\beta - y_\alpha y_\beta) (x_\alpha^2 x_\beta^2 - 3x_\alpha^2 y_\beta^2 - 8x_\alpha x_\beta y_\alpha y_\beta - 3x_\beta^2 y_\alpha^2 + y_\alpha^2 y_\beta^2) + a_{0,0,4,6}^r (x_\alpha (-2x_\beta y_\alpha - 2y_\alpha y_\beta) \\
& \quad + x_\beta (x_\alpha^2 - y_\alpha^2) + y_\beta (-x_\alpha^2 + y_\alpha^2)) (x_\alpha (2x_\beta y_\alpha - 2y_\alpha y_\beta) + x_\beta (x_\alpha^2 - y_\alpha^2) + y_\beta (x_\alpha^2 - y_\alpha^2)) \\
& + a_{0,0,5,6}^r (-5x_\alpha^4 y_\alpha y_\beta + 5x_\alpha x_\beta y_\alpha^4 + x_\beta (x_\alpha^5 - 10x_\alpha^3 y_\alpha^2) + y_\beta (10x_\alpha^2 y_\alpha^3 - y_\alpha^5)) \\
& + a_{0,0,6,6}^r (x_\alpha - y_\alpha) (x_\alpha + y_\alpha) (x_\alpha^2 - 4x_\alpha y_\alpha + y_\alpha^2) (x_\alpha^2 + 4x_\alpha y_\alpha + y_\alpha^2) \\
& + a_{0,2,2,0}^r (x_\beta^2 + y_\beta^2) (x_\alpha (x_\beta - y_\beta) + y_\alpha (x_\beta + y_\beta)) (x_\alpha (x_\beta + y_\beta) + y_\alpha (-x_\beta + y_\beta)) + a_{0,4,1,0}^r (x_\beta^2 + y_\beta^2)^2 (x_\alpha x_\beta + y_\alpha y_\beta) \\
& + a_{0,6,0,0}^r (x_\beta^2 + y_\beta^2)^3 + a_{2,0,2,0}^r (x_\alpha^2 + y_\alpha^2) (x_\alpha (x_\beta - y_\beta) + y_\alpha (x_\beta + y_\beta)) (x_\alpha (x_\beta + y_\beta) + y_\alpha (-x_\beta + y_\beta)) \\
& + a_{2,2,1,0}^r (x_\alpha^2 + y_\alpha^2) (x_\beta^2 + y_\beta^2) (x_\alpha x_\beta + y_\alpha y_\beta) + a_{2,4,0,0}^r (x_\alpha^2 + y_\alpha^2) (x_\beta^2 + y_\beta^2)^2 \\
& + a_{4,0,1,0}^r (x_\alpha^2 + y_\alpha^2)^2 (x_\alpha x_\beta + y_\alpha y_\beta) + a_{4,2,0,0}^r (x_\alpha^2 + y_\alpha^2)^2 (x_\beta^2 + y_\beta^2) + a_{6,0,0,0}^r (x_\alpha^2 + y_\alpha^2)^3 \\
& - b_{0,0,-2,2}^r (x_\alpha (x_\beta^2 - 2x_\beta y_\beta - y_\beta^2) + y_\alpha (x_\beta^2 + 2x_\beta y_\beta - y_\beta^2)) (x_\alpha (x_\beta^2 + 2x_\beta y_\beta - y_\beta^2) + y_\alpha (-x_\beta^2 + 2x_\beta y_\beta + y_\beta^2)) \\
& - b_{0,0,-5,-4}^r (5x_\alpha^4 y_\alpha y_\beta + 5x_\alpha x_\beta y_\alpha^4 + x_\beta (x_\alpha^5 - 10x_\alpha^3 y_\alpha^2) + y_\beta (-10x_\alpha^2 y_\alpha^3 + y_\alpha^5)) \\
& - b_{0,0,1,-4}^r (x_\alpha (x_\beta^5 - 10x_\beta^3 y_\beta^2 + 5x_\beta y_\beta^4) + y_\alpha (5x_\beta^4 y_\beta - 10x_\beta^2 y_\beta^3 + y_\beta^5)) \\
& - b_{0,0,4,2}^r (x_\alpha (-2x_\beta y_\alpha + 2y_\alpha y_\beta) + x_\beta (x_\alpha^2 - y_\alpha^2) + y_\beta (x_\alpha^2 - y_\alpha^2)) (x_\alpha (2x_\beta y_\alpha + 2y_\alpha y_\beta) + x_\beta (x_\alpha^2 - y_\alpha^2) \\
& \quad + y_\beta (-x_\alpha^2 + y_\alpha^2)) - b_{0,2,-1,-4}^r (x_\beta^2 + y_\beta^2) (x_\alpha (x_\beta^3 - 3x_\beta y_\beta^2) + y_\alpha (-3x_\beta^2 y_\beta + y_\beta^3)) \\
& - b_{0,2,-1,2}^r (x_\beta^2 + y_\beta^2) (x_\alpha (x_\beta^3 - 3x_\beta y_\beta^2) + y_\alpha (3x_\beta^2 y_\beta - y_\beta^3)) \\
& - b_{0,2,-2,-4}^r (x_\beta^2 + y_\beta^2) (x_\alpha (x_\beta - y_\beta) + y_\alpha (-x_\beta - y_\beta)) (x_\alpha (x_\beta + y_\beta) + y_\alpha (x_\beta - y_\beta)) \\
& - b_{0,2,-3,-4}^r (x_\beta^2 + y_\beta^2) (x_\alpha^3 x_\beta - 3x_\alpha^2 y_\alpha y_\beta - 3x_\alpha x_\beta y_\alpha^2 + y_\alpha^3 y_\beta) \\
& - b_{0,2,-4,-4}^r (x_\beta^2 + y_\beta^2) (x_\alpha^2 - 2x_\alpha y_\alpha - y_\alpha^2) (x_\alpha^2 + 2x_\alpha y_\alpha - y_\alpha^2) \\
& - b_{0,2,0,-4}^r (x_\beta^2 + y_\beta^2) (x_\beta^2 - 2x_\beta y_\beta - y_\beta^2) (x_\beta^2 + 2x_\beta y_\beta - y_\beta^2) - b_{0,2,3,2}^r (x_\beta^2 + y_\beta^2) (x_\alpha^3 x_\beta + 3x_\alpha^2 y_\alpha y_\beta - 3x_\alpha x_\beta y_\alpha^2 - y_\alpha^3 y_\beta) \\
& - b_{0,4,0,2}^r (x_\beta - y_\beta) (x_\beta + y_\beta) (x_\beta^2 + y_\beta^2)^2 - b_{0,4,1,2}^r (x_\beta^2 + y_\beta^2)^2 (x_\alpha x_\beta - y_\alpha y_\beta) \\
& - b_{0,4,2,2}^r (x_\alpha - y_\alpha) (x_\alpha + y_\alpha) (x_\beta^2 + y_\beta^2)^2 - b_{2,0,-1,-4}^r (x_\alpha^2 + y_\alpha^2) (x_\alpha (x_\beta^3 - 3x_\beta y_\beta^2) + y_\alpha (-3x_\beta^2 y_\beta + y_\beta^3)) \\
& - b_{2,0,-1,2}^r (x_\alpha^2 + y_\alpha^2) (x_\alpha (x_\beta^3 - 3x_\beta y_\beta^2) + y_\alpha (3x_\beta^2 y_\beta - y_\beta^3)) \\
& - b_{2,0,-2,-4}^r (x_\alpha^2 + y_\alpha^2) (x_\alpha (x_\beta - y_\beta) + y_\alpha (-x_\beta - y_\beta)) (x_\alpha (x_\beta + y_\beta) + y_\alpha (x_\beta - y_\beta)) \\
& - b_{2,0,-3,-4}^r (x_\alpha^2 + y_\alpha^2) (x_\alpha^3 x_\beta - 3x_\alpha^2 y_\alpha y_\beta - 3x_\alpha x_\beta y_\alpha^2 + y_\alpha^3 y_\beta) \\
& - b_{2,0,-4,-4}^r (x_\alpha^2 + y_\alpha^2) (x_\alpha^2 - 2x_\alpha y_\alpha - y_\alpha^2) (x_\alpha^2 + 2x_\alpha y_\alpha - y_\alpha^2) \\
& - b_{2,0,0,-4}^r (x_\alpha^2 + y_\alpha^2) (x_\beta^2 - 2x_\beta y_\beta - y_\beta^2) (x_\beta^2 + 2x_\beta y_\beta - y_\beta^2) \\
& - b_{2,0,3,2}^r (x_\alpha^2 + y_\alpha^2) (x_\alpha^3 x_\beta + 3x_\alpha^2 y_\alpha y_\beta - 3x_\alpha x_\beta y_\alpha^2 - y_\alpha^3 y_\beta) - b_{2,2,0,2}^r (x_\alpha^2 + y_\alpha^2) (x_\beta - y_\beta) (x_\beta + y_\beta) (x_\beta^2 + y_\beta^2) \\
& - b_{2,2,1,2}^r (x_\alpha^2 + y_\alpha^2) (x_\beta^2 + y_\beta^2) (x_\alpha x_\beta - y_\alpha y_\beta) - b_{2,2,2,2}^r (x_\alpha - y_\alpha) (x_\alpha + y_\alpha) (x_\alpha^2 + y_\alpha^2) (x_\beta^2 + y_\beta^2) \\
& - b_{4,0,0,2}^r (x_\alpha^2 + y_\alpha^2)^2 (x_\beta - y_\beta) (x_\beta + y_\beta) - b_{4,0,1,2}^r (x_\alpha^2 + y_\alpha^2)^2 (x_\alpha x_\beta - y_\alpha y_\beta) - b_{4,0,2,2}^r (x_\alpha - y_\alpha) (x_\alpha + y_\alpha) (x_\alpha^2 + y_\alpha^2)^2
\end{aligned}$$