

A Federated Learning Approach for Layer 2 Network Intrusion Detection with Explainable AI Across Distributed Network Segments

Hosein Ghasemizade

Dr. Azita Shirazipour

Central Tehran Branch



TABLE OF CONTENT

1. Research Overview

**2. Literature and
Research Background**

3. Methodology


4. Data Analysis

**5. Conclusions and
suggestions**

6. Questions & Discussion


THE THREAT LANDSCAPE

Exponential growth of edge devices



Connected devices surging globally.


TRADITIONAL IDS AS THE PERIMETER GATEKEEPER



THE LAYER 2 BLIND SPOT



IDENTIFYING THE RESEARCH GAP



SIGNIFICANCE OF THE STUDY



Security

Halts widespread lateral damage by detecting hidden L2 threats early.



Privacy

Eliminates the transmission of sensitive network packets to centralized servers.



Scientific Contribution

Pioneers a foundational framework combining Edge AI, FL, and XAI.

RESEARCH OBJECTIVES

1

Maximize Detection Accuracy

Detect localized Layer 2 attacks with high precision.

3

Preserve Data Privacy

Keep raw data on local nodes at all times.

2

Ensure Explainability

Provide transparent, human readable reasoning for alerts.

4

Lightweight Deployment

Operate efficiently on edge hardware with limited resources.

CORE RESEARCH QUESTIONS

Q1

Can a federated model match the accuracy of a centralized model?

Q2

How does Non-IID data distribution impact model performance?

Q3

Is SHAP effective at identifying key L2 attack features?

Q4

Can this system execute on lightweight hardware like Raspberry Pi?

RESEARCH HYPOTHESES

H1

CNN + Bi-LSTM Architecture

Will maximize the accuracy of stealthy attack detection

H2

FedProx over FedAvg

Will stabilize training and perform better on Non-IID distributed data.

H3

SHAP Integration

Will successfully demystify the AI black box
And increase decision transparency.