

Optimizing the Egyptian Premier League Schedule

A Mathematical Optimization Approach using Integer Linear Programming



XXX



01

Introduction

Introduction To The Project And Problem Overview

The origin of the story



- For years, league scheduling relied on manual planning, quietly accumulating issues that became impossible to ignore during Egypt's emergency hosting of AFCON 2019. This forced a significant disruption to the standard calendar.
- The league is currently trapped in a "Domino Effect" of delayed starts and compressed schedules, which results in:
 - Fixture Congestion: Teams facing impossible turnaround time
 - Uneven Rest: Disparities in recovery time between competing clubs.
 - Frequent Postponements: A chaotic schedule that changes frequently.



The Aggravator (COVID-19)




- **Global Disruption:** COVID-19 disrupted global sport, resulting in further delays.
- **This accumulation pushed season start dates as far back as December, creating a time deficit that was never recovered.**



Visualizing the Disparity

premier league standings in May 2021



This chart illustrates the 2020/2021 problem's peak, comparing the disparity in matches played by five teams at the same point in the season.



2024/2025 Exceptional Format

- **The Qualifier:** All 18 teams compete in a single round-robin format (17 matches per team), with no return legs.
- **The Split:**
 - **Top 9:** Compete for the league title and continental qualification.
 - **Bottom 9:** Compete to avoid relegation.



Our Goal



Structured Framework: Model the league using Integer Linear Programming (ILP).



Time Management: Fit the standard 34-round season strictly between August and May.



Constraint Satisfaction: Respect CAF commitments, Security refusals, and FIFA breaks.



Fairness: Balance Home/Away streaks and travel distances.





The Proposed Solution

— An Optimization-Based System.

- **Input** — • Structured Data (Teams, Stadiums, Rules)
- **Model** — • Mathematical Constraints & Objective Functions
- **Output** — • An efficient schedule that balances efficiency and fairness.

Model

Objectives

Maximize Commercial Value

- Important matches in prime-time weekend

Maximize Fairness

- Enforce **simultaneous kick-offs** for the final critical rounds
- Balance **rest days** between opponents to ensure equity

Minimize Travel Fatigue (TTP)

Constraints

Stadium Sharing

- No simultaneous matches allowed for teams sharing a home venue

Continental Blockers

- Mandatory ± 3 **day buffer** around any CAF

Security Matrix

- High-risk matchups must be in neutral venues

League Structure

- Every team plays exactly **one match per Game Week** (Double Round Robin integrity)





02

Background

Background And Existing Work



Sports Scheduling as an Optimization Problem



Sports scheduling is a subfield of Operations Research and Combinatorial Optimization

NP-hard problem format

Complexity grows exponentially with:

- number of teams
- number of constraints

Standard football leagues follow

a **Double Round Robin**

- Each team plays every other team **twice** (home & away)
- For n teams $\rightarrow$ **$n(n-1)$** total matches

In the EPL:

Egyptian Premier League has:

- **18 teams**
- **306 matches**
- **34 rounds**

Fairness & Travel



Patterns & Breaks

- **Pattern** is a sequence of Home (H) and Away (A) matches
- **Break** = H-H or A-A
- Away breaks = unfair & exhausting
- Perfect alternation (H-A-H-A) for all teams is **mathematically impossible**



Travel & TTP

Traveling Tournament Problem (TTP) :

- Introduced to **minimize total travel distance**
- Especially important in geographically spread leagues
- Travel fatigue directly affects performance and recovery

Chile Case Study

In 2005, the Chilean First Division switched from manual/random draws to ILP Optimization and here's the results:



36%



Increase in attendance.



2x



Increase in ticket revenue.



45%



Reduced travel costs and fairer distribution.





The Egyptian Gap

Why can't we just copy?



Security Approvals

Specific match-ups are banned in specific cities

Shared Resources

Multiple teams share "Cairo International" and "Borg Al-Arab," creating bottlenecks

CAF Conflict

Al Ahly & Zamalek schedules are fluid, breaking standard mathematical patterns.



03

PROJECT DATA

Data And Preprocessing



Data Collection



- **Sources:** Automated Web Scraping (Python) from "*Yallakora*" & "*Transfermarkt*", with additional data manually collected from articles.
Why? To ensure real-time accuracy and consistency with official records.
- **Integration:** Exported data into spreadsheets for data processing
- **Historical Benchmarking:** Collected past season data to measure improvements and efficiency.



Data Architecture

Teams

Administrative details &
Home venues

Stadiums

Locations, Capacities &
Floodlight availability

Calendar

Every available "Slot"
(Date + Time)

Security Matrix

A rigid list of Forbidden
Matchups & Forced
Venues

Continental Blockers

- CAF Schedules &
Travel Buffers
- FIFA Days

Distance Matrix

KM distance between
every 2 nodes on a
network (for travel
costs)





Data Preprocessing

Standardization»

- Converted inconsistent date formats from different websites
- All dates are now in a standard **MM/DD/YYYY** format for system compatibility

Unification»

- Fixed inconsistent team names
- Every team has a unique **Team ID** (e.g., "AHL") that works across all files

Linking

- Connected the separate Excel sheets using the new IDs
- Transformed "flat" files into a **Connected Schema**.

Data Modeling

Infrastructure Model


- **Purpose:** Connects every team to their specific home venue.
- **How it Works:** Uses a "Many-to-One" link because multiple teams can share one stadium.
- **Travel Calculation:** Links stadiums to a Distance Matrix to automatically calculate travel costs.



Data Modeling

Temporal Model

- **Purpose:** A "Star Schema" centered around the main Calendar.
- **How it Works:** Connects the master calendar to FIFA and CAF lists.
- **Blocking:** Automatically "blocks" league matches during international or continental dates.



Conclusion Of Phase I



- Clearly defined scheduling inefficiencies in the Egyptian League
- Identified operational, security, and continental constraints
- Built a structured, connected data framework and validated datasets for optimization
- Next Phase: Formulating and implementing the model
- Translating constraints into equations
- Generating an efficient, fair, and feasible schedule



References

- [1] R. V. Rasmussen and M. A. Trick, "Round robin scheduling – a survey," *European Journal of Operational Research*, 2008.
- [2] D. Van Bulck, D. Goossens and F. Spieksma, "Integer programming models for round robin tournaments," *European Journal of Operational Research*, 2023.
- [3] P. Staats, "Generic Scheduling of Sports Tournaments," Utrecht University, Utrecht, 2009.
- [4] D. R. Goossens and F. C. R. Spieksma, "Soccer schedules in Europe: an overview," *Journal of Scheduling*, vol. 15, no. 5, pp. 641-651, 2012.
- [5] K. Easton, G. Nemhauser and M. Trick, "The traveling tournament problem description and benchmarks," *Principles and Practice of Constraint Programming*, pp. 580-584, 2001.
- [6] G. Durán, M. Guajardo and J. Wolf-Yadlin, "Scheduling the Chilean soccer league by integer programming," *Interfaces*, vol. 37, no. 6, pp. 539-552, 2007.





Presented by

Name	ID
Rawan Ehab	20220133
Mohamed Osama	20220477
Ibrahim Medhat	20221003
Ghassan Tarek	20220239
Abdelrahman Ashraf	20220189



Under Supervision of
Dr. Sally Kassem
Eng. Rawaa Hesham



Thank You



xxx