Qualys. SSL Labs

SSL Report: kayanvoyages.tn (196.203.63.105)

Assessed on: Fri, 20 Sep 2024 14:53:04 UTC | Hide | Clear cache


Scan Another »

Summary

Overall Rating

T

If trust issues are ignored: B



Visit our documentation page for more information, configuration guides, and books. Known issues are documented here.

This server's certificate is not trusted, see below for details.

This server supports TLS 1.0 and TLS 1.1. Grade capped to B. MORE INFO »

Certificate #1: RSA 2048 bits (SHA256withRSA)

Server Key and Certificate #1

Subject	kef.localhost.tn Fingerprint SHA256: 799bbb92fc2cc4d64d96842a0f28228b625cf57bf0b2bf9f094573dfdcf657e0 Pin SHA256: e8KsfWMXx2kP2uwLMKb312wPwhAWwJpDSBsBfzXgKhE=
Common names	kef.localhost.tn
Alternative names	kef.localhost.tn MISMATCH
Serial Number	03f6a721a9ac4bdc9385659b84da689379d5
Valid from	Thu, 15 Aug 2024 12:12:47 UTC
Valid until	Wed, 13 Nov 2024 12:12:46 UTC (expires in 1 month and 23 days)
Key	RSA 2048 bits (e 65537)
Weak key (Debian)	No
Issuer	R11 AIA: http://r11.i.lencr.org/
Signature algorithm	SHA256withRSA
Extended Validation	No
Certificate Transparency	Yes (certificate)
OCSP Must Staple	No
Revocation information	OCSP OCSP: http://r11.o.lencr.org
Revocation status	Good (not revoked)
DNS CAA	No (more info)
Trusted	No NOT TRUSTED (Why?) Mozilla Apple Android Java Windows

Additional Certificates (if supplied)

Certificates provided	3 (3847 bytes)
Chain issues	Incorrect order, Extra certs

#2

Additional Certificates (if supplied)

Subject	R11 Fingerprint SHA256: 591e9ce6c863d3a079e9fabe1478c7339a26b21269dde795211361024ae31a44 Pin SHA256: bdrBhpj38ffhxpubzkINl0rG+UyossdhcBYj+Zx2fcc=
Valid until	Fri, 12 Mar 2027 23:59:59 UTC (expires in 2 years and 5 months)
Key	RSA 2048 bits (e 65537)
Issuer	ISRG Root X1
Signature algorithm	SHA256withRSA

#3

Subject	R11 Fingerprint SHA256: 591e9ce6c863d3a079e9fabe1478c7339a26b21269dde795211361024ae31a44 Pin SHA256: bdrBhpj38ffhxpubzkINl0rG+UyossdhcBYj+Zx2fcc=
Valid until	Fri, 12 Mar 2027 23:59:59 UTC (expires in 2 years and 5 months)
Key	RSA 2048 bits (e 65537)
Issuer	ISRG Root X1
Signature algorithm	SHA256withRSA

Certification Paths

Click here to expand

Configuration

Protocols

TLS 1.3	No
TLS 1.2	Yes
TLS 1.1	Yes
TLS 1.0	Yes
SSL 3	No
SSL 2	No

Cipher Suites

TLS 1.2 (suites in server-preferred order)

TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256 (0xc02f) ECDH secp256r1 (eq. 3072 bits RSA) FS	128
TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384 (0xc030) ECDH secp256r1 (eq. 3072 bits RSA) FS	256
TLS_DHE_RSA_WITH_AES_128_GCM_SHA256 (0x9e) DH 2048 bits FS	128
TLS_DHE_RSA_WITH_AES_256_GCM_SHA384 (0x9f) DH 2048 bits FS	256
TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA256 (0xc027) ECDH secp256r1 (eq. 3072 bits RSA) FS **WEAK**	128
TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA (0xc013) ECDH secp256r1 (eq. 3072 bits RSA) FS **WEAK**	128
TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA384 (0xc028) ECDH secp256r1 (eq. 3072 bits RSA) FS **WEAK**	256
TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA (0xc014) ECDH secp256r1 (eq. 3072 bits RSA) FS **WEAK**	256
TLS_DHE_RSA_WITH_AES_128_CBC_SHA256 (0x67) DH 2048 bits FS **WEAK**	128
TLS_DHE_RSA_WITH_AES_256_CBC_SHA256 (0x6b) DH 2048 bits FS **WEAK**	256
TLS_RSA_WITH_AES_128_GCM_SHA256 (0x9c) **WEAK**	128
TLS_RSA_WITH_AES_256_GCM_SHA384 (0x9d) **WEAK**	256
TLS_RSA_WITH_AES_128_CBC_SHA256 (0x3c) **WEAK**	128
TLS_RSA_WITH_AES_256_CBC_SHA256 (0x3d) **WEAK**	256
TLS_RSA_WITH_AES_128_CBC_SHA (0x2f) **WEAK**	128
TLS_RSA_WITH_AES_256_CBC_SHA (0x35) **WEAK**	256
TLS_RSA_WITH_3DES_EDE_CBC_SHA (0xa) **WEAK**	112

TLS 1.1 (suites in server-preferred order)

TLS 1.0 (suites in server-preferred order)

Handshake Simulation

Android 2.3.7 No SNI [2]	RSA 2048 (SHA256)	TLS 1.0	TLS_RSA_WITH_AES_128_CBC_SHA No FS
Android 4.0.4	RSA 2048 (SHA256)	TLS 1.0	TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA ECDH secp256r1 FS
Android 4.1.1	RSA 2048 (SHA256)	TLS 1.0	TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA ECDH secp256r1 FS
Android 4.2.2	RSA 2048 (SHA256)	TLS 1.0	TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA ECDH secp256r1 FS
Android 4.3	RSA 2048 (SHA256)	TLS 1.0	TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA ECDH secp256r1 FS
Android 4.4.2	RSA 2048 (SHA256)	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256 ECDH secp256r1 FS
Android 5.0.0	RSA 2048 (SHA256)	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256 ECDH secp256r1 FS
Android 6.0	RSA 2048 (SHA256)	TLS 1.2 > http/1.1	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256 ECDH secp256r1 FS
Android 7.0	RSA 2048 (SHA256)	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256 ECDH secp256r1 FS
Android 8.0	RSA 2048 (SHA256)	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256 ECDH secp256r1 FS
Android 8.1	RSA 2048 (SHA256)	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256 ECDH secp256r1 FS
Android 9.0	RSA 2048 (SHA256)	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256 ECDH secp256r1 FS
Baidu Jan 2015	RSA 2048 (SHA256)	TLS 1.0	TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA ECDH secp256r1 FS
BingPreview Jan 2015	RSA 2048 (SHA256)	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256 ECDH secp256r1 FS
Chrome 49 / XP SP3	RSA 2048 (SHA256)	TLS 1.2 > h2	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256 ECDH secp256r1 FS
Chrome 69 / Win 7 R	RSA 2048 (SHA256)	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256 ECDH secp256r1 FS
Chrome 70 / Win 10	RSA 2048 (SHA256)	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256 ECDH secp256r1 FS
Chrome 80 / Win 10 R	RSA 2048 (SHA256)	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256 ECDH secp256r1 FS
Firefox 31.3.0 ESR / Win 7	RSA 2048 (SHA256)	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256 ECDH secp256r1 FS
Firefox 47 / Win 7 R	RSA 2048 (SHA256)	TLS 1.2 > h2	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256 ECDH secp256r1 FS
Firefox 49 / XP SP3	RSA 2048 (SHA256)	TLS 1.2 > h2	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256 ECDH secp256r1 FS
Firefox 62 / Win 7 R	RSA 2048 (SHA256)	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256 ECDH secp256r1 FS
Firefox 73 / Win 10 R	RSA 2048 (SHA256)	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256 ECDH secp256r1 FS
Googlebot Feb 2018	RSA 2048 (SHA256)	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256 ECDH secp256r1 FS
IE 7 / Vista	RSA 2048 (SHA256)	TLS 1.0	TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA ECDH secp256r1 FS
IE 8 / XP No FS [1] No SNI [2]	RSA 2048 (SHA256)	TLS 1.0	TLS_RSA_WITH_3DES_EDE_CBC_SHA
IE 8-10 / Win 7 R	RSA 2048 (SHA256)	TLS 1.0	TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA ECDH secp256r1 FS
IE 11 / Win 7 R	RSA 2048 (SHA256)	TLS 1.2	TLS_DHE_RSA_WITH_AES_128_GCM_SHA256 DH 2048 FS
IE 11 / Win 8.1 R	RSA 2048 (SHA256)	TLS 1.2 > http/1.1	TLS_DHE_RSA_WITH_AES_128_GCM_SHA256 DH 2048 FS
IE 10 / Win Phone 8.0	RSA 2048 (SHA256)	TLS 1.0	TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA ECDH secp256r1 FS
IE 11 / Win Phone 8.1 R	RSA 2048 (SHA256)	TLS 1.2 > http/1.1	TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA256 ECDH secp256r1 FS
IE 11 / Win Phone 8.1 Update R	RSA 2048 (SHA256)	TLS 1.2 > http/1.1	TLS_DHE_RSA_WITH_AES_128_GCM_SHA256 DH 2048 FS
IE 11 / Win 10 R	RSA 2048 (SHA256)	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256 ECDH secp256r1 FS
Edge 15 / Win 10 R	RSA 2048 (SHA256)	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256 ECDH secp256r1 FS
Edge 16 / Win 10 R	RSA 2048 (SHA256)	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256 ECDH secp256r1 FS
Edge 18 / Win 10 R	RSA 2048 (SHA256)	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256 ECDH secp256r1 FS
Edge 13 / Win Phone 10 R	RSA 2048 (SHA256)	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256 ECDH secp256r1 FS
Java 6u45 No SNI [2]	RSA 2048 (SHA256)	TLS 1.0	TLS_RSA_WITH_AES_128_CBC_SHA No FS
Java 7u25	RSA 2048 (SHA256)	TLS 1.0	TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA ECDH secp256r1 FS
Java 8u161	RSA 2048 (SHA256)	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256 ECDH secp256r1 FS
Java 11.0.3	RSA 2048 (SHA256)	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256 ECDH secp256r1 FS
Java 12.0.1	RSA 2048 (SHA256)	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256 ECDH secp256r1 FS
OpenSSL 0.9.8y	RSA 2048 (SHA256)	TLS 1.0	TLS_RSA_WITH_AES_128_CBC_SHA No FS
OpenSSL 1.0.1l R	RSA 2048 (SHA256)	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256 ECDH secp256r1 FS
OpenSSL 1.0.2s R	RSA 2048 (SHA256)	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256 ECDH secp256r1 FS
OpenSSL 1.1.0k R	RSA 2048 (SHA256)	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256 ECDH secp256r1 FS
OpenSSL 1.1.1c R	RSA 2048 (SHA256)	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256 ECDH secp256r1 FS
Safari 5.1.9 / OS X 10.6.8	RSA 2048 (SHA256)	TLS 1.0	TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA ECDH secp256r1 FS
Safari 6 / iOS 6.0.1	RSA 2048 (SHA256)	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA256 ECDH secp256r1 FS
Safari 6.0.4 / OS X 10.8.4 R	RSA 2048 (SHA256)	TLS 1.0	TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA ECDH secp256r1 FS
Safari 7 / iOS 7.1 R	RSA 2048 (SHA256)	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA256 ECDH secp256r1 FS
Safari 7 / OS X 10.9 R	RSA 2048 (SHA256)	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA256 ECDH secp256r1 FS
Safari 8 / iOS 8.4 R	RSA 2048 (SHA256)	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA256 ECDH secp256r1 FS

Handshake Simulation

Safari 8 / OS X 10.10 R	RSA 2048 (SHA256)	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA256 ECDH secp256r1 FS
Safari 9 / iOS 9 R	RSA 2048 (SHA256)	TLS 1.2 > h2	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256 ECDH secp256r1 FS
Safari 9 / OS X 10.11 R	RSA 2048 (SHA256)	TLS 1.2 > h2	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256 ECDH secp256r1 FS
Safari 10 / iOS 10 R	RSA 2048 (SHA256)	TLS 1.2 > h2	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256 ECDH secp256r1 FS
Safari 10 / OS X 10.12 R	RSA 2048 (SHA256)	TLS 1.2 > h2	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256 ECDH secp256r1 FS
Safari 12.1.2 / MacOS 10.14.6 Beta R	RSA 2048 (SHA256)	TLS 1.2 > h2	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256 ECDH secp256r1 FS
Safari 12.1.1 / iOS 12.3.1 R	RSA 2048 (SHA256)	TLS 1.2 > h2	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256 ECDH secp256r1 FS
Apple ATS 9 / iOS 9 R	RSA 2048 (SHA256)	TLS 1.2 > h2	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256 ECDH secp256r1 FS
Yahoo Slurp Jan 2015	RSA 2048 (SHA256)	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256 ECDH secp256r1 FS
YandexBot Jan 2015	RSA 2048 (SHA256)	TLS 1.2	TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256 ECDH secp256r1 FS

Not simulated clients (Protocol mismatch)

IE 6 / XP No FS [1] No SNI [2]	Protocol mismatch (not simulated)

(1) Clients that do not support Forward Secrecy (FS) are excluded when determining support for it.
(2) No support for virtual SSL hosting (SNI). Connects to the default site if the server uses SNI.
(3) Only first connection attempt simulated. Browsers sometimes retry with a lower protocol version.
(R) Denotes a reference browser or client, with which we expect better effective security.
(All) We use defaults, but some platforms do not use their best protocols and features (e.g., Java 6 & 7, older IE).
(All) Certificate trust is not checked in handshake simulation, we only perform TLS handshake.

Protocol Details

Secure Renegotiation	**Supported**
Secure Client-Initiated Renegotiation	No
Insecure Client-Initiated Renegotiation	No
BEAST attack	Not mitigated server-side (more info) TLS 1.0: 0xc013
POODLE (SSLv3)	No, SSL 3 not supported (more info)
POODLE (TLS)	No (more info)
Zombie POODLE	No (more info) TLS 1.2 : 0xc027
GOLDENDOODLE	No (more info) TLS 1.2 : 0xc027
OpenSSL 0-Length	No (more info) TLS 1.2 : 0xc027
Sleeping POODLE	No (more info) TLS 1.2 : 0xc027
Downgrade attack prevention	**Yes, TLS_FALLBACK_SCSV supported** (more info)
SSL/TLS compression	No
RC4	No
Heartbeat (extension)	Yes
Heartbleed (vulnerability)	No (more info)
Ticketbleed (vulnerability)	No (more info)
OpenSSL CCS vuln. (CVE-2014-0224)	No (more info)
OpenSSL Padding Oracle vuln. (CVE-2016-2107)	No (more info)
ROBOT (vulnerability)	No (more info)
Forward Secrecy	With modern browsers (more info)
ALPN	No
NPN	Yes h2 http/1.1
Session resumption (caching)	Yes
Session resumption (tickets)	No
OCSP stapling	No
Strict Transport Security (HSTS)	No
HSTS Preloading	Not in: Chrome Edge Firefox IE
Public Key Pinning (HPKP)	No (more info)
Public Key Pinning Report-Only	No
Public Key Pinning (Static)	No (more info)
Long handshake intolerance	No
TLS extension intolerance	No
TLS version intolerance	No
Incorrect SNI alerts	No

Protocol Details

Uses common DH primes	No
DH public server param (Ys) reuse	No
ECDH public server param reuse	No
Supported Named Groups	secp256r1
SSL 2 handshake compatibility	Yes

HTTP Requests

1 **https://kayanvoyages.tn/** (HTTP/1.1 200 OK)

Miscellaneous

Test date	Fri, 20 Sep 2024 14:50:12 UTC
Test duration	172.476 seconds
HTTP status code	200
HTTP server signature	nginx
Server hostname	-

Why is my certificate not trusted?

There are many reasons why a certificate may not be trusted. The exact problem is indicated on the report card in bright red. The problems fall into three categories:

1. Invalid certificate
2. Invalid configuration
3. Unknown Certificate Authority

1. Invalid certificate

A certificate is invalid if:

- It is used before its activation date
- It is used after its expiry date
- Certificate hostnames don't match the site hostname
- It has been revoked
- It has insecure signature
- It has been blacklisted

2. Invalid configuration

In some cases, the certificate chain does not contain all the necessary certificates to connect the web server certificate to one of the root certificates in our trust store. Less commonly, one of the certificates in the chain (other than the web server certificate) will have expired, and that invalidates the entire chain.

3. Unknown Certificate Authority

In order for trust to be established, we must have the root certificate of the signing Certificate Authority in our trust store. SSL Labs does not maintain its own trust store; instead we use the store maintained by Mozilla.

If we mark a web site as not trusted, that means that the average web user's browser will not trust it either. For certain special groups of users, such web sites can still be secure. For example, if you can securely verify that a self-signed web site is operated by a person you trust, then you can trust that self-signed web site too. Or, if you work for an organisation that manages its own trust, and you have their own root certificate already embedded in your browser. Such special cases do not work for the general public, however, and this is what we indicate on our report card.

4. Interoperability issues

In some rare cases trust cannot be established because of interoperability issues between our code and the code or configuration running on the server. We manually review such cases, but if you encounter such an issue please feel free to contact us. Such problems are very difficult to troubleshoot and you may be able to provide us with information that might help us determine the root cause.

SSL Report v2.3.0

Copyright © 2009-2024 Qualys, Inc. All Rights Reserved. Privacy Policy. Terms and Conditions

Try Qualys for free! Experience the award-winning Qualys Cloud Platform and the entire collection of Qualys Cloud Apps, including certificate security solutions.