

WO to be done :

23/12/2025

From : to :

Planning date	Emergency	Class	WO	Designation	Element(s)	Maintenance	Frequency	Status
27/07/2025		INSB	BASWO-202107-0023	5Y - MECH - CRT	342.90.06 342.90.06 CRT VOLANT	PREVENTIVE	Recurring work Frequency :60Month	Overdue / Resched uled
30/05/2025	A	INSB	BASWO-202204-0006	24M - MECH - JACKING SYSTEM INSPECTION	488.01 FWD LEG CHORD A	PREVENTIVE	Recurring work Frequency :24Month	Overdue / Resched uled
30/05/2025	A	INSB	BASWO-202204-0013	24M - MECH - JACKING SYSTEM INSPECTION	488.02 FWD LEG CHORD B	PREVENTIVE	Recurring work Frequency :24Month	Overdue / Resched uled
30/05/2025	A	INSB	BASWO-202204-0020	24M - MECH - JACKING SYSTEM INSPECTION	488.03 FWD LEG CHORD C	PREVENTIVE	Recurring work Frequency :24Month	Overdue / Resched uled
30/05/2025	A	INSB	BASWO-202204-0027	24M - MECH - JACKING SYSTEM INSPECTION	488.05 STARBOARD LEG CHORD D	PREVENTIVE	Recurring work Frequency :24Month	Overdue / Resched uled
30/05/2025	A	INSB	BASWO-202204-0034	24M - MECH - JACKING SYSTEM INSPECTION	488.06 STARBOARD LEG CHORD E	PREVENTIVE	Recurring work Frequency :24Month	Overdue / Resched uled
30/05/2025	A	INSB	BASWO-202204-0041	24M - MECH - JACKING SYSTEM INSPECTION	488.07 STARBOARD LEG CHORD F	PREVENTIVE	Recurring work Frequency :24Month	Overdue / Resched uled

From : to :

Planning date	Emergency	Class	WO	Designation	Element(s)	Maintenance	Frequency	Status
30/05/2025	A	INSB	BASWO-202204-0048	24M - MECH - JACKING SYSTEM INSPECTION	488.09 PORT LEG CHORD G	PREVENTIVE	Recurring work Frequency :24Month	Overdue / Rescheduled
30/05/2025	A	INSB	BASWO-202204-0055	24M - MECH - JACKING SYSTEM INSPECTION	488.1 PORT LEG CHORD H	PREVENTIVE	Recurring work Frequency :24Month	Overdue / Rescheduled
30/05/2025	A	INSB	BASWO-202204-0062	24M - MECH - JACKING SYSTEM INSPECTION	488.11 PORT LEG CHORD I	PREVENTIVE	Recurring work Frequency :24Month	Overdue / Rescheduled
26/01/2024		INSB	BASWO-202209-0006	48000H - MECH - EMD 1	650.01.01 MAIN ENGINE 1	PREVENTIVE	Recurring work 650.01.01 (EMD ENGINE 1 COUNTER) Meter's Value :69713 Périodicité : 48000 Trigger value : 80000	Overdue Trigger value 650.01.01 : 59872
26/01/2024		INSB	BASWO-202209-0009	48000H - MECH - EMD 2	650.02.01 MAIN ENGINE 2	PREVENTIVE	Recurring work 650.02.01 (EMD ENGINE 2 COUNTER) Meter's Value :69857 Périodicité : 48000 Trigger value : 80000	Overdue Trigger value 650.02.01 : 61977

From : to :

Planning date	Emergency	Class	WO	Designation	Element(s)	Maintenance	Frequency	Status
26/01/2024		INSB	BASWO-2022209-0012	48000H - MECH - EMD 3	650.03.01 MAIN ENGINE 3	PREVENTIVE	Recurring work 650.03.01 (EMD ENGINE 3 COUNTER) Meter's Value :68936 Périodicité : 60000 Trigger value : 48000	Overdue Trigger value 650.03.0 1 : 65744
01/05/2023	A	INSB	BASWO-202210-0004	5Y - MECH - PULL BACK WINCH (FWD)	365.03.10 FINGERBOAR D PULL BACK WINCH (FWD)	PREVENTIVE	Recurring work Frequency :60Month	Overdue / Resched uled
01/12/2025	A	INSB	BASWO-202210-0008	5Y - MECH - PULL BACK WINCH (AFT)	365.03.20 FINGERBOAR D PULL BACK WINCH (AFT)	PREVENTIVE	Recurring work Frequency :60Month	Overdue / Resched uled
01/05/2023	A	INSB	BASWO-202210-0012	5Y - MECH - BOW TOW LINE WINCH	365.06 BOW TOW LINE WINCH	PREVENTIVE	Recurring work Frequency :60Month	Overdue / Resched uled
01/12/2025	A	INSB	BASWO-202210-0029	5Y - MECH - SUBBASE PORT FWD WINCH	365.01.06 SUBBASE PORT FWD WINCH	PREVENTIVE	Recurring work Frequency :60Month	Overdue / Resched uled
01/02/2024	A	INSB	BASWO-202210-0033	5Y - MECH - SUBBASE STBD AFT WINCH	365.01.07 SUBBASE PORT AFT WINCH	PREVENTIVE	Recurring work Frequency :60Month	Overdue / Resched uled
01/05/2023	A	INSB	BASWO-202210-0037	5Y - MECH - UNDER CANTILEVER WINCH	365.01.08 UNDER CANTILEVER WINCH	PREVENTIVE	Recurring work Frequency :60Month	Overdue / Resched uled

From : to :

Planning date	Emergency	Class	WO	Designation	Element(s)	Maintenance	Frequency	Status
01/05/2023	A	INSB	BASWO-202210-0041	5Y - MECH - SUBBASE STBD FWD WINCH	365.01.09 SUBBASE STARBOARD FWD WINCH	PREVENTIVE	Recurring work Frequency :60Month	Overdue / Rescheduled
01/05/2023	A	INSB	BASWO-202210-0045	5Y - MECH - SUBBASE STBD AFT WINCH	365.01.10 SUBBASE STARBOARD AFT WINCH	PREVENTIVE	Recurring work Frequency :60Month	Overdue / Rescheduled
26/03/2024	4	INSB	BASWO-202403-0001	12M - ELECT - ATEX EQUIPMENT	870 870 EX EQUIPMENT (BY AREA)	PREVENTIVE	Recurring work Frequency :12Month	Overdue
26/03/2024	4	INSB	BASWO-202403-0002	5Y - ELECT - ATEX EQUIPMENT	870 870 EX EQUIPMENT (BY AREA)	PREVENTIVE	Recurring work Frequency :60Month	Overdue
22/05/2025	C	INSB	BAWO-202010-0027	3M TRS 343.20 NIRON ROUGHNECK ST 100	343.20 343.20 NIRON ROUGHNECK ST 100	PREVENTIVE	Recurring work Frequency :3Month 343.20 (343.10 MAIN HYDRAULIC POWER UNIT FOR ST100) Meter's Value :16173 Périodicité : 0 Trigger value : 0	Overdue Trigger value 343.20 : 16062
20/09/2023	3		BAWO-202201-0279	SPS 2023 - REPLACE DEFECTIVE JACKING OVERLOAD SYSTEM	488.13 JACKING SYSTEM CONTROL PANEL / JB's	CORRECTIVE	Unit work	Overdue / Rescheduled
07/03/2024	B	INSB	BAWO-202203-0044	24M ELEC 605.01 600 VOLT SWITCHBOARD	605.01 605.01 600 VOLT SWITCHBOARD	PREVENTIVE	Recurring work Frequency :24Month	Overdue

From : to :

Planning date	Emergency	Class	WO	Designation	Element(s)	Maintenance	Frequency	Status
26/12/2022	C		BAWO-202210-0210	Quote for primary gear boxes	361 361 DECK CRANES 488 JACKING SYSTEM 489 489 SKIDDING SYSTEMS	CORRECTIVE	Unit work	Overdue / Rescheduled
22/11/2025	C	INSB	BAWO-202211-0247	36M ELEC 427 LIGHT AND SIGNAL EQUIPMENT (LANTERNS)	427 427 LIGHT AND SIGNAL EQUIPMENT (LANTERNS)	PREVENTIVE	Recurring work Frequency :36Month	Overdue
01/02/2024	4		BAWO-202211-0254	GASKET FOR WATERTIGHT DOORS AND VENTS	520.02 520.02 MODULE DOORS	CORRECTIVE	Unit work	Overdue / Rescheduled
26/01/2024	B	INSB	BAWO-202301-0347	12M MECH TRANSVERSE SKIDDING ASSYS	489.02 TRANSVERSE SKIDDING SYSTEM	PREVENTIVE	Recurring work Frequency :12Month	Overdue
06/02/2024	B	INSB	BAWO-202302-0107	12M - MECH - STB CRANE	361.03 361.03 STARBORD CRANE	PREVENTIVE	Recurring work Frequency :12Month	Overdue
14/12/2023	B		BAWO-202303-0143	REQUIRED REDQ FLEXFLO REGULATOR ASSEMBLY FOR DEEP WELL PUMPS	721.04 721.04 SEA WATER VALVES & PIPEWORK	CORRECTIVE	Unit work	Overdue / Rescheduled
06/04/2024	C	INSB	BAWO-202304-0057	12M MECH 454.01 SACK STORE FORKLIFT TRUCK	454.01 454.01 SACK STORE FORKLIFT TRUCK	PREVENTIVE	Recurring work Frequency :12Month	Overdue
19/06/2025	2	INSB	BAWO-202306-0164	24M MAINT 802 SAFETY PRESSURE RELIEF VALVES 3rd Party Testing and Calibration	802 802 SAFETY PRESSURE RELIEF VALVES	PREVENTIVE	Recurring work Frequency :24Month	Overdue

From : to :

Planning date	Emergency	Class	WO	Designation	Element(s)	Maintenance	Frequency	Status
26/12/2023	3		BAWO-202306-0201	Retractable Life Line and 0.5 Ton Chain Block	971.03.10 ACCESSORIES	CORRECTIVE	Unit work	Overdue / Rescheduled
26/12/2023	3		BAWO-202306-0202	Repair Kit for Treating Iron & Plug Valve of CMT Unit in BANBA	971.03.10 ACCESSORIES	CORRECTIVE	Unit work	Overdue / Rescheduled
08/07/2023	3		BAWO-202307-0055	SOPEX 2024 - REPLACE DF WINCHES	365 AIR WINCHES	CORRECTIVE	Unit work	Overdue
15/07/2023	3		BAWO-202307-0109	SOPEX 2024 - INSTALL RIG SAVER ON EMD AIR INTAKE	650 MAIN POWER GENERATION 650.01 GENERATOR SET 1	CORRECTIVE	Unit work	Overdue / Rescheduled
					650.02 GENERATOR SET 2 650.03 GENERATOR SET 3 650.05.03 650.05.03 MAIN ENGINES ESD			
12/07/2024	A	INSB	BAWO-202307-0181	12M ELEC 650.05 EMERGENCY SHUT DOWN SYSTEMS (ESD)	650.05 650.05 EMERGENCY SHUT DOWN SYSTEMS (ESD)	PREVENTIVE	Recurring work Frequency :12Month	Overdue
22/01/2024	A	INSB	BAWO-202307-0182	6M ELEC 423 MISC. CONTROL/ALARM & ESD PANELS	423 423 MISC. CONTROL/ALARM & ESD PANELS	PREVENTIVE	Recurring work Frequency :6Month	Overdue

From : to :

Planning date	Emergency	Class	WO	Designation	Element(s)	Maintenance	Frequency	Status
24/07/2023	3		BAWO-202307-0199	SPS 2023 - PHASE 1 JACKING SYSTEM REPAIRS AS PER ALLRIG 2023 SPS CBA	488 JACKING SYSTEM 488.09 PORT LEG CHORD G 488.09.09 488.09.09 PORT LEG CHORD G3 GEARBOX ASSY.	CORRECTIVE	Unit work	Overdue
15/08/2024	A	INSB	BAWO-202308-0253	1Y CMT SURGE TANK INSPECTION	971.07 SURGE TANK	PREVENTIVE	Recurring work Frequency :12Month	Overdue
16/08/2023	4		BAWO-202308-0272	Emergency Generator Transfer Switch	660 660 EMERGENCY POWER GENERATION	CORRECTIVE	Unit work	Overdue
22/08/2023	C		BAWO-202308-0351	Potable Water Pressure Set Tank	800 800 MISCELLANEOUS SYSTEMS	CORRECTIVE	Unit work	Overdue
06/10/2023	4		BAWO-202310-0070	QUOTE FOR DISCREPANCIES WITH LOSJACK STABILITY PROGRAM, FLOATING DRAFT AND INSB LOAD LINE CHECKS BY ZENTECH	200 200 HULL AND STRUCTURE	CORRECTIVE	Unit work	Overdue
18/10/2023	4		BAWO-202310-0230	PIPES AND FITTINGS FOR FIRE MAIN - LP	800 800 MISCELLANEOUS SYSTEMS	CORRECTIVE	Unit work	Overdue
22/11/2025	A	INSB	BAWO-202311-0303	2Y - MECH - CROWN BLOCK	302.01 CROWN BLOCK	PREVENTIVE	Recurring work Frequency :24Month	Overdue

From : to :

Planning date	Emergency	Class	WO	Designation	Element(s)	Maintenance	Frequency	Status
11/10/2023	B	INSB	BAWO-202312-0001	48M ELEC 605.02 480V MCC-A	605.02 605.02 480V MCC-A	PREVENTIVE	Recurring work Frequency :48Month	Overdue
04/12/2023	B		BAWO-202312-0037	Spare set of crane motor pinions for 1YR PM	361 361 DECK CRANES	CORRECTIVE	Unit work	Overdue
08/12/2023	3		BAWO-202312-0086	PURCHASE (1) FIRE FIGHTERS EQUIPMENT CABINET	505.01 FIRE FIGHTING EQUIPMENT	CORRECTIVE	Unit work	Overdue
10/12/2024	A	INSB	BAWO-202312-0114	12M CEM 371.06 DRILL FLOOR CEMENT MANIFOLD	300 300 DRILLING EQUIPMENT	PREVENTIVE	Recurring work Frequency :12Month	Overdue
10/12/2023	3		BAWO-202312-0115	PURCHASE STORAGE FIRE FIGHTERS EQUIPMENT CABINET	505.01 FIRE FIGHTING EQUIPMENT	CORRECTIVE	Unit work	Overdue
31/12/2024	B	INSB	BAWO-202401-0021	12M - MECH - STB CRANE	361.03 361.03 STARBORD CRANE	PREVENTIVE	Recurring work Frequency :12Month	Overdue
28/04/2024	3	INSB	BAWO-202401-0331	3M-ELECT 605 - PLC (ALL)	605 605 MAIN SWITCHBOAR D	PREVENTIVE	Recurring work Frequency :3Month	Overdue
31/01/2024	3		BAWO-202401-0389	Manual Handling Device/Strap, Double Handle	500 500 LIFESAVING. SANITARY. ACCOM & HVAC	CORRECTIVE	Unit work	Overdue
31/01/2025	A	INSB	BAWO-202402-0001	12M CMT CEMENT HEAD 9 5/8" MAINTENANCE	971.05.01 CEMENTING HEAD 9-5/8	PREVENTIVE	Recurring work Frequency :12Month	Overdue
31/01/2025	A	INSB	BAWO-202402-0002	12M CMT CEMENT HEAD 13-3/8" MAINTENANCE	971.05.02 CEMENTING HEAD 13-3/8	PREVENTIVE	Recurring work Frequency :12Month	Overdue

From : to :

Planning date	Emergency	Class	WO	Designation	Element(s)	Maintenance	Frequency	Status
31/01/2025	A	INSB	BAWO-202402-0004	12M CMT BATCH MIXER CHECKS	971.02 BATCH MIXER	PREVENTIVE	Recurring work Frequency :12Month	Overdue
31/01/2025	A	INSB	BAWO-202402-0005	12M CMT CEMENT HEAD 7" MAINTENANCE	971.05.03 CEMENTING HEAD 7"	PREVENTIVE	Recurring work Frequency :12Month	Overdue
05/11/2025	D	INSB	BAWO-202402-0112	2000HR - ELECT - MAIN GENERATOR #3	650.03.02 650.03.02 GENERATOR 3	PREVENTIVE	Recurring work 650.03.01 (EMD ENGINE 3 COUNTER) Meter's Value :68936 Périodicité : 2000 Trigger value : 67744	Overdue Trigger value 650.03.0 1 : 68936
12/03/2025	2	INSB	BAWO-202403-0086	1Y - MS - ONSHORE DRILL LINE	312.06 312.06 DRILL LINE SPOOLER	PREVENTIVE	Recurring work Frequency :12Month	Overdue
08/07/2025	C	INSB	BAWO-202403-0104	8400H - MECH - EMD 1	650.01.01 MAIN ENGINE 1	PREVENTIVE	Recurring work 650.01.01 (EMD ENGINE 1 COUNTER) Meter's Value :69713 Périodicité : 8400 Trigger value : 67872	Overdue Trigger value 650.01.0 1 : 68445
23/03/2025	C	INSB	BAWO-202403-0244	12M BARG 244.01 SAMSON POSTS GRIPPERS	244.01 244.01 SAMSON POSTS GRIPPERS	PREVENTIVE	Recurring work Frequency :12Month	Overdue

From : to :

Planning date	Emergency	Class	WO	Designation	Element(s)	Maintenance	Frequency	Status
09/02/2021	B	INSB	BAWO-202404-0083	12M ELEC 313.01 ROTARY TABLE	313.01 313.01 ROTARY TABLE	PREVENTIVE	Recurring work Frequency :12Month 313.01 (313.01 ROTARY TABLE METER RUNNING HOURS) Meter's Value :5552 Périodicité : 33 Trigger value : 5556	Overdue Trigger value : 0
24/04/2024	2		BAWO-202404-0168	MS-LABEL PRINTER BMP 61	890.01 890.01 PORTABLE ELECTRICAL EQUIPMENT	CORRECTIVE	Unit work	Overdue
10/05/2025	C	INSB	BAWO-202405-0034	12M MAINT 582.01 SEWAGE TREATMENT	582.01 582.01 SEWAGE TREATMENT	PREVENTIVE	Recurring work Frequency :12Month	Overdue
12/05/2024	2		BAWO-202405-0035	SPS-2024 - SPARES REQUIRED TO RUN 3 MPS TOGETHER	605 605 MAIN SWITCHBOARD	CORRECTIVE	Unit work	Overdue
17/05/2024	2		BAWO-202405-0042	FABRICATION OF SPOOL FOR EMERGENCY KILL LINE + PWHT+ X-RAY	336.30.10 336.30.10 BOP CHOKE/KILL LINE SYSTEM VALVES	CORRECTIVE	Unit work	Overdue
07/06/2024	3		BAWO-202406-0025	Welcome Onboard HSE board	506 506 PERSONAL SAFETY DEVICES	CORRECTIVE	Unit work	Overdue
27/04/2025	A	INSB	BAWO-202406-0073	12M - MECH - EMD 2 GENERATOR ALIGNMENT CHECKS	650.02.01 MAIN ENGINE 2	PREVENTIVE	Recurring work Frequency :12Month	Overdue

From : to :

Planning date	Emergency	Class	WO	Designation	Element(s)	Maintenance	Frequency	Status
11/06/2025	D	INSB	BAWO-202406-0074	12M - MECH - GENERATOR ALIGNMENT CHECKS	650.03.01 MAIN ENGINE 3	PREVENTIVE	Recurring work Frequency :12Month	Overdue
13/06/2024	3		BAWO-202406-0118	REPLACE COUNTER BALANCE VALVES - BOP LIFT PLATFORM CYLINDERS	456.02 456.02 BOP LIFTING SYSTEM	CORRECTIVE	Unit work	Overdue
19/06/2024	3		BAWO-202406-0198	REPLACE SPLIT SHOE ASSEMBLY TDS SOLID BODY & TRUNION MOUNT CAPS	313.02 313.02 TOP DRIVE	CORRECTIVE	Unit work	Overdue
21/06/2024	A		BAWO-202406-0201	CCTV AND JACKING OVERLOAD - MSSSL COMMISSIONING TECHNICIAN REQUIRED	382 382 CCTV 488 JACKING SYSTEM	CORRECTIVE	Unit work	Overdue
18/07/2024	D	INSB	BAWO-202406-0204	1M DRILL - MUD COOLING BOOSTER PUMP	326.80 MUD COOLING BOOSTER PUMP	PREVENTIVE	Recurring work Frequency :1Month	Overdue
18/12/2024	4	INSB	BAWO-202406-0210	6M MECH - MUD COOLING BOOSTER PUMP	326.80 MUD COOLING BOOSTER PUMP	PREVENTIVE	Recurring work Frequency :6Month	Overdue
18/06/2025	A	INSB	BAWO-202406-0217	12M SCWM 326.01.01 Centrifuge 1	326.01.01 326.01.01 Centrifuge 1	PREVENTIVE	Recurring work Frequency :12Month	Overdue
18/09/2024	3	INSB	BAWO-202406-0220	3M MECH - MUD COOLING BOOSTER PUMP	326.80 MUD COOLING BOOSTER PUMP	PREVENTIVE	Recurring work Frequency :3Month	Overdue
18/07/2024	C	INSB	BAWO-202406-0244	1M SCWM 326.50.20 DEGASSER CIRC PUMP	326.50.20 326.50.20 DEGASSER CIRC PUMP	PREVENTIVE	Recurring work Frequency :1Month	Overdue
29/06/2024	2		BAWO-202406-0270	REPLACE SOLID BODY SPLIT SHOES	313.02 313.02 TOP DRIVE	CORRECTIVE	Unit work	Overdue

From : to :

Planning date	Emergency	Class	WO	Designation	Element(s)	Maintenance	Frequency	Status
15/07/2024	4		BAWO-202407-0058	Electrical Motor of Batch Mixer Agitator as Spare Item	971.02 BATCH MIXER	CORRECTIVE	Unit work	Overdue
01/08/2025	C	INSB	BAWO-202408-0012	287_01_01_12M_BARG 287.01.01 POT WATER TANK 5P	287.01.02 287.01.02 POT WATER TANK #5P	PREVENTIVE	Recurring work Frequency :12Month	Overdue
02/08/2024	4		BAWO-202408-0029	Crane Cabin and AC units for Stbd Fwd Crane	361.03 361.03 STARBOARD CRANE	CORRECTIVE	Unit work	Overdue
11/08/2024	4		BAWO-202408-0249	MIPEG X FOR PORT AFT CRANE	361.02 361.02 PORT AFT CRANE	CORRECTIVE	Unit work	Overdue
13/10/2024	3		BAWO-202408-0280	6FT OFFSHORE MINI CONTAINER	326 326 MUD SOLIDS CONTROL	PREVENTIVE	Recurring work Frequency :60Month	Overdue / Resched uled
15/10/2024	2		BAWO-202408-0292	HS-3400 Centrifuge Tool Kit	326.01.01 326.01.01 Centrifuge 1	CORRECTIVE	Unit work	Overdue / Resched uled
27/07/2025	4		BAWO-202408-0293	Purchase of new portable test stump for testing of drill floor safety valves at Perenco request. Back charged to Perenco	337.02 337.02 KELLY VALVES / GRAY VALVES	CORRECTIVE	Unit work	Overdue / Resched uled
15/11/2024	4		BAWO-202408-0294	HS3400 Pillow block bearing kits for maintenance on Centrifuges	326.01 326.01 CENTRIFUGE	CORRECTIVE	Unit work	Overdue / Resched uled
16/08/2025	A	INSB	BAWO-202408-0323	60 M - MAINT- TOP DRIVE OVERHAUL	313.02 313.02 TOP DRIVE	PREVENTIVE	Recurring work Frequency :60Month	Overdue

From : to :

Planning date	Emergency	Class	WO	Designation	Element(s)	Maintenance	Frequency	Status
11/08/2025	C	INSB	BAWO-202408-0334	287_02_01_12M_BARG 287.02.01 BRINE TANK 17P	287.07.01 287.07.01 BRINE TANK 17 P	PREVENTIVE	Recurring work Frequency :12Month	Overdue
11/08/2025	C	INSB	BAWO-202408-0335	287_02_01_12M_BARG 287.02.01 BRINE TANK 18S	287.07.02 287.07.02 BRINE TANK 18 S	PREVENTIVE	Recurring work Frequency :12Month	Overdue
16/08/2025	C	INSB	BAWO-202408-0341	12M MAINT 324.03 ACTIVE PIT 3	324.03 324.03 ACTIVE PIT 3	PREVENTIVE	Recurring work Frequency :12Month	Overdue
22/08/2024	A		BAWO-202408-0365	HT400 SEAT AND PLUNGER SPARE FOR SPARE	971.01.10.03 TRIPLEX 1 971.01.20.03 TRIPLEX 2	CORRECTIVE	Unit work	Overdue
23/08/2024	A		BAWO-202408-0370	SOFT STARTER TRANSFER PUMP SPARE PART	971.03.03 DRIVING SYSTEM	CORRECTIVE	Unit work	Overdue
27/08/2024	A		BAWO-202408-0417	Need Radio for Cement Job Operation	971.01 CEMENT UNIT 971.02 BATCH MIXER	CORRECTIVE	Unit work	Overdue
28/08/2024	4		BAWO-202408-0420	EX EQUIPMENT - REPLACE BROKEN OR DEFECTIVE GLANDS	606 606 DISTRIBUTIO N SYSTEM POWER CABLES	CORRECTIVE	Unit work	Overdue
28/08/2024	2		BAWO-202408-0421	Damaged Mattress Replacement	500 500 LIFESAVING. SANITARY. ACCOM & HVAC	CORRECTIVE	Unit work	Overdue

From : to :

Planning date	Emergency	Class	WO	Designation	Element(s)	Maintenance	Frequency	Status
08/09/2024	4		BAWO-202409-0042	SOPEX 2025 - MS- RO WATERMAKER	761 761 WATERMAKE RS	CORRECTIVE	Unit work	Overdue
09/09/2024	2		BAWO-202409-0043	EM SWBD - ESD FAULT CAUSING BREAKER TRIP	605.05 605.05 MCC-E	CORRECTIVE	Unit work	Overdue
08/07/2025	A	INSB	BAWO-202409-0047	12M - MECH- TOP DRIVE Inspection	313.02 313.02 TOP DRIVE	PREVENTIVE	Recurring work Frequency :12Month	Overdue
09/10/2024	2		BAWO-202409-0050	700H PM Maintenance on Dedicated Centrifuge #3	326.01.03 326.01.03 Centrifuge 3	PREVENTIVE	Recurring work Frequency :1Month	Overdue
09/03/2025	B	INSB	BAWO-202409-0053	6M MECH 371.01 CEMENT UNIT	300 300 DRILLING EQUIPMENT	PREVENTIVE	Recurring work Frequency :6Month	Overdue
08/09/2025	A	INSB	BAWO-202409-0057	12M - MECH- TOP UPPER QUILL SHAFT BEARING CHECKS	313.02 313.02 TOP DRIVE	PREVENTIVE	Recurring work Frequency :12Month	Overdue
09/03/2025	3		BAWO-202409-0079	PM OF FAN DRIVE, DETROIT DIESEL CEMENT UNIT	971.01.20.01 ENGINE 2 971.01.10.01 ENGINE 1	PREVENTIVE	Recurring work Frequency :6Month	Overdue
09/03/2025	A	INSB	BAWO-202409-0080	6M CMT BATCH MIXER CHECKS	971.02 BATCH MIXER	PREVENTIVE	Recurring work Frequency :6Month	Overdue
09/10/2024	A	INSB	BAWO-202409-0083	1M CMT BATCH MIXER CHECKS	971.02 BATCH MIXER	PREVENTIVE	Recurring work Frequency :1Month	Overdue
09/09/2025	C	INSB	BAWO-202409-0115	12M MECH 323.01 MUD SURGE TANK	323 323 MUD ADDITIVE SYSTEMS	PREVENTIVE	Recurring work Frequency :12Month	Overdue
11/09/2024	4		BAWO-202409-0123	Need Oil 80W90 for Power end Oil Cement Unit Stock	971.01.10.03 TRIPLEX 1 971.01.20.03 TRIPLEX 2	CORRECTIVE	Unit work	Overdue

From : to :

Planning date	Emergency	Class	WO	Designation	Element(s)	Maintenance	Frequency	Status
11/12/2024	B	INSB	BAWO-202409-0127	3M HSE 384.02.01 GAS DETECTORS LEL / H2S	384.02.01 384.02.01 GAS DETECTORS LEL / H2S	PREVENTIVE	Recurring work Frequency :3Month	Overdue
11/10/2024	A	INSB	BAWO-202409-0129	1M HSE 503.01.05 PERSONNEL HARNESES	503.01.05 503.01.05 PERSONNEL HARNESES	PREVENTIVE	Recurring work Frequency :1Month	Overdue
11/10/2024	2	INSB	BAWO-202409-0130	1M PM - HSE - FIX LADDER	243 243 MAIN DECK AREAS	PREVENTIVE	Recurring work Frequency :1Month	Overdue
08/09/2025	C	INSB	BAWO-202409-0133	12M - MECH - BOP HOIST (FWD)	365.04.10 BOP HOIST - FWD	PREVENTIVE	Recurring work Frequency :12Month	Overdue
16/05/2025	C	INSB	BAWO-202409-0160	12 M - MECH - BOP HOIST (AFT)	365.04.20 BOP HOIST - AFT	PREVENTIVE	Recurring work Frequency :12Month	Overdue
16/09/2025	B	INSB	BAWO-202409-0167	12M MECH 313.01 ROTARY TABLE	313.01 313.01 ROTARY TABLE	PREVENTIVE	Recurring work Frequency :12Month	Overdue
16/09/2025	C	INSB	BAWO-202409-0194	12M MAINT 803.03 OILY WATER SEPARATOR	803.03 803.03 OILY WATER SEPARATOR	PREVENTIVE	Recurring work Frequency :12Month	Overdue
17/09/2024	3		BAWO-202409-0195	SPB100 & SPB65 BREAKERS FOR REPAIR AND RETURN	605 605 MAIN SWITCHBOARD	CORRECTIVE	Unit work	Overdue
25/09/2024	2		BAWO-202409-0230	500 TO INSPECT ANTIFALL HARNESES AND ASSOCIATED EQUIPMENTS	500 500 LIFESAVING. SANITARY. ACCOM & HVAC	CORRECTIVE	Unit work	Overdue
25/09/2024	2		BAWO-202409-0233	200 PORTABLE LADDERS INSPECTION	200 200 HULL AND STRUCTURE	PREVENTIVE	Recurring work Frequency :1Month	Overdue

From : to :

Planning date	Emergency	Class	WO	Designation	Element(s)	Maintenance	Frequency	Status
02/10/2024	3		BAWO-202410-0015	PURCHASE FLAME RETARDANT HEAD NECK COVERING FOR WELDERS	504.05 504.05 SAFETY/PROTECTION EQUIPMENT	CORRECTIVE	Unit work	Overdue
04/10/2025	C	INSB	BAWO-202410-0038	287_02_01_12M_BARG 287.02.01 DRILL WATER TANK 1CL	287.02.01 287.02.01 DRILL WATER TANK 1 CL	PREVENTIVE	Recurring work Frequency :12Month	Overdue
13/10/2024	3		BAWO-202410-0080	Need Electric Motor spare for CMT Mixing Skid	971.03 MIXING SKID	PREVENTIVE	Unit work	Overdue
09/01/2025	C	INSB	BAWO-202410-0119	244_01_3M_BARG 244.01 SAMSON POSTS & SOCKETS	244.01 244.01 SAMSON POSTS GRIPPERS	PREVENTIVE	Recurring work Frequency :3Month	Overdue
03/10/2025	A	INSB	BAWO-202410-0199	12M BARG 226.01 FORWARD JACKUP LEG	226.01 226.01 FORWARD JACKUP LEG	PREVENTIVE	Recurring work Frequency :12Month	Overdue
03/10/2025	A	INSB	BAWO-202410-0204	12M BARG 226.03 STARBOARD JACKUP LEG	226.03 226.03 STARBOARD JACKUP LEG	PREVENTIVE	Recurring work Frequency :12Month	Overdue
03/10/2025	A	INSB	BAWO-202410-0205	12M BARG 226.02 PORT JACKUP LEG	226.02 226.02 PORT JACKUP LEG	PREVENTIVE	Recurring work Frequency :12Month	Overdue
18/10/2025	C	INSB	BAWO-202410-0221	287_06_01_12M_BARG 287.02.01 BASE OIL TANK 7P	287.06.01 287.06.01 BASE OIL 7P	PREVENTIVE	Recurring work Frequency :12Month	Overdue
28/09/2025	A	INSB	BAWO-202410-0247	12M ELEC 384 FIRE & GAS EQUIPMENT	384 384 FIRE & GAS EQUIPMENT	PREVENTIVE	Recurring work Frequency :12Month	Overdue
24/10/2024	4		BAWO-202410-0273	Door Locks required in Various Areas in Accommodations.	281 281 ACCOMMODATION	CORRECTIVE	Unit work	Overdue

From : to :

Planning date	Emergency	Class	WO	Designation	Element(s)	Maintenance	Frequency	Status
29/10/2024	3		BAWO-202410-0339	Gumbo Box service parts	326.06 326.06 GUMBO SEPARATOR	CORRECTIVE	Unit work	Overdue
30/10/2024	2		BAWO-202410-0345	Aero shell 14 Grease for Centrifuge	326.01 326.01 CENTRIFUGE	CORRECTIVE	Unit work	Overdue
30/10/2024	3		BAWO-202410-0346	Discharge hoses Gumbo Box	326.06 326.06 GUMBO SEPARATOR	CORRECTIVE	Unit work	Overdue
10/01/2025	2	INSB	BAWO-202411-0028	12M - MAINT SUP - BOP - LIFTING CLAMP	331.20 331.20 13 5/8" BOP STACK 10.000psi	PREVENTIVE	Unit work	Overdue
02/12/2025	D	INSB	BAWO-202411-0029	1M - MECH -312.08 - AUTO DRILLER	312.08 312.08 AUTO DRILLER SYSTEM	PREVENTIVE	Recurring work Frequency :1Month	Overdue
28/03/2025	A	INSB	BAWO-202411-0047	6M - MECH - CROWN BLOCK	302.01 CROWN BLOCK	PREVENTIVE	Recurring work Frequency :6Month	Overdue
04/11/2025	A	INSB	BAWO-202411-0091	12M ELECT 804 SPARE AC MOTOR	804 804 SPARE MOTORS	PREVENTIVE	Recurring work Frequency :12Month	Overdue
06/11/2025	C	INSB	BAWO-202411-0098	12M MAINT 605.02 480V MCC-A	605.02 605.02 480V MCC-A	PREVENTIVE	Recurring work Frequency :12Month	Overdue
08/12/2024	2	INSB	BAWO-202411-0147	1M PM - HSE - GRATING and HANRAILS	243 243 MAIN DECK AREAS	PREVENTIVE	Recurring work Frequency :1Month	Overdue
13/11/2024	A		BAWO-202411-0192	Need Need MAXIM SILENCER Spark Arrestor Style 1 (EI/EO), 6in Flange Connection 100% SS-316L	971.01.20.01 ENGINE 2 971.01.10.01 ENGINE 1	CORRECTIVE	Unit work	Overdue
17/11/2024	3		BAWO-202411-0221	Need to replace Air vessel Banba CMTU	971.01 CEMENT UNIT	CORRECTIVE	Unit work	Overdue

From : to :

Planning date	Emergency	Class	WO	Designation	Element(s)	Maintenance	Frequency	Status
17/11/2024	4		BAWO-202411-0222	Need to repair broken side glass on the banba mixing skid hydraulic tank	971.03 MIXING SKID	CORRECTIVE	Unit work	Overdue
20/11/2024	4		BAWO-202411-0244	Teflon Grease required for Skidding/ Transversing	489 489 SKIDDING SYSTEMS	CORRECTIVE	Unit work	Overdue
23/11/2025	C	INSB	BAWO-202411-0268	12M MECH - MAIN AIR DRIER PACKAGE	730.04 730.04 MAIN AIR DRIER PACKAGE	PREVENTIVE	Recurring work Frequency :12Month	Triggere d
22/11/2025	C	INSB	BAWO-202411-0274	12M MECH 702.01 FUEL OIL PURIFIERS #2	702.01.30 702.01.30 FUEL OIL PURIFIER 2	PREVENTIVE	Recurring work Frequency :12Month	Overdue
27/11/2024	A		BAWO-202411-0304	Need Spare of ROTARY ACTUATOR 1500 PSI, , PN: LTR201180AA21C, PARKER HANNIFIN CORP.	971.03 MIXING SKID	CORRECTIVE	Unit work	Overdue
27/11/2025	B	INSB	BAWO-202411-0318	12M ELEC 605.02 480V MCC-A	605.02 605.02 480V MCC-A	PREVENTIVE	Recurring work Frequency :12Month	Overdue
28/08/2025	C	INSB	BAWO-202412-0006	4200H - MECH - EMD1	650.01.01 MAIN ENGINE 1	PREVENTIVE	Recurring work 650.01.01 (EMD ENGINE 1 COUNTER) Meter's Value :69713 Périodicité : 4200 Trigger value : 68697	Overdue Trigger value 650.01.01 : 69382
01/12/2025	C	INSB	BAWO-202412-0012	12M BARG 321.07 CEMENT TANK 3	321.07 321.07 CEMENT TANK 3	PREVENTIVE	Recurring work Frequency :12Month	Overdue

From : to :

Planning date	Emergency	Class	WO	Designation	Element(s)	Maintenance	Frequency	Status
01/12/2025	C	INSB	BAWO-202412-0017	12M BARG 321.08 CEMENT TANK 4	321.08 321.08 CEMENT TANK 4	PREVENTIVE	Recurring work Frequency :12Month	Overdue
01/12/2025	C	INSB	BAWO-202412-0018	12M BARG 321.01 BARITE TANK 1	321.01 321.01 BARITE TANK 1	PREVENTIVE	Recurring work Frequency :12Month	Overdue
04/12/2024	3		BAWO-202412-0031	LAD SAF SYSTEM	506.02 506.02 FALL ARRESTORS	CORRECTIVE	Unit work	Overdue
06/12/2024	D		BAWO-202412-0034	New air Dryer critical 2 year critical spare parts	730.04 730.04 MAINAIR DRIER PACKAGE	CORRECTIVE	Unit work	Overdue
06/12/2024	D		BAWO-202412-0035	Enerpac hydraulic ram for general maintenance	442.01 442.01 WORKSHOP EQUIPMENT	CORRECTIVE	Unit work	Overdue
06/12/2025	C	INSB	BAWO-202412-0036	12M BARG 321.02 BARITE TANK 2	321.02 321.02 BARITE TANK 2	PREVENTIVE	Recurring work Frequency :12Month	Overdue
05/12/2025	B	INSB	BAWO-202412-0038	660_01_12M_MECH-EMERGENCY GENERATOR SET	660.01 660.01 EMERGENCY GENERATOR SET	PREVENTIVE	Recurring work Frequency :12Month	Overdue
07/12/2024	D		BAWO-202412-0042	Mech hydraulic pressure test kit and flowmeter	442.01 442.01 WORKSHOP EQUIPMENT	CORRECTIVE	Unit work	Overdue
09/12/2024	1		BAWO-202412-0058	NDT LABOUR SERVICE FOR PRELOAD TANK 21A -BOTTOM AND CRANE PEDESTAL FOUNDATION REINFORCEMENT AND END PLATE SURFACE NEED TO UTM, MPI & DPT	200 200 HULL AND STRUCTURE 361.01 361.01 PORT FWD CRANE	CORRECTIVE	Unit work	Overdue

From : to :

Planning date	Emergency	Class	WO	Designation	Element(s)	Maintenance	Frequency	Status
15/12/2024	3		BAWO-202412-0123	LIFE JACKET STORAGE BOX	504.05 504.05 SAFETY/PROTECTION EQUIPMENT	CORRECTIVE	Unit work	Overdue
16/12/2024	3		BAWO-202412-0143	PUSH PULL POLE (SAFETY HAND FREE TOOL)	504.05 504.05 SAFETY/PROTECTION EQUIPMENT	CORRECTIVE	Unit work	Overdue
18/12/2025	A	INSB	BAWO-202412-0192	12M BARG 502.02 LIFERAFT	502.02 502.02 LIFERAFT	PREVENTIVE	Recurring work Frequency :12Month	Overdue
03/03/2025	A		BAWO-202501-0044	Order Safety and fire fire equipment	503.01 503.01 LIFESAVING & SAFETY EQUIPMENT 503.01.06 503.01.06 EMERGENCY PERSONAL ESCAPE SETS	CORRECTIVE	Unit work	Overdue
08/01/2025	2		BAWO-202501-0098	Part for Gumbo box for servicing and replace parts used for stock.	326.06 326.06 GUMBO SEPARATOR	CORRECTIVE	Unit work	Overdue
10/01/2025	2		BAWO-202501-0116	NEED REPLACEMENT ON RING GEAR STARTER CEMENT UNIT	971.01.20.01 ENGINE 2 971.01.10.01 ENGINE 1	CORRECTIVE	Unit work	Overdue
15/01/2025	3		BAWO-202501-0169	SOPEX 2025 - PORT FWD CRANE OVERHAUL - ELECTRICAL	361.01 361.01 PORT FWD CRANE	CORRECTIVE	Unit work	Overdue

From : to :

Planning date	Emergency	Class	WO	Designation	Element(s)	Maintenance	Frequency	Status
18/01/2025	4		BAWO-202501-0207	60K OVERHAULS EMD #1 #2 #3	650.01.01 MAIN ENGINE 1 650.02.01 MAIN ENGINE 2 650.03.01 MAIN ENGINE 3	CORRECTIVE	Unit work	Overdue
19/01/2025	3		BAWO-202501-0224	EMD/WOODWARD GOVERNORS - REPAIR AND RETURN	650 MAIN POWER GENERATION	CORRECTIVE	Unit work	Overdue
22/01/2025	A		BAWO-202501-0245	Need to replace Hydraulic pump pulley in poor condition	971.03 MIXING SKID	CORRECTIVE	Unit work	Overdue
23/01/2025	A		BAWO-202501-0253	Need to replace Tube, Oil Line, General, HT-400™ Pump Power End in poor condition	971.01.10.03 TRIPLEX 1	CORRECTIVE	Unit work	Overdue
23/01/2025	3		BAWO-202501-0257	PURCHASE TRIPODS WITH RETRIEVAL WINCH INCORPORATED FOR RESCUE IN CONFINED SPACE	503.01 503.01 LIFESAVING & SAFETY EQUIPMENT	CORRECTIVE	Unit work	Overdue
24/01/2025	4		BAWO-202501-0272	SOPEX 2025 - TDS OVERHAUL OF RIG OPERATIONAL SPARE	313.02 313.02 TOP DRIVE	CORRECTIVE	Unit work	Overdue
28/01/2025	D		BAWO-202501-0290	Degasser compressor critical parts needed	326.50 326.50 VACUUM DEGASSER	CORRECTIVE	Unit work	Overdue
29/01/2025	D		BAWO-202501-0310	IR ST 100 minimum critical operational parts needed	343.20 343.20 NIRON ROUGHNECK ST 100	CORRECTIVE	Unit work	Overdue

From : to :

Planning date	Emergency	Class	WO	Designation	Element(s)	Maintenance	Frequency	Status
29/01/2025	D		BAWO-202501-0311	Hydraulic torque wrench parts and repair kit	442 442 TOOLS & EQUIPMENT - CREW & W/SHOP	CORRECTIVE	Unit work	Overdue
30/01/2025	D		BAWO-202501-0315	Ice machine water filtration system	551 551 GALLEY MACHINES & EQUIPMENT	CORRECTIVE	Unit work	Overdue
04/02/2025	1		BAWO-202502-0039	Koomey critical parts needed	332.10 332.10 BOP CONTROL UNIT	CORRECTIVE	Unit work	Overdue
06/02/2025	4		BAWO-202502-0068	BULK TRANSFER HOSES	243.02 243.02 LOADING STATION	CORRECTIVE	Unit work	Overdue
07/02/2025	C		BAWO-202502-0075	Super choke valve position indicator regulator	336 336 CHOKE AND KILL SYSTEMS	CORRECTIVE	Unit work	Overdue
07/02/2025	D		BAWO-202502-0077	OWS 2 Inch double disk check valve wafer	803.03 803.03 OILY WATER SEPARATOR	CORRECTIVE	Unit work	Overdue
10/02/2025	D		BAWO-202502-0125	DW cooling water tank clear PVC for level gauge	312.03 312.03 BRAKE COOLING SYSTEM	CORRECTIVE	Unit work	Overdue
11/02/2025	D		BAWO-202502-0129	URGENT MISSION PUMPS CRITICAL SPARE PARTS NEEDED	300 300 DRILLING EQUIPMENT	CORRECTIVE	Unit work	Overdue
11/02/2025	D		BAWO-202502-0133	Mech chain block for general maintenance	442.01 442.01 WORKSHOP EQUIPMENT	CORRECTIVE	Unit work	Overdue

From : to :

Planning date	Emergency	Class	WO	Designation	Element(s)	Maintenance	Frequency	Status
16/02/2025	D		BAWO-202502-0211	RO unit SW membrane supply and chemical injection pump parts	761.03 761.03 WATERMAKE R RO	CORRECTIVE	Unit work	Overdue
17/02/2025	D		BAWO-202502-0212	Engine room rolling cabinet kit and headlamp for night works	442 442 TOOLS & EQUIPMENT - CREW & W/SHOP	CORRECTIVE	Unit work	Overdue
20/02/2025	A		BAWO-202502-0264	REPLACE 5IN FLOATING SUCTION VALVE FIRE PUMP #2	813.02 813.02 FIRE PUMP 2	CORRECTIVE	Unit work	Overdue
26/02/2025	A		BAWO-202502-0315	ORDER cross-over and subs for 5in GPDS50 string - Next Gabon campaign - need to back charge to Perenco Gabon	347.30.01 347.30.01 CROSSOVER S	CORRECTIVE	Unit work	Overdue
27/08/2025	A	INSB	BAWO-202502-0344	6MELEC 384 FIRE & GAS EQUIPMENT	384 384 FIRE & GAS EQUIPMENT	PREVENTIVE	Recurring work Frequency :6Month	Overdue
01/03/2025	3		BAWO-202503-0018	SHAKER MAINTENANCE AS ADVISED NOV SURVEY JAN 2025 19169321-REP-SURV	326.08.10 SHALE SHAKER 1 326.08.20 SHALE SHAKER 2 326.08.30 SHALE SHAKER 3 326.08.40 SHALE SHAKER 4	CORRECTIVE	Unit work	Overdue
02/03/2025	3		BAWO-202503-0019	Redress 2X2 Low Torque Valve on CMT Unit	971.01 CEMENT UNIT	CORRECTIVE	Unit work	Overdue

From : to :

Planning date	Emergency	Class	WO	Designation	Element(s)	Maintenance	Frequency	Status
02/03/2025	A		BAWO-202503-0023	Order sheaves and hooks for utility tuggers	365.01 MISCELLANEOUS UTILITY AIR WINCHES	CORRECTIVE	Unit work	Overdue
03/03/2025	3		BAWO-202503-0030	EMERGENCY LOAD LOWERING DEVICES FOR CRANES HOIST & BOOM	361.01 361.01 PORT FWD CRANE 361.02 361.02 PORT AFT CRANE 361.03 361.03 STARBORD CRANE	CORRECTIVE	Unit work	Overdue
03/03/2025	3		BAWO-202503-0031	CHECK VALVES FOR FIRE PUMPS AND FASTENERS	813 813 FIRE/WASHDOWN SYSTEMS. EMER. FIRE &	CORRECTIVE	Unit work	Overdue
20/01/2025	4	INSB	BAWO-202503-0049	1MELEC 313.01 ROTARY TABLE	313.01 313.01 ROTARY TABLE	PREVENTIVE	Recurring work Frequency :1Month	Overdue
05/03/2025	4		BAWO-202503-0068	HAMMER UNION BLIND CAPS FOR PRELOAD TANKS	287.03 287.03 PRELOAD TANKS	CORRECTIVE	Unit work	Overdue
09/03/2025	A		BAWO-202503-0099	Order Weco - FMC Plugs and crossover for Cement line and mud line on main deck.	329.01 329.01 HP MUD PIPING	CORRECTIVE	Unit work	Overdue
11/09/2025	B	INSB	BAWO-202503-0130	6M ELEC 660.01 EMERGENCY GENERATOR SET	660.01 660.01 EMERGENCY GENERATOR SET	PREVENTIVE	Recurring work Frequency :6Month	Overdue
14/03/2025	3		BAWO-202503-0171	HOOK sheave wheel ordered after replacement	361 361 DECK CRANES	CORRECTIVE	Unit work	Overdue

From : to :

Planning date	Emergency	Class	WO	Designation	Element(s)	Maintenance	Frequency	Status
17/03/2025	3		BAWO-202503-0200	Replacement Battery for Emergency GMDSS Radios (INSB)	422.01 422.01 GMDSS HAND HELD RADIO 1	CORRECTIVE	Unit work	Overdue
19/04/2025	B	INSB	BAWO-202503-0229	1M SCWM 326.01.03 Centrifuge 3	326.01.03 326.01.03 Centrifuge 3	PREVENTIVE	Recurring work Frequency :1Month	Overdue
19/04/2025	B	INSB	BAWO-202503-0230	1M SCWM 326.01.01 Centrifuge 1	326.01.01 326.01.01 Centrifuge 1	PREVENTIVE	Recurring work Frequency :1Month	Overdue
19/07/2025	2		BAWO-202503-0231	Needle Gun unit required for chipping on SCWM equipment and stands for maintenance	326.02 326.02 Vortex Dryer	PREVENTIVE	Unit work	Overdue
23/03/2025	2		BAWO-202503-0261	Split Box Spare Part for Mixing Skid	971.03 MIXING SKID	CORRECTIVE	Unit work	Overdue
23/03/2025	A		BAWO-202503-0262	ORDER - RENEW Partialy NC50 PUP JOINTS.	347.20 347.20 TUBULARS	CORRECTIVE	Unit work	Overdue
23/09/2025	4	INSB	BAWO-202503-0269	6M PM - BARGE - BILLY PUGH	506.03 506.03 BILLY PUGH	PREVENTIVE	Recurring work Frequency :6Month	Overdue
30/03/2025	3		BAWO-202503-0326	Easel required for Emergency Response Board	281 281 ACCOMMODATION	CORRECTIVE	Unit work	Overdue
31/03/2025	3		BAWO-202503-0345	ADDITIONAL EX MATERIALS NEEDED FOR REMEDIAL WORK	870.01 870.01 DRILL FLOOR & DERRICK	CORRECTIVE	Unit work	Overdue
01/04/2025	3		BAWO-202504-0011	Spare parts required for Air Drier	730.04 730.04 MAIN AIR DRIER PACKAGE	CORRECTIVE	Unit work	Overdue
01/04/2025	2		BAWO-202504-0013	PRV missing for complete set, for yearly recertification	802 802 SAFETY PRESSURE RELIEF VALVES	CORRECTIVE	Unit work	Overdue

From : to :

Planning date	Emergency	Class	WO	Designation	Element(s)	Maintenance	Frequency	Status
02/04/2025	2		BAWO-202504-0014	Quotes required from Individual Company for UTM in Tanks (INSB)	201 201 EXTERNAL HULL AREAS	CORRECTIVE	Unit work	Overdue
02/04/2025	3		BAWO-202504-0019	Spare parts required for Lineator	904 904 EX LOG CABIN	CORRECTIVE	Unit work	Overdue
03/04/2025	4		BAWO-202504-0042	Deck cranes, boom bolts replacement	361 361 DECK CRANES	PREVENTIVE	Recurring work Frequency :60Month	Overdue
03/04/2025	3		BAWO-202504-0050	Bigger batteries to install in the Koomey panel	332.10 332.10 BOP CONTROL UNIT	CORRECTIVE	Unit work	Overdue
05/04/2025	4		BAWO-202504-0064	Replacement V Belt on Mixing Skid	971.03 MIXING SKID	CORRECTIVE	Unit work	Overdue
05/04/2025	2		BAWO-202504-0065	Need order V Belt BA09358 for safety stock	971.03 MIXING SKID	CORRECTIVE	Unit work	Overdue
07/04/2025	3		BAWO-202504-0075	Elbows required for Dump in Preload Tanks.	287.03 287.03 PRELOAD TANKS	CORRECTIVE	Unit work	Overdue
10/04/2025	4		BAWO-202504-0119	Replacement the rubber of back pressure system of Surge Tank	971.07 SURGE TANK	CORRECTIVE	Unit work	Overdue
10/04/2025	3		BAWO-202504-0124	Maintenance HT 400 Pump	971.01 CEMENT UNIT	CORRECTIVE	Unit work	Overdue
10/04/2025	3		BAWO-202504-0125	Publications to be in Compliance	893 893 SURVEYS	CORRECTIVE	Unit work	Overdue
10/10/2025	A		BAWO-202504-0126	Lifting gear for general purpose	331.50 331.50 BELL NIPPLE	CORRECTIVE	Unit work	Overdue
11/10/2025	A		BAWO-202504-0131	Lifting gear for mud pumps	325 325 HP MUD SYSTEM	CORRECTIVE	Unit work	Overdue

From : to :

Planning date	Emergency	Class	WO	Designation	Element(s)	Maintenance	Frequency	Status
27/04/2025	A		BAWO-202504-0244	Repair 2X2 MSI Lotorue Valve belong to cementing and Rig 27-4-2025	971.01 CEMENT UNIT	CORRECTIVE	Unit work	Overdue
27/10/2025	A	INSB	BAWO-202504-0268	6M - MECH - TRAVELLING BLOCK INSPECTION	303.01 TRAVELLING BLOCK	PREVENTIVE	Recurring work Frequency :6Month	Overdue
16/05/2025	A	INSB	BAWO-202504-0301	1M HSE 506.02 FALL ARRESTORS	506.02 506.02 FALL ARRESTORS	PREVENTIVE	Recurring work Frequency :1Month	Overdue
01/05/2025	3		BAWO-202505-0013	Floor Repairs in Accommodations	281 281 ACCOMMODATION	CORRECTIVE	Unit work	Overdue
04/05/2025	A		BAWO-202505-0046	Replace coupling piping cement unit mixing skid	971.01.30 AUXILIARIES	CORRECTIVE	Unit work	Overdue
04/05/2025	A		BAWO-202505-0047	Need 4in Water Hose, Victaulic Clamp and 4 in Butterfly Valve for Replacement	971 CEMENT UNIT SYSTEMS 971.02 BATCH MIXER	CORRECTIVE	Unit work	Overdue
01/04/2025	B	INSB	BAWO-202505-0068	12M - MECH - PORT AFT CRANE	361.02 361.02 PORT AFT CRANE	PREVENTIVE	Recurring work Frequency :12Month	Overdue
08/05/2025	A		BAWO-202505-0069	Need Bolt, Washer and nut M16 and M20 For Cementing Unit and Batch Mixer Connection	971 CEMENT UNIT SYSTEMS 971.02 BATCH MIXER	CORRECTIVE	Unit work	Overdue / Rescheduled
08/05/2025	4		BAWO-202505-0075	FIREMAN LOCKERS	505.01.10 505.01.10 FIREMANS EQUIPMENT	CORRECTIVE	Unit work	Overdue

From : to :

Planning date	Emergency	Class	WO	Designation	Element(s)	Maintenance	Frequency	Status
09/05/2025	A		BAWO-202505-0076	ST-100 TORQUE WRENCH JAWS DIES ASSY SPARE PARTS	343.20 343.20 NIRON ROUGHNECK ST 100	CORRECTIVE	Unit work	Overdue
10/05/2025	3		BAWO-202505-0091	SEA WATER MANIFOLD RENEWAL	721.04 721.04 SEA WATER VALVES & PIPEWORK	CORRECTIVE	Unit work	Overdue
15/05/2025	1		BAWO-202505-0121	Spare SCR 5 Drive	313.02 313.02 TOP DRIVE	CORRECTIVE	Unit work	Overdue
15/05/2025	2		BAWO-202505-0123	MATERIALS TO REPAIR CEMENT LINE	321.11 321.11 BULK SYSTEM VALVES & PIPEWORK	CORRECTIVE	Unit work	Overdue
16/05/2025	2		BAWO-202505-0128	MOTOR SENT IN TOXN FOR EVALUATION AFTER FIRE IN SACK ROOM	800 800 MISCELLANEOUS SYSTEMS	CORRECTIVE	Unit work	Overdue
17/05/2025	1		BAWO-202505-0129	MG SET NEED FOR CRANE	361 361 DECK CRANES	CORRECTIVE	Unit work	Overdue
20/05/2025	2		BAWO-202505-0153	URGENT // PIPING AND ELBOWS TO REPLACE PIPING ON BACK OF CANTILEVER	247 247 CANTILEVER AREAS	CORRECTIVE	Unit work	Overdue
21/05/2025	A		BAWO-202505-0175	Order steel material to modify sacks-store.	282.01.04 282.01.04 SACK ROOM	CORRECTIVE	Unit work	Overdue
03/06/2025	2		BAWO-202506-0047	URGENT//MG-SET AND SWING MOTOR SENT FOR REPAIR IN DLA LOCAL SHOP	361 361 DECK CRANES	CORRECTIVE	Unit work	Overdue
14/06/2025	4		BAWO-202506-0087	EX REPAIRS AS PER WWPEX INSPECTION SPREADSHEET	607.05 607.05 GENERAL POWER DIST BOARDS	CORRECTIVE	Unit work	Overdue

From : to :

Planning date	Emergency	Class	WO	Designation	Element(s)	Maintenance	Frequency	Status
15/06/2025	2		BAWO-202506-0096	Electrical Parts of BMX	971.02 BATCH MIXER	PREVENTIVE	Unit work	Overdue
19/06/2025	4		BAWO-202506-0194	WAVE RADAR	417.02 417.02 WEATHER STATION	CORRECTIVE	Unit work	Overdue
30/09/2025	3	INSB	BAWO-202507-0034	3M-ELECT - PORTABLE TOOLS	890.01 890.01 PORTABLE ELECTRICAL EQUIPMENT	PREVENTIVE	Recurring work Frequency :3Month	Overdue
02/10/2025	A	INSB	BAWO-202507-0055	3M ELEC 384 FIRE & GAS EQUIPMENT	384 384 FIRE & GAS EQUIPMENT	PREVENTIVE	Recurring work Frequency :3Month	Overdue
09/07/2025	4		BAWO-202507-0123	CRITICAL EMD pump oil pressure fron gear	650 MAIN POWER GENERATION	CORRECTIVE	Unit work	Overdue
13/07/2025	3		BAWO-202507-0166	ELECTRICAL MOTOR FOR FIRE PUMP 1	813 813 FIRE/WASHD OWN SYSTEMS. EMER. FIRE &	CORRECTIVE	Unit work	Overdue
15/07/2025	A		BAWO-202507-0179	312.04 REPLACED DRAWWORKS COMPLETE BRAKE ASSEMBLY	312.04 312.04 DRAWWORKS BRAKE	CORRECTIVE	Unit work	Overdue
26/07/2025	B		BAWO-202507-0280	324.30.20 CHANGE AGED DISCHARGE EXPANSION JOINT ON TIP TANK PUMP #2	324.30.20 324.30.20 TRIP TANK PUMP 2	CORRECTIVE	Unit work	Overdue
02/08/2025	3		BAWO-202508-0031	TDS PLC MIGRATION MATERIAL NEEDED	313.02.06 313.02.06 TOP DRIVE INSTRUMENT ATION	CORRECTIVE	Unit work	Overdue

From : to :

Planning date	Emergency	Class	WO	Designation	Element(s)	Maintenance	Frequency	Status
16/08/2025	2		BAWO-202508-0060	Medical equipment	504 504 MEDICAL. FIRST AID & PROTECTION EQUI	CORRECTIVE	Unit work	Overdue
18/08/2025	2		BAWO-202508-0064	LIFERAFT PURCHASE FOR 30M PLUS STOWAGE HEIGHT	502 502 LIFERAFTS & EQUIPMENT	CORRECTIVE	Unit work	Overdue
18/08/2025	3		BAWO-202508-0065	Install Hexa Nut for Pressure Transmitter	971.01 CEMENT UNIT	CORRECTIVE	Unit work	Overdue
19/08/2025	3		BAWO-202508-0160	LOCAL PURCHASE OF T-CARDS FOR RADIO ROOM	500 500 LIFESAVING. SANITARY. ACCOM & HVAC	CORRECTIVE	Unit work	Overdue
21/08/2025	3		BAWO-202508-0162	BILLY PUGH REQUIRED TO REPLACE EXPIRING UNIT 2026	363 363 PERSONNEL TRANSFER SYSTEMS	CORRECTIVE	Unit work	Overdue
24/08/2025	3		BAWO-202508-0176	REPLACE IBOP SWITCH ON DRILLER'S CONSOLE	374.02.01 374.02.01 Driller control Console	CORRECTIVE	Unit work	Overdue
22/11/2025	B	INSB	BAWO-202508-0195	3M - MECH - CRT	342.90.06 342.90.06 CRT VOLANT	PREVENTIVE	Recurring work Frequency :3Month	Overdue
27/08/2025	3		BAWO-202508-0210	URGENT IR ST100 damaged parts needed included HPU	343.20 343.20 NIRON ROUGHNECK ST 100	CORRECTIVE	Unit work	Overdue
28/08/2025	3		BAWO-202508-0220	CEMENT JUNT/BATCH MIXER - TROUBleshoot & CORRECT FAULTS	971.02 BATCH MIXER	CORRECTIVE	Unit work	Overdue

From : to :

Planning date	Emergency	Class	WO	Designation	Element(s)	Maintenance	Frequency	Status
28/08/2025	2		BAWO-202508-0221	FLOURINE FREE FOAM (F3) REQUIRED FOR HELIDECK FOAM TANK	816 816 HELIDECK. FIRE FIGHTING & FIXED FOAM SYSTEMS	CORRECTIVE	Unit work	Overdue
28/08/2025	2		BAWO-202508-0223	BARGE - JACKING GREASE FOR RIG MOVES	226 226 LEGS & SPUD TANKS	CORRECTIVE	Unit work	Overdue
29/11/2025	A	INSB	BAWO-202508-0241	3M - BARGE - LIFEBOAT #2 PORT	501.02 501.02 PORT LIFEBOAT 2	PREVENTIVE	Recurring work Frequency :3Month	Overdue
29/11/2025	A	INSB	BAWO-202508-0243	3M - BARGE - LIFEBOAT #1 STB	501.01 501.01 STB LIFEBOAT 1	PREVENTIVE	Recurring work Frequency :3Month	Overdue
22/12/2025	D	INSB	BAWO-202508-0263	3M MEDIC 504.02.01 FIRST AID CABINETS	504.02.01 504.02.01 FIRST AID CABINETS	PREVENTIVE	Recurring work Frequency :3Month	Overdue / Rescheduled
02/09/2025	2		BAWO-202509-0013	LOCAL LIGHTING ORDER FOR LED REPLACEMENT TUBES	607.01 607.01 NORMAL LGT & SMALL POWER DIST BOARD	CORRECTIVE	Unit work	Overdue
04/09/2025	2		BAWO-202509-0017	DUNNAGE REQUIRED FOR DECK USE	244 244 PIPE RACK AREAS	CORRECTIVE	Unit work	Overdue
04/09/2025	4		BAWO-202509-0018	DEXTRON EMERGENCY TOWING SYSTEM (ETS)	437 437 TOWING EQUIPMENT	CORRECTIVE	Unit work	Overdue
04/09/2025	C		BAWO-202509-0019	Drilling hoses for stock replenishment	329.02 329.02 LP MUD PIPING	CORRECTIVE	Unit work	Overdue

From : to :

Planning date	Emergency	Class	WO	Designation	Element(s)	Maintenance	Frequency	Status
05/09/2025	3		BAWO-202509-0022	UHF HEAD SETS AND SPARE VHF ANTENNA	421.11 421.11 VHF HAND HELD RADIOS	CORRECTIVE	Unit work	Overdue
07/09/2025	4		BAWO-202509-0032	TELEPHONES - REPLACEMENTS NEEDED REPLACE DEFECTIVE ONES	425.02 425.02 INTERNAL COMMUNICATIONS ON TELEPHONES	CORRECTIVE	Unit work	Overdue
07/09/2025	2		BAWO-202509-0092	STRUCTURAL ITEMS FOR WELDING SHOP REPLENISHMENT	442 442 TOOLS & EQUIPMENT - CREW & W/SHOP	CORRECTIVE	Unit work	Overdue
07/09/2025	A		BAWO-202509-0095	Repair C Pump Mixing Skid Cement Unit	971.03.02 C-PUMPS	CORRECTIVE	Unit work	Overdue
08/09/2025	2		BAWO-202509-0096	5 INCH BUTTERFLY VALVES AND SPARES	321.11 321.11 BULK SYSTEM VALVES & PIPEWORK	CORRECTIVE	Unit work	Overdue
10/12/2025	A	INSB	BAWO-202509-0126	3M - MAINT SUP - EMERGENCY GENERATOR SET	660.01 660.01 EMERGENCY GENERATOR SET	PREVENTIVE	Recurring work Frequency :3Month	Overdue
12/09/2025	2		BAWO-202509-0137	BLACKOUTS - TROUBLESHOOT SUDDEN MAIN POWER SWITCHING OFF - EMD/GENERATOR	604.01 604.01 IPS BATTERY CHARGER	CORRECTIVE	Unit work	Overdue
13/09/2025	D		BAWO-202509-0142	AF critical new man ridding parts needed for repair	365.02.10 MAN RIDING WINCH-DRILL FLOOR STB FWD	CORRECTIVE	Unit work	Overdue

From : to :

Planning date	Emergency	Class	WO	Designation	Element(s)	Maintenance	Frequency	Status
18/12/2025	A	INSB	BAWO-202509-0185	3M-ELECT 326.08.20 SHAKER #2	326.08.20 SHALE SHAKER 2	PREVENTIVE	Recurring work Frequency :3Month	Overdue
21/09/2025	A		BAWO-202509-0227	MR-spare parts RESATO HP test unit	337.01 337.01 HIGH PRESSURE TEST UNIT	CORRECTIVE	Unit work	Overdue
21/12/2025	C	INSB	BAWO-202509-0239	3M ELEC 324.02.10 ACTIVE PIT 2 AGITATOR 1 MOTOR	324.02.10 324.02.10 ACTIVE PIT 2 AGITATOR 1	PREVENTIVE	Recurring work Frequency :3Month	Overdue
21/12/2025	C	INSB	BAWO-202509-0240	3M ELEC 324.01.10 ACTIVE PIT 1 AGITATOR 1 MOTOR	324.01.10 324.01.10 ACTIVE PIT 1 AGITATOR 1	PREVENTIVE	Recurring work Frequency :3Month	Overdue
22/09/2025	2		BAWO-202509-0246	EMD Engine Control panels batteries to replace at next opportunity	650 MAIN POWER GENERATION	CORRECTIVE	Unit work	Overdue
22/09/2025	2		BAWO-202509-0251	URGENT - MCCOY HPU motor and pump couplings	346.06 MCCOY TONG (Back up & in use)	CORRECTIVE	Unit work	Overdue
23/09/2025	3		BAWO-202509-0257	WINDSOCK FOR HELIDECK	255 255 HELIDECK STRUCTURE	CORRECTIVE	Unit work	Overdue
24/09/2025	A		BAWO-202509-0284	New PTW Booklets	503.01 503.01 LIFESAVING & SAFETY EQUIPMENT	CORRECTIVE	Unit work	Triggered
01/10/2025	2		BAWO-202510-0020	LIFEBOATS AIR SYSTEM SURVEY	501 501 LIFEBOATS	CORRECTIVE	Unit work	Overdue
09/10/2025	A		BAWO-202510-0145	MR - repair 5 Jts of Drill Collar 8 1/4" after inspection	347.20 347.20 TUBULARS	CORRECTIVE	Unit work	Overdue

From : to :

Planning date	Emergency	Class	WO	Designation	Element(s)	Maintenance	Frequency	Status
09/10/2025	B		BAWO-202510-0161	327.10 CHANGE BAD PRESSURE GAUGE ON DRILL WATER PUMPS	327.10 327.10 DRILL WATER PUMP 1	CORRECTIVE	Unit work	Overdue
12/10/2025	D		BAWO-202510-0177	Belt for Gumbo unit	326.06 326.06 GUMBO SEPARATOR	PREVENTIVE	Recurring work Frequency :1Month	Overdue
13/11/2025	2		BAWO-202510-0232	ANNUAL MAINTENANCE OF MISTER MAINT CMMS SOFTWARE FOR THE COMING PERIOD FOR BANBA - 01/04/2024 TO 31/03/2025	894 894 REPORTS	PREVENTIVE	Recurring work Frequency :1Month	Overdue
18/10/2025	2		BAWO-202510-0251	REFURBISHMENT OF 7FT ENVELOPE EXTENSION, BEAMS AND LIFTING GEAR.	489.01.01 489.01.01 CANTILEVER EXTENSIONS	CORRECTIVE	Unit work	Overdue
18/10/2025	2		BAWO-202510-0252	ABS/B.V - THIRD PARTY WELDER REQUEST FOR PORT LEG H-CHORD REPAIRS	201 201 EXTERNAL HULL AREAS	CORRECTIVE	Unit work	Overdue
19/10/2025	2		BAWO-202510-0256	TANK PROJECT - THIRD PARTY COMPANY STEEL REPLACEMENT PROJECT	201 201 EXTERNAL HULL AREAS	CORRECTIVE	Unit work	Overdue
20/11/2025	D	INSB	BAWO-202510-0294	1M - ELECT - MAIN GENERATOR #3	650.03.02 650.03.02 GENERATOR 3	PREVENTIVE	Recurring work Frequency :1Month	Overdue
24/10/2025	2		BAWO-202510-0319	STEEL REQUIRED FOR RIG MAINTENANCE AND STOCK REPLENISHMENT	200 200 HULL AND STRUCTURE	CORRECTIVE	Unit work	Overdue
27/10/2025	2		BAWO-202510-0337	BULK SILO MONITORING EQUIPMENT QUOTE FROM 3 DIFFERENT VENDORS #QUOTE ONLY#	321.12 321.12 SILOS LOAD INDICATOR SYSTEM	CORRECTIVE	Unit work	Overdue

From : to :

Planning date	Emergency	Class	WO	Designation	Element(s)	Maintenance	Frequency	Status
28/10/2025	2		BAWO-202510-0340	MEGAPHONE FOR USE DURING DRILLS - MUSTER	503 503 LIFESAVING. SAFETY & EMERGENCY EQUIP	CORRECTIVE	Unit work	Overdue
30/10/2025	2		BAWO-202510-0344	CORRECTIVE	200 200 HULL AND STRUCTURE	CORRECTIVE	Unit work	Overdue
01/11/2025	3		BAWO-202511-0009	BATTERIES FOR TEST EQUIPMENT	890.01 890.01 PORTABLE ELECTRICAL EQUIPMENT	CORRECTIVE	Unit work	Overdue
30/11/2025	C	INSB	BAWO-202511-0014	1M MECH 582.01 SEWAGE TREATMENT	582.01 582.01 SEWAGE TREATMENT	PREVENTIVE	Recurring work Frequency :1Month	Overdue
29/11/2025	2	INSB	BAWO-202511-0015	1M - MECH - ENGINE OIL SAMPLE	650.02.01 MAIN ENGINE 2	PREVENTIVE	Recurring work Frequency :1Month	Overdue
28/11/2025	C	INSB	BAWO-202511-0020	1M SCWM 326.06 GUMBO SEPARATOR	326.06 326.06 GUMBO SEPARATOR	PREVENTIVE	Recurring work Frequency :1Month	Overdue
30/11/2025	C	INSB	BAWO-202511-0026	1M MECH 454.01 SACK STORE FORKLIFT TRUCK	454.01 454.01 SACK STORE FORKLIFT TRUCK	PREVENTIVE	Recurring work Frequency :1Month	Overdue
21/11/2025	2	INSB	BAWO-202511-0031	1M - DRILL - MAN RIDDING WINCH PORT UNDER SUBSTRUCTURE	365.02.30 MAN RIDING WINCH- PORT UNDER SUBSTRUCTURE	PREVENTIVE	Recurring work Frequency :1Month	Overdue
29/11/2025	2	INSB	BAWO-202511-0034	1M - MECH - ENGINE OIL SAMPLE	650.03.01 MAIN ENGINE 3	PREVENTIVE	Recurring work Frequency :1Month	Overdue

From : to :

Planning date	Emergency	Class	WO	Designation	Element(s)	Maintenance	Frequency	Status
30/11/2025	A	INSB	BAWO-202511-0041	1M - BARG - PORTABLE FIRE EXTINGUISHER INSPECTION	505.01.01 505.01.01 PORTABLE FIRE EXTINGUISHER	PREVENTIVE	Recurring work Frequency :1Month	Overdue
22/11/2025	B	INSB	BAWO-202511-0049	1M DRIL 301.03 MONKEYBOARD	301.03 301.03 MONKEYBOARD	PREVENTIVE	Recurring work Frequency :1Month	Overdue
22/11/2025	A	INSB	BAWO-202511-0059	1M - DRIL - DERRICK MAST-Drop inspection	301.01 DERRICK MAST	PREVENTIVE	Recurring work Frequency :1Month	Overdue
28/11/2025	B	INSB	BAWO-202511-0067	1M MECH 313.01 ROTARY TABLE	313.01 313.01 ROTARY TABLE	PREVENTIVE	Recurring work Frequency :1Month	Overdue
27/11/2025	2	INSB	BAWO-202511-0082	1M - MECH - TDS Oil Sample	313.02 313.02 TOP DRIVE	PREVENTIVE	Recurring work Frequency :1Month	Overdue
06/11/2025	3		BAWO-202511-0096	HIGH PRESSURE WASHER FOR DECK / MARINE CREW	400 400 MANOEUVERING MACHINERY & EQUIPMENT	CORRECTIVE	Unit work	Overdue
07/11/2025	2		BAWO-202511-0097	PROTECH THREAD PROTECTORS 7IN, 9-5/8IN AND 13-3/8IN FOR RUNNING CASING	342.90 342.90 CASING HANDLING EQUIPMENT	CORRECTIVE	Unit work	Overdue
11/11/2025	2		BAWO-202511-0114	PURCHASE CABLE STANDS TO PROTECT CABLES DURING WELDING JOBS ON THE RIG.	800 800 MISCELLANEOUS SYSTEMS	CORRECTIVE	Unit work	Overdue
13/11/2025	4		BAWO-202511-0119	JUNIOR GALLEY - REPAIR COOKING RANGES	551.01 551.01 ELECTRICAL COOKING RANGES	CORRECTIVE	Unit work	Overdue

From : to :

Planning date	Emergency	Class	WO	Designation	Element(s)	Maintenance	Frequency	Status
13/11/2025	4		BAWO-202511-0120	ELMAGCO BRAKE - TROUBLESHOOT LOW VOLTAGE OUTPUT	312.02.02 312.02.02 ELMAGCO BRAKE CONTROLLER	CORRECTIVE	Unit work	Overdue
12/12/2025	A	INSB	BAWO-202511-0126	1M - MECH - BOP CONTROL UNIT	332.10 332.10 BOP CONTROL UNIT	PREVENTIVE	Recurring work Frequency :1Month	Overdue
19/11/2025	A	INSB	BAWO-202511-0169	1W - MECH TOP DRIVE Inspection	313.02 313.02 TOP DRIVE	PREVENTIVE	Recurring work Frequency :1 Week(s)	Overdue
04/12/2025	A	INSB	BAWO-202511-0189	1M MECH 813.01 FIRE PUMP 1	813.01 813.01 FIRE PUMP 1	PREVENTIVE	Recurring work Frequency :1Month	Overdue
16/11/2025	1		BAWO-202511-0244	CORRECTIVE	200 200 HULL AND STRUCTURE	CORRECTIVE	Unit work	Overdue
18/11/2025	A		BAWO-202511-0251	Repair/re-band 5"NC50 HWDP due to excessive wear.	347.30 347.30 TUBULARS	CORRECTIVE	Unit work	Triggered
18/11/2025	3		BAWO-202511-0255	CCTV - REPLACE DEFECTIVE CCTV/HMI FOR THE DRILLER	382 382 CCTV	CORRECTIVE	Unit work	Overdue
18/11/2025	A		BAWO-202511-0256	CORRECTIVE BOOM SLIPPING WITH LOAD	361.01 361.01 PORT FWD CRANE	CORRECTIVE	Unit work	Overdue
16/12/2025	B	INSB	BAWO-202511-0259	1M - MECH - ELMAGCO	312.02 ELMAGCO BRAKE SYSTEM	PREVENTIVE	Recurring work Frequency :1Month	Overdue
19/11/2025	B		BAWO-202511-0265	Termination Conduit Box for Electric Motor	761.03 761.03 WATERMAKE R RO	CORRECTIVE	Unit work	Overdue
16/12/2025	C	INSB	BAWO-202511-0279	1M - MECH - BOP HOIST (AFT)	365.04:20 BOP HOIST - AFT	PREVENTIVE	Recurring work Frequency :1Month	Overdue

From : to :

Planning date	Emergency	Class	WO	Designation	Element(s)	Maintenance	Frequency	Status
15/12/2025	B	INSB	BAWO-202511-0280	1M ELEC 489.02-1M ELEC -TRANSVERSE SKIDDING SYSTEM	489.02 TRANSVERSE SKIDDING SYSTEM	PREVENTIVE	Recurring work Frequency :1Month	Overdue
20/12/2025	2	INSB	BAWO-202511-0295	1M - MECH - BRINE PUMPSET #2	287.07 287.07 BRINE TANKS	PREVENTIVE	Recurring work Frequency :1Month	Overdue
17/12/2025	2	INSB	BAWO-202511-0299	1M MECH 571.07 LEVEL 3 PORT AHU 6	571.07 571.07 LEVEL 3 PORT AHU 6	PREVENTIVE	Recurring work Frequency :1Month	Overdue
20/12/2025	A	INSB	BAWO-202511-0300	1M - ELECT 904 Mud Logging unit	904 904 EX LOG CABIN	PREVENTIVE	Recurring work Frequency :1Month	Overdue
18/12/2025	C	INSB	BAWO-202511-0301	1M ELEC 761.06 ULTRAVIOLET WATER PURIFICATION SYSTEM	761.06 761.06 ULTRAVIOLET WATER PURIFICATION SYSTEM	PREVENTIVE	Recurring work Frequency :1Month	Overdue
18/12/2025	B	INSB	BAWO-202511-0306	1M - MECH - MUD PUMP 3	325.30 MUD PUMP 3	PREVENTIVE	Recurring work Frequency :1Month	Overdue
21/12/2025	C	INSB	BAWO-202511-0310	1M ELECT 551 Galley Equipment	551 551 GALLEY MACHINES & EQUIPMENT	PREVENTIVE	Recurring work Frequency :1Month	Overdue
22/11/2025	2		BAWO-202511-0311	MEDICAL OXYGEN CYLINDER FOR HYDRO TESTING AND REFILL	504.03 504.03 OXYGEN RESUSITATO RS	CORRECTIVE	Unit work	Overdue
22/11/2025	B		BAWO-202511-0312	Tools for Chief Electrician	282.04.02 282.04.02 ELECTRICAL WORKSHOP	CORRECTIVE	Unit work	Overdue
22/12/2025	2	INSB	BAWO-202511-0317	1M - MECH - SUBBASE STBD AFT WINCH	365.01.10 SUBBASE STARBOARD AFT WINCH	PREVENTIVE	Recurring work Frequency :1Month	Overdue

From : to :

Planning date	Emergency	Class	WO	Designation	Element(s)	Maintenance	Frequency	Status
22/12/2025	A	INSB	BAWO-202511-0318	1M - MECH - SUBBASE PORT FWD WINCH	365.01.06 SUBBASE PORT FWD WINCH	PREVENTIVE	Recurring work Frequency :1Month	Overdue
22/12/2025	B	INSB	BAWO-202511-0319	1M - MECH - MUD PUMP 1	325.10 MUD PUMP 1	PREVENTIVE	Recurring work Frequency :1Month	Overdue
22/12/2025	2	INSB	BAWO-202511-0320	1M - MECH - BOW TOW LINE WINCH	365.06 BOW TOW LINE WINCH	PREVENTIVE	Recurring work Frequency :1Month	Overdue
23/11/2025	B		BAWO-202511-0323	Cooling fans	603.02 603.02 MAIN TRANSFORMER T2 (600/480VAC)	CORRECTIVE	Unit work	Overdue
23/11/2025	4		BAWO-202511-0324	Need Spare Part for for HT400 Pump Stock 2025	971.01.10.03 TRIPLEX 1 971.01.20.03 TRIPLEX 2	CORRECTIVE	Unit work	Overdue
23/11/2025	B		BAWO-202511-0325	Washing machine	558.01 558.01 WASHING MACHINES	CORRECTIVE	Unit work	Overdue
23/11/2025	A		BAWO-202511-0326	Lifeboat cabin light CCD12	501.02 501.02 PORT LIFEBOAT 2	CORRECTIVE	Unit work	Overdue
28/11/2025	A		BAWO-202511-0360	VSM 300 Shake Spring and Mounting change	326.08 SHALE SHAKER	PREVENTIVE	Recurring work Frequency :12Month	Overdue
28/11/2025	3		BAWO-202511-0361	Belt for Gumbo unit	326.06 326.06 GUMBO SEPARATOR	PREVENTIVE	Recurring work Frequency :1Month	Overdue
03/12/2025	A	INSB	BAWO-202511-0363	1W - BARGE - WELDING PLAN	442.01 442.01 WORKSHOP EQUIPMENT	PREVENTIVE	Recurring work Frequency :1 Week(s)	Overdue

From : to :

Planning date	Emergency	Class	WO	Designation	Element(s)	Maintenance	Frequency	Status
07/12/2025	A	INSB	BAWO-202511-0390	1M - MECH- SWIVEL CHECKS	313.02 313.02 TOP DRIVE	PREVENTIVE	Recurring work Frequency :1 Week(s)	Overdue
02/12/2025	A		BAWO-202512-0014	MR - Re-weld cut part of 30" Bell nipple back on 30" bell nipple	334.01 334.01 DIVERTER SHAFFER 30" 1000PSI	PREVENTIVE	Unit work	Overdue
02/12/2025	A		BAWO-202512-0015	MR - Fabricate spare rotary table pan - to be back charged to PERENCO	313.01 313.01 ROTARY TABLE	PREVENTIVE	Unit work	Overdue
03/12/2025	3		BAWO-202512-0022	Valve, Butterfly, 4 in for Settling tanks Cent and Cement	326.01 326.01 CENTRIFUGE	PREVENTIVE	Recurring work Frequency :12Month	Overdue
14/12/2025	A	INSB	BAWO-202512-0121	WEEKLY BARGE - Weekly check Marine Dept	200 200 HULL AND STRUCTURE	PREVENTIVE	Recurring work Frequency :1 Week(s)	Overdue
09/12/2025	B		BAWO-202512-0136	313.02.09 REBUILD LOWER IBOP VALVE FOR SPARE	313.02.09 313.02.09 I BOP	CORRECTIVE	Unit work	Overdue
10/12/2025	A		BAWO-202512-0151	313.02.10 CHANGED DAMAGED SUPPORT SHAFT ON PIPE HANDLER	313.02.10 313.02.10 PH-85 PIPE HANDLER	CORRECTIVE	Unit work	Overdue
13/12/2025	A		BAWO-202512-0186	761.03 REPLACE MEMBRANE ELEMENTS ON RO WATER MAKER	761.03 761.03 WATERMAKE R RO	CORRECTIVE	Unit work	Overdue
14/12/2025	B		BAWO-202512-0194	442.03 REPAIR RIG FLOOR WASH DOWN (GRACO)PRESSURE PUMP	442.03 442.03 High pressure wash unit Graco pump 30:1	CORRECTIVE	Unit work	Overdue
14/12/2025	B		BAWO-202512-0197	324.02 REPLACE BAD OUTER OIL SEAL ON MUD PIT #2 AGITATOR	324.02 324.02 ACTIVE PIT 2	CORRECTIVE	Unit work	Overdue

From : to :

Planning date	Emergency	Class	WO	Designation	Element(s)	Maintenance	Frequency	Status
21/12/2025	C	INSB	BAWO-202512-0203	WEEKLY MECH 903 WIRELINE UNIT	903 903 WIRELINE UNIT	PREVENTIVE	Recurring work Frequency :1 Week(s)	Overdue
22/12/2025	B	INSB	BAWO-202512-0205	1W 660.01 ELEC EMERGENCY GENERATOR SET	660.01 660.01 EMERGENCY GENERATOR SET	PREVENTIVE	Recurring work Frequency :1 Week(s)	Overdue
22/12/2025	A	INSB	BAWO-202512-0206	1W - BARGE - LIEFBOAT #2 PORT	501.02 501.02 PORT LIEFBOAT 2	PREVENTIVE	Recurring work Frequency :1 Week(s)	Overdue
22/12/2025	A	INSB	BAWO-202512-0207	1W - BARGE - LIEFBOAT #1 STB	501.01 501.01 STB LIEFBOAT 1	PREVENTIVE	Recurring work Frequency :1 Week(s)	Overdue
22/12/2025	A	INSB	BAWO-202512-0209	WEEKLY BARG 506.03 BILLY PUGH	506.03 506.03 BILLY PUGH	PREVENTIVE	Recurring work Frequency :1 Week(s)	Triggere d
28/09/2025	4	INSB	BAWO-202512-0261	1M - ELEC - EMD 1	650.01.01 MAIN ENGINE 1	PREVENTIVE	Recurring work Frequency :1Month 650.01.01 (EMD ENGINE 1 COUNTER) Meter's Value :69713 Périodicité : 72000 Trigger value : 141713	Overdue Trigger value : 0

From : to :

Planning date	Emergency	Class	WO	Designation	Element(s)	Maintenance	Frequency	Status
06/12/2025	4	INSB	BAWO-202512-0262	1M - ELEC - EMD 2 INSPECTION	650.02.01 MAIN ENGINE 2	PREVENTIVE	Recurring work Frequency :1Month 650.02.01 (EMD ENGINE 2 COUNTER) Meter's Value :69857 Périodicité : 72000 Trigger value : 141857	Overdue Trigger value : 0