

Company: Huajin		
Block Title	Block Diagram	
Project	Date	Rev
UWB	January 25, 2019	Ver 1.0
UWB	January 25, 2019	Sheet 1 of 48



Company: Haaga	I2C Configuration Table
Stock Title	
Project	Taller
Date:	Transoft, June 25, 2019
Rev:	1.0
Sheet:	3 of 48

Sheet	Content	Sheet	Content
01.	Block Diagram	24.	AUDIO_MIC_RCV_SPK
02.	I2C Configuration Table	25.	AUDIO_HEADSET
03.	Table of Content	26.	SENSORS_MOTOR
04.	GPIO MAP	27.	LCD_TP
05.	SM6125 Control/UFS/SDC1/SDC2	28.	REAR_CAM/FLASH
06.	SM6125 LPDDR4	29.	FRONT_CAM/CAM_POWER
07.	SM6125 CSI/DSI	30.	SIM_SD_KEY_LINK_BATT
08.	SM6125 GPIO (Internal Codec)	31.	DTV
09.	SM6125 Power (Core)	32.	NFC
10.	SM6125 Power (Other, LP4X)	33.	PRIMARY_ANTENNA
11.	SM6125 Ground	34.	PA & PA_THERMAL
12.	PM6125 CLKs/Control_GND	35.	TRX_LB
13.	PM6125 Buck_Converter1	36.	TRX_MHB
14.	PM6125 Buck_Converter2	37.	DIVERSITY_ANT
15.	PM6125 LDO	38.	DRX_MB_HB
16.	PM8008 and Bob	39.	DRX_LB
17.	SIM_SD	40.	SDR660_MSS
18.	PMI632 Control/Display/GPIO	41.	SDR660_PWR
19.	PM660L Display	42.	SDR660_DA/PRX/DRX/FBRX
20.	eMCP	43.	QFE4101
21.	30W CHARGE	44.	WIFI_2.4G_5G & BT
22.	AOV	45.	GPS
23.	Test Points	46.	WCN3980

| GPIO MAP

SM6125 GPIO Configuration

GPIO_0	DTV SPI_MISO	GPIO_42	CAM_F_RST	GPIO_84	CAM_S_DVDD_EN
GPIO_1	DTV_SPI_MOSI	GPIO_43	SAR_PS_INT	GPIO_85	NFC_IRQ
GPIO_2	DTV_SPI_CLK	GPIO_44	CAM_V_MCLK	GPIO_86	LCD_LDO_1V8_EN
GPIO_3	DTV_SPI_CS	GPIO_45	CAM_R_DVDD_EN	GPIO_87	TP_RST_N
GPIO_4	NFC_I2C_SDA	GPIO_46	CAM_D_RST	GPIO_88	TP_INT_N
GPIO_5	NFC_I2C_SCL	GPIO_47	CAM_R_AFVDD_EN	GPIO_89	MOTOR_INTN
GPIO_6	LCD_SPI_MISO	GPIO_48	CAM_R_RST	GPIO_90	LCD_RST_N
GPIO_7	LCD_SPI_MOSI	GPIO_49	CAM_R_AVDD_EN	GPIO_91	ALSP_INT_N
GPIO_8	LCD_SPI_CLK	GPIO_50	QLINK_REQUEST	GPIO_92	FP_INT_N
GPIO_9	LCD_SPI_SS	GPIO_51	QLINK_ENABLE	GPIO_93	FP_RST_N
GPIO_10	WCN_UART_CTS_N	GPIO_52	HW_ID_1	GPIO_94	LIGHT_INT
GPIO_11	WCN_UART_RFR_N	GPIO_53	NC	GPIO_95	NFC_CLK_REQ
GPIO_12	WCN_UART_TX_N	GPIO_54	GRPC_2	GPIO_96	WCN_SW_CTRL
GPIO_13	WCN_UART_RX_N	GPIO_55	SAR_VDD_EN	GPIO_97	DSP_IRQ
GPIO_14	SPK_I2C_SDA	GPIO_56	WDOG_DISABLE	GPIO_98	SD_CARD_DET_N
GPIO_15	SPK_I2C_SCL	GPIO_57	NC	GPIO_99	FORCED_USB_BOOT
GPIO_16	MSM_UART_TX	GPIO_58	NC	GPIO_100	SPK_PA2_INT
GPIO_17	MSM_UART_RX	GPIO_59	ANT_DET_LMB	GPIO_101	SPK_PA1_INT
GPIO_18	DSP_SPI1_MISO	GPIO_60	RFFE1_DATA	GPIO_102	USB_SS_SEL
GPIO_19	DSP_SPI1_MOSI	GPIO_61	RFFE1_CLK	GPIO_103	WMSS_RESETN
GPIO_20	DSP_SPI1_SCK	GPIO_62	RFFE2_DATA	GPIO_104	FORCED_USB_BOOT_POL_SEL
GPIO_21	DSP_SPI1_SS	GPIO_63	RFFE2_CLK	GPIO_105	MSS_LTE_COXM_RXD
GPIO_22	GSENSOR_I3C_SDA	GPIO_64	NC	GPIO_106	SWR_TX_CLK
GPIO_23	GSENSOR_I3C_SCL	GPIO_65	NC	GPIO_107	SWR_RX_DATA0
GPIO_24	FLATUP_NOMOVEMENT	GPIO_66	DTV_RST	GPIO_108	SWR_RX_DATA1
GPIO_25	APPROACH_WITHDRAW	GPIO_67	NC	GPIO_109	MSS_LTE_COXM_TXD
GPIO_26	STOWED	GPIO_68	RFFE5_DATA	GPIO_110	SWR_RX_CLK
GPIO_27	MIPI_SEL	GPIO_69	RFFE5_CLK	GPIO_111	SWR_RX_DATA0
GPIO_28	SENSOR_I2C_SDA	GPIO_70	SNS_3PO_EN	GPIO_112	SWR_RX_DATA1
GPIO_29	SENSOR_I2C_SCL	GPIO_71	NFC_DLW_REQ	GPIO_113	SDM_SCLK
GPIO_30	FP_SPI_MISO	GPIO_72	UIM2_DATA	GPIO_114	SDM_WS
GPIO_31	FP_SPI_MOSI	GPIO_73	UIM2_CLK	GPIO_115	SDM_DIN
GPIO_32	FP_SPI_CLK	GPIO_74	UIM2_RESET	GPIO_116	SDM_DOUT
GPIO_33	FP_SPI_CS_N	GPIO_75	SD_SIM_DET	GPIO_117	DSP_RST
GPIO_34	CAM_R_MCLK	GPIO_76	UIM1_DATA	GPIO_118	悬空专用 (sensor状态)
GPIO_35	CAM_F_MCLK	GPIO_77	UIM1_CLK	GPIO_119	AUDIO_PA1_RST
GPIO_36	CAM_D_MCLK	GPIO_78	UIM1_RESET	GPIO_120	WCD9370_RST_N
GPIO_37	CAM_I2C_SDA0	GPIO_79	SD_SIM_DET	GPIO_121	QCA_SB_CLK
GPIO_38	CAM_I2C_SCL0	GPIO_80	A_GYRO_INT1	GPIO_122	QCA_SB_DATA
GPIO_39	CAM_I2C_SDA1	GPIO_81	A_GYRO_INT2	GPIO_123	AUDIO_PA2_RST
GPIO_40	CAM_I2C_SCL1	GPIO_82	DTV_HOST_INTB	GPIO_124	HW_ID_2
GPIO_41	CAM_V_RST	GPIO_83	NFC_REG_PU	GPIO_125	DSP_1P2_EN


56

PM6125 GPIO Configuration


GPIO_1	DSP_CLK	GPIO_8	WLED_CABC_PM
GPIO_2	NC	GPIO_9	BOOST_BYP_MODE_CTL
GPIO_3	CPU_THERM		
GPIO_4	BOOST_BYP_MODE_CTL_R		
GPIO_5	KEY_VOL_UP		
GPIO_6	NC		
GPIO_7	NC		



PMT 632 GPIO Configuration

<u>GPIO_1</u>	NC	<u>GPIO_8</u>	NC
<u>GPIO_2</u>	BL_ISET CONTR		
<u>GPIO_3</u>	PMI632_THERM		
<u>GPIO_4</u>	MOTOR_RSTN		
<u>GPIO_5</u>	NC		
<u>GPIO_6</u>	LCD_BL_EN		
<u>GPIO_7</u>	NC		




Company Name	SM6125 Control/UFS/SDC1/SDC2
Stock Title	SM6125 Control/UFS/SDC1/SDC2
Project	Target
Date	Version: June 25, 2018
Page	Sheet 1 of 48







TP\_I2C\_SDA 8.27 R114 NC  
TP\_I2C\_SCL 8.27 R115 NC  
UII\_0R\_0201\_120W\_J 8.27 LCD\_SPA\_MSDI  
UII\_0R\_0201\_120W\_J 8.27 LCD\_SPA\_MSDI



### I2C pull up




### Hardware ID



no pull-up

GPIO_58	BOOT_CONFIG(0)	VDOG_DISABLE
GPIO_87	BOOT_CONFIG(1)	FASTBOOT_SEL(0)
GPIO_32	BOOT_CONFIG(2)	FASTBOOT_SEL(1)
GPIO_114	BOOT_CONFIG(3)	FASTBOOT_SEL(2)
GPIO_99	FORCDD_USB_BOOT	
GPIO_104	FORCED_USB_BOOT_SEL	

BOOT OPTIONS	ROOT CONFIG BITS
0: Default(MMC->SD->USB(EDL))	3 2 1
1: SD->MMC->USB(EDL)	0 0 0
2: SD->USB(EDL)	0 1 0
3: USB(EDL)	0 1 1
4: UFS->SD->USB(EDL)	1 0 0
5: SD->UFS->USB(EDL)	1 0 1
6: UFS->USB(CDL)	1 1 0
7: UFS_PWM_MODE->USB(EDL)	1 1 1




Camera0 I2C




Camera1 I2C

NFC I2C and马达共用




Company Name	SM6125
Stock Title	SM6125 (Internal Codec)
Project	Teller
Date	Version: June 25, 2018 Sheet: 1 of 48




Company: Haegn		
Stock Title: SM6125 Power (Core)		
Project	Editor	Rev
Date: June 25, 2010	Sheet: 1	of 46


# SM6125 Power (Other, LP4X)

REF 1001-1099



Company: Haegn		
Stock Title	SDM830 Power (Other, LP4X)	
Project	Teller	Rev. 1.0
Date	Wednesday, June 25, 2014	Sheet 10 of 48






Option Pin Resistor Value	Configuration
5.6K	No External Boost Bypass, SD Card Boot, LPDDR3
22K	No External Boost Bypass, SD Card Boot, LPDDR4x
47K	No External Boost Bypass, No SD Card Boot, LPDDR3
75K	No External Boost Bypass, No SD Card Boot, LPDDR4x
130K	External Boost Bypass, SD Card Boot, LPDDR3
240K	External Boost Bypass, SD Card Boot, LPDDR4x
330K	External Boost Bypass, No SD Card Boot, LPDDR3
750K	External Boost Bypass, No SD Card Boot, LPDDR4x

Option Pin Resistor Value	Configuration
5.6K	No External Boost Bypass, SD Card Boot, LPDDR3
22K	No External Boost Bypass, SD Card Boot, LPDDR4x
47K	No External Boost Bypass, No SD Card Boot, LPDDR3
75K	No External Boost Bypass, No SD Card Boot, LPDDR4x
130K	External Boost Bypass, SD Card Boot, LPDDR3
240K	External Boost Bypass, SD Card Boot, LPDDR4x
330K	External Boost Bypass, No SD Card Boot, LPDDR3
750K	External Boost Bypass, No SD Card Boot, LPDDR4x

Note: SD Card Boot implies the voltages for SD card will be enabled during Power On sequence  
No SD Card Boot implies the voltages for SD card will be disabled during Power On sequence


Company: Haaga	
Stock Title	PM6125 CLKs/Control_GND
Project	Taller
Date	Thursday, June 27, 2013
Rev.	1.0
Sheet	12 of 48




### Nicobar Power Grid v1.31 10/31/2018

S1A-2A: FTS510 0.8V default 8000mA lpeak 8110.00mA APC  
 S3A-4A: FTS510 0.8V default 8000mA lpeak 8480mA CX\_MODEM  
 S5A: HFS510 0.912V default 4000mA lpeak 3620.00mA EBI, MX, nLDO  
 S6A: HFS510 1.352V default 4000mA lpeak 1550mA LDO  
 S7A: HFS510 2.04V default 2500mA lpeak 2350mA LDO  
 S8A: FTS510 1.128V default 4000mA lpeak 1790mA LDO, LPDDR4x

Company: Haaga		
Stock Title: PM6125 Buck Converter		
Project	Teller	Rev. 1.0
Date:	Created: June 25, 2018	Sheet: 15 of 48



Company: Haegn		
Block Title: PM6125 LDO Circuits		
Project	Editor	Rev
Date: Friday, June 25, 2010	Sheet: 14	of 48




Nicobar Power Grid v1.31 11/12/2018


LDO Type Source V\_default (est) Target Pin#  
 L1 N600 S6A 1.2V (625) QLN,SDR 1.2 61  
 L2 N300 S8A 1V (320) SDR,VDD 1.0V 63  
 L3 N600 S8A 1V (370) SDR,VDD 1.0V 64  
 L4 N300 S8A 0.928V (126) QFN, EBI, MIP1 39  
 L5 LVP650 VPA 0.928V (240) TSSOP 113  
 L6 N1200 S6A 0.924V (4040) VDDQ, CDI 9  
 L7 N800 S6A 0.928V (64,2) USR 49  
 L8 N300 S6A 0.664V (81) CX 33  
 L9 LVP600 STA 1.8V (754) Sensors, WCD, TMD, PM, MSM, QET 43  
 L10 LVP150 STA 1.8V (100) EEPROM, USE\_UFS, PX 81  
 L11 LVP600 STA 1.8V (226) EMMC/CCQ 45  
 L12 LVP300 STA 1.8V (121) OV, USB\_REDIVER 69  
 L13 LVP300 STA 1.8V (204) QPM 1 RV, RRRX, GPS 105  
 L14 LVP600 STA 1.8V (650) WCD,Buck 94,93  
 L15 MVP150 VPH 3.128V (5.28) USB 3.1V, DP PHY 114  
 L16 MVP150 STA 1.0V (62.5) WCSS, WCN, X0 93  
 L17 N300 S6A 1.304V (246) WCN, WCSS ADX EAC 38  
 L18 N300 S6A 1.232V (133) MIPI, VDDPX 37  
 L19 MVP150 VPH/BB 1.8V (60,2) Memory, SN100, PX 126  
 L20 MVP150 VPH/BB 1.8V (60,2) Memory, SN100, PX 138  
 L21 MVP500 VPH/BB 2.704V (0.68) QAT, DFE, RTC, QSW 138  
 L22 MVP500 VPH/BB 2.96V (800) MMC 137  
 L23 MVP500 VPH/BB 3.304V (591) WCN 3.3V 41  
 L24 MVP500 VPH/BB 2.96V (1170) EMMC 31

LDO L5/L9/L10/L11/L12/L13/L14/L15/L16/L19/L20/L21/L22/L23/L24 is the Pseudo-capless LDO, so can dñi CAP in BOM  
 PSEUDO CAPLESS LDOs  
 PSEUDO CAPLESS LDOs can be load  
 For CAPLESS LDCs: If decaps on the load side do not  
 add up to LDO spec, then install the cap close to the PMIC

Company: Haegn			
Stock Title PM660 Charger_FG			
Project	Teller	Rev	1.0
Date	Created: June 25, 2018	Sheet	15 of 48




Company: Haaga
Stock Title: PM8600_Control and Bob_Flash
Project: Teller
Date: Friday, June 26, 2015 Sheet: 10 of 48



Company: Haegn
Block Title
Project
Date


P4M80L Buck and LDO  
Teller Rev. 1.0  
Tuesday, June 25, 2019 Sheet 17 of 45

Pin ID	connection on device without Relpower	connection on device with Relpower
CMD_IN	Pull up to VDD_CAP with liske	Start RRD CMD_IN
GND_IN	Pull down to GND with liske	Start RRD GND_IN
GP202	For parallel charging: Connects to SMB IN pin. Do NOT pull up to VDD_CAP	For parallel charging: Connects to SMB IN pin. Do NOT pull up to VDD_CAP




PMI632 Charger

Company: Haaga		
Stock Title: PMI632_CODEC		
Project	Teller	Rev. 1.0
Date: June 25, 2018	Sheet: 18	of 48




Company: Haaga		
Stock Title	PM632_Display	Rev. 1.0
Date:	Wednesday, June 25, 2014	Sheet: 10 of 48




Company: Haegn			
Stock Title	eMCP	Date	Rev. 1.0
Date	Friday, June 25, 2010	Sheet	30 of 48









## PCBA AUTOMATIC TEST point



JTAG CONNECTOR




power key to enter 9008 mode





## TP/GND/Shielding


Company: Haqjin			
Block Title		Test Points	
Project	Taller	Rev	1.0
Date:	Wednesday, June 26, 2019	Sheet	23 of 46



副MIC




SPK and Receiver




Company: Haaga	
Stock Title: AUDIO_MIC_RCV_SPK	
Project: Teller	Rev: 1.0
Date: Friday, June 26, 2015	Sheet: 24 of 48

更换正式库，美标耳机，MIC和GND交换

## AUDIO JACK





Company:	Huajia
Stock Title:	AUDIO_HEADSET
Project:	Teller
Date:	Tuesday, June 25, 2019
Rev:	1.0
Sheet:	26
of:	46




### Magnetic Sensor



address of AK09918 is 0X0C  
MMC5603NJL is 0X30




address of AN8695 is  
AD:L 0X5A H 0X5B




Company: Haegn			
Stock Title: SENSORS_MOTOR			
Project	Target	Rev	1.0
Date:	Reader: June 25, 2010	Sheet	26 of 46


## LCD MIPI Common Mode Filter




## LCD/TP-Connector




FPS-Connector



J2603 HQ11910378000



## LCD BL driver



Company:	Huaqin
Block Title	LCD_TP
Project	Teller
Date:	Tuesday, June 25, 2019


# REAR\_CAM/FLASH

REF 2801-2899



S5KGM1SP03-FGX9-Rear Main CAM I2C Adress: ( Write:0x20 )

Read:0x21 )

## Rear Cam Inteface





## Rear Cam FLASH LED-Dual CCT



Video CAMERA  
OV16885-GA5A-4C-Rear Video Cam I2C Adress: ( Write:0x6C ) Read:0x6D )

## SLAVE CAMERA

S5K5B9YX04-FGX9-Rear Slave Cam I2C Adress: ( Write:0x5A ) Read:0x5B )



Company: Haegn			
Stock Title: REAR_CAMFLASH			
Project	Date	Rev	1.0
	Thursday, June 27, 2019	Sheet	36 of 46


# FRONT\_CAM/CAM\_POWER

OV12A10-GASA-Front Cam I2C Adress:0x10


( Write:0x20 Read:0x21 )

DVT2 新兼容


## FRONT CAMERA




## MIPI SWITCH




Rear-Main DVDD 1.05V HQ11150937000 or HQ11151047000 /1.2V HQ11150938000兼容, 物料替换



## Rear-Slave AVDD 2.8V




## Rear-Slave DVDD 1.2V (Also 8M Front DVDD)



Company: Haaga
Stock Title: FRONT_CAM/CAM_POWER
Project: Teller
Date: Wednesday, June 26, 2013 Sheet: 20 of 48


KEY\_LINK\_BATT

OVP



音量键&开关机键


Battery Connector




Company: Haaga
Stock Title: GM_SD_KEY_LINK_BATT
Project: Teller
Date: Friday, June 25, 2010 Sheet: 1 of 48 Rev: 1.0

Company Name	DTV
Stock Title	DTV
Project	Teller
Date	Version: June 25, 2010 Sheet 31 of 48


PN553 I2C Adress:0x28 ( Write:0x50 Read:0x51 )




### NFC DCDC




### 27.12MHz Crystal



Company: Haaga			
Stock Title	NFC	Project	Teller
Date	Wednesday June 26, 2019	Rev	1.0
Sheet	30	of	48



Company: Haegia		
Block Title      PRIMARY_ANTENNA		
Project	Taller	Rev 1.0
Date:	uesday, June 25, 2019	Sheet 33 of 32




NOT TO BE USED, COPIED, REPRODUCED IN WHOLE OR IN PART, NOR  
TO DOCUMENTS REVEALED IN ANY MANNER TO OTHERS WITHOUT THE  
EXPRESS WRITTEN PERMISSION OF QUALCOMM.  
THIS TECHNICAL DATA MAY BE SUBJECT TO U.S. AND INTERNATIONAL  
EXPORT CONTROLS. DIVULGACION SIN LA CONCEPCION  
CONTRARIO AL U.S. Y DE INTERNACIONAL. LEY ESTRICTAMENTE PROHIBIDA.

**Qualcomm®**  
CONFIDENTIAL AND PROPRIETARY QUALCOMM TECHNOLOGIES, INC.  
Copyright © 2012 Qualcomm Technologies, Inc.  
All rights reserved.


**Qualcomm Technologies, Inc.**  
5775 Morehouse Drive  
San Diego, CA 92121-1714  
U.S.A.

**Title:** Schematic, CCA, MAR, QRD8883\_3-4-2, DVT1.1  
**Page:** 1200-P012  
**Date:** 10/25/2012  
**Sheet:** 34 of 37  
**Rev:** B


## B8 DPX




## B28A\_PRX



## B28B\_PRX



Share the same pad.




## B20 DPX



Description	Code	Vendor	SKU
B12/17 DPX	SAYEY707MBA0FOA	MURATA	Brazil & Latam
B20 DPX	D5FC847M0K3NE	TAIYO	Super_Row


## B26 DPX



Company: Haegn			
Stock Title	Part No	Rev	Date
Project	Teller	1.0	Reader: June 25, 2010
Date	Sheet	35	of 35

## DU3603


Description	Code	Vendor	SKU
B2 Duplexer	SAYEY1G88BC0B0A	MURATA	Super Row
B3 Duplexer	SAYEY1G74BC0B0A	MURATA	Brazil & Latam



## B1/B3 or B2/4 QPX


## QPX3601

Description	Code	Vendor	SKU
B1/3 Duplexer	SAHRX1G74BA0B0A	MURATA	Super Row
B2/66 Duplexer	M5000	RF360	Brazil & Latam




## B7 DPX

临时库




# DIVERSIT\_ANT



# DRX\_MB\_HB

Description	Code	Vendor	SKU
B1+3 SAW	SAWFD1G84AA0F0A	MURATA	Super_Row
B25+66 SAW	SAWFD1G96AC2F0A	MURATA	Brazil & Latam

## B1/3/ DRX



<- Super\_Row


<- Super\_Row

<- Super\_Row

<- Super\_Row


Description	Code	Vendor	SKU
B2 SAW	SFHG60AA002	Wisol	Super_Row
B3 SAW	SFHG42AA002	Wisol	Brazil & Latam

## B2 DRX




## B41 120M DRx

## B7 DRx




## DRX\_B40




Company: Haegn			
Stock Title: DRX_MB_HB			
Project	Date	Rev	Sheet
Reader	June 25, 2016	1.0	36 of 37

# DRX\_LB


B5/26 DRX




B28 DRX



B8 DRX




B20 DRX



B12/17/20 DRX


Description	Code	Vendor	SKU
B12/17 DPX	SAFFB737MAA0FOA	MURATA	Brazil & Latam
B20 DPX	SFH806BA002	Wisol	Super_Row

# SDR660\_MSS




Company: Haegn	
Stock Title: SDR660_MSS	
Project: Teller	Rev: 1.0
Date: Friday, June 25, 2010	Sheet: 00 of 00

# SDR660\_PWR




Company: Haegn		
Stock Title	SDR660_PWR	
Project	Teller	Rev. 1.0
Date:	Wednesday June 25, 2014	Sheet: 41 of 48

## SDR660\_DA/PRX/DRX/FBRX




Company:	Huajin
Block Title	SDR60_DAIPRX/DRXIFBRX
Project	Teller
Date:	Tuesday, June 25, 2019

# QET4101




Company: Haaga	
Stock Title	QET4101
Project	Teller
Date	Version: June 25, 2010 Rev: 1.0 Sheet: 41 of 46


# WIFI 2.4G/BT



Company: Haaga			
Block Title: WIFI 2.4G/Bluetooth			
Project	Table	Rev	1.0
Date:	Created: June 25, 2018	Sheet	24 of 48



Company: Haaga		
Stock Title	GPS	
Project	Teller	Rev. 1.0
Date	Wednesday, June 25, 2014	Sheet 25 of 26





3.3V Peak Current (mA)	
VDD33_WL_PA	1000
VDD33_WL_5GPA_DRV_CH0	70
VDD33_WL_BT_2G_DRV_PM_LDO	65


VDD13_BT_BB_WL	120
VDD13_WL_SYNTH_CHO	40
VDD13_BT_SYNTH	15
VDD11D_PM	20
VDD13_FM	15
VDD13_BT_FM_BBPLL	10
VDD13_BT_PM	20

### 1.8V Peak current (mA)


VDD18_IO	15	
VDD18_XTAL	60	ALL75



26MHz crystal



DTV LDO 1.8V



Company: Haaga		
Stock Title	Part No.	Rev. 1.0
Project	Teller	
Date	Wednesday, June 25, 2014	Sheet 2 of 46