

1. ALL RESISTANCE VALUES ARE IN OHMS, 0.1 WATT +/- 5%.
 2. ALL CAPACITANCE VALUES ARE IN MICROFARADS.
 3. ALL CRYSTALS & OSCILLATOR VALUES ARE IN HERTZ.

REV	ECN	DESCRIPTION OF REVISION	CK APPD DATE
4	0004752417	ENGINEERING RELEASED	2015-08-24

N69 MLB - EVT

LAST_MODIFICATION=Wed Aug 19 11:42:47 2015

PAGE	<CSA>	CONTENTS	SYNC	DATE
1	1	TABLE OF CONTENTS		
2	3	SYSTEM:BOM TABLES		
3	4	SYSTEM:N69 SPECIFIC [4]		
4	5	SYSTEM:MECHANICAL		
5	6	SOC:JTAG,USB,XTAL		
6	7	SOC:PCIE		
7	8	SOC:CAMERA & DISPLAY		
8	9	SOC:SERIAL & GPIO		
9	10	SOC:OWL		
10	11	SOC:POWER (1/3)		
11	12	SOC:POWER (2/3)		
12	13	SOC:POWER (3/3)		
13	15	NAND		
14	20	SYSTEM POWER:PMU (1/3)		
15	21	SYSTEM POWER:PMU (2/3)		
16	22	SYSTEM POWER:PMU (3/3)		
17	23	SYSTEM POWER:CHARGER		
18	24	SYSTEM POWER:BATTERY CONN		
19	30	SENSORS:MOTION SENSORS		
20	31	CAMERA:FOREHEAD FLEX B2B		
21	32	CAMERA:REAR CAMERA B2B		
22	33	CAMERA:STROBE DRIVER		
23	35	AUDIO:CALTRA CODEC (1/2)		
24	36	AUDIO:CALTRA CODEC (2/2)		
25	37	AUDIO:SPEAKER DRIVER		
26	40	DISPLAY:POWER		
27	41	MESA POWER AND IO FILTERS		
28	42	DISPLAY FLEX		
29	43	D403 (TOUCH B2B, DRIVER ICS)		
30	45	I/O:TRISTRAR 2		

PAGE	<CSA>	CONTENTS	SYNC	DATE
31	46	I/O:DOCK FLEX B2B		
32		I/O:BUTTON FLEX B2B		
33	49	BASEBAND:RADIO SYMBOL		
34	50	page1		
35	51	CELL:ALIASES		
36		AP INTERFACE & DEBUG CONNECTORS		
37		BASEBAND PMU (1 OF 2)		
38		BASEBAND PMU (2 OF 2)		
39		BASEBAND (1 OF 2)		
40		BASEBAND (1 OF 2)		
41		MOBILE DATA MODEM (2 OF 2)		
42		RF TRANSCEIVER (1 OF 3)		
43		RF TRANSCEIVER (2 OF 3)		
44		RF TRANSCEIVER (3 OF 3)		
45		QFE DCDC		
46		2G PA		
47		VERY LOW BAND PAD		
48		LOW BAND PAD		
49		MID BAND PAD		
50		HIGH BAND PAD		
51		ANTENNA SWITCH		
52		HIGH BAND SWITCH		
53		RX DIVERSITY		
54		RX DIVERSITY (2)		
55		GPS		
56		ANTENNA FEEDS		
57		WIFI/BT: MODULE AND FRONT END		
58		STOCKHOLM		
59		OMIT_TABLE_RF		
60		Radio Subdesign Ports		

SCH 051-00648

BRD 820-00282

MCO 056-01352

BOM 639-00931 (N69 BETTER)

BOM 639-01012 (N69H BETTER)

BOM 639-01231 (N69 BEST)

BOM 639-01232 (N69H BEST)

BOM 639-01271 (N69 ULTRA)

BOM 639-01272 (N69H ULTRA)

SCHEMATIC & PCB BOM CALLOUTS

PART#	QTY	DESCRIPTION	REFERENCE DESIGNATOR(S)	CRITICAL	BOM OPTION
051-00648	1	SCH,MLB,N69	SCH	CRITICAL	?
820-00282	1	PCBF,MLB,N69	PCB	CRITICAL	?
825-6838	1	EEEE CODE FOR 639-00931 16GB	EEEE_GH6K	CRITICAL	EEEE_16G
825-6838	1	EEEE CODE FOR 639-01012 16GB	EEEE_GJYD	CRITICAL	EEEE_16GH
825-6838	1	EEEE CODE FOR 639-01231 32GB	EEEE_GN7J	CRITICAL	EEEE_32G
825-6838	1	EEEE CODE FOR 639-01232 32GB	EEEE_GNTH	CRITICAL	EEEE_32GH
825-6838	1	EEEE CODE FOR 639-01271 64GB	EEEE_GP3V	CRITICAL	EEEE_64G
825-6838	1	EEEE CODE FOR 639-01272 64GB	EEEE_GP3W	CRITICAL	EEEE_64GH

S3E NAND BOM OPTIONS

PART#	QTY	DESCRIPTION	REFERENCE DESIGNATOR(S)	CRITICAL	BOM OPTION
335S00054	1	NAND,1NNM,160X8,038,64G,T,SLGA70	U1500	CRITICAL	NAND_16G
335S00072	1	NAND,1NNM,320X8,038,64G,T,SLGA70	U1500	CRITICAL	NAND_32G
335S00076	1	NAND,1NNM,640X8,038,TLC,128G,H,ULGA70	U1500	CRITICAL	NAND_64G

PART NUMBER	ALTERNATE FOR PART NUMBER	BOM OPTION	REF DES	COMMENTS:
335S00071	335S00054	NAND_16G	U1500	HYNIX 16G SLGA70
335S00085	335S00072	NAND_32G	U1500	TOSHIBA 16G SLGA70

CARBON BOM OPTIONS

PART#	QTY	DESCRIPTION	REFERENCE DESIGNATOR(S)	BOM OPTION
338S00017	1	IC,CARBON,MPU-6700-12,LGA16	U3010	INVENSENSE_CARBON
338S1163	1	IC,ACCEL,3-AXIS,DIG,BMA282,LGA14	U3020	INVENSENSE_CARBON
132S0316	1	CAP,CER,X5R,0.1UF,20%,6.3V,01005	C3020	INVENSENSE_CARBON
138S0692	1	CAP,CER,X5R,1UF,20%,6.3V,0201	C3021	INVENSENSE_CARBON
132S0316	1	CAP,CER,X5R,0.1UF,20%,6.3V,01005	C3022	INVENSENSE_CARBON
117S0202	1	RES,MF,200HM,5%,1/32W,01005	R3020	INVENSENSE_CARBON
117S0202	1	RES,MF,200HM,5%,1/32W,01005	R3021	INVENSENSE_CARBON
117S0202	1	RES,MF,200HM,5%,1/32W,01005	R3022	INVENSENSE_CARBON
338S00087	1	IC,CARBON,MPU-6800-00,LGA16	U3010	INVENSENSE_CARBON_1_1

COMPASS PART NUMBER

PART#	QTY	DESCRIPTION	REFERENCE DESIGNATOR(S)	BOM OPTION
338S00084	1	IC,COMPASS,MAGNESIUM,401A-1V,PLGA14	U3000	COMMON

SHIELD PART NUMBERS

PART#	QTY	DESCRIPTION	REFERENCE DESIGNATOR(S)	BOM OPTION
806-03629	1	SHIELD,EMI,UPPER FRONT,N69	SH0500	COMMON
806-03630	1	SHIELD,EMI,LOWER FRONT,N69	SH0501	COMMON
806-03556	1	SHIELD,EMI,BACK,N69	SH0503	COMMON

POWER INDUCTOR ALTERNATES

PART NUMBER	ALTERNATE FOR PART NUMBER	BOM OPTION	REF DES	COMMENTS:
152S00117	152S00074	?	L2000	TAIYO 2016 1.0UH
152S00121	152S00081	?	L2001	TAIYO 2012 0.47UH
152S00120	152S00077	?	L2070	TAIYO 2016 1.0UH 0.65MM
152S00118	152S00075	?	L3700	TAIYO 2016 1.2UH
152S00123	152S1936	?	L4020	TAIYO 3225 15UH

ALTERNATE BOM OPTIONS



PART NUMBER	ALTERNATE FOR PART NUMBER	BOM OPTION	REF DES	COMMENTS:
138S00032	138S0831	ALTERNATE	C0610	TY,2.2UF,0201
138S00049	138S0831	ALTERNATE	C0610	KYOCERA,2.2UF,0201
155S0660	155S0513	ALTERNATE	FL3100	MURATA,FERR,22-OHM
138S00005	138S00003	ALTERNATE	C1500	TY,15UF,0402
138S00048	138S00003	ALTERNATE	C1500	KYOCERA,15UF,0402
118S0764	118S0717	ALTERNATE	R2250	PANASONIC,3.92K-OHM,0201
138S00006	138S0835	ALTERNATE	C1106	TY,4.3UF,0402
152S2052	152S1929	ALTERNATE	L2060	CYNTEC,1UH,1608
155S0773	155S0453	ALTERNATE	FL3101	TY,FERR,120-OHM,01005
377S0168	377S0140	ALTERNATE	D23150	TDK,VARIATION,6.8V,100PF,01005
155S00067	155S0581	ALTERNATE	FL4200	TDK,FERR,240-OHM,0201
155S00012	155S00009	ALTERNATE	L3100	MURATA,CHOK,65-OHM,0605
138S0706	138S0739	ALTERNATE	C5302_RF	MURATA,CHOK,100UH,20V,10V,470A,0201
138S0945	138S0739	ALTERNATE	C5302_RF	TDK,CHOK,100UH,20V,10V,470A,0201
155S00095	155S00068	ALTERNATE	FL1280	TDK,80,100 OHM,25V,150mA,2 OHM,01005
138S0648	138S0652	ALTERNATE	C3650	TY,4.7UF,0402
132S0400	132S0436	ALTERNATE	C1280	CAP,CER,X5R,2.22UF,20V,4.3V,01005
155S0960	155S0941	ALTERNATE	FL3151	TDK,80,100 OHM,25V,150mA,2 OHM,01005
138S0024	138S0986	ALTERNATE	C5201_RF	CAP,CER,X5R,1.55V,20V,4V,0402
335S00066	335S0946	ALTERNATE	U0900	CC,KEPCOM,1000V,1.8V,120W,G0204
376S00106	376S00047	ALTERNATE	Q2300	DIODES INC. ACT DIODE
343S0688	343S0638	ALTERNATE	U4301	CUMULUS 2ND FLOW
138S0022	138S0867	ALTERNATE	C1100	TY,10UF,0402
138S0020	138S0867	ALTERNATE	C1100	MURATA,10U,0402
338S00020	338S00087	ALTERNATE	U2000	MURATA,10U,0402

PMU / SOC BOM OPTIONS

PART#	QTY	DESCRIPTION	REFERENCE DESIGNATOR(S)	BOM OPTION
339S00121	1	POP,MALTA+2GB 25NM DDR,41,1,DEV	U0600	MALTA
118S00009	1	RES,MF,3.01OHM,1V,1/32W,01005	R0730	MALTA
131S0307	1	CAP,CER,NPO/COG,100PF,5%,16V,01005	C0730	NOSTUFF
118S00025	1	RES,MF,3300HM,1V,1/32W,01005	R0651	MALTA
132S0316	1	CAP,CER,X5R,0.1UF,20%,6.3V,01005	C0731	NOSTUFF
338S00170	1	IC,PMU,ANTIGUA,D2255A1,OTP-BG	U2000	MALTA

PART#	QTY	DESCRIPTION	REFERENCE DESIGNATOR(S)	BOM OPTION
339S00096	1	POP,MAUI+2GB 25NM DDR,CO,1,DEV</		

TESTPOINTS




N69 I2C DEVICE MAP

I2C BUS	DEVICE	BINARY	7-BIT HEX	8-BIT HEX
I2C0	ANTIGUA PMU	1110100X	0X74	0XE8
	CHESTNUT	0100111X	0X27	0X4E
	BACKLIGHT	1100010X	0X62	0XC4
I2C1	TIGRIS	1110101X	0X75	0XA8
	SPEAKER AMP	1000000X	0X40	0X80
I2C2	TRISTRAR	0011010X	0X1A	0X34
	ALS	0101001X	0X29	0X52
OWL	UNUSED	N/A	N/A	N/A
ISP I2C0	REAR CAM	TBD	TBD	TBD
	LED DRIVER	1100011X	0X63	0XC6
ISP I2C1	FRONT CAM	0110110X	0X36	0X6C
	TOUCH I2C	UNUSED	N/A	N/A
SEP I2C	SEP EEPROM	1010001X	0x51	0xA2


BOOTSTRAPPING: BOARD REV

BOARD ID
BOOT CONFIG




**BOARD STANOFFS
AND AC COUPLING CAPS FOR
COMPASS RETURN CURRENTS**


TOP-SIDE, EAST




TOP-SIDE, WEST



NORTH WIFI UNDERFILL BLOCKING




COMPASS AC GROUNDING CAPS




SHIELDS


UPPER FRONT SHIELD




LOWER FRONT SHIELD



PLATED SHIELD SLOT



TOP-SIDE, GROUND SPRING



FIDUCIALS

FD0501
FID
0P5M1P0SQ-NSP

FD0502
FID
0P5M1P0SQ-NSP

FD0503
FID
0P5M1P0SQ-NSP

FD0505
FID
0P5M1P0SQ-NSP

FD0510
FID
0P5SC-SMP3SQ-NSP

FD0511
FID
0P5SC-SMP3SQ-NSP

FD0512
FID
0P5SC-SMP3SQ-NSP

FD0514
FID
0P5SC-SMP3SQ-NSP

FD0515
FID
0P5SC-SMP3SQ-NSP


FD0504
FID
0P5M1P0SQ-NSP

FD0516
FID
0P5SC-SMP3SQ-NSP

SOC - USB, JTAG, XTAL



D

VDD12_PLL_LPPP:1.14-1.26V @2mA MAX
 VDD12_PLL_SOC: 1.14-1.26V @12mA MAX
 VDD12_PLL_CPU: 1.14-1.26V @2mA MAX



VDD18_USB: 1.71-1.89V @20mA MAX
 VDD18_XTAL: 1.62-1.98V @2mA MAX

PP1V8 3 6 7 8 9 12 13 14 20 21 28 29



OMIT_TABLE CRITICAL

U0600

MAUI-2GB-25NM-DDR-H

FCMS

SC58980X0B-A040

SYM 1 OF 14

ROOM=SOC

ANALOGMUX_OUT AP24 AP_TO_PMU_AMUX_OUT

LO602 15NH-250MA

0201 ROOM=TRISTAR

USB_D_P AT20_90_USB_AP_DATA_AP_P

USB_D_N AT19_90_USB_AP_DATA_AP_N

LO601 15NH-250MA

0201 ROOM=TRISTAR

90_USB_AP_DATA_P

90_USB_AP_DATA_N

USB_VBUS AP19 USB_VBUS_DETECT

USB_ID AR19 NC

USB_REXT AP18 USB_REXT

WDOG Y33 AP_TO_PMU_WDOG_RESET

XI0 AK35 45_XTAL_AP_24M_IN

XO0 AL35 45_XTAL_AP_24M_OUT

R0640 200 1/32W 01005

ROOM=SOC

R0650 511K 1/32W 01005

ROOM=SOC

R0651 1.60X1.20M-SM

24.000MHZ-30PPM-9.5PF-60OHM

CRITICAL

ROOM=SOC

Y0600

1.6V 1/32W 01005

ROOM=SOC

OMIT_TABLE

R0651 1.2PF 1/32W 01005

ROOM=SOC

C0650 1.6V 1/32W 01005

ROOM=SOC

XW0650 SHORT 1/32W 01005

ROOM=SOC

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

29

30

31

32

33

34

35

36

37

38

39

40

41

42

43

44

45

46

47

48

49

50

51

52

53

54

55

56

57

58

59

60

61

62

63

64

65

66

67

68

69

70

71

72

73

74

75

76

77

78

79

80

81

82

83

84

85

86

87

88

89

90

91

92

93

94

95

96

97

98

99

100

101

102

103

104

105

106

107

108

109


110

111

112


11

SOC - PCIE INTERFACES



SOC - CAMERA & DISPLAY INTERFACES

D



D

C

C

B

B

A

SOC - GPIO & SERIAL INTERFACES

通用输入输出以及串行接口

这些电阻虚焊或者损坏造成开机小电流 不联机

D

C




B

A



D

C


B




BUTTON PULL-UP RESISTORS AND BUFFERS



SPI PROBE POINTS




I2C PROBE POINTS




SOC - OWL






POWER STATE CONTROL PROBE POINTS




OWL SYSTEM SHUTDOWN OPTION




SOC - CPU, GPU & SOC RAILS




SOC - POWER SUPPLIES




SOC - POWER SUPPLIES




S3E NAND



PCIE RECEIVE-SIDE PROBE POINTS




ANTIGUA PMU - Buck Supplies




ANTIGUA PMU - LDOS


D




C



B



A



ANTIGUA LDO SPECS

LDO#	ADJ. RANGE	ACCURACY	MAX.CURRENT
LDO1 (A)	2.5-3.3V	+/-2.5%	50mA
LDO2 (B)	1.2-1.9V	+/-2.5%	50mA
LDO3 (A)	2.5-3.3V	+/-2.5%	50mA
LDO4 (D)	0.7-1.2V	+/-2.5%	50mA
LDO5 (F)	2.5-3.3V	+/-2.5%	1000mA
LDO6 (C1)	1.2-3.6V	+/-2.5%	150mA
LDO7 (C)	2.5-3.3V	+/-25mV	200mA
LDO8 (C)	2.5-3.3V	+/-25mV	200mA
LDO9 (C)	2.5-3.3V	+/-25mV	250mA
LDO10 (G)	0.7-1.2V	+/-2.5%	1335mA
LDO11 (C)	2.5-3.3V	+/-25mV	250mA
LDO12 (E)	1.8V	+/-5%	10mA
LDO13 (C)	2.5-3.3V	+/-25mV	250mA
LDO14 (H)	0.8-1.5V	+/-2.5%	250mA
LDO15 (B)	1.2-2.0V	+/-2.5%	50mA

ANTIGUA PMU - GPIOs, NTCs


CONTROL PIN NOTES:

NOTE (1): INPUT PULL-DOWN 100-300k

NOTE (2) : INPUT PULL-DOWN 1M

NOTE (3) : INPUT PULL-UP OR DOWN 100k-300k

NOTE (4): OUTPUT OPEN-DRAIN. REQUIRES PULL-UP




NOTE: 100PF CAPS ARE THE SAMPLING CAPS FOR PMU ADC

D

D

TIGRIS CHARGER

APN:343S00033



D

D

C

C

B


B

A

A

BATTERY CONNECTOR


THIS ONE ON MLB --->
 516S00104 (RCPT)
 516S00105 (PLUG)



D


CARBON - ACCEL & GYRO

INVENSENSE (APN 338S00017): C3013=0.22UF
 INVENSENSE 1.1 (APN 338S00087): C3013=0.22UF




MAGNESIUM - COMPASS

ALPS (APN:338S00084)




DISCRETE ACCEL

BOSCH (APN:338S1163)




FOREHEAD FLEX (FCAM)

CAMERA POWER




PROX & ALS POWER




THIS ONE ON MLB --->

516S0986 (RCPT)
516S0987 (PLUG)


FOREHEAD CONNECTOR




MIC3/HAC/RCVR INTERFACE



PROX & ALS INTERFACE




CAMERA MIPI






REAR CAMERA FLEX


RCAM CONNECTOR



CAMERA POWER




MIPI COMMON-MODE CHOKES



PLACEHOLDER FOOTPRINTS

DIGITAL I/O



D

D

C

C


B

B

A

DUAL LED STROBE DRIVER

APN:353S3899



CALTRA AUDIO CODEC (ANALOG INPUTS & OUTPUTS)

D

D


C

C


B

B

A



CALTRA AUDIO CODEC (POWER & I/O)




D

D

SPEAKER AMPLIFIER

APN: 338S1285




DISPLAY & TOUCH - POWER SUPPLIES

D

D


CHESTNUT DISPLAY PMU

APN:338S1172




LED BACKLIGHT DRIVER

APN:353S00640



MOJAVE MESA BOOST


APN:353S4207 (A1)




MESA POWER AND IO FILTERS

D

MESA POWER




MESA DIGITAL I/O




DISPLAY FLEX


DISPLAY POWER




DISPLAY CONTROL SIGNALS



BACKLIGHT





DISPLAY MIPI




DISPLAY CONNECTOR

THIS ONE ON MLB ---> 516S1051 (RCPT)
516S1050 (PLUG)


CRITICAL
ROOM=LCM_B2B
J4200
BM15AP-0.8-22DP-0.35V
M-ST-SM



OWL TO TOUCH INTERFACE



PROX TO TOUCH INTERFACE




D403 (B2B, DRIVER ICS)

D


D

CUMULUS C1




C

C



A

A



D

D

C

C


B

B

A

TRISTAR 2 (A3)


APN:343S0695

ROOM=TRISTAR
P3MM-NSM
1 PP4500


30 17 TRISTAR_TO_TIGRIS_VBUS_OFF

DOCK FLEX CONNECTOR

AUDIO JACK




ANTENNA




DOCK FLEX CONNECTOR


THIS ONE ON MLB ---> 516S00116 (RCPT)
516S00117 (PLUG)



TRISTAR




SPEAKER




BUTTON FLEX


D

MIC
ANC REF MIC



C





B



STROBE:
WARM LED
COOL LED
MODULE NTC



BUTTONS:
HOLD
RINGER
VOL UP/DOWN



BASEBAND, WLAN, BT & STOCKHOLM

D

D


C

C

B

B

A



1. ALL RESISTANCE VALUES ARE IN OHMS, 0.1 WATT +/- 5%.
 2. ALL CAPACITANCE VALUES ARE IN MICROFARADS.
 3. ALL CRYSTALS & OSCILLATOR VALUES ARE IN HERTZ.

REV	ECN	DESCRIPTION OF REVISION	CK APPD DATE
4	0004752417	ENGINEERING RELEASED	2015-08-24

N69 RADIO MLB SUBDESIGN - EVT

8/19/2015-

LAST_MODIFICATION=Wed Aug 19 10:34:24 2015

PAGE	<CSA>	CONTENTS	SYNC	DATE
34	1	page1		
35	3	CELL:ALIASES		
36	4	AP INTERFACE & DEBUG CONNECTORS		
37	5	BASEBAND PMU (1 OF 2)		
38	6	BASEBAND PMU (2 OF 2)		
39	7	BASEBAND (1 OF 2)		
40	8	BASEBAND (1 OF 2)		
41	9	MOBILE DATA MODEM (2 OF 2)		
42	10	RF TRANSCEIVER (1 OF 3)		
43	11	RF TRANSCEIVER (2 OF 3)		
44	12	RF TRANSCEIVER (3 OF 3)		
45	13	QFE DCDC		
46	15	2G PA		
47	20	VERY LOW BAND PAD		
48	21	LOW BAND PAD		
49	22	MID BAND PAD		
50	23	HIGH BAND PAD		
51	24	ANTENNA SWITCH		
52	30	HIGH BAND SWITCH		
53	31	RX DIVERSITY		
54	32	RX DIVERSITY (2)		
55	33	GPS		
56	35	ANTENNA FEEDS		
57	36	WIFI/BT: MODULE AND FRONT END		
58	37	STOCKHOLM		
59	40	OMIT_TABLE_RF		
60	41	Radio Subdesign Ports		
	42			
	43			
	45			

BLANK PAGE

D

D

C

C

B

B

A

AP INTERFACE & DEBUG CONNECTORS

NOT UNDER SIM

UNDER THE SIM

D

C

B



A

D


C

B

OPTIONAL




SIM CARD CONNECTOR



CONFIDENTIAL AND PROPRIETARY APPLE SYSTEM DESIGN. FOR REFERENCE PURPOSE ONLY - NOT A CHANGE REQUEST

36 OF 60




PART NUMBER	ALTERNATE FOR PART NUMBER	BOM OPTION	REF DES	COMMENTS
377S0163	371S0044	ALTERNATE	VR3101	ESD ALTERNATIVE

36 OF 60

BASEBAND PMU (1 OF 2)

CONFIDENTIAL AND PROPRIETARY APPLE SYSTEM DESIGN. FOR REFERENCE PURPOSES ONLY - NOT A CHANGE REQUEST



BASEBAND PMU

(2 OF 2)

CONFIDENTIAL AND PROPRIETARY APPLE SYSTEM DESIGN. FOR REFERENCE PURPOSES ONLY - NOT A CHANGE REQUEST.

C401
R411
L400
U404

BOARD ID	REVISION
0.00V	N69/69H PRE-PROTO
0.50V	SPARE
0.70V	N69/69H PROTO1
0.90V	N69/69H PROTO2
1.10V	N69/69H EVT1
1.30V	N69/69H EVT2
1.40V	SPARE
1.50V	N69/69H DVT
1.60V	SPARE
1.70V	N69/69H PVT

SKU ID	REVISION
0.5V	N69
1.1V	N69H

PART NUMBER	ALTERNATE FOR PART NUMBER	BOM OPTION	REF DES	COMMENTS:
19780565	19780593	ALTERNATE	Y3301_RF	XTAL 19MHz
19780598	19780593	ALTERNATE	Y3301_RF	XTAL 19MHz

D

D

C





C

B

B

A


A



BASEBAND (1 OF 3)

CONFIDENTIAL AND PROPRIETARY APPLE SYSTEM DESIGN. FOR REFERENCE PURPOSES ONLY - NOT A CHANGE REQUEST

C538
R500
L500
U502




BASEBAND (2 OF 3)

CONFIDENTIAL AND PROPRIETARY APPLE SYSTEM DESIGN. FOR REFERENCE PURPOSES ONLY - NOT A CHANGE REQUEST

C600
R606
L600
U602

D



D



BASEBAND (3 OF 3)

CONFIDENTIAL AND PROPRIETARY APPLE SYSTEM DESIGN. FOR REFERENCE PURPOSES ONLY - NOT A CHANGE REQUEST.

C704
R700
L700
U702






WTR TRANSCEIVER (1 OF 2)

CONFIDENTIAL AND PROPRIETARY APPLE SYSTEM DESIGN. FOR REFERENCE PURPOSES ONLY - NOT A CHANGE REQUEST.

C802
R802
L800
U803

D






RF CLK IS SHARED BETWEEN WTR AND WFR. LENGTH DIFFERENCE BETWEEN THE TWO SHOULD BE < 5MM.

WTR TRANSCEIVER (2 OF 2)

CONFIDENTIAL AND PROPRIETARY APPLE SYSTEM DESIGN. FOR REFERENCE PURPOSES ONLY - NOT A CHANGE REQUEST

C934
R926
L3802 RF
U902






WFR TRANSCEIVER

CONFIDENTIAL AND PROPRIETARY APPLE SYSTEM DESIGN. FOR REFERENCE PURPOSES ONLY - NOT A CHANGE REQUEST.

C1019
R1016
L1000
U1002

D




QFE DCD CONFIDENTIAL AND PROPRIETARY

~~CONFIDENTIAL AND PROPRIETARY~~ APPLE SYSTEM DESIGN. FOR REFERENCE PURPOSES ONLY - NOT A CHANGE REQUEST

C1110
R1102
L1104
U1101


D

D




C

C



B

B




A

2G PA

CONFIDENTIAL AND PROPRIETARY APPLE SYSTEM DESIGN. FOR REFERENCE PURPOSES ONLY - NOT A CHANGE REQUEST.

C1208
R1200
L1204
U1201



VERY LOW BAND PAD (B13, B17, B28)

CONFIDENTIAL AND PROPRIETARY APPLE SYSTEM DESIGN. FOR REFERENCE PURPOSES ONLY - NOT A CHANGE REQUEST.

C1332
R1300
L4215 RF
U1304

D

D


C

C

B

B

A



LOW BAND PAD (B8, B26, B20)

CONFIDENTIAL AND PROPRIETARY APPLE SYSTEM DESIGN. FOR REFERENCE PURPOSES ONLY - NOT A CHANGE REQUEST.

C4318 RF
R1400
L4322 RF
U1402

D

D

C


C

B

B

A


A



MID BAND PAD (B1, B25, B3, B4, B34, B39)

CONFIDENTIAL AND PROPRIETARY APPLE SYSTEM DESIGN. FOR REFERENCE PURPOSES ONLY - NOT A CHANGE REQUEST.


C4426 RF
R1500
L4409 RF
U1501



HIGH BAND PAD (B7, B38, B40, B41, XGP)

CONFIDENTIAL AND PROPRIETARY APPLE SYSTEM DESIGN. FOR REFERENCE PURPOSES ONLY - NOT A CHANGE REQUEST.

C4533	RF
R1600	
L1616	
U1601	



ANTENNA SWITCH

CONFIDENTIAL AND PROPRIETARY APPLE SYSTEM DESIGN. FOR REFERENCE PURPOSES ONLY - NOT A CHANGE REQUEST.

C1702
R1700
L4608 RF
U1702

D

D


C

C

B

B

A



HIGH BAND SWITCH

CONFIDENTIAL AND PROPRIETARY APPLE SYSTEM DESIGN. FOR REFERENCE PURPOSES ONLY - NOT A CHANGE REQUEST.

D

D


C

C

B

B




A



RX DIVERSITY (1)

CONFIDENTIAL AND PROPRIETARY APPLE SYSTEM DESIGN. FOR REFERENCE PURPOSES ONLY - NOT A CHANGE REQUEST.

C4826 RF
R1800
L1829
U1801



RX DIVERSITY (2)

CONFIDENTIAL AND PROPRIETARY APPLE SYSTEM DESIGN. FOR REFERENCE PURPOSES ONLY - NOT A CHANGE REQUEST.

C1900
R1900
L1900
U1901

D

D



C

C

B

B

A



GPS

CONFIDENTIAL AND PROPRIETARY APPLE SYSTEM DESIGN. FOR REFERENCE PURPOSES ONLY - NOT A CHANGE REQUEST.

C1900
R1900
L1900
U1901

D

D


C

C

B

B


A




ANTENNA FEEDS

CONFIDENTIAL AND PROPRIETARY APPLE SYSTEM DESIGN. FOR REFERENCE PURPOSES ONLY - NOT A CHANGE REQUEST.

ANT & COAX CONNECTOR FOR LOWER & UPPER SECTION OF MLB



WLAN/BT




MODULE BOOT STRAPPED TO PCIE INTERNAL/SDIO2/SDIO1=110

CONFIDENTIAL AND PROPRIETARY APPLE SYSTEM DESIGN. FOR REFERENCE PURPOSE ONLY - NOT A CHANGE REQUEST

C2101
R2100
L2102
U2100

STOCKHOLM

CONFIDENTIAL AND PROPRIETARY APPLE SYSTEM DESIGN. FOR REFERENCE PURPOSES ONLY - NOT A CHANGE REQUEST.



N69 SKU BOM OPTION TABLE

N69H TDD

N69

PART#	QTY	DESCRIPTION	REFERENCE DESIGNATOR(S)	CRITICAL	BOM OPTION
353S4180	1	RADIO HIGH BAND PAD	U_HBPPAD_RF	CRITICAL	N69H
131S0417	1	18PF 01005 16V	C4501_RF	CRITICAL	N69H
131S0375	1	1.0PF 01005 16V	C4503_RF	CRITICAL	N69H
131S0635	1	68PF 01005 16V	C4507_RF	CRITICAL	N69H
138S0706	1	1UF 0201 10V	C4505_RF	CRITICAL	N69H
152S1907	1	3.3NH 01005 +/-0.1NH	L4512_RF	CRITICAL	N69H
131S0247	1	1.8PF 01005 16V	C4522_RF	CRITICAL	N69H
353S00374	1	TDK MODULE M472A NO B12/B13/B17	U_DSM_RF	CRITICAL	N69H
152S1998	1	IND 0.8NH 630MA 01005	I4421_RF	CRITICAL	N69H
353S00390	1	SKY77827	U_VLPPAD_RF	CRITICAL	N69H
131S0387	1	2.2PF 0.1PF 01005 COG	C4211_RF	CRITICAL	N69H
152S1567	1	3.3NH 01005	L4813_RF	CRITICAL	N69H
131S0376	1	1.1PF 01005	C4809_RF	CRITICAL	N69H
152S1977	1	10NH 01005 170MA	L4217_RF	CRITICAL	N69H
131S0390	1	2.5PF 0.1PF 01005 COG	C4213_RF	CRITICAL	N69H
152S1853	1	7.5NH 3% 01005 200MA	L4216_RF	CRITICAL	N69H
118S0726	1	162K 1% 01005	R3312_RF	CRITICAL	N69H
353S3876	1	SWITCH SPDT 1.1X1.1	U_SWUANT_RF	CRITICAL	N69H
152S2045	1	3.0NH 0201	L5120_RF	CRITICAL	N69H
152S1851	1	5.6NH 01005	L5121_RF	CRITICAL	N69H
118S0652	1	01005 49.9R	C4231_RF	CRITICAL	N69H

131S0307	1	100PF 01005	C4827_RF	CRITICAL	N69H
152S1720	1	1.8NH 01005	L4814_RF	CRITICAL	N69H
152S1544	1	0.4NH 01005	L4830_RF	CRITICAL	N69H
152S1564	1	2.4NH 01005	L4816_RF	CRITICAL	N69H
131S0307	1	100PF 01005	C4816_RF	CRITICAL	N69H
117S0161	1	0R 01005	R4815_RF	CRITICAL	N69H
152S1900	1	1.3NH 01005	L4817_RF	CRITICAL	N69H
152S1996	1	15NH 01005	L4901_RF	CRITICAL	N69H
152S1571	1	5.6NH 01005	L4902_RF	CRITICAL	N69H
152S1571	1	5.6NH 01005	L4903_RF	CRITICAL	N69H
152S1623	1	5.1NH 01005	L4904_RF	CRITICAL	N69H
155S0908	1	SAW DRX B40B41A	FD40B41A_RF	CRITICAL	N69H
117S0161	1	0R 01005	R4509_RF	CRITICAL	N69H
152S1907	1	3.3NH 01005 290MA	L4602_RF	CRITICAL	N69H
155S0981	1	FLTR SAW DUAL FILTER B34B39	FRX34B39_RF	CRITICAL	N69H
152S1988	1	2.4NH 01005 370MA	L4601_RF	CRITICAL	N69H
155S0906	1	SAW FILTER B40A B41A	FT40A41A_RF	CRITICAL	N69H
152S1983	1	1.5NH 01005 +/-0.1NH	L4517_RF	CRITICAL	N69H
152S2061	1	7.5NH 01005 3%	L4507_RF	CRITICAL	N69H
117S0161	1	0R 01005	R4531_RF	CRITICAL	N69H
152S2040	1	4.3NH 01005 3%	L4506_RF	CRITICAL	N69H
131S00042	1	0.3PF +/-0.05PF 01005 16V	C4528_RF	CRITICAL	N69H
131S0307	1	100PF 01005 16V	C4533_RF	CRITICAL	N69H
131S0244	1	1PF 01005 16V	C4502_RF	CRITICAL	N69H
138S0706	1	1UF 0201 10V	C4506_RF	CRITICAL	N69H
131S0644	1	68PF 01005 25V	C4532_RF	CRITICAL	N69H
131S00042	1	0.3PF 01005 16V	C4520_RF	CRITICAL	N69H
152S2002	1	2.7NH 0201 +/-0.1NH	L4522_RF	CRITICAL	N69H
152S1982	1	1.3NH 01005 +/-0.1NH	L4520_RF	CRITICAL	N69H
155S0982	1	FILTER B40	FT_B40_RF	CRITICAL	N69H
152S1986	1	2.2NH 01005 +/-0.1NH	L4526_RF	CRITICAL	N69H
152S1853	1	9.1NH 01005 3%	L4523_RF	CRITICAL	N69H
152S2002	1	2.7NH 0201 +/-0.1NH	L4515_RF	CRITICAL	N69H
152S1408	1	7.5NH 01005 5%	L4528_RF	CRITICAL	N69H
152S00035	1	3.1NH 01005 +/-0.1NH	L4516_RF	CRITICAL	N69H
131S0395	1	3.0PF 01005 +/-0.1PF	C4521_RF	CRITICAL	N69H
152S1853	1	9.1NH 01005 3%	L4527_RF	CRITICAL	N69H
155S0900	1	FILTER SAW BAND 41B 41C	FT_41BC_RF	CRITICAL	N69H
152S1965	1	1.8NH 01005 380MA	L4524_RF	CRITICAL	N69H
152S2024	1	1.4NH 0201 1.1A	L4525_RF	CRITICAL	N69H
353S4167	1	SWITCH IC LGA16	U_HBS_RF	CRITICAL	N69H
155S0903	1	FILTER SAW BAND 41B 38X	FR38X40B_RF	CRITICAL	N69H
155S0881	1	FILTER LOW PASS B39	FL_B39LP_RF	CRITICAL	N69H
131S0214	1	18PF 01005	C4703_RF	CRITICAL	N69H
152S1917	1	2.0NH 01005 380MA	L4705_RF	CRITICAL	N69H
117S0161	1	0.0MH 01005	R4700_RF	CRITICAL	N69H
131S0307	1	100PF 01005	C4720_RF	CRITICAL	N69H
155S0902	1	FILTER SAW BAND 40A B41A	FR40A41A_RF	CRITICAL	N69H
152S1619	1	2.2NH 01005 200MA	L4709_RF	CRITICAL	N69H
131S0214	1	18PF 01005	C4701_RF	CRITICAL	N69H
152S00036	1	3.7NH 01005 270MA	L4704_RF	CRITICAL	N69H
152S1989	1	2.7NH 01005 370MA	L4713_RF	CRITICAL	N69H
152S1989	1	2.7NH 01005 370MA	L4712_RF	CRITICAL	N69H
152S00034	1	2.9NH 01005 360MA	L4708_RF	CRITICAL	N69H
152S1576	1	12NH 01005 140MA	L4710_RF	CRITICAL	N69H
131S0216	1	47PF 01005	C4710_RF	CRITICAL	N69H
152S1946	1	1.4NH 01005 220MA	L4706_RF	CRITICAL	N69H

PART#	QTY	DESCRIPTION	REFERENCE DESIGNATOR(S)	CRITICAL	BOM OPTION
353S00373	1	DSM M471A NO B7	U_DSM_RF	CRITICAL	N69
353S00331	1	SKY77826	U_VLPPAD_RF	CRITICAL	N69
118S0729	1	39K 1% 01005	R3312_RF	CRITICAL	N69
118S0724	1	0R 0201	R5137_RF	CRITICAL	N69
152S1993	1	5.1NH 0.1NH 01005 250MA	L4223_RF	CRITICAL	N69
131S0599	1	01005 1.5PF	C4231_RF	CRITICAL	N69
118S0652	1	01005 49.9R	C4211_RF	CRITICAL	N69
118S0652	1	01005 49.9R	C4213_RF	CRITICAL	N69
118S0652	1	01005 49.9R	C4500_RF	CRITICAL	N69
117S0161	1	0R 01005	R4509_RF	CRITICAL	N69

RADIO SYMBOL HIERARCHY

CONFIDENTIAL AND PROPRIETARY APPLE SYSTEM DESIGN. FOR REFERENCE PURPOSES ONLY - NOT A CHANGE REQUEST.

