Diva workshop 2015 Installation and tests

Alexander Barth, Aida Alvera-Azcárate, Mohamed Ouberdous, ctroupin Troupin, Sylvain Watelet & Jean-Marie Beckers

Acknowledgements: SeaDataNet, EMODnet Chemistry, EMODnet Biology, STARESO













Download and extract the code

Create directory and download Diva archive

```
[swatelet@gher ~]$ mkdir DIVA
[swatelet@gher ~]$ cd DIVA/
[swatelet@gher DIVA]$ wget http://modb.oce.ulg.ac.be/
    mediawiki/upload/DIVA/releases/diva-4.6.11.tgz
```

Extract the archive and go in the main directory:

```
[swatelet@gher DIVA] $ tar -xzf diva-4.6.11.tgz [swatelet@gher DIVA] $ cd diva-4.6.11/
```

If you already have a running older version, retrieve your

divacompile_options and put it in place of the default in DIVA3D/src/Fortran/



Compilation

Go to source directory

```
swatelet@gher ~/DIVA/diva-4.6.11 $ cd DIVA3D/src/Fortran
/
```

Run divacompilall

```
swatelet@gher ~/DIVA/diva-4.6.11/DIVA3D/src/Fortran \$ ./ \\ divacompileall
```

You should get:

```
You have compiled 112 programs out of 112
Writing log file...
--> written in compilation.log
...
```

Otherwise: edit divacompile_options



Alternative installation: virtual box

- Image DIVA_Clone.tgz on USB stick (Sylvain)
- Installation description http://modb.oce.ulg.ac.be/mediawiki/upload/DIVA/notes/virtualbox.pdf
- Installation of virtualbox (4.3.12 or later)
- Extract virtual machine DIVA_Clone/vdi (time consuming unzip)
- 3 Configuration of VirtualBox (New, Name: DIVA, Type: Linux Ubuntu 32, select 2500 Mb RAM, search existing hard drive to locate DIVA_CLONE.vdi and create virtual machine)
- 4 Ready to run tests as divauser with pw divauser in a terminal of the DIVA virtual machine



Mandatory softwares

- 1 bc
- 2 dos2unix

for ubuntu-like OS:

```
swatelet@gher ~/DIVA/diva-4.6.11 $ sudo apt-
get install bc
```

```
swatelet@gher ~/DIVA/diva-4.6.11 $ sudo apt-
get install dos2unix
```

for cygwin:

```
swatelet@gher ~ $ lynx -source rawgit.com/
    transcode-open/apt-cyg/master/apt-cyg > apt
    -cyg
swatelet@gher ~ $ chmod +x apt-cyg
```

swatelet@gher ~ \$ mv apt-cyg /usr/local/bin/

swatelet@gher ~ \$ apt-cyg install bc

swatelet@gher ~ \$ apt-cyg install dos2unix

Configuration of the PATH

In order to run diva correctly, you need to adapth your PATH variable.

```
swatelet@gher ~ $ ge .bashrc
```

then add these lines:

```
# personal PATH
PATH="$PATH:."
PATH="$PATH:/home/sylvain/DIVA/diva-4.6.11/DIVA3D/divastripped"
```



Tests: 2D

Go to directory divastripped (main directory for 2D runs)

Run divatest0 🖢


```
swatelet@gher ~/DIVA/diva-4.6.11/DIVA3D/divastripped $
   ./divatest0
```

You should get:

Check the results in ./ouput/qhertonetcdf/results.nc (netcdf)

Field value at origin = 0.49961258873206416

With neview:





Tests: 2D

Run divatest

(test for pipes) 🛎

swatelet@gher ~/DIVA/diva-4.6.11/DIVA3D/divastripped \$
 ./divatest

If you get:

Pipe does not work

then follow instructions on screen





Tests: 2D

Run divabigtest


(test for large data files)

```
swatelet@gher ~/DIVA/diva-4.6.11/DIVA3D/divastripped $
   ./divabigtest 100000
```

You should get:

...
Check the results in
./ouput/ghertonetcdf/results.nc (netcdf)
Time for mesh creation: 0.830351 s
Time for calculation: 87.1226 s
Total time for analysis: 87.953 s

otherwise: decrease number of data





Tests: 4D

Go to directory Climatology (main directory for 4D runs)

```
swatelet@gher ~/DIVA/diva-4.6.11/DIVA3D/divastripped $
   cd ../../JRA4/Climatology/
```

Copy the input files from the Example4D


```
swatelet@gher \sim/DIVA/diva-4.6.11/JRA4/Climatology $ cp - r ../../Example4D/* .
```

Run divadoall **

```
swatelet@gher ~/DIVA/diva-4.6.11/JRA4/Climatology $ ./
    divadoall > runtest.log
```

You should get:

```
...
check-list of errors:
no error, you are lucky
divadoall: ------
divadoall: Finished Salinity
divadoall: ------
```



Alternative installation in a virtual box

Some optimisations can be used as explained in

```
http://www.howtogeek.com/124796/
the-htg-guide-to-speeding-up-your-virtual-machines,
```

- You might need to activate hardware virtualisation in your BIOS and then get access to multiprocessors
- 3D video acceleration activation can also increase performance

Then you need to find a way to share files with your host machine: done for you already via a shared folder called

Divaexchange_guest which is mounted automatically. Before launching th virtual machine, create a shared folder in your host machine, called Divaexchange_host in your home directory.

