
NATIONAL HURRICANE CENTER TROPICAL CYCLONE REPORT[1]

HURRICANE NARDA

(EP142025)

21–28 September 2025

Larry A. Kelly
National Hurricane Center
22 October 2025



GOES-WEST INFRARED SATELLITE IMAGE OF HURRICANE NARDA AROUND THE TIME OF ITS PEAK INTENSITY AT 0600 UTC 24 SEPTEMBER 2025. IMAGE COURTESY OF NOAA/NESDIS/STAR.

Narda was a category 2 hurricane (on the Saffir-Simpson Hurricane Wind Scale) that remained over the open waters of the eastern North Pacific Ocean.

[1] This is an abbreviated Tropical Cyclone Report since there were no coastal watches or warnings issued and no direct fatalities reported in association with Narda.

Hurricane Narda

21–28 SEPTEMBER 2025

BEST TRACK

The "best track[2]" positions and intensities for Hurricane Narda are listed in Table 1. The best track chart of Narda's path is given in Fig. 1, with the wind and pressure histories along with available observations[3] shown in Figs. 2 and 3, respectively.

There were no ship reports of tropical-storm-force winds associated with Narda.

Origin

Narda formed around 1800 UTC 21 September about 210 n mi south-southeast of Zihuantanejo, Mexico. Narda appears to have formed from the combination of a tropical wave that crossed Central America on 17 and 18 September and a disturbance in the monsoon trough.

Peak Intensity and Minimum Pressure

Narda's peak intensity of 90 kt at 0600 and 1200 UTC 24 September is based mainly on subjective satellite intensity estimates from TAFB, SAB, and a blend of UW-CIMSS D-PRINT and D-MINT objective intensity estimates. The minimum central pressure of 970 mb is primarily based on the Knaff-Zehr-Courtney pressure-wind relationship.

CASUALTY AND DAMAGE STATISTICS

There were no reports of damage or casualties associated with Narda.

---

[2] A digital record of the complete best track, including wind radii, can be found on line at ftp://ftp.nhc.noaa.gov/atcf. Data for the current year's storms are located in the *btk* directory, while previous years' data are located in the *archive* directory.

[3] Observations include subjective satellite-based Dvorak technique intensity estimates from the Tropical Analysis and Forecast Branch (TAFB) and the Satellite Analysis Branch (SAB), objective Advanced Dvorak Technique (ADT) estimates and Satellite Consensus (SATCON) estimates from the Cooperative Institute for Meteorological Satellite Studies/University of Wisconsin-Madison. Data and imagery from NOAA polar-orbiting satellites including the Advanced Microwave Sounding Unit (AMSU), the NASA Global Precipitation Mission (GPM), the European Space Agency's Advanced Scatterometer (ASCAT), the Defense Meteorological Satellite Program (DMSP) satellites, and the Time-Resolved Observations of Precipitation structure and storm Intensity with a Constellation of Smallsats (TROPICS) satellites, among others, were also useful in constructing the best track of Narda.

FORECAST AND WARNING VERIFICATION

Table 2 provides the number of hours in advance of formation with the first NHC Tropical Weather Outlook (TWO) forecast in each likelihood category. Figure 4 shows composites of 7-day TWO genesis areas for each category prior to the formation of Narda. The disturbance that became Narda was introduced into the Outlook less than 3 days prior to formation, as the system formed earlier than anticipated. The location of genesis occurred within all TWO genesis areas.

A verification of NHC official track forecasts for Narda is given in Table 3a. Official track forecast errors were lower than the mean official errors for the previous 5-yr period, for most time ranges, except the 36-h and 48-h verifying forecasts, which were near the long-term mean. A homogeneous comparison of the official track errors with selected guidance models is given in Table 3b. Overall, the simple consensus (TVCE) and HFIP corrected consensus (HCCA) aids performed the best, with slightly lower errors than the NHC track forecast at most times.

A verification of NHC official intensity forecasts for Narda is given in Table 4a. Official intensity forecast errors were lower than the mean official errors for the previous 5-yr period for all time ranges, except at 72 hours. A homogeneous comparison of the official intensity errors with selected guidance models is given in Table 4b. Most of the intensity guidance was comparable to the NHC forecast in the short term, but it outperformed the NHC intensity forecast in the 60- to 96-h time frame. After Narda reached peak intensity and weakened slightly, the official forecast called for re-intensification that did not occur. This resulted in a high bias in the NHC intensity forecasts during that period.

There were no coastal watches or warnings issued for Narda.

ACKNOWLEDGEMENTS

Dr. Philippe Papin (NHC) created the Graphical TWO verification figure.

Table 1. Best track for Hurricane Narda, 21–28 September 2025.

Date/Time (UTC)	Latitude (°N)	Longitude (°W)	Pressure (mb)	Wind Speed (kt)	Stage
21 / 1800	14.4	99.4	1007	35	tropical storm
22 / 0000	15.1	100.1	1006	35	"
22 / 0600	15.4	101.2	1003	40	"
22 / 1200	15.7	102.3	1000	45	"
22 / 1800	15.9	103.4	997	50	"
23 / 0000	16.1	104.5	993	55	"
23 / 0600	15.8	105.6	986	65	hurricane
23 / 1200	15.5	106.7	982	75	"
23 / 1800	15.4	107.8	977	80	"
24 / 0000	15.3	108.8	972	85	"
24 / 0600	15.2	109.9	970	90	"
24 / 1200	15.1	110.9	970	90	"
24 / 1800	15.2	111.9	975	85	"
25 / 0000	15.3	112.9	978	80	"
25 / 0600	15.6	114.3	980	80	"
25 / 1200	15.9	115.8	980	80	"
25 / 1800	16.1	117.3	980	80	"
26 / 0000	16.3	118.7	982	75	"
26 / 0600	16.5	120.0	982	75	"
26 / 1200	16.7	121.3	982	75	"
26 / 1800	16.9	122.2	983	75	"
27 / 0000	17.2	123.1	983	75	"

Date/Time (UTC)	Latitude (°N)	Longitude (°W)	Pressure (mb)	Wind Speed (kt)	Stage
27 / 0600	17.5	124.0	983	75	"
27 / 1200	17.8	124.7	983	75	"
27 / 1800	18.2	125.2	986	70	"
28 / 0000	18.5	125.5	992	60	tropical storm
28 / 0600	18.9	125.6	998	50	"
28 / 1200	19.4	125.6	1001	45	"
28 / 1800	20.1	125.5	1006	35	low
29 / 0000	20.7	125.2	1009	30	"
29 / 0600	21.0	125.0	1009	30	"
29 / 1200	21.3	124.9	1010	25	"
29 / 1800	21.5	124.7	1011	20	"
30 / 0000	21.4	124.4	1011	20	"
30 / 0600	21.3	124.6	1012	20	"
30 / 1200	21.6	124.6	1012	20	"
30 / 1800	21.7	124.8	1012	20	"
01 / 0000	21.7	125.0	1012	20	"
01 / 0600	-	-	-	-	dissipated
24 / 0600	15.2	109.9	970	90	maximum winds and minimum pressure

Table 2. Number of hours in advance of formation of Narda associated with the first NHC Tropical Weather Outlook forecast in the indicated likelihood category. Note that the timings for the “Low” category do not include forecasts of a 0% chance of genesis.

	Hours Before Genesis	
	48-Hour Outlook	**168-Hour Outlook**
Low (<40%)	66	66
Medium (40%-60%)	42	60
High (>60%)	24	48

Table 3a. NHC official (OFCL) and climatology-persistence skill baseline (OCD5) track forecast errors (n mi) for Hurricane Narda, 21–28 September 2025. Mean errors for the previous 5-yr period are shown for comparison. Official errors that are smaller than the 5-yr means are shown in boldface type.

	Forecast Period (h)							
	12	24	36	48	60	72	96	120
OFCL	**18.9**	**32.9**	47.3	55.8	**57.9**	**50.3**	**66.9**	**62.7**
OCD5	35.8	77.6	124.6	167.6	207.4	247.2	360.8	509.2
Forecasts	26	24	22	20	18	16	12	8
OFCL (2020-24)	22.4	33.6	43.5	53.2	65.1	79.4	108.6	135.2
OCD5 (2020-24)	38.2	75.3	117.2	161.0	206.0	252.0	340.7	422.7

Table 3b. Homogeneous comparison of selected track forecast guidance models (in n mi) for Hurricane Narda, 21–28 September 2025. Errors smaller than the NHC official forecast are shown in boldface type. The number of official forecasts shown here will generally be smaller than that shown in Table 3a due to the homogeneity requirement.

Model ID	Forecast Period (h)							
	12	24	36	48	60	72	96	120
OFCL	17.8	31.5	47.8	58.9	59.8	48.9	68.4	65.7
OCD5	33.5	73.5	123.6	172.7	218.3	264.8	333.7	466.0
GFSI	**16.8**	**25.1**	**42.6**	62.6	82.3	108.8	185.4	226.9
HWFI	18.0	32.6	51.8	67.8	80.2	88.3	109.1	175.2
HMNI	**15.5**	**25.5**	**43.2**	60.2	**57.0**	**39.9**	**54.3**	115.3
HFAI	20.0	35.6	53.5	69.5	87.3	88.7	128.5	179.0
HFBI	19.0	39.1	60.2	79.0	96.1	108.3	182.0	294.4
EMXI	25.5	44.3	62.9	73.0	66.0	57.7	95.0	151.8
NVGI	27.9	52.2	79.2	113.3	163.7	205.4	296.1	319.4
CMCI	18.1	32.4	54.9	84.0	129.2	165.6	233.5	275.8
TVCE	**14.8**	**26.4**	**39.8**	**51.6**	**55.0**	**48.0**	76.8	116.8
TVCX	**15.6**	**27.4**	**41.1**	**51.8**	**55.6**	**48.3**	77.6	120.4
GFEX	18.8	**30.9**	**45.5**	60.0	64.7	73.5	135.3	185.6
TVDG	**15.2**	**26.8**	**41.9**	**50.4**	**52.6**	**41.0**	68.5	112.1
HCCA	**16.5**	**28.5**	**45.8**	**57.5**	**58.1**	**48.1**	94.5	153.7
FSSE	**17.5**	**29.4**	**42.7**	**53.9**	62.3	68.7	98.8	150.3
AEMI	18.4	**28.8**	**42.9**	**57.5**	70.7	87.0	142.4	158.2
TABS	54.7	133.6	198.2	224.3	216.7	187.0	137.6	184.6
TABM	28.9	48.6	70.9	86.6	100.0	121.7	200.2	285.8
TABD	32.8	58.6	82.5	109.5	128.3	151.4	242.9	307.8
GDMI	17.9	34.0	53.1	66.4	71.0	70.4	85.2	146.6
Forecasts	20	18	16	14	12	11	11	7

Table 4a. NHC official (OFCL) and climatology-persistence skill baseline (OCD5) intensity forecast errors (kt) for Hurricane Narda, 21–28 September 2025. Mean errors for the previous 5-yr period are shown for comparison. Official errors that are smaller than the 5-yr means are shown in boldface type.

	Forecast Period (h)							
	12	24	36	48	60	72	96	120
OFCL	**4.6**	**5.4**	**6.1**	**9.0**	**12.5**	15.6	**15.8**	**10.0**
OCD5	5.8	8.4	11.0	12.1	12.5	11.3	17.1	20.6
Forecasts	26	24	22	20	18	16	12	8
OFCL (2020-24)	5.7	8.9	10.8	12.9	14.4	15.5	17.0	18.6
OCD5 (2020-24)	7.4	12.4	16.2	19.2	21.0	21.3	21.5	21.6

Table 4b. Homogeneous comparison of selected intensity forecast guidance models (in kt) for Hurricane Narda, 21–28 September 2025. Errors smaller than the NHC official forecast are shown in boldface type. The number of official forecasts shown here will generally be smaller than that shown in Table 4a due to the homogeneity requirement.

Model ID	Forecast Period (h)							
	12	24	36	48	60	72	96	120
OFCL	4.8	5.3	6.2	9.3	12.9	17.3	16.8	10.0
OCD5	6.6	10.3	13.3	13.6	**12.8**	**9.3**	**15.0**	17.7
HWFI	7.3	8.8	10.8	11.4	**10.5**	**10.2**	**13.0**	14.1
HMNI	4.8	7.9	8.9	**9.1**	**10.1**	**14.4**	**9.6**	13.1
HFAI	8.5	12.1	13.7	13.5	**11.8**	**10.0**	**11.3**	**9.6**
HFBI	8.6	13.8	16.1	15.1	**10.6**	**7.9**	**11.5**	10.1
DSHP	**4.7**	7.2	8.2	10.3	13.2	**14.0**	**16.3**	11.7
LGEM	4.8	8.6	10.0	9.4	**9.5**	**6.7**	**6.7**	**6.9**
ICON	**4.1**	6.3	7.7	**7.5**	**9.6**	**10.1**	**9.9**	**5.7**
IVCN	5.2	7.3	9.0	**7.9**	**7.1**	**6.3**	**8.9**	**5.7**
IVDR	5.7	8.6	10.0	**9.2**	**7.8**	**6.8**	**8.7**	**6.1**
GFSI	8.7	12.9	15.2	14.4	**12.3**	**11.5**	**15.5**	12.4
EMXI	8.0	12.6	17.9	20.4	21.2	21.3	26.1	34.4
HCCA	**4.1**	**4.3**	6.2	**6.9**	**9.2**	**13.2**	**15.6**	**6.0**
FSSE	**4.6**	6.7	9.1	**9.2**	**8.9**	**11.0**	**13.2**	13.1
GDMI	5.7	9.3	12.4	13.7	**12.5**	**8.7**	**6.8**	12.0
Forecasts	20	18	16	14	12	11	11	7




Figure 1. Best track positions for Hurricane Narda, 21–28 September 2025.




Figure 2. Selected wind observations and best track maximum sustained surface wind speed curve for Hurricane Narda, 21–28 September 2025. Advanced Dvorak Technique estimates represent the Current Intensity at the nominal observation time. SATCON intensity estimates are from the Cooperative Institute for Meteorological Satellite Studies. Dashed vertical lines correspond to 0000 UTC.




Figure 3. Selected pressure observations and best track minimum central pressure curve for Hurricane Narda, 21–28 September 2025. Advanced Dvorak Technique estimates represent the Current Intensity at the nominal observation time. SATCON intensity estimates are from the Cooperative Institute for Meteorological Satellite Studies. KZC P-W refers to pressure estimates derived using the Knaff-Zehr-Courtney pressure-wind relationship. Dashed vertical lines correspond to 0000 UTC.




Figure 4. Composites of 7-day tropical cyclone genesis areas depicted in NHC's Tropical Weather Outlooks prior to the formation of Narda for (a) all probabilistic genesis categories, (b) the low (<40%) category, (c) medium (40–60%) category, and (d) high (>60%) category. The location of genesis is indicated by the black star.