



Title: <i>TFT R128</i>				
Part #: GDL-DSTFTR128-B				
Revision: B	Date: 9/19/2025	Sheet 1 of 5	©2025 GHI Electronics, LLC - Michiqan, USA	

1

2

3

4

A

A

B




B

C

C

D

D



Fiducial 40 Mil



Fiducial 40 Mil



Fiducial 40 Mil



Fiducial 40 Mil



Fiducial 40 Mil



Fiducial 40 Mil

Title: <i>Misc</i>		
Part #: N/A		
Revision: B	Date: 9/19/2025	Sheet 2 of 5

©2025 GHI Electronics, LLC - Michigan, USA



Software Features:

ADC: P1, P2, P3, P4, P5, P6, P7, P8, P9, P17

Touch: Can be any pin but hardware need 100pF + 1Mohm

HW PWM: P1, P2, P3, P4, P5, P6, P7, P8, P11

- * P1, P2: TIM1
- * P3: TIM14
- * P4, P11: TIM2
- * P5, 6, 7, 8: TIM3

SW UART: Pins 1 RX, 2 TX

Wakeup Pins: P1, P3



Interrupts on: P1, P2, P3, P4, P5, P6, P7, P12

UART1 is available when not used in Uplink







Title: <i>DUELink Uplink</i>				
Part #: N/A				
Revision: A	Date: 9/19/2025	Sheet 5 of 5	©2025 GHI Electronics, LLC - Michigan, USA	