```
--======== PHÂN TÍCH CƠ SỚ DỬ
LIỆU ========----
ROLE
   + id
   + name
   + description
  USER (1 user - 1 quyền)
   + id
   + email
   + fullname
   + password
   + avatar
   + phone
   + address
   + website
   + facebook
   + role id
 CATEGORY
   + id
   + title
   + icon
   + order index
  COURSE
   + id
   + title
   + image
   + letures_count (số bài giảng)
+ hour_count (số giờ dạy)
   + last_update (ngày cập nhật)
   + view count (sô lượt xem)
   + price
   + discount (%)
   + promotion_price (Giá khuyến mãi)
   + description
   + content
   + category_id
  VIDEO
   + id
   + title
   + time_count
   + url
   + order_index
   + course_id
 TARGET
   + id
   + title
   + order_index
   + course_id
  USER_COURSE
   + user_id
   + course id
   + role id
----- TẠO CƠ SỚ DỮ LIỆU
CREATE SCHEMA `elearning` DEFAULT
CHARACTER SET utf8;
USE elearning;
CREATE TABLE IF NOT EXISTS roles (
   id VARCHAR(100) NOT NULL,
   name VARCHAR(30) NOT NULL,
   description VARCHAR(255),
   CONSTRAINT pk_role PRIMARY KEY(id)
) ;
CREATE TABLE IF NOT EXISTS users
    id VARCHAR(100) NOT NULL,
email VARCHAR(100) NOT NULL,
    fullname VARCHAR(100) NOT NULL,
    password VARCHAR(100) NOT NULL,
    avatar VARCHAR(255),
    phone VARCHAR(20),
    address VARCHAR(255),
    website VARCHAR(255),
    facebook VARCHAR(255),
    role_id VARCHAR (100) NOT NULL,
    CONSTRAINT pk_user PRIMARY
KEY(id),
    CONSTRAINT fk_user_role FOREIGN
KEY
    (role_id)
    REFERENCES roles(id) ON DELETE
CASCADE
);
CREATE TABLE IF NOT EXISTS categories
        id INT(11) NOT NULL
AUTO_INCREMENT,
    title VARCHAR(255) NOT NULL,
    icon VARCHAR(20) NOT NULL,
    order index INT(11) DEFAULT '1',
    CONSTRAINT pk_category PRIMARY
KEY(id)
);
CREATE TABLE IF NOT EXISTS courses (
        id INT(11) NOT NULL
AUTO_INCREMENT,
    title VARCHAR(255) NOT NULL,
    image VARCHAR(255) NOT NULL,
    letures_count INT(11) NOT NULL,
    hour_count INT(11) NOT NULL,
    view_count INT(11) DEFAULT
    price DECIMAL DEFAULT '0'
    discount INT(11) DEFAULT '0'
    promotion_price DECIMAL DEFAULT
    description VARCHAR (255) NOT
NULL,
    content TEXT,
    category_id INT(11) NOT NULL,
    last_update TIMESTAMP DEFAULT
CURRENT TIMESTAMP,
    CONSTRAINT pk_course PRIMARY
KEY(id),
    CONSTRAINT fk_course_category
FOREIGN KEY (category_id)
    REFERENCES categories(id)
DELETE CASCADE
) ;
CREATE TABLE IF NOT EXISTS targets(
        id INT(11) NOT NULL
AUTO INCREMENT,
    title VARCHAR(255) NOT NULL,
    order_index INT(11) DEFAULT
    course id INT(11) NOT NULL,
    CONSTRAINT pk_target PRIMARY
KEY(id),
    CONSTRAINT fk_target_course
FOREIGN KEY (course id)
    REFERENCES courses(id) ON DELETE
CASCADE
);
CREATE TABLE IF NOT EXISTS videos (
    id INT(11) NOT NULL
AUTO INCREMENT,
    title VARCHAR(255) NOT NULL,
    url VARCHAR(255) NOT NULL,
    time count INT(11) NOT NULL,
    order_index INT(11) DEFAULT '1',
    course_id INT(11) NOT NULL,
    CONSTRAINT pk_video PRIMARY
KEY(id),
    CONSTRAINT fk video course FOREIGN
    (course id)
    REFERENCES courses(id) ON DELETE
CASCADE
);
CREATE TABLE IF NOT EXISTS
user courses(
    user id VARCHAR(100) NOT NULL
UNIQUE,
    course_id INT(11) NOT NULL UNIQUE,
    role_id VARCHAR(100) NOT NULL,
    CONSTRAINT pk_account_course
PRIMARY KEY (user_id, course_id),
CONSTRAINT fk_user_course_user FOREIGN KEY (user_id) REFERENCES
users(id) ON DELETE CASCADE,
    CONSTRAINT fk_user_course_
FOREIGN KEY (course id) REFERENCES
courses(id) ON DELETE CASCADE
);
```