




RS232




RGB LCD




OLED&CAMERA




RS485




CAN




ATK MODULE




EEPROM




LED




KEY




JTAG




RTC



TOUCH KEY




BEEP



Title		
Size	Number	Revision
A4		
Date:	4/24/2025	Sheet of
File:	D:\01_rw\AD\2024\1\DEVICE.SchDoc	Drawn By:





10/100/1000M NET

TXC/RXC: delay 2ns
PHY Address:0x04





Title: ATK-DF7010P_7020P.PrjPCB		Cannot open file G:\AD标准库\字 体模板\AD通用 模板\标题栏\正 点\LOGO竖.png
Author: ALIENTEK	Size: A4	
Date: 2025/4/24	File: ETH.SchDoc	
Revision:	Version: V1.6	

HDMI





Title		
Size	Number	Revision
A4		
Date:	4/24/2025	Sheet of
File:	D:\01_rw\AD\2024\1\HDMI.SchDoc	Drawn By:

CORE_IO




EXT_IO

BANK13 (ZYNQ7020 Only)
非差分对引脚放远离VCC位置


Title		
Size	Number	Revision
A4		
Date:	4/24/2025	Sheet of
File:	D:\01_rw\AD\2024\1\IO.SchDoc	Drawn By:

49
74-72=2


DC-DC POWER IN




USB UART&USB POWER




POWER SWITCH



1.8V/3.3V POWER




ON BOARD POWER SOURCE




Title		
Size	Number	Revision
A4		
Date:	4/24/2025	Sheet of
File:	D:\01_rw\AD\2024\1\POWER&UART.Sch	Drawn By:

USB OTG



USB HUB



Title			
USB OTG			
Size	Number	V1.0	Revision
A4			
Date:	4/24/2025	Sheet of	
File:	D:\01_rw\AD\2024\1\USB.SchDoc	Drawn By:	