



PROJECT NAME AND LOCATION :

ALGERIA DAIRY AND ARABLE FARMING PROJECT

ADRAR DESERT REGION LOCATED SOUTHERN ALGERIA

SPECIAL NOTES:

- ALL STRUCTURAL DRAWINGS MUST BE THOROUGHLY REVIEWED AND COORDINATED WITH THE DRAWINGS OF ALL OTHER RELEVANT DISCIPLINES PRIOR TO COMMENCEMENT OF CONSTRUCTION.
- THE FOLLOWING ARE THE ADOPTED CUBIC CHARACTERISTIC STRENGTH OF REINFORCED CONCRETE:
 - 2-1. COLUMN & CORE SHEAR WALL **37MPa**
 - 2-2. FOUNDATION AND RETAINING WALL **37MPa**
 - 2-3. SLAB & BEAMS **37MPa**
- STEEL REINFORCEMENT IS HIGH GRADE STEEL INDICATED BY (T) WITH A MINIMUM YIELD STRESS OF 420 MPa.
- ALL BEAMS OR ALL BEAM PORTIONS HAVE WIDTH GREATER THAN 300 MM SHOULD HAVE 4 BARS EACH SIDE.
- MAX. TOLERANCE PROVIDED FOR NONSTRUCTURAL ELEMENTS NOT LIKELY TO BE SUBJECTED TO LARGE DEFLECTIONS DUE TO LONG TERM DEFLECTION EQUALS TO SPAN/40.
- FOR SLABS: BOTTOM REINFORCEMENT TO BE SPLICED WITH FULL TENSION LAP AT COLUMNS LOCATIONS. INSTEAD, TOP REINFORCEMENT TO BE SPLICED WITH FULL TENSION LAP SPLICE AT MID SPAN.

GENERAL NOTES:

- ALL DIMENSIONS ARE IN MM UNLESS NOTE OTHERWISE.
- ANCHORED BOLT HAS BEEN DESIGNED ASTM F1554 GRADE A308, 1/2" DIA OF GALVANIZED TO BE USED AS A193M TYPE III WITH 2 NUTS.
- BUILT UP AND ROLLED SECTION ARE GRADE S355.
- PRIMARY CONNECTION BOLTS SHALL BE DESIGNED ASTM A325M TYPE-I; FULLY TIGHTENED NOT HOT GALVANIZED.
- RODS -ASTM A36 OR EQUIVALENT.
- R/L BOLTS ARE GRADE 8.8.
- COLD FORMED SECONDARY MEMBERS ASTM A653M GRADE 304 CLASS 1: COATING Z275
- FILLET WELD SHOULD BE MINIMUM 6MM U.L.G.
- ALL FIXING ACCESSORIES FOR LOUVER SHEETING SHALL BE OF GALVANIZED STEEL U.L.G.
- ALL STEEL FINISHES TO BE AS PER PROJECT SPECIFICATIONS.
- ALL STEEL MEMBERS OR FINISHES TO MEET THE CRITERIA FOR A 5-YEAR DESIGN LIFE.

LEGEND:

	MACHINE PAD.
	CONT. COLUMN.
	PLATED COLUMN.
	TIMBERED COLUMN.

DESIGN LOADS:

A. DEAD LOADS:

1. FLOOR LOAD:
1.1 ROOF PANEL SINGLE PANEL : 7 KG/M².
1.2 SANDWICH PANEL : 12 KG/M².
1.3 BUILDING ROOF PAVEMENT : AS PER DRAWINGS
1.4 BRACING DOWN WEIGHT :
1.4.1 PURLLINS OWN WEIGHT
1.5 COLLATERAL LOADS : 20 KG/M².
1.6 LIVE LOADS : 58 KG/M².
1.7 WIND LOADS:

- ULTIMATE WIND SPEED :
RISK CATEGORY I = 48 m/s.
RISK CATEGORY II = 52 m/s.
- BUILDING RISK CATEGORY :
- EXPOSURE CATEGORY : C
- BUILDING CLOSENESS :
- THERMAL LOAD : +50C & -30C

FIN : FINISH FLOOR LEVEL.
TOP : TOP OF CONCRETE SLAB.
THK : THICKNESS.
KB : KNEE BRACING
RF : ROOF PLANE
FF : FOOT PLANE

	OPEN	
1	ISSUED FOR APPROVAL	DEC 2021
0	ISSUED FOR APPROVAL	MAY 2021
N°	DESCRIPTION	DATE

PROJET BALADNA EL DJAZAIR,
FERMES LAITIÈRES.
SITES: BAMOUR, CHAAB ET IN-TYLIA, ADRAR

MAITRE D'OUVRAGE :



SPA BALADNA EL DJAZAIR

170 RUE HASSIBA BEN BOUALI, CENTRE COMMERCIAL
PRIVE, TOUR N°1, BUREAUX 07 ET 08, 6EME ETAGE,
COMMUNE MOHAMED BELOUZIDAZ, ALGER.
TEL: 023 67 02 01 EMAIL: info@beladna-algeria.com

M.O.E.C :



EHAFC, Consulting Engineers

58 AL-SHOUMOUKH TOWERS (TOWER A),
13th FLOOR OFFICE 1&4 BIN MAHMOUD
Tél: +974 4020 3777/88/99 ,Fax: +974 4020 3766
P. O. BOX 1876, DOHA - QATAR

ARCHITECTE AGREE :



Salah-Eddine SAIDOUNE

Agrément N° 00173/16/04L, délivré le 16/09/2004
Assurance professionnelle CAAT n° 2014/153/26/010
90 rue Didouche Mourad, 16000 Alger
Tél.: 023 34 87 94 - Email: salah.saidouna@origin.archi

INGENIEUR AGREE



Walid BELKACEM-NACER

Agrément N° N/0036/0387/2023/06
Tél.: 05 52 46 93 46
Email: waliid.bn@idcloud.com

BUREAU D'ETUDE TECHNIQUE



ORIGIN ARCHITECTURE

1, Avenue de l'Indépendance, 16000 Alger
Tél.: 023 51 52 82 - Fax.: 023 51 52 85
Email: welcome@origin.archi

FABRICANT:



ZAMIL STEEL

Rue 11/32, 1re zone industrielle de Dammam,
BP 877, Dammam 31421, Arabie saoudite
Tél: +966 13 84 71840
Email: zscorporate@zamilsteel.com

BUREAU DE CONTROLE



CTC, Agence Adrar
 CONTRÔLE TECHNIQUE DE
 LA CONSTRUCTION
 rue les frères El Hachmi BP 173- Adrar
 049 36 88 76 - Fax: 049 36 88 75
 e-mail: agencead@worldnet-ct.com

LABORATOIRE GEO-TECHNIQUE ·



LNHC
LABORATOIRE NATIONAL DE HABITAT
ET DE LA CONSTRUCTION
46 Logementa Bechar El Djadid-Bechar
Tél:049 21 93 63 , Fax: 049 21 93 63
Email: info.djedd@tinet.com

BRED HEIFERS BARN FOUNDATION PLAN - OVERALL

PHASE DD	DATE	DEC 2025	LOT STR
	ECHELLE	1/100	
	FORMAT ORIGINAL	A1	PLANCHE N°
REVISION	01	REF	101
		ST-BA5-101-00	