# Model Architecture: Qwen3-0.6B

Generated by sg_modelload

July 21, 2026

## 1 Model Overview

| | |
|---|---|
| Model Name | Qwen3-0.6B |
| Path | /models/memorization/Qwen3-0.6B |
| Total Parameters | 596,049,920 |
| Weight Dtype | bfloat16 |

## 2 Forward Pass Algorithm

**Algorithm 1** Forward pass of Qwen3-0.6B

$h \leftarrow \text{embed_tokens}(x) \in \mathbb{R}^{B \times T \times 1024}$
**for** $layer \leftarrow 0$ **to** 27 **do**
    $h \leftarrow \text{layer}_{layer}(h)$
**end for**
$h \leftarrow \text{norm}(h) \in \mathbb{R}^{B \times T \times 1024}$
$\text{logits} \leftarrow \text{lm_head}(h) \in \mathbb{R}^{B \times T \times 151936}$

## 3 Layer-by-Layer Architecture

All weight tensors and their dimensions are listed below.

| Layer Path | Type | Weight Shape | Dtype | Params |
|---|---|---|---|---|
| model.layers.0 | Qwen3DecoderLayer | – | – | – |
| model.layers.0.input_layernorm.weight | Qwen3RMSNorm | 1024 | bfloat16 | 1,024 |
| model.layers.0.mlp | Qwen3MLP | – | – | – |
| model.layers.0.mlp.down_proj.weight | Linear | 1024 × 3072 | bfloat16 | 3,145,728 |
| model.layers.0.mlp.gate_proj.weight | Linear | 3072 × 1024 | bfloat16 | 3,145,728 |
| model.layers.0.mlp.up_proj.weight | Linear | 3072 × 1024 | bfloat16 | 3,145,728 |
| model.layers.0.post_attention_layernorm.weight | Qwen3RMSNorm | 1024 | bfloat16 | 1,024 |
| model.layers.0.self_attn | Qwen3Attention | – | – | – |
| model.layers.0.self_attn.k_norm.weight | Qwen3RMSNorm | 128 | bfloat16 | 128 |
| model.layers.0.self_attn.k_proj.weight | Linear | 1024 × 1024 | bfloat16 | 1,048,576 |
| model.layers.0.self_attn.o_proj.weight | Linear | 1024 × 2048 | bfloat16 | 2,097,152 |
| model.layers.0.self_attn.q_norm.weight | Qwen3RMSNorm | 128 | bfloat16 | 128 |
| model.layers.0.self_attn.q_proj.weight | Linear | 2048 × 1024 | bfloat16 | 2,097,152 |
| model.layers.0.self_attn.v_proj.weight | Linear | 1024 × 1024 | bfloat16 | 1,048,576 |
| model.layers.1 | Qwen3DecoderLayer | – | – | – |
| model.layers.1.input_layernorm.weight | Qwen3RMSNorm | 1024 | bfloat16 | 1,024 |
| model.layers.1.mlp | Qwen3MLP | – | – | – |
| model.layers.1.mlp.down_proj.weight | Linear | 1024 × 3072 | bfloat16 | 3,145,728 |
| model.layers.1.mlp.gate_proj.weight | Linear | 3072 × 1024 | bfloat16 | 3,145,728 |
| model.layers.1.mlp.up_proj.weight | Linear | 3072 × 1024 | bfloat16 | 3,145,728 |
| model.layers.1.post_attention_layernorm.weight | Qwen3RMSNorm | 1024 | bfloat16 | 1,024 |
| model.layers.1.self_attn | Qwen3Attention | – | – | – |
| model.layers.1.self_attn.k_norm.weight | Qwen3RMSNorm | 128 | bfloat16 | 128 |

*Continued on next page*

| Layer Path | Type | Weight Shape | Dtype | Params |
|---|---|---|---|---|
| model.layers.1.self_attn.k_proj.weight | Linear | 1024 × 1024 | bfloat16 | 1,048,576 |
| model.layers.1.self_attn.o_proj.weight | Linear | 1024 × 2048 | bfloat16 | 2,097,152 |
| model.layers.1.self_attn.q_norm.weight | Qwen3RMSNorm | 128 | bfloat16 | 128 |
| model.layers.1.self_attn.q_proj.weight | Linear | 2048 × 1024 | bfloat16 | 2,097,152 |
| model.layers.1.self_attn.v_proj.weight | Linear | 1024 × 1024 | bfloat16 | 1,048,576 |
| model.layers.2 | Qwen3DecoderLayer | – | – | – |
| model.layers.2.input_layernorm.weight | Qwen3RMSNorm | 1024 | bfloat16 | 1,024 |
| model.layers.2.mlp | Qwen3MLP | – | – | – |
| model.layers.2.mlp.down_proj.weight | Linear | 1024 × 3072 | bfloat16 | 3,145,728 |
| model.layers.2.mlp.gate_proj.weight | Linear | 3072 × 1024 | bfloat16 | 3,145,728 |
| model.layers.2.mlp.up_proj.weight | Linear | 3072 × 1024 | bfloat16 | 3,145,728 |
| model.layers.2.post_attention_layernorm.weight | Qwen3RMSNorm | 1024 | bfloat16 | 1,024 |
| model.layers.2.self_attn | Qwen3Attention | – | – | – |
| model.layers.2.self_attn.k_norm.weight | Qwen3RMSNorm | 128 | bfloat16 | 128 |
| model.layers.2.self_attn.k_proj.weight | Linear | 1024 × 1024 | bfloat16 | 1,048,576 |
| model.layers.2.self_attn.o_proj.weight | Linear | 1024 × 2048 | bfloat16 | 2,097,152 |
| model.layers.2.self_attn.q_norm.weight | Qwen3RMSNorm | 128 | bfloat16 | 128 |
| model.layers.2.self_attn.q_proj.weight | Linear | 2048 × 1024 | bfloat16 | 2,097,152 |
| model.layers.2.self_attn.v_proj.weight | Linear | 1024 × 1024 | bfloat16 | 1,048,576 |
| model.layers.3 | Qwen3DecoderLayer | – | – | – |
| model.layers.3.input_layernorm.weight | Qwen3RMSNorm | 1024 | bfloat16 | 1,024 |
| model.layers.3.mlp | Qwen3MLP | – | – | – |
| model.layers.3.mlp.down_proj.weight | Linear | 1024 × 3072 | bfloat16 | 3,145,728 |
| model.layers.3.mlp.gate_proj.weight | Linear | 3072 × 1024 | bfloat16 | 3,145,728 |
| model.layers.3.mlp.up_proj.weight | Linear | 3072 × 1024 | bfloat16 | 3,145,728 |
| model.layers.3.post_attention_layernorm.weight | Qwen3RMSNorm | 1024 | bfloat16 | 1,024 |
| model.layers.3.self_attn | Qwen3Attention | – | – | – |
| model.layers.3.self_attn.k_norm.weight | Qwen3RMSNorm | 128 | bfloat16 | 128 |
| model.layers.3.self_attn.k_proj.weight | Linear | 1024 × 1024 | bfloat16 | 1,048,576 |
| model.layers.3.self_attn.o_proj.weight | Linear | 1024 × 2048 | bfloat16 | 2,097,152 |
| model.layers.3.self_attn.q_norm.weight | Qwen3RMSNorm | 128 | bfloat16 | 128 |
| model.layers.3.self_attn.q_proj.weight | Linear | 2048 × 1024 | bfloat16 | 2,097,152 |
| model.layers.3.self_attn.v_proj.weight | Linear | 1024 × 1024 | bfloat16 | 1,048,576 |
| model.layers.4 | Qwen3DecoderLayer | – | – | – |
| model.layers.4.input_layernorm.weight | Qwen3RMSNorm | 1024 | bfloat16 | 1,024 |
| model.layers.4.mlp | Qwen3MLP | – | – | – |
| model.layers.4.mlp.down_proj.weight | Linear | 1024 × 3072 | bfloat16 | 3,145,728 |
| model.layers.4.mlp.gate_proj.weight | Linear | 3072 × 1024 | bfloat16 | 3,145,728 |
| model.layers.4.mlp.up_proj.weight | Linear | 3072 × 1024 | bfloat16 | 3,145,728 |
| model.layers.4.post_attention_layernorm.weight | Qwen3RMSNorm | 1024 | bfloat16 | 1,024 |
| model.layers.4.self_attn | Qwen3Attention | – | – | – |
| model.layers.4.self_attn.k_norm.weight | Qwen3RMSNorm | 128 | bfloat16 | 128 |
| model.layers.4.self_attn.k_proj.weight | Linear | 1024 × 1024 | bfloat16 | 1,048,576 |
| model.layers.4.self_attn.o_proj.weight | Linear | 1024 × 2048 | bfloat16 | 2,097,152 |
| model.layers.4.self_attn.q_norm.weight | Qwen3RMSNorm | 128 | bfloat16 | 128 |
| model.layers.4.self_attn.q_proj.weight | Linear | 2048 × 1024 | bfloat16 | 2,097,152 |
| model.layers.4.self_attn.v_proj.weight | Linear | 1024 × 1024 | bfloat16 | 1,048,576 |
| model.layers.5 | Qwen3DecoderLayer | – | – | – |
| model.layers.5.input_layernorm.weight | Qwen3RMSNorm | 1024 | bfloat16 | 1,024 |
| model.layers.5.mlp | Qwen3MLP | – | – | – |
| model.layers.5.mlp.down_proj.weight | Linear | 1024 × 3072 | bfloat16 | 3,145,728 |
| model.layers.5.mlp.gate_proj.weight | Linear | 3072 × 1024 | bfloat16 | 3,145,728 |
| model.layers.5.mlp.up_proj.weight | Linear | 3072 × 1024 | bfloat16 | 3,145,728 |
| model.layers.5.post_attention_layernorm.weight | Qwen3RMSNorm | 1024 | bfloat16 | 1,024 |
| model.layers.5.self_attn | Qwen3Attention | – | – | – |
| model.layers.5.self_attn.k_norm.weight | Qwen3RMSNorm | 128 | bfloat16 | 128 |
| model.layers.5.self_attn.k_proj.weight | Linear | 1024 × 1024 | bfloat16 | 1,048,576 |
| model.layers.5.self_attn.o_proj.weight | Linear | 1024 × 2048 | bfloat16 | 2,097,152 |

*Continued on next page*

| Layer Path | Type | Weight Shape | Dtype | Params |
|---|---|---|---|---|
| model.layers.5.self_attn.q_norm.weight | Qwen3RMSNorm | 128 | bfloat16 | 128 |
| model.layers.5.self_attn.q_proj.weight | Linear | 2048 × 1024 | bfloat16 | 2,097,152 |
| model.layers.5.self_attn.v_proj.weight | Linear | 1024 × 1024 | bfloat16 | 1,048,576 |
| model.layers.6 | Qwen3DecoderLayer | – | – | – |
| model.layers.6.input_layernorm.weight | Qwen3RMSNorm | 1024 | bfloat16 | 1,024 |
| model.layers.6.mlp | Qwen3MLP | – | – | – |
| model.layers.6.mlp.down_proj.weight | Linear | 1024 × 3072 | bfloat16 | 3,145,728 |
| model.layers.6.mlp.gate_proj.weight | Linear | 3072 × 1024 | bfloat16 | 3,145,728 |
| model.layers.6.mlp.up_proj.weight | Linear | 3072 × 1024 | bfloat16 | 3,145,728 |
| model.layers.6.post_attention_layernorm.weight | Qwen3RMSNorm | 1024 | bfloat16 | 1,024 |
| model.layers.6.self_attn | Qwen3Attention | – | – | – |
| model.layers.6.self_attn.k_norm.weight | Qwen3RMSNorm | 128 | bfloat16 | 128 |
| model.layers.6.self_attn.k_proj.weight | Linear | 1024 × 1024 | bfloat16 | 1,048,576 |
| model.layers.6.self_attn.o_proj.weight | Linear | 1024 × 2048 | bfloat16 | 2,097,152 |
| model.layers.6.self_attn.q_norm.weight | Qwen3RMSNorm | 128 | bfloat16 | 128 |
| model.layers.6.self_attn.q_proj.weight | Linear | 2048 × 1024 | bfloat16 | 2,097,152 |
| model.layers.6.self_attn.v_proj.weight | Linear | 1024 × 1024 | bfloat16 | 1,048,576 |
| model.layers.7 | Qwen3DecoderLayer | – | – | – |
| model.layers.7.input_layernorm.weight | Qwen3RMSNorm | 1024 | bfloat16 | 1,024 |
| model.layers.7.mlp | Qwen3MLP | – | – | – |
| model.layers.7.mlp.down_proj.weight | Linear | 1024 × 3072 | bfloat16 | 3,145,728 |
| model.layers.7.mlp.gate_proj.weight | Linear | 3072 × 1024 | bfloat16 | 3,145,728 |
| model.layers.7.mlp.up_proj.weight | Linear | 3072 × 1024 | bfloat16 | 3,145,728 |
| model.layers.7.post_attention_layernorm.weight | Qwen3RMSNorm | 1024 | bfloat16 | 1,024 |
| model.layers.7.self_attn | Qwen3Attention | – | – | – |
| model.layers.7.self_attn.k_norm.weight | Qwen3RMSNorm | 128 | bfloat16 | 128 |
| model.layers.7.self_attn.k_proj.weight | Linear | 1024 × 1024 | bfloat16 | 1,048,576 |
| model.layers.7.self_attn.o_proj.weight | Linear | 1024 × 2048 | bfloat16 | 2,097,152 |
| model.layers.7.self_attn.q_norm.weight | Qwen3RMSNorm | 128 | bfloat16 | 128 |
| model.layers.7.self_attn.q_proj.weight | Linear | 2048 × 1024 | bfloat16 | 2,097,152 |
| model.layers.7.self_attn.v_proj.weight | Linear | 1024 × 1024 | bfloat16 | 1,048,576 |
| model.layers.8 | Qwen3DecoderLayer | – | – | – |
| model.layers.8.input_layernorm.weight | Qwen3RMSNorm | 1024 | bfloat16 | 1,024 |
| model.layers.8.mlp | Qwen3MLP | – | – | – |
| model.layers.8.mlp.down_proj.weight | Linear | 1024 × 3072 | bfloat16 | 3,145,728 |
| model.layers.8.mlp.gate_proj.weight | Linear | 3072 × 1024 | bfloat16 | 3,145,728 |
| model.layers.8.mlp.up_proj.weight | Linear | 3072 × 1024 | bfloat16 | 3,145,728 |
| model.layers.8.post_attention_layernorm.weight | Qwen3RMSNorm | 1024 | bfloat16 | 1,024 |
| model.layers.8.self_attn | Qwen3Attention | – | – | – |
| model.layers.8.self_attn.k_norm.weight | Qwen3RMSNorm | 128 | bfloat16 | 128 |
| model.layers.8.self_attn.k_proj.weight | Linear | 1024 × 1024 | bfloat16 | 1,048,576 |
| model.layers.8.self_attn.o_proj.weight | Linear | 1024 × 2048 | bfloat16 | 2,097,152 |
| model.layers.8.self_attn.q_norm.weight | Qwen3RMSNorm | 128 | bfloat16 | 128 |
| model.layers.8.self_attn.q_proj.weight | Linear | 2048 × 1024 | bfloat16 | 2,097,152 |
| model.layers.8.self_attn.v_proj.weight | Linear | 1024 × 1024 | bfloat16 | 1,048,576 |
| model.layers.9 | Qwen3DecoderLayer | – | – | – |
| model.layers.9.input_layernorm.weight | Qwen3RMSNorm | 1024 | bfloat16 | 1,024 |
| model.layers.9.mlp | Qwen3MLP | – | – | – |
| model.layers.9.mlp.down_proj.weight | Linear | 1024 × 3072 | bfloat16 | 3,145,728 |
| model.layers.9.mlp.gate_proj.weight | Linear | 3072 × 1024 | bfloat16 | 3,145,728 |
| model.layers.9.mlp.up_proj.weight | Linear | 3072 × 1024 | bfloat16 | 3,145,728 |
| model.layers.9.post_attention_layernorm.weight | Qwen3RMSNorm | 1024 | bfloat16 | 1,024 |
| model.layers.9.self_attn | Qwen3Attention | – | – | – |
| model.layers.9.self_attn.k_norm.weight | Qwen3RMSNorm | 128 | bfloat16 | 128 |
| model.layers.9.self_attn.k_proj.weight | Linear | 1024 × 1024 | bfloat16 | 1,048,576 |
| model.layers.9.self_attn.o_proj.weight | Linear | 1024 × 2048 | bfloat16 | 2,097,152 |
| model.layers.9.self_attn.q_norm.weight | Qwen3RMSNorm | 128 | bfloat16 | 128 |
| model.layers.9.self_attn.q_proj.weight | Linear | 2048 × 1024 | bfloat16 | 2,097,152 |

*Continued on next page*

| Layer Path | Type | Weight Shape | Dtype | Params |
|---|---|---|---|---|
| model.layers.9.self_attn.v_proj.weight | Linear | 1024 × 1024 | bfloat16 | 1,048,576 |
| model.layers.10 | Qwen3DecoderLayer | – | – | – |
| model.layers.10.input_layernorm.weight | Qwen3RMSNorm | 1024 | bfloat16 | 1,024 |
| model.layers.10.mlp | Qwen3MLP | – | – | – |
| model.layers.10.mlp.down_proj.weight | Linear | 1024 × 3072 | bfloat16 | 3,145,728 |
| model.layers.10.mlp.gate_proj.weight | Linear | 3072 × 1024 | bfloat16 | 3,145,728 |
| model.layers.10.mlp.up_proj.weight | Linear | 3072 × 1024 | bfloat16 | 3,145,728 |
| model.layers.10.post_attention_layernorm.weight | Qwen3RMSNorm | 1024 | bfloat16 | 1,024 |
| model.layers.10.self_attn | Qwen3Attention | – | – | – |
| model.layers.10.self_attn.k_norm.weight | Qwen3RMSNorm | 128 | bfloat16 | 128 |
| model.layers.10.self_attn.k_proj.weight | Linear | 1024 × 1024 | bfloat16 | 1,048,576 |
| model.layers.10.self_attn.o_proj.weight | Linear | 1024 × 2048 | bfloat16 | 2,097,152 |
| model.layers.10.self_attn.q_norm.weight | Qwen3RMSNorm | 128 | bfloat16 | 128 |
| model.layers.10.self_attn.q_proj.weight | Linear | 2048 × 1024 | bfloat16 | 2,097,152 |
| model.layers.10.self_attn.v_proj.weight | Linear | 1024 × 1024 | bfloat16 | 1,048,576 |
| model.layers.11 | Qwen3DecoderLayer | – | – | – |
| model.layers.11.input_layernorm.weight | Qwen3RMSNorm | 1024 | bfloat16 | 1,024 |
| model.layers.11.mlp | Qwen3MLP | – | – | – |
| model.layers.11.mlp.down_proj.weight | Linear | 1024 × 3072 | bfloat16 | 3,145,728 |
| model.layers.11.mlp.gate_proj.weight | Linear | 3072 × 1024 | bfloat16 | 3,145,728 |
| model.layers.11.mlp.up_proj.weight | Linear | 3072 × 1024 | bfloat16 | 3,145,728 |
| model.layers.11.post_attention_layernorm.weight | Qwen3RMSNorm | 1024 | bfloat16 | 1,024 |
| model.layers.11.self_attn | Qwen3Attention | – | – | – |
| model.layers.11.self_attn.k_norm.weight | Qwen3RMSNorm | 128 | bfloat16 | 128 |
| model.layers.11.self_attn.k_proj.weight | Linear | 1024 × 1024 | bfloat16 | 1,048,576 |
| model.layers.11.self_attn.o_proj.weight | Linear | 1024 × 2048 | bfloat16 | 2,097,152 |
| model.layers.11.self_attn.q_norm.weight | Qwen3RMSNorm | 128 | bfloat16 | 128 |
| model.layers.11.self_attn.q_proj.weight | Linear | 2048 × 1024 | bfloat16 | 2,097,152 |
| model.layers.11.self_attn.v_proj.weight | Linear | 1024 × 1024 | bfloat16 | 1,048,576 |
| model.layers.12 | Qwen3DecoderLayer | – | – | – |
| model.layers.12.input_layernorm.weight | Qwen3RMSNorm | 1024 | bfloat16 | 1,024 |
| model.layers.12.mlp | Qwen3MLP | – | – | – |
| model.layers.12.mlp.down_proj.weight | Linear | 1024 × 3072 | bfloat16 | 3,145,728 |
| model.layers.12.mlp.gate_proj.weight | Linear | 3072 × 1024 | bfloat16 | 3,145,728 |
| model.layers.12.mlp.up_proj.weight | Linear | 3072 × 1024 | bfloat16 | 3,145,728 |
| model.layers.12.post_attention_layernorm.weight | Qwen3RMSNorm | 1024 | bfloat16 | 1,024 |
| model.layers.12.self_attn | Qwen3Attention | – | – | – |
| model.layers.12.self_attn.k_norm.weight | Qwen3RMSNorm | 128 | bfloat16 | 128 |
| model.layers.12.self_attn.k_proj.weight | Linear | 1024 × 1024 | bfloat16 | 1,048,576 |
| model.layers.12.self_attn.o_proj.weight | Linear | 1024 × 2048 | bfloat16 | 2,097,152 |
| model.layers.12.self_attn.q_norm.weight | Qwen3RMSNorm | 128 | bfloat16 | 128 |
| model.layers.12.self_attn.q_proj.weight | Linear | 2048 × 1024 | bfloat16 | 2,097,152 |
| model.layers.12.self_attn.v_proj.weight | Linear | 1024 × 1024 | bfloat16 | 1,048,576 |
| model.layers.13 | Qwen3DecoderLayer | – | – | – |
| model.layers.13.input_layernorm.weight | Qwen3RMSNorm | 1024 | bfloat16 | 1,024 |
| model.layers.13.mlp | Qwen3MLP | – | – | – |
| model.layers.13.mlp.down_proj.weight | Linear | 1024 × 3072 | bfloat16 | 3,145,728 |
| model.layers.13.mlp.gate_proj.weight | Linear | 3072 × 1024 | bfloat16 | 3,145,728 |
| model.layers.13.mlp.up_proj.weight | Linear | 3072 × 1024 | bfloat16 | 3,145,728 |
| model.layers.13.post_attention_layernorm.weight | Qwen3RMSNorm | 1024 | bfloat16 | 1,024 |
| model.layers.13.self_attn | Qwen3Attention | – | – | – |
| model.layers.13.self_attn.k_norm.weight | Qwen3RMSNorm | 128 | bfloat16 | 128 |
| model.layers.13.self_attn.k_proj.weight | Linear | 1024 × 1024 | bfloat16 | 1,048,576 |
| model.layers.13.self_attn.o_proj.weight | Linear | 1024 × 2048 | bfloat16 | 2,097,152 |
| model.layers.13.self_attn.q_norm.weight | Qwen3RMSNorm | 128 | bfloat16 | 128 |
| model.layers.13.self_attn.q_proj.weight | Linear | 2048 × 1024 | bfloat16 | 2,097,152 |
| model.layers.13.self_attn.v_proj.weight | Linear | 1024 × 1024 | bfloat16 | 1,048,576 |
| model.layers.14 | Qwen3DecoderLayer | – | – | – |

*Continued on next page*

| Layer Path | Type | Weight Shape | Dtype | Params |
|---|---|---|---|---|
| model.layers.14.input_layernorm.weight | Qwen3RMSNorm | 1024 | bfloat16 | 1,024 |
| model.layers.14.mlp | Qwen3MLP | – | – | – |
| model.layers.14.mlp.down_proj.weight | Linear | 1024 × 3072 | bfloat16 | 3,145,728 |
| model.layers.14.mlp.gate_proj.weight | Linear | 3072 × 1024 | bfloat16 | 3,145,728 |
| model.layers.14.mlp.up_proj.weight | Linear | 3072 × 1024 | bfloat16 | 3,145,728 |
| model.layers.14.post_attention_layernorm.weight | Qwen3RMSNorm | 1024 | bfloat16 | 1,024 |
| model.layers.14.self_attn | Qwen3Attention | – | – | – |
| model.layers.14.self_attn.k_norm.weight | Qwen3RMSNorm | 128 | bfloat16 | 128 |
| model.layers.14.self_attn.k_proj.weight | Linear | 1024 × 1024 | bfloat16 | 1,048,576 |
| model.layers.14.self_attn.o_proj.weight | Linear | 1024 × 2048 | bfloat16 | 2,097,152 |
| model.layers.14.self_attn.q_norm.weight | Qwen3RMSNorm | 128 | bfloat16 | 128 |
| model.layers.14.self_attn.q_proj.weight | Linear | 2048 × 1024 | bfloat16 | 2,097,152 |
| model.layers.14.self_attn.v_proj.weight | Linear | 1024 × 1024 | bfloat16 | 1,048,576 |
| model.layers.15 | Qwen3DecoderLayer | – | – | – |
| model.layers.15.input_layernorm.weight | Qwen3RMSNorm | 1024 | bfloat16 | 1,024 |
| model.layers.15.mlp | Qwen3MLP | – | – | – |
| model.layers.15.mlp.down_proj.weight | Linear | 1024 × 3072 | bfloat16 | 3,145,728 |
| model.layers.15.mlp.gate_proj.weight | Linear | 3072 × 1024 | bfloat16 | 3,145,728 |
| model.layers.15.mlp.up_proj.weight | Linear | 3072 × 1024 | bfloat16 | 3,145,728 |
| model.layers.15.post_attention_layernorm.weight | Qwen3RMSNorm | 1024 | bfloat16 | 1,024 |
| model.layers.15.self_attn | Qwen3Attention | – | – | – |
| model.layers.15.self_attn.k_norm.weight | Qwen3RMSNorm | 128 | bfloat16 | 128 |
| model.layers.15.self_attn.k_proj.weight | Linear | 1024 × 1024 | bfloat16 | 1,048,576 |
| model.layers.15.self_attn.o_proj.weight | Linear | 1024 × 2048 | bfloat16 | 2,097,152 |
| model.layers.15.self_attn.q_norm.weight | Qwen3RMSNorm | 128 | bfloat16 | 128 |
| model.layers.15.self_attn.q_proj.weight | Linear | 2048 × 1024 | bfloat16 | 2,097,152 |
| model.layers.15.self_attn.v_proj.weight | Linear | 1024 × 1024 | bfloat16 | 1,048,576 |
| model.layers.16 | Qwen3DecoderLayer | – | – | – |
| model.layers.16.input_layernorm.weight | Qwen3RMSNorm | 1024 | bfloat16 | 1,024 |
| model.layers.16.mlp | Qwen3MLP | – | – | – |
| model.layers.16.mlp.down_proj.weight | Linear | 1024 × 3072 | bfloat16 | 3,145,728 |
| model.layers.16.mlp.gate_proj.weight | Linear | 3072 × 1024 | bfloat16 | 3,145,728 |
| model.layers.16.mlp.up_proj.weight | Linear | 3072 × 1024 | bfloat16 | 3,145,728 |
| model.layers.16.post_attention_layernorm.weight | Qwen3RMSNorm | 1024 | bfloat16 | 1,024 |
| model.layers.16.self_attn | Qwen3Attention | – | – | – |
| model.layers.16.self_attn.k_norm.weight | Qwen3RMSNorm | 128 | bfloat16 | 128 |
| model.layers.16.self_attn.k_proj.weight | Linear | 1024 × 1024 | bfloat16 | 1,048,576 |
| model.layers.16.self_attn.o_proj.weight | Linear | 1024 × 2048 | bfloat16 | 2,097,152 |
| model.layers.16.self_attn.q_norm.weight | Qwen3RMSNorm | 128 | bfloat16 | 128 |
| model.layers.16.self_attn.q_proj.weight | Linear | 2048 × 1024 | bfloat16 | 2,097,152 |
| model.layers.16.self_attn.v_proj.weight | Linear | 1024 × 1024 | bfloat16 | 1,048,576 |
| model.layers.17 | Qwen3DecoderLayer | – | – | – |
| model.layers.17.input_layernorm.weight | Qwen3RMSNorm | 1024 | bfloat16 | 1,024 |
| model.layers.17.mlp | Qwen3MLP | – | – | – |
| model.layers.17.mlp.down_proj.weight | Linear | 1024 × 3072 | bfloat16 | 3,145,728 |
| model.layers.17.mlp.gate_proj.weight | Linear | 3072 × 1024 | bfloat16 | 3,145,728 |
| model.layers.17.mlp.up_proj.weight | Linear | 3072 × 1024 | bfloat16 | 3,145,728 |
| model.layers.17.post_attention_layernorm.weight | Qwen3RMSNorm | 1024 | bfloat16 | 1,024 |
| model.layers.17.self_attn | Qwen3Attention | – | – | – |
| model.layers.17.self_attn.k_norm.weight | Qwen3RMSNorm | 128 | bfloat16 | 128 |
| model.layers.17.self_attn.k_proj.weight | Linear | 1024 × 1024 | bfloat16 | 1,048,576 |
| model.layers.17.self_attn.o_proj.weight | Linear | 1024 × 2048 | bfloat16 | 2,097,152 |
| model.layers.17.self_attn.q_norm.weight | Qwen3RMSNorm | 128 | bfloat16 | 128 |
| model.layers.17.self_attn.q_proj.weight | Linear | 2048 × 1024 | bfloat16 | 2,097,152 |
| model.layers.17.self_attn.v_proj.weight | Linear | 1024 × 1024 | bfloat16 | 1,048,576 |
| model.layers.18 | Qwen3DecoderLayer | – | – | – |
| model.layers.18.input_layernorm.weight | Qwen3RMSNorm | 1024 | bfloat16 | 1,024 |
| model.layers.18.mlp | Qwen3MLP | – | – | – |

*Continued on next page*

| Layer Path | Type | Weight Shape | Dtype | Params |
|---|---|---|---|---|
| model.layers.18.mlp.down_proj.weight | Linear | 1024 × 3072 | bfloat16 | 3,145,728 |
| model.layers.18.mlp.gate_proj.weight | Linear | 3072 × 1024 | bfloat16 | 3,145,728 |
| model.layers.18.mlp.up_proj.weight | Linear | 3072 × 1024 | bfloat16 | 3,145,728 |
| model.layers.18.post_attention_layernorm.weight | Qwen3RMSNorm | 1024 | bfloat16 | 1,024 |
| model.layers.18.self_attn | Qwen3Attention | – | – | – |
| model.layers.18.self_attn.k_norm.weight | Qwen3RMSNorm | 128 | bfloat16 | 128 |
| model.layers.18.self_attn.k_proj.weight | Linear | 1024 × 1024 | bfloat16 | 1,048,576 |
| model.layers.18.self_attn.o_proj.weight | Linear | 1024 × 2048 | bfloat16 | 2,097,152 |
| model.layers.18.self_attn.q_norm.weight | Qwen3RMSNorm | 128 | bfloat16 | 128 |
| model.layers.18.self_attn.q_proj.weight | Linear | 2048 × 1024 | bfloat16 | 2,097,152 |
| model.layers.18.self_attn.v_proj.weight | Linear | 1024 × 1024 | bfloat16 | 1,048,576 |
| model.layers.19 | Qwen3DecoderLayer | – | – | – |
| model.layers.19.input_layernorm.weight | Qwen3RMSNorm | 1024 | bfloat16 | 1,024 |
| model.layers.19.mlp | Qwen3MLP | – | – | – |
| model.layers.19.mlp.down_proj.weight | Linear | 1024 × 3072 | bfloat16 | 3,145,728 |
| model.layers.19.mlp.gate_proj.weight | Linear | 3072 × 1024 | bfloat16 | 3,145,728 |
| model.layers.19.mlp.up_proj.weight | Linear | 3072 × 1024 | bfloat16 | 3,145,728 |
| model.layers.19.post_attention_layernorm.weight | Qwen3RMSNorm | 1024 | bfloat16 | 1,024 |
| model.layers.19.self_attn | Qwen3Attention | – | – | – |
| model.layers.19.self_attn.k_norm.weight | Qwen3RMSNorm | 128 | bfloat16 | 128 |
| model.layers.19.self_attn.k_proj.weight | Linear | 1024 × 1024 | bfloat16 | 1,048,576 |
| model.layers.19.self_attn.o_proj.weight | Linear | 1024 × 2048 | bfloat16 | 2,097,152 |
| model.layers.19.self_attn.q_norm.weight | Qwen3RMSNorm | 128 | bfloat16 | 128 |
| model.layers.19.self_attn.q_proj.weight | Linear | 2048 × 1024 | bfloat16 | 2,097,152 |
| model.layers.19.self_attn.v_proj.weight | Linear | 1024 × 1024 | bfloat16 | 1,048,576 |
| model.layers.20 | Qwen3DecoderLayer | – | – | – |
| model.layers.20.input_layernorm.weight | Qwen3RMSNorm | 1024 | bfloat16 | 1,024 |
| model.layers.20.mlp | Qwen3MLP | – | – | – |
| model.layers.20.mlp.down_proj.weight | Linear | 1024 × 3072 | bfloat16 | 3,145,728 |
| model.layers.20.mlp.gate_proj.weight | Linear | 3072 × 1024 | bfloat16 | 3,145,728 |
| model.layers.20.mlp.up_proj.weight | Linear | 3072 × 1024 | bfloat16 | 3,145,728 |
| model.layers.20.post_attention_layernorm.weight | Qwen3RMSNorm | 1024 | bfloat16 | 1,024 |
| model.layers.20.self_attn | Qwen3Attention | – | – | – |
| model.layers.20.self_attn.k_norm.weight | Qwen3RMSNorm | 128 | bfloat16 | 128 |
| model.layers.20.self_attn.k_proj.weight | Linear | 1024 × 1024 | bfloat16 | 1,048,576 |
| model.layers.20.self_attn.o_proj.weight | Linear | 1024 × 2048 | bfloat16 | 2,097,152 |
| model.layers.20.self_attn.q_norm.weight | Qwen3RMSNorm | 128 | bfloat16 | 128 |
| model.layers.20.self_attn.q_proj.weight | Linear | 2048 × 1024 | bfloat16 | 2,097,152 |
| model.layers.20.self_attn.v_proj.weight | Linear | 1024 × 1024 | bfloat16 | 1,048,576 |
| model.layers.21 | Qwen3DecoderLayer | – | – | – |
| model.layers.21.input_layernorm.weight | Qwen3RMSNorm | 1024 | bfloat16 | 1,024 |
| model.layers.21.mlp | Qwen3MLP | – | – | – |
| model.layers.21.mlp.down_proj.weight | Linear | 1024 × 3072 | bfloat16 | 3,145,728 |
| model.layers.21.mlp.gate_proj.weight | Linear | 3072 × 1024 | bfloat16 | 3,145,728 |
| model.layers.21.mlp.up_proj.weight | Linear | 3072 × 1024 | bfloat16 | 3,145,728 |
| model.layers.21.post_attention_layernorm.weight | Qwen3RMSNorm | 1024 | bfloat16 | 1,024 |
| model.layers.21.self_attn | Qwen3Attention | – | – | – |
| model.layers.21.self_attn.k_norm.weight | Qwen3RMSNorm | 128 | bfloat16 | 128 |
| model.layers.21.self_attn.k_proj.weight | Linear | 1024 × 1024 | bfloat16 | 1,048,576 |
| model.layers.21.self_attn.o_proj.weight | Linear | 1024 × 2048 | bfloat16 | 2,097,152 |
| model.layers.21.self_attn.q_norm.weight | Qwen3RMSNorm | 128 | bfloat16 | 128 |
| model.layers.21.self_attn.q_proj.weight | Linear | 2048 × 1024 | bfloat16 | 2,097,152 |
| model.layers.21.self_attn.v_proj.weight | Linear | 1024 × 1024 | bfloat16 | 1,048,576 |
| model.layers.22 | Qwen3DecoderLayer | – | – | – |
| model.layers.22.input_layernorm.weight | Qwen3RMSNorm | 1024 | bfloat16 | 1,024 |
| model.layers.22.mlp | Qwen3MLP | – | – | – |
| model.layers.22.mlp.down_proj.weight | Linear | 1024 × 3072 | bfloat16 | 3,145,728 |
| model.layers.22.mlp.gate_proj.weight | Linear | 3072 × 1024 | bfloat16 | 3,145,728 |

*Continued on next page*

| Layer Path | Type | Weight Shape | Dtype | Params |
|---|---|---|---|---|
| model.layers.22.mlp.up_proj.weight | Linear | 3072 × 1024 | bfloat16 | 3,145,728 |
| model.layers.22.post_attention_layernorm.weight | Qwen3RMSNorm | 1024 | bfloat16 | 1,024 |
| model.layers.22.self_attn | Qwen3Attention | – | – | – |
| model.layers.22.self_attn.k_norm.weight | Qwen3RMSNorm | 128 | bfloat16 | 128 |
| model.layers.22.self_attn.k_proj.weight | Linear | 1024 × 1024 | bfloat16 | 1,048,576 |
| model.layers.22.self_attn.o_proj.weight | Linear | 1024 × 2048 | bfloat16 | 2,097,152 |
| model.layers.22.self_attn.q_norm.weight | Qwen3RMSNorm | 128 | bfloat16 | 128 |
| model.layers.22.self_attn.q_proj.weight | Linear | 2048 × 1024 | bfloat16 | 2,097,152 |
| model.layers.22.self_attn.v_proj.weight | Linear | 1024 × 1024 | bfloat16 | 1,048,576 |
| model.layers.23 | Qwen3DecoderLayer | – | – | – |
| model.layers.23.input_layernorm.weight | Qwen3RMSNorm | 1024 | bfloat16 | 1,024 |
| model.layers.23.mlp | Qwen3MLP | – | – | – |
| model.layers.23.mlp.down_proj.weight | Linear | 1024 × 3072 | bfloat16 | 3,145,728 |
| model.layers.23.mlp.gate_proj.weight | Linear | 3072 × 1024 | bfloat16 | 3,145,728 |
| model.layers.23.mlp.up_proj.weight | Linear | 3072 × 1024 | bfloat16 | 3,145,728 |
| model.layers.23.post_attention_layernorm.weight | Qwen3RMSNorm | 1024 | bfloat16 | 1,024 |
| model.layers.23.self_attn | Qwen3Attention | – | – | – |
| model.layers.23.self_attn.k_norm.weight | Qwen3RMSNorm | 128 | bfloat16 | 128 |
| model.layers.23.self_attn.k_proj.weight | Linear | 1024 × 1024 | bfloat16 | 1,048,576 |
| model.layers.23.self_attn.o_proj.weight | Linear | 1024 × 2048 | bfloat16 | 2,097,152 |
| model.layers.23.self_attn.q_norm.weight | Qwen3RMSNorm | 128 | bfloat16 | 128 |
| model.layers.23.self_attn.q_proj.weight | Linear | 2048 × 1024 | bfloat16 | 2,097,152 |
| model.layers.23.self_attn.v_proj.weight | Linear | 1024 × 1024 | bfloat16 | 1,048,576 |
| model.layers.24 | Qwen3DecoderLayer | – | – | – |
| model.layers.24.input_layernorm.weight | Qwen3RMSNorm | 1024 | bfloat16 | 1,024 |
| model.layers.24.mlp | Qwen3MLP | – | – | – |
| model.layers.24.mlp.down_proj.weight | Linear | 1024 × 3072 | bfloat16 | 3,145,728 |
| model.layers.24.mlp.gate_proj.weight | Linear | 3072 × 1024 | bfloat16 | 3,145,728 |
| model.layers.24.mlp.up_proj.weight | Linear | 3072 × 1024 | bfloat16 | 3,145,728 |
| model.layers.24.post_attention_layernorm.weight | Qwen3RMSNorm | 1024 | bfloat16 | 1,024 |
| model.layers.24.self_attn | Qwen3Attention | – | – | – |
| model.layers.24.self_attn.k_norm.weight | Qwen3RMSNorm | 128 | bfloat16 | 128 |
| model.layers.24.self_attn.k_proj.weight | Linear | 1024 × 1024 | bfloat16 | 1,048,576 |
| model.layers.24.self_attn.o_proj.weight | Linear | 1024 × 2048 | bfloat16 | 2,097,152 |
| model.layers.24.self_attn.q_norm.weight | Qwen3RMSNorm | 128 | bfloat16 | 128 |
| model.layers.24.self_attn.q_proj.weight | Linear | 2048 × 1024 | bfloat16 | 2,097,152 |
| model.layers.24.self_attn.v_proj.weight | Linear | 1024 × 1024 | bfloat16 | 1,048,576 |
| model.layers.25 | Qwen3DecoderLayer | – | – | – |
| model.layers.25.input_layernorm.weight | Qwen3RMSNorm | 1024 | bfloat16 | 1,024 |
| model.layers.25.mlp | Qwen3MLP | – | – | – |
| model.layers.25.mlp.down_proj.weight | Linear | 1024 × 3072 | bfloat16 | 3,145,728 |
| model.layers.25.mlp.gate_proj.weight | Linear | 3072 × 1024 | bfloat16 | 3,145,728 |
| model.layers.25.mlp.up_proj.weight | Linear | 3072 × 1024 | bfloat16 | 3,145,728 |
| model.layers.25.post_attention_layernorm.weight | Qwen3RMSNorm | 1024 | bfloat16 | 1,024 |
| model.layers.25.self_attn | Qwen3Attention | – | – | – |
| model.layers.25.self_attn.k_norm.weight | Qwen3RMSNorm | 128 | bfloat16 | 128 |
| model.layers.25.self_attn.k_proj.weight | Linear | 1024 × 1024 | bfloat16 | 1,048,576 |
| model.layers.25.self_attn.o_proj.weight | Linear | 1024 × 2048 | bfloat16 | 2,097,152 |
| model.layers.25.self_attn.q_norm.weight | Qwen3RMSNorm | 128 | bfloat16 | 128 |
| model.layers.25.self_attn.q_proj.weight | Linear | 2048 × 1024 | bfloat16 | 2,097,152 |
| model.layers.25.self_attn.v_proj.weight | Linear | 1024 × 1024 | bfloat16 | 1,048,576 |
| model.layers.26 | Qwen3DecoderLayer | – | – | – |
| model.layers.26.input_layernorm.weight | Qwen3RMSNorm | 1024 | bfloat16 | 1,024 |
| model.layers.26.mlp | Qwen3MLP | – | – | – |
| model.layers.26.mlp.down_proj.weight | Linear | 1024 × 3072 | bfloat16 | 3,145,728 |
| model.layers.26.mlp.gate_proj.weight | Linear | 3072 × 1024 | bfloat16 | 3,145,728 |
| model.layers.26.mlp.up_proj.weight | Linear | 3072 × 1024 | bfloat16 | 3,145,728 |
| model.layers.26.post_attention_layernorm.weight | Qwen3RMSNorm | 1024 | bfloat16 | 1,024 |

*Continued on next page*

| Layer Path | Type | Weight Shape | Dtype | Params |
|---|---|---|---|---|
| model.layers.26.self_attn | Qwen3Attention | – | – | – |
| model.layers.26.self_attn.k_norm.weight | Qwen3RMSNorm | 128 | bfloat16 | 128 |
| model.layers.26.self_attn.k_proj.weight | Linear | 1024 × 1024 | bfloat16 | 1,048,576 |
| model.layers.26.self_attn.o_proj.weight | Linear | 1024 × 2048 | bfloat16 | 2,097,152 |
| model.layers.26.self_attn.q_norm.weight | Qwen3RMSNorm | 128 | bfloat16 | 128 |
| model.layers.26.self_attn.q_proj.weight | Linear | 2048 × 1024 | bfloat16 | 2,097,152 |
| model.layers.26.self_attn.v_proj.weight | Linear | 1024 × 1024 | bfloat16 | 1,048,576 |
| model.layers.27 | Qwen3DecoderLayer | – | – | – |
| model.layers.27.input_layernorm.weight | Qwen3RMSNorm | 1024 | bfloat16 | 1,024 |
| model.layers.27.mlp | Qwen3MLP | – | – | – |
| model.layers.27.mlp.down_proj.weight | Linear | 1024 × 3072 | bfloat16 | 3,145,728 |
| model.layers.27.mlp.gate_proj.weight | Linear | 3072 × 1024 | bfloat16 | 3,145,728 |
| model.layers.27.mlp.up_proj.weight | Linear | 3072 × 1024 | bfloat16 | 3,145,728 |
| model.layers.27.post_attention_layernorm.weight | Qwen3RMSNorm | 1024 | bfloat16 | 1,024 |
| model.layers.27.self_attn | Qwen3Attention | – | – | – |
| model.layers.27.self_attn.k_norm.weight | Qwen3RMSNorm | 128 | bfloat16 | 128 |
| model.layers.27.self_attn.k_proj.weight | Linear | 1024 × 1024 | bfloat16 | 1,048,576 |
| model.layers.27.self_attn.o_proj.weight | Linear | 1024 × 2048 | bfloat16 | 2,097,152 |
| model.layers.27.self_attn.q_norm.weight | Qwen3RMSNorm | 128 | bfloat16 | 128 |
| model.layers.27.self_attn.q_proj.weight | Linear | 2048 × 1024 | bfloat16 | 2,097,152 |
| model.layers.27.self_attn.v_proj.weight | Linear | 1024 × 1024 | bfloat16 | 1,048,576 |
| lm_head.weight | Linear | 151936 × 1024 | bfloat16 | 155,582,464 |
| model | Qwen3Model | – | – | – |
| model.embed_tokens.weight | Embedding | 151936 × 1024 | bfloat16 | 155,582,464 |
| model.layers | ModuleList | – | – | – |
| model.norm.weight | Qwen3RMSNorm | 1024 | bfloat16 | 1,024 |

# 4 Parameter Count Estimation

| Component | Parameters | % of Total |
|---|---|---|
| MLP | 264,241,152 | 44.3% |
| Attention | 176,167,936 | 29.6% |
| Embedding | 155,582,464 | 26.1% |
| LM Head | 155,582,464 | 26.1% |
| LayerNorm | 58,368 | 0.0% |
| **Total** | **596,049,920** | **100.0%** |

### 4.1 Per-Layer Parameter Count

| Layer | Params | Running Total |
|---|---|---|
| model.layers.0.input_layernorm | 1,024 | 1,024 |
| model.layers.0.mlp.down_proj | 3,145,728 | 3,146,752 |
| model.layers.0.mlp.gate_proj | 3,145,728 | 6,292,480 |
| model.layers.0.mlp.up_proj | 3,145,728 | 9,438,208 |
| model.layers.0.post_attention_layernorm | 1,024 | 9,439,232 |
| model.layers.0.self_attn.k_norm | 128 | 9,439,360 |
| model.layers.0.self_attn.k_proj | 1,048,576 | 10,487,936 |
| model.layers.0.self_attn.o_proj | 2,097,152 | 12,585,088 |
| model.layers.0.self_attn.q_norm | 128 | 12,585,216 |
| model.layers.0.self_attn.q_proj | 2,097,152 | 14,682,368 |
| model.layers.0.self_attn.v_proj | 1,048,576 | 15,730,944 |
| model.layers.1.input_layernorm | 1,024 | 15,731,968 |
| model.layers.1.mlp.down_proj | 3,145,728 | 18,877,696 |
| model.layers.1.mlp.gate_proj | 3,145,728 | 22,023,424 |
| model.layers.1.mlp.up_proj | 3,145,728 | 25,169,152 |
| model.layers.1.post_attention_layernorm | 1,024 | 25,170,176 |
| model.layers.1.self_attn.k_norm | 128 | 25,170,304 |
| model.layers.1.self_attn.k_proj | 1,048,576 | 26,218,880 |
| model.layers.1.self_attn.o_proj | 2,097,152 | 28,316,032 |
| model.layers.1.self_attn.q_norm | 128 | 28,316,160 |
| model.layers.1.self_attn.q_proj | 2,097,152 | 30,413,312 |
| model.layers.1.self_attn.v_proj | 1,048,576 | 31,461,888 |
| model.layers.2.input_layernorm | 1,024 | 31,462,912 |
| model.layers.2.mlp.down_proj | 3,145,728 | 34,608,640 |
| model.layers.2.mlp.gate_proj | 3,145,728 | 37,754,368 |
| model.layers.2.mlp.up_proj | 3,145,728 | 40,900,096 |
| model.layers.2.post_attention_layernorm | 1,024 | 40,901,120 |
| model.layers.2.self_attn.k_norm | 128 | 40,901,248 |
| model.layers.2.self_attn.k_proj | 1,048,576 | 41,949,824 |
| model.layers.2.self_attn.o_proj | 2,097,152 | 44,046,976 |
| model.layers.2.self_attn.q_norm | 128 | 44,047,104 |
| model.layers.2.self_attn.q_proj | 2,097,152 | 46,144,256 |
| model.layers.2.self_attn.v_proj | 1,048,576 | 47,192,832 |
| model.layers.3.input_layernorm | 1,024 | 47,193,856 |
| model.layers.3.mlp.down_proj | 3,145,728 | 50,339,584 |
| model.layers.3.mlp.gate_proj | 3,145,728 | 53,485,312 |
| model.layers.3.mlp.up_proj | 3,145,728 | 56,631,040 |
| model.layers.3.post_attention_layernorm | 1,024 | 56,632,064 |
| model.layers.3.self_attn.k_norm | 128 | 56,632,192 |
| model.layers.3.self_attn.k_proj | 1,048,576 | 57,680,768 |
| model.layers.3.self_attn.o_proj | 2,097,152 | 59,777,920 |
| model.layers.3.self_attn.q_norm | 128 | 59,778,048 |
| model.layers.3.self_attn.q_proj | 2,097,152 | 61,875,200 |
| model.layers.3.self_attn.v_proj | 1,048,576 | 62,923,776 |
| model.layers.4.input_layernorm | 1,024 | 62,924,800 |
| model.layers.4.mlp.down_proj | 3,145,728 | 66,070,528 |
| model.layers.4.mlp.gate_proj | 3,145,728 | 69,216,256 |
| model.layers.4.mlp.up_proj | 3,145,728 | 72,361,984 |
| model.layers.4.post_attention_layernorm | 1,024 | 72,363,008 |
| model.layers.4.self_attn.k_norm | 128 | 72,363,136 |
| model.layers.4.self_attn.k_proj | 1,048,576 | 73,411,712 |
| model.layers.4.self_attn.o_proj | 2,097,152 | 75,508,864 |
| model.layers.4.self_attn.q_norm | 128 | 75,508,992 |
| model.layers.4.self_attn.q_proj | 2,097,152 | 77,606,144 |
| model.layers.4.self_attn.v_proj | 1,048,576 | 78,654,720 |
| model.layers.5.input_layernorm | 1,024 | 78,655,744 |
| model.layers.5.mlp.down_proj | 3,145,728 | 81,801,472 |
| model.layers.5.mlp.gate_proj | 3,145,728 | 84,947,200 |
| model.layers.5.mlp.up_proj | 3,145,728 | 88,092,928 |
| model.layers.5.post_attention_layernorm | 1,024 | 88,093,952 |
| model.layers.5.self_attn.k_norm | 128 | 88,094,080 |
| model.layers.5.self_attn.k_proj | 1,048,576 | 89,142,656 |