Model Architecture: Qwen3.5-9B

Generated by sg_modelload

July 21, 2026

1 Model Overview

Model Name	Qwen3.5-9B
Path	/models/sayak_da_work/Qwen3.5-9B
Total Parameters	8,953,803,264
Weight Dtype	bfloat16

2 Forward Pass Algorithm

Algorithm 1 Forward pass of Qwen3.5-9B

$h \leftarrow \text{embed_tokens}(x) \in \mathbb{R}^{B \times T \times 4096}$
for $layer \leftarrow 0$ **to** 31 **do**
    $h \leftarrow \text{layer}_{layer}(h)$
end for
$h \leftarrow \text{norm}(h) \in \mathbb{R}^{B \times T \times 4096}$
$\text{logits} \leftarrow \text{lm_head}(h) \in \mathbb{R}^{B \times T \times 248320}$

3 Layer-by-Layer Architecture

All weight tensors and their dimensions are listed below.

Layer Path	Type	Weight Shape	Dtype	Params
model.layers.0	Qwen3_5DecoderLayer	–	–	–
model.layers.0.input_layernorm.weight	Qwen3_5RMSNorm	4096	bfloat16	4,096
model.layers.0.linear_attn.dt_bias	Qwen3_5GatedDeltaNet	32	bfloat16	32
model.layers.0.linear_attn.A_log	Qwen3_5GatedDeltaNet	32	bfloat16	32
model.layers.0.linear_attn.conv1d.weight	Conv1d	8192 × 1 × 4	bfloat16	32,768
model.layers.0.linear_attn.in_proj_a.weight	Linear	32 × 4096	bfloat16	131,072
model.layers.0.linear_attn.in_proj_b.weight	Linear	32 × 4096	bfloat16	131,072
model.layers.0.linear_attn.in_proj_qkv.weight	Linear	8192 × 4096	bfloat16	33,554,432
model.layers.0.linear_attn.in_proj_z.weight	Linear	4096 × 4096	bfloat16	16,777,216
model.layers.0.linear_attn.norm.weight	Qwen3_5RMSNormGated	128	bfloat16	128
model.layers.0.linear_attn.out_proj.weight	Linear	4096 × 4096	bfloat16	16,777,216
model.layers.0.mlp	Qwen3_5MLP	–	–	–
model.layers.0.mlp.down_proj.weight	Linear	4096 × 12288	bfloat16	50,331,648
model.layers.0.mlp.gate_proj.weight	Linear	12288 × 4096	bfloat16	50,331,648
model.layers.0.mlp.up_proj.weight	Linear	12288 × 4096	bfloat16	50,331,648
model.layers.0.post_attention_layernorm.weight	Qwen3_5RMSNorm	4096	bfloat16	4,096
model.layers.1	Qwen3_5DecoderLayer	–	–	–
model.layers.1.input_layernorm.weight	Qwen3_5RMSNorm	4096	bfloat16	4,096
model.layers.1.linear_attn.dt_bias	Qwen3_5GatedDeltaNet	32	bfloat16	32
model.layers.1.linear_attn.A_log	Qwen3_5GatedDeltaNet	32	bfloat16	32
model.layers.1.linear_attn.conv1d.weight	Conv1d	8192 × 1 × 4	bfloat16	32,768
model.layers.1.linear_attn.in_proj_a.weight	Linear	32 × 4096	bfloat16	131,072
model.layers.1.linear_attn.in_proj_b.weight	Linear	32 × 4096	bfloat16	131,072

Continued on next page

Layer Path	Type	Weight Shape	Dtype	Params
model.layers.1.linear_attn.in_proj_qkv.weight	Linear	8192 × 4096	bfloat16	33,554,432
model.layers.1.linear_attn.in_proj_z.weight	Linear	4096 × 4096	bfloat16	16,777,216
model.layers.1.linear_attn.norm.weight	Qwen3_5RMSNormGated	128	bfloat16	128
model.layers.1.linear_attn.out_proj.weight	Linear	4096 × 4096	bfloat16	16,777,216
model.layers.1.mlp	Qwen3_5MLP	–	–	–
model.layers.1.mlp.down_proj.weight	Linear	4096 × 12288	bfloat16	50,331,648
model.layers.1.mlp.gate_proj.weight	Linear	12288 × 4096	bfloat16	50,331,648
model.layers.1.mlp.up_proj.weight	Linear	12288 × 4096	bfloat16	50,331,648
model.layers.1.post_attention_layernorm.weight	Qwen3_5RMSNorm	4096	bfloat16	4,096
model.layers.2	Qwen3_5DecoderLayer	–	–	–
model.layers.2.input_layernorm.weight	Qwen3_5RMSNorm	4096	bfloat16	4,096
model.layers.2.linear_attn.dt_bias	Qwen3_5GatedDeltaNet	32	bfloat16	32
model.layers.2.linear_attn.A_log	Qwen3_5GatedDeltaNet	32	bfloat16	32
model.layers.2.linear_attn.conv1d.weight	Conv1d	8192 × 1 × 4	bfloat16	32,768
model.layers.2.linear_attn.in_proj_a.weight	Linear	32 × 4096	bfloat16	131,072
model.layers.2.linear_attn.in_proj_b.weight	Linear	32 × 4096	bfloat16	131,072
model.layers.2.linear_attn.in_proj_qkv.weight	Linear	8192 × 4096	bfloat16	33,554,432
model.layers.2.linear_attn.in_proj_z.weight	Linear	4096 × 4096	bfloat16	16,777,216
model.layers.2.linear_attn.norm.weight	Qwen3_5RMSNormGated	128	bfloat16	128
model.layers.2.linear_attn.out_proj.weight	Linear	4096 × 4096	bfloat16	16,777,216
model.layers.2.mlp	Qwen3_5MLP	–	–	–
model.layers.2.mlp.down_proj.weight	Linear	4096 × 12288	bfloat16	50,331,648
model.layers.2.mlp.gate_proj.weight	Linear	12288 × 4096	bfloat16	50,331,648
model.layers.2.mlp.up_proj.weight	Linear	12288 × 4096	bfloat16	50,331,648
model.layers.2.post_attention_layernorm.weight	Qwen3_5RMSNorm	4096	bfloat16	4,096
model.layers.3	Qwen3_5DecoderLayer	–	–	–
model.layers.3.input_layernorm.weight	Qwen3_5RMSNorm	4096	bfloat16	4,096
model.layers.3.mlp	Qwen3_5MLP	–	–	–
model.layers.3.mlp.down_proj.weight	Linear	4096 × 12288	bfloat16	50,331,648
model.layers.3.mlp.gate_proj.weight	Linear	12288 × 4096	bfloat16	50,331,648
model.layers.3.mlp.up_proj.weight	Linear	12288 × 4096	bfloat16	50,331,648
model.layers.3.post_attention_layernorm.weight	Qwen3_5RMSNorm	4096	bfloat16	4,096
model.layers.3.self_attn	Qwen3_5Attention	–	–	–
model.layers.3.self_attn.k_norm.weight	Qwen3_5RMSNorm	256	bfloat16	256
model.layers.3.self_attn.k_proj.weight	Linear	1024 × 4096	bfloat16	4,194,304
model.layers.3.self_attn.o_proj.weight	Linear	4096 × 4096	bfloat16	16,777,216
model.layers.3.self_attn.q_norm.weight	Qwen3_5RMSNorm	256	bfloat16	256
model.layers.3.self_attn.q_proj.weight	Linear	8192 × 4096	bfloat16	33,554,432
model.layers.3.self_attn.v_proj.weight	Linear	1024 × 4096	bfloat16	4,194,304
model.layers.4	Qwen3_5DecoderLayer	–	–	–
model.layers.4.input_layernorm.weight	Qwen3_5RMSNorm	4096	bfloat16	4,096
model.layers.4.linear_attn.dt_bias	Qwen3_5GatedDeltaNet	32	bfloat16	32
model.layers.4.linear_attn.A_log	Qwen3_5GatedDeltaNet	32	bfloat16	32
model.layers.4.linear_attn.conv1d.weight	Conv1d	8192 × 1 × 4	bfloat16	32,768
model.layers.4.linear_attn.in_proj_a.weight	Linear	32 × 4096	bfloat16	131,072
model.layers.4.linear_attn.in_proj_b.weight	Linear	32 × 4096	bfloat16	131,072
model.layers.4.linear_attn.in_proj_qkv.weight	Linear	8192 × 4096	bfloat16	33,554,432
model.layers.4.linear_attn.in_proj_z.weight	Linear	4096 × 4096	bfloat16	16,777,216
model.layers.4.linear_attn.norm.weight	Qwen3_5RMSNormGated	128	bfloat16	128
model.layers.4.linear_attn.out_proj.weight	Linear	4096 × 4096	bfloat16	16,777,216
model.layers.4.mlp	Qwen3_5MLP	–	–	–
model.layers.4.mlp.down_proj.weight	Linear	4096 × 12288	bfloat16	50,331,648
model.layers.4.mlp.gate_proj.weight	Linear	12288 × 4096	bfloat16	50,331,648
model.layers.4.mlp.up_proj.weight	Linear	12288 × 4096	bfloat16	50,331,648
model.layers.4.post_attention_layernorm.weight	Qwen3_5RMSNorm	4096	bfloat16	4,096
model.layers.5	Qwen3_5DecoderLayer	–	–	–
model.layers.5.input_layernorm.weight	Qwen3_5RMSNorm	4096	bfloat16	4,096
model.layers.5.linear_attn.dt_bias	Qwen3_5GatedDeltaNet	32	bfloat16	32

Continued on next page

Layer Path	Type	Weight Shape	Dtype	Params
model.layers.5.linear_attn.A_log	Qwen3_5GatedDeltaNet	32	bfloat16	32
model.layers.5.linear_attn.conv1d.weight	Conv1d	8192 × 1 × 4	bfloat16	32,768
model.layers.5.linear_attn.in_proj_a.weight	Linear	32 × 4096	bfloat16	131,072
model.layers.5.linear_attn.in_proj_b.weight	Linear	32 × 4096	bfloat16	131,072
model.layers.5.linear_attn.in_proj_qkv.weight	Linear	8192 × 4096	bfloat16	33,554,432
model.layers.5.linear_attn.in_proj_z.weight	Linear	4096 × 4096	bfloat16	16,777,216
model.layers.5.linear_attn.norm.weight	Qwen3_5RMSNormGated	128	bfloat16	128
model.layers.5.linear_attn.out_proj.weight	Linear	4096 × 4096	bfloat16	16,777,216
model.layers.5.mlp	Qwen3_5MLP	–	–	–
model.layers.5.mlp.down_proj.weight	Linear	4096 × 12288	bfloat16	50,331,648
model.layers.5.mlp.gate_proj.weight	Linear	12288 × 4096	bfloat16	50,331,648
model.layers.5.mlp.up_proj.weight	Linear	12288 × 4096	bfloat16	50,331,648
model.layers.5.post_attention_layernorm.weight	Qwen3_5RMSNorm	4096	bfloat16	4,096
model.layers.6	Qwen3_5DecoderLayer	–	–	–
model.layers.6.input_layernorm.weight	Qwen3_5RMSNorm	4096	bfloat16	4,096
model.layers.6.linear_attn.dt_bias	Qwen3_5GatedDeltaNet	32	bfloat16	32
model.layers.6.linear_attn.A_log	Qwen3_5GatedDeltaNet	32	bfloat16	32
model.layers.6.linear_attn.conv1d.weight	Conv1d	8192 × 1 × 4	bfloat16	32,768
model.layers.6.linear_attn.in_proj_a.weight	Linear	32 × 4096	bfloat16	131,072
model.layers.6.linear_attn.in_proj_b.weight	Linear	32 × 4096	bfloat16	131,072
model.layers.6.linear_attn.in_proj_qkv.weight	Linear	8192 × 4096	bfloat16	33,554,432
model.layers.6.linear_attn.in_proj_z.weight	Linear	4096 × 4096	bfloat16	16,777,216
model.layers.6.linear_attn.norm.weight	Qwen3_5RMSNormGated	128	bfloat16	128
model.layers.6.linear_attn.out_proj.weight	Linear	4096 × 4096	bfloat16	16,777,216
model.layers.6.mlp	Qwen3_5MLP	–	–	–
model.layers.6.mlp.down_proj.weight	Linear	4096 × 12288	bfloat16	50,331,648
model.layers.6.mlp.gate_proj.weight	Linear	12288 × 4096	bfloat16	50,331,648
model.layers.6.mlp.up_proj.weight	Linear	12288 × 4096	bfloat16	50,331,648
model.layers.6.post_attention_layernorm.weight	Qwen3_5RMSNorm	4096	bfloat16	4,096
model.layers.7	Qwen3_5DecoderLayer	–	–	–
model.layers.7.input_layernorm.weight	Qwen3_5RMSNorm	4096	bfloat16	4,096
model.layers.7.mlp	Qwen3_5MLP	–	–	–
model.layers.7.mlp.down_proj.weight	Linear	4096 × 12288	bfloat16	50,331,648
model.layers.7.mlp.gate_proj.weight	Linear	12288 × 4096	bfloat16	50,331,648
model.layers.7.mlp.up_proj.weight	Linear	12288 × 4096	bfloat16	50,331,648
model.layers.7.post_attention_layernorm.weight	Qwen3_5RMSNorm	4096	bfloat16	4,096
model.layers.7.self_attn	Qwen3_5Attention	–	–	–
model.layers.7.self_attn.k_norm.weight	Qwen3_5RMSNorm	256	bfloat16	256
model.layers.7.self_attn.k_proj.weight	Linear	1024 × 4096	bfloat16	4,194,304
model.layers.7.self_attn.o_proj.weight	Linear	4096 × 4096	bfloat16	16,777,216
model.layers.7.self_attn.q_norm.weight	Qwen3_5RMSNorm	256	bfloat16	256
model.layers.7.self_attn.q_proj.weight	Linear	8192 × 4096	bfloat16	33,554,432
model.layers.7.self_attn.v_proj.weight	Linear	1024 × 4096	bfloat16	4,194,304
model.layers.8	Qwen3_5DecoderLayer	–	–	–
model.layers.8.input_layernorm.weight	Qwen3_5RMSNorm	4096	bfloat16	4,096
model.layers.8.linear_attn.dt_bias	Qwen3_5GatedDeltaNet	32	bfloat16	32
model.layers.8.linear_attn.A_log	Qwen3_5GatedDeltaNet	32	bfloat16	32
model.layers.8.linear_attn.conv1d.weight	Conv1d	8192 × 1 × 4	bfloat16	32,768
model.layers.8.linear_attn.in_proj_a.weight	Linear	32 × 4096	bfloat16	131,072
model.layers.8.linear_attn.in_proj_b.weight	Linear	32 × 4096	bfloat16	131,072
model.layers.8.linear_attn.in_proj_qkv.weight	Linear	8192 × 4096	bfloat16	33,554,432
model.layers.8.linear_attn.in_proj_z.weight	Linear	4096 × 4096	bfloat16	16,777,216
model.layers.8.linear_attn.norm.weight	Qwen3_5RMSNormGated	128	bfloat16	128
model.layers.8.linear_attn.out_proj.weight	Linear	4096 × 4096	bfloat16	16,777,216
model.layers.8.mlp	Qwen3_5MLP	–	–	–
model.layers.8.mlp.down_proj.weight	Linear	4096 × 12288	bfloat16	50,331,648
model.layers.8.mlp.gate_proj.weight	Linear	12288 × 4096	bfloat16	50,331,648
model.layers.8.mlp.up_proj.weight	Linear	12288 × 4096	bfloat16	50,331,648

Continued on next page

Layer Path	Type	Weight Shape	Dtype	Params
model.layers.8.post_attention_layernorm.weight	Qwen3_5RMSNorm	4096	bfloat16	4,096
model.layers.9	Qwen3_5DecoderLayer	–	–	–
model.layers.9.input_layernorm.weight	Qwen3_5RMSNorm	4096	bfloat16	4,096
model.layers.9.linear_attn.dt_bias	Qwen3_5GatedDeltaNet	32	bfloat16	32
model.layers.9.linear_attn.A_log	Qwen3_5GatedDeltaNet	32	bfloat16	32
model.layers.9.linear_attn.conv1d.weight	Conv1d	8192 × 1 × 4	bfloat16	32,768
model.layers.9.linear_attn.in_proj_a.weight	Linear	32 × 4096	bfloat16	131,072
model.layers.9.linear_attn.in_proj_b.weight	Linear	32 × 4096	bfloat16	131,072
model.layers.9.linear_attn.in_proj_qkv.weight	Linear	8192 × 4096	bfloat16	33,554,432
model.layers.9.linear_attn.in_proj_z.weight	Linear	4096 × 4096	bfloat16	16,777,216
model.layers.9.linear_attn.norm.weight	Qwen3_5RMSNormGated	128	bfloat16	128
model.layers.9.linear_attn.out_proj.weight	Linear	4096 × 4096	bfloat16	16,777,216
model.layers.9.mlp	Qwen3_5MLP	–	–	–
model.layers.9.mlp.down_proj.weight	Linear	4096 × 12288	bfloat16	50,331,648
model.layers.9.mlp.gate_proj.weight	Linear	12288 × 4096	bfloat16	50,331,648
model.layers.9.mlp.up_proj.weight	Linear	12288 × 4096	bfloat16	50,331,648
model.layers.9.post_attention_layernorm.weight	Qwen3_5RMSNorm	4096	bfloat16	4,096
model.layers.10	Qwen3_5DecoderLayer	–	–	–
model.layers.10.input_layernorm.weight	Qwen3_5RMSNorm	4096	bfloat16	4,096
model.layers.10.linear_attn.dt_bias	Qwen3_5GatedDeltaNet	32	bfloat16	32
model.layers.10.linear_attn.A_log	Qwen3_5GatedDeltaNet	32	bfloat16	32
model.layers.10.linear_attn.conv1d.weight	Conv1d	8192 × 1 × 4	bfloat16	32,768
model.layers.10.linear_attn.in_proj_a.weight	Linear	32 × 4096	bfloat16	131,072
model.layers.10.linear_attn.in_proj_b.weight	Linear	32 × 4096	bfloat16	131,072
model.layers.10.linear_attn.in_proj_qkv.weight	Linear	8192 × 4096	bfloat16	33,554,432
model.layers.10.linear_attn.in_proj_z.weight	Linear	4096 × 4096	bfloat16	16,777,216
model.layers.10.linear_attn.norm.weight	Qwen3_5RMSNormGated	128	bfloat16	128
model.layers.10.linear_attn.out_proj.weight	Linear	4096 × 4096	bfloat16	16,777,216
model.layers.10.mlp	Qwen3_5MLP	–	–	–
model.layers.10.mlp.down_proj.weight	Linear	4096 × 12288	bfloat16	50,331,648
model.layers.10.mlp.gate_proj.weight	Linear	12288 × 4096	bfloat16	50,331,648
model.layers.10.mlp.up_proj.weight	Linear	12288 × 4096	bfloat16	50,331,648
model.layers.10.post_attention_layernorm.weight	Qwen3_5RMSNorm	4096	bfloat16	4,096
model.layers.11	Qwen3_5DecoderLayer	–	–	–
model.layers.11.input_layernorm.weight	Qwen3_5RMSNorm	4096	bfloat16	4,096
model.layers.11.mlp	Qwen3_5MLP	–	–	–
model.layers.11.mlp.down_proj.weight	Linear	4096 × 12288	bfloat16	50,331,648
model.layers.11.mlp.gate_proj.weight	Linear	12288 × 4096	bfloat16	50,331,648
model.layers.11.mlp.up_proj.weight	Linear	12288 × 4096	bfloat16	50,331,648
model.layers.11.post_attention_layernorm.weight	Qwen3_5RMSNorm	4096	bfloat16	4,096
model.layers.11.self_attn	Qwen3_5Attention	–	–	–
model.layers.11.self_attn.k_norm.weight	Qwen3_5RMSNorm	256	bfloat16	256
model.layers.11.self_attn.k_proj.weight	Linear	1024 × 4096	bfloat16	4,194,304
model.layers.11.self_attn.o_proj.weight	Linear	4096 × 4096	bfloat16	16,777,216
model.layers.11.self_attn.q_norm.weight	Qwen3_5RMSNorm	256	bfloat16	256
model.layers.11.self_attn.q_proj.weight	Linear	8192 × 4096	bfloat16	33,554,432
model.layers.11.self_attn.v_proj.weight	Linear	1024 × 4096	bfloat16	4,194,304
model.layers.12	Qwen3_5DecoderLayer	–	–	–
model.layers.12.input_layernorm.weight	Qwen3_5RMSNorm	4096	bfloat16	4,096
model.layers.12.linear_attn.dt_bias	Qwen3_5GatedDeltaNet	32	bfloat16	32
model.layers.12.linear_attn.A_log	Qwen3_5GatedDeltaNet	32	bfloat16	32
model.layers.12.linear_attn.conv1d.weight	Conv1d	8192 × 1 × 4	bfloat16	32,768
model.layers.12.linear_attn.in_proj_a.weight	Linear	32 × 4096	bfloat16	131,072
model.layers.12.linear_attn.in_proj_b.weight	Linear	32 × 4096	bfloat16	131,072
model.layers.12.linear_attn.in_proj_qkv.weight	Linear	8192 × 4096	bfloat16	33,554,432
model.layers.12.linear_attn.in_proj_z.weight	Linear	4096 × 4096	bfloat16	16,777,216
model.layers.12.linear_attn.norm.weight	Qwen3_5RMSNormGated	128	bfloat16	128
model.layers.12.linear_attn.out_proj.weight	Linear	4096 × 4096	bfloat16	16,777,216

Continued on next page

Layer Path	Type	Weight Shape	Dtype	Params
model.layers.12.mlp	Qwen3_5MLP	–	–	–
model.layers.12.mlp.down_proj.weight	Linear	4096 × 12288	bfloat16	50,331,648
model.layers.12.mlp.gate_proj.weight	Linear	12288 × 4096	bfloat16	50,331,648
model.layers.12.mlp.up_proj.weight	Linear	12288 × 4096	bfloat16	50,331,648
model.layers.12.post_attention_layernorm.weight	Qwen3_5RMSNorm	4096	bfloat16	4,096
model.layers.13	Qwen3_5DecoderLayer	–	–	–
model.layers.13.input_layernorm.weight	Qwen3_5RMSNorm	4096	bfloat16	4,096
model.layers.13.linear_attn.dt_bias	Qwen3_5GatedDeltaNet	32	bfloat16	32
model.layers.13.linear_attn.A_log	Qwen3_5GatedDeltaNet	32	bfloat16	32
model.layers.13.linear_attn.conv1d.weight	Conv1d	8192 × 1 × 4	bfloat16	32,768
model.layers.13.linear_attn.in_proj_a.weight	Linear	32 × 4096	bfloat16	131,072
model.layers.13.linear_attn.in_proj_b.weight	Linear	32 × 4096	bfloat16	131,072
model.layers.13.linear_attn.in_proj_qkv.weight	Linear	8192 × 4096	bfloat16	33,554,432
model.layers.13.linear_attn.in_proj_z.weight	Linear	4096 × 4096	bfloat16	16,777,216
model.layers.13.linear_attn.norm.weight	Qwen3_5RMSNormGated	128	bfloat16	128
model.layers.13.linear_attn.out_proj.weight	Linear	4096 × 4096	bfloat16	16,777,216
model.layers.13.mlp	Qwen3_5MLP	–	–	–
model.layers.13.mlp.down_proj.weight	Linear	4096 × 12288	bfloat16	50,331,648
model.layers.13.mlp.gate_proj.weight	Linear	12288 × 4096	bfloat16	50,331,648
model.layers.13.mlp.up_proj.weight	Linear	12288 × 4096	bfloat16	50,331,648
model.layers.13.post_attention_layernorm.weight	Qwen3_5RMSNorm	4096	bfloat16	4,096
model.layers.14	Qwen3_5DecoderLayer	–	–	–
model.layers.14.input_layernorm.weight	Qwen3_5RMSNorm	4096	bfloat16	4,096
model.layers.14.linear_attn.dt_bias	Qwen3_5GatedDeltaNet	32	bfloat16	32
model.layers.14.linear_attn.A_log	Qwen3_5GatedDeltaNet	32	bfloat16	32
model.layers.14.linear_attn.conv1d.weight	Conv1d	8192 × 1 × 4	bfloat16	32,768
model.layers.14.linear_attn.in_proj_a.weight	Linear	32 × 4096	bfloat16	131,072
model.layers.14.linear_attn.in_proj_b.weight	Linear	32 × 4096	bfloat16	131,072
model.layers.14.linear_attn.in_proj_qkv.weight	Linear	8192 × 4096	bfloat16	33,554,432
model.layers.14.linear_attn.in_proj_z.weight	Linear	4096 × 4096	bfloat16	16,777,216
model.layers.14.linear_attn.norm.weight	Qwen3_5RMSNormGated	128	bfloat16	128
model.layers.14.linear_attn.out_proj.weight	Linear	4096 × 4096	bfloat16	16,777,216
model.layers.14.mlp	Qwen3_5MLP	–	–	–
model.layers.14.mlp.down_proj.weight	Linear	4096 × 12288	bfloat16	50,331,648
model.layers.14.mlp.gate_proj.weight	Linear	12288 × 4096	bfloat16	50,331,648
model.layers.14.mlp.up_proj.weight	Linear	12288 × 4096	bfloat16	50,331,648
model.layers.14.post_attention_layernorm.weight	Qwen3_5RMSNorm	4096	bfloat16	4,096
model.layers.15	Qwen3_5DecoderLayer	–	–	–
model.layers.15.input_layernorm.weight	Qwen3_5RMSNorm	4096	bfloat16	4,096
model.layers.15.mlp	Qwen3_5MLP	–	–	–
model.layers.15.mlp.down_proj.weight	Linear	4096 × 12288	bfloat16	50,331,648
model.layers.15.mlp.gate_proj.weight	Linear	12288 × 4096	bfloat16	50,331,648
model.layers.15.mlp.up_proj.weight	Linear	12288 × 4096	bfloat16	50,331,648
model.layers.15.post_attention_layernorm.weight	Qwen3_5RMSNorm	4096	bfloat16	4,096
model.layers.15.self_attn	Qwen3_5Attention	–	–	–
model.layers.15.self_attn.k_norm.weight	Qwen3_5RMSNorm	256	bfloat16	256
model.layers.15.self_attn.k_proj.weight	Linear	1024 × 4096	bfloat16	4,194,304
model.layers.15.self_attn.o_proj.weight	Linear	4096 × 4096	bfloat16	16,777,216
model.layers.15.self_attn.q_norm.weight	Qwen3_5RMSNorm	256	bfloat16	256
model.layers.15.self_attn.q_proj.weight	Linear	8192 × 4096	bfloat16	33,554,432
model.layers.15.self_attn.v_proj.weight	Linear	1024 × 4096	bfloat16	4,194,304
model.layers.16	Qwen3_5DecoderLayer	–	–	–
model.layers.16.input_layernorm.weight	Qwen3_5RMSNorm	4096	bfloat16	4,096
model.layers.16.linear_attn.dt_bias	Qwen3_5GatedDeltaNet	32	bfloat16	32
model.layers.16.linear_attn.A_log	Qwen3_5GatedDeltaNet	32	bfloat16	32
model.layers.16.linear_attn.conv1d.weight	Conv1d	8192 × 1 × 4	bfloat16	32,768
model.layers.16.linear_attn.in_proj_a.weight	Linear	32 × 4096	bfloat16	131,072
model.layers.16.linear_attn.in_proj_b.weight	Linear	32 × 4096	bfloat16	131,072

Continued on next page

Layer Path	Type	Weight Shape	Dtype	Params
model.layers.16.linear_attn.in_proj_qkv.weight	Linear	8192 × 4096	bfloat16	33,554,432
model.layers.16.linear_attn.in_proj_z.weight	Linear	4096 × 4096	bfloat16	16,777,216
model.layers.16.linear_attn.norm.weight	Qwen3_5RMSNormGated	128	bfloat16	128
model.layers.16.linear_attn.out_proj.weight	Linear	4096 × 4096	bfloat16	16,777,216
model.layers.16.mlp	Qwen3_5MLP	–	–	–
model.layers.16.mlp.down_proj.weight	Linear	4096 × 12288	bfloat16	50,331,648
model.layers.16.mlp.gate_proj.weight	Linear	12288 × 4096	bfloat16	50,331,648
model.layers.16.mlp.up_proj.weight	Linear	12288 × 4096	bfloat16	50,331,648
model.layers.16.post_attention_layernorm.weight	Qwen3_5RMSNorm	4096	bfloat16	4,096
model.layers.17	Qwen3_5DecoderLayer	–	–	–
model.layers.17.input_layernorm.weight	Qwen3_5RMSNorm	4096	bfloat16	4,096
model.layers.17.linear_attn.dt_bias	Qwen3_5GatedDeltaNet	32	bfloat16	32
model.layers.17.linear_attn.A_log	Qwen3_5GatedDeltaNet	32	bfloat16	32
model.layers.17.linear_attn.conv1d.weight	Conv1d	8192 × 1 × 4	bfloat16	32,768
model.layers.17.linear_attn.in_proj_a.weight	Linear	32 × 4096	bfloat16	131,072
model.layers.17.linear_attn.in_proj_b.weight	Linear	32 × 4096	bfloat16	131,072
model.layers.17.linear_attn.in_proj_qkv.weight	Linear	8192 × 4096	bfloat16	33,554,432
model.layers.17.linear_attn.in_proj_z.weight	Linear	4096 × 4096	bfloat16	16,777,216
model.layers.17.linear_attn.norm.weight	Qwen3_5RMSNormGated	128	bfloat16	128
model.layers.17.linear_attn.out_proj.weight	Linear	4096 × 4096	bfloat16	16,777,216
model.layers.17.mlp	Qwen3_5MLP	–	–	–
model.layers.17.mlp.down_proj.weight	Linear	4096 × 12288	bfloat16	50,331,648
model.layers.17.mlp.gate_proj.weight	Linear	12288 × 4096	bfloat16	50,331,648
model.layers.17.mlp.up_proj.weight	Linear	12288 × 4096	bfloat16	50,331,648
model.layers.17.post_attention_layernorm.weight	Qwen3_5RMSNorm	4096	bfloat16	4,096
model.layers.18	Qwen3_5DecoderLayer	–	–	–
model.layers.18.input_layernorm.weight	Qwen3_5RMSNorm	4096	bfloat16	4,096
model.layers.18.linear_attn.dt_bias	Qwen3_5GatedDeltaNet	32	bfloat16	32
model.layers.18.linear_attn.A_log	Qwen3_5GatedDeltaNet	32	bfloat16	32
model.layers.18.linear_attn.conv1d.weight	Conv1d	8192 × 1 × 4	bfloat16	32,768
model.layers.18.linear_attn.in_proj_a.weight	Linear	32 × 4096	bfloat16	131,072
model.layers.18.linear_attn.in_proj_b.weight	Linear	32 × 4096	bfloat16	131,072
model.layers.18.linear_attn.in_proj_qkv.weight	Linear	8192 × 4096	bfloat16	33,554,432
model.layers.18.linear_attn.in_proj_z.weight	Linear	4096 × 4096	bfloat16	16,777,216
model.layers.18.linear_attn.norm.weight	Qwen3_5RMSNormGated	128	bfloat16	128
model.layers.18.linear_attn.out_proj.weight	Linear	4096 × 4096	bfloat16	16,777,216
model.layers.18.mlp	Qwen3_5MLP	–	–	–
model.layers.18.mlp.down_proj.weight	Linear	4096 × 12288	bfloat16	50,331,648
model.layers.18.mlp.gate_proj.weight	Linear	12288 × 4096	bfloat16	50,331,648
model.layers.18.mlp.up_proj.weight	Linear	12288 × 4096	bfloat16	50,331,648
model.layers.18.post_attention_layernorm.weight	Qwen3_5RMSNorm	4096	bfloat16	4,096
model.layers.19	Qwen3_5DecoderLayer	–	–	–
model.layers.19.input_layernorm.weight	Qwen3_5RMSNorm	4096	bfloat16	4,096
model.layers.19.mlp	Qwen3_5MLP	–	–	–
model.layers.19.mlp.down_proj.weight	Linear	4096 × 12288	bfloat16	50,331,648
model.layers.19.mlp.gate_proj.weight	Linear	12288 × 4096	bfloat16	50,331,648
model.layers.19.mlp.up_proj.weight	Linear	12288 × 4096	bfloat16	50,331,648
model.layers.19.post_attention_layernorm.weight	Qwen3_5RMSNorm	4096	bfloat16	4,096
model.layers.19.self_attn	Qwen3_5Attention	–	–	–
model.layers.19.self_attn.k_norm.weight	Qwen3_5RMSNorm	256	bfloat16	256
model.layers.19.self_attn.k_proj.weight	Linear	1024 × 4096	bfloat16	4,194,304
model.layers.19.self_attn.o_proj.weight	Linear	4096 × 4096	bfloat16	16,777,216
model.layers.19.self_attn.q_norm.weight	Qwen3_5RMSNorm	256	bfloat16	256
model.layers.19.self_attn.q_proj.weight	Linear	8192 × 4096	bfloat16	33,554,432
model.layers.19.self_attn.v_proj.weight	Linear	1024 × 4096	bfloat16	4,194,304
model.layers.20	Qwen3_5DecoderLayer	–	–	–
model.layers.20.input_layernorm.weight	Qwen3_5RMSNorm	4096	bfloat16	4,096
model.layers.20.linear_attn.dt_bias	Qwen3_5GatedDeltaNet	32	bfloat16	32

Continued on next page

Layer Path	Type	Weight Shape	Dtype	Params
model.layers.20.linear_attn.A_log	Qwen3_5GatedDeltaNet	32	bfloat16	32
model.layers.20.linear_attn.conv1d.weight	Conv1d	8192 × 1 × 4	bfloat16	32,768
model.layers.20.linear_attn.in_proj_a.weight	Linear	32 × 4096	bfloat16	131,072
model.layers.20.linear_attn.in_proj_b.weight	Linear	32 × 4096	bfloat16	131,072
model.layers.20.linear_attn.in_proj_qkv.weight	Linear	8192 × 4096	bfloat16	33,554,432
model.layers.20.linear_attn.in_proj_z.weight	Linear	4096 × 4096	bfloat16	16,777,216
model.layers.20.linear_attn.norm.weight	Qwen3_5RMSNormGated	128	bfloat16	128
model.layers.20.linear_attn.out_proj.weight	Linear	4096 × 4096	bfloat16	16,777,216
model.layers.20.mlp	Qwen3_5MLP	–	–	–
model.layers.20.mlp.down_proj.weight	Linear	4096 × 12288	bfloat16	50,331,648
model.layers.20.mlp.gate_proj.weight	Linear	12288 × 4096	bfloat16	50,331,648
model.layers.20.mlp.up_proj.weight	Linear	12288 × 4096	bfloat16	50,331,648
model.layers.20.post_attention_layernorm.weight	Qwen3_5RMSNorm	4096	bfloat16	4,096
model.layers.21	Qwen3_5DecoderLayer	–	–	–
model.layers.21.input_layernorm.weight	Qwen3_5RMSNorm	4096	bfloat16	4,096
model.layers.21.linear_attn.dt_bias	Qwen3_5GatedDeltaNet	32	bfloat16	32
model.layers.21.linear_attn.A_log	Qwen3_5GatedDeltaNet	32	bfloat16	32
model.layers.21.linear_attn.conv1d.weight	Conv1d	8192 × 1 × 4	bfloat16	32,768
model.layers.21.linear_attn.in_proj_a.weight	Linear	32 × 4096	bfloat16	131,072
model.layers.21.linear_attn.in_proj_b.weight	Linear	32 × 4096	bfloat16	131,072
model.layers.21.linear_attn.in_proj_qkv.weight	Linear	8192 × 4096	bfloat16	33,554,432
model.layers.21.linear_attn.in_proj_z.weight	Linear	4096 × 4096	bfloat16	16,777,216
model.layers.21.linear_attn.norm.weight	Qwen3_5RMSNormGated	128	bfloat16	128
model.layers.21.linear_attn.out_proj.weight	Linear	4096 × 4096	bfloat16	16,777,216
model.layers.21.mlp	Qwen3_5MLP	–	–	–
model.layers.21.mlp.down_proj.weight	Linear	4096 × 12288	bfloat16	50,331,648
model.layers.21.mlp.gate_proj.weight	Linear	12288 × 4096	bfloat16	50,331,648
model.layers.21.mlp.up_proj.weight	Linear	12288 × 4096	bfloat16	50,331,648
model.layers.21.post_attention_layernorm.weight	Qwen3_5RMSNorm	4096	bfloat16	4,096
model.layers.22	Qwen3_5DecoderLayer	–	–	–
model.layers.22.input_layernorm.weight	Qwen3_5RMSNorm	4096	bfloat16	4,096
model.layers.22.linear_attn.dt_bias	Qwen3_5GatedDeltaNet	32	bfloat16	32
model.layers.22.linear_attn.A_log	Qwen3_5GatedDeltaNet	32	bfloat16	32
model.layers.22.linear_attn.conv1d.weight	Conv1d	8192 × 1 × 4	bfloat16	32,768
model.layers.22.linear_attn.in_proj_a.weight	Linear	32 × 4096	bfloat16	131,072
model.layers.22.linear_attn.in_proj_b.weight	Linear	32 × 4096	bfloat16	131,072
model.layers.22.linear_attn.in_proj_qkv.weight	Linear	8192 × 4096	bfloat16	33,554,432
model.layers.22.linear_attn.in_proj_z.weight	Linear	4096 × 4096	bfloat16	16,777,216
model.layers.22.linear_attn.norm.weight	Qwen3_5RMSNormGated	128	bfloat16	128
model.layers.22.linear_attn.out_proj.weight	Linear	4096 × 4096	bfloat16	16,777,216
model.layers.22.mlp	Qwen3_5MLP	–	–	–
model.layers.22.mlp.down_proj.weight	Linear	4096 × 12288	bfloat16	50,331,648
model.layers.22.mlp.gate_proj.weight	Linear	12288 × 4096	bfloat16	50,331,648
model.layers.22.mlp.up_proj.weight	Linear	12288 × 4096	bfloat16	50,331,648
model.layers.22.post_attention_layernorm.weight	Qwen3_5RMSNorm	4096	bfloat16	4,096
model.layers.23	Qwen3_5DecoderLayer	–	–	–
model.layers.23.input_layernorm.weight	Qwen3_5RMSNorm	4096	bfloat16	4,096
model.layers.23.mlp	Qwen3_5MLP	–	–	–
model.layers.23.mlp.down_proj.weight	Linear	4096 × 12288	bfloat16	50,331,648
model.layers.23.mlp.gate_proj.weight	Linear	12288 × 4096	bfloat16	50,331,648
model.layers.23.mlp.up_proj.weight	Linear	12288 × 4096	bfloat16	50,331,648
model.layers.23.post_attention_layernorm.weight	Qwen3_5RMSNorm	4096	bfloat16	4,096
model.layers.23.self_attn	Qwen3_5Attention	–	–	–
model.layers.23.self_attn.k_norm.weight	Qwen3_5RMSNorm	256	bfloat16	256
model.layers.23.self_attn.k_proj.weight	Linear	1024 × 4096	bfloat16	4,194,304
model.layers.23.self_attn.o_proj.weight	Linear	4096 × 4096	bfloat16	16,777,216
model.layers.23.self_attn.q_norm.weight	Qwen3_5RMSNorm	256	bfloat16	256
model.layers.23.self_attn.q_proj.weight	Linear	8192 × 4096	bfloat16	33,554,432

Continued on next page

Layer Path	Type	Weight Shape	Dtype	Params
model.layers.23.self_attn.v_proj.weight	Linear	1024 × 4096	bfloat16	4,194,304
model.layers.24	Qwen3_5DecoderLayer	–	–	–
model.layers.24.input_layernorm.weight	Qwen3_5RMSNorm	4096	bfloat16	4,096
model.layers.24.linear_attn.dt_bias	Qwen3_5GatedDeltaNet	32	bfloat16	32
model.layers.24.linear_attn.A_log	Qwen3_5GatedDeltaNet	32	bfloat16	32
model.layers.24.linear_attn.conv1d.weight	Conv1d	8192 × 1 × 4	bfloat16	32,768
model.layers.24.linear_attn.in_proj_a.weight	Linear	32 × 4096	bfloat16	131,072
model.layers.24.linear_attn.in_proj_b.weight	Linear	32 × 4096	bfloat16	131,072
model.layers.24.linear_attn.in_proj_qkv.weight	Linear	8192 × 4096	bfloat16	33,554,432
model.layers.24.linear_attn.in_proj_z.weight	Linear	4096 × 4096	bfloat16	16,777,216
model.layers.24.linear_attn.norm.weight	Qwen3_5RMSNormGated	128	bfloat16	128
model.layers.24.linear_attn.out_proj.weight	Linear	4096 × 4096	bfloat16	16,777,216
model.layers.24.mlp	Qwen3_5MLP	–	–	–
model.layers.24.mlp.down_proj.weight	Linear	4096 × 12288	bfloat16	50,331,648
model.layers.24.mlp.gate_proj.weight	Linear	12288 × 4096	bfloat16	50,331,648
model.layers.24.mlp.up_proj.weight	Linear	12288 × 4096	bfloat16	50,331,648
model.layers.24.post_attention_layernorm.weight	Qwen3_5RMSNorm	4096	bfloat16	4,096
model.layers.25	Qwen3_5DecoderLayer	–	–	–
model.layers.25.input_layernorm.weight	Qwen3_5RMSNorm	4096	bfloat16	4,096
model.layers.25.linear_attn.dt_bias	Qwen3_5GatedDeltaNet	32	bfloat16	32
model.layers.25.linear_attn.A_log	Qwen3_5GatedDeltaNet	32	bfloat16	32
model.layers.25.linear_attn.conv1d.weight	Conv1d	8192 × 1 × 4	bfloat16	32,768
model.layers.25.linear_attn.in_proj_a.weight	Linear	32 × 4096	bfloat16	131,072
model.layers.25.linear_attn.in_proj_b.weight	Linear	32 × 4096	bfloat16	131,072
model.layers.25.linear_attn.in_proj_qkv.weight	Linear	8192 × 4096	bfloat16	33,554,432
model.layers.25.linear_attn.in_proj_z.weight	Linear	4096 × 4096	bfloat16	16,777,216
model.layers.25.linear_attn.norm.weight	Qwen3_5RMSNormGated	128	bfloat16	128
model.layers.25.linear_attn.out_proj.weight	Linear	4096 × 4096	bfloat16	16,777,216
model.layers.25.mlp	Qwen3_5MLP	–	–	–
model.layers.25.mlp.down_proj.weight	Linear	4096 × 12288	bfloat16	50,331,648
model.layers.25.mlp.gate_proj.weight	Linear	12288 × 4096	bfloat16	50,331,648
model.layers.25.mlp.up_proj.weight	Linear	12288 × 4096	bfloat16	50,331,648
model.layers.25.post_attention_layernorm.weight	Qwen3_5RMSNorm	4096	bfloat16	4,096
model.layers.26	Qwen3_5DecoderLayer	–	–	–
model.layers.26.input_layernorm.weight	Qwen3_5RMSNorm	4096	bfloat16	4,096
model.layers.26.linear_attn.dt_bias	Qwen3_5GatedDeltaNet	32	bfloat16	32
model.layers.26.linear_attn.A_log	Qwen3_5GatedDeltaNet	32	bfloat16	32
model.layers.26.linear_attn.conv1d.weight	Conv1d	8192 × 1 × 4	bfloat16	32,768
model.layers.26.linear_attn.in_proj_a.weight	Linear	32 × 4096	bfloat16	131,072
model.layers.26.linear_attn.in_proj_b.weight	Linear	32 × 4096	bfloat16	131,072
model.layers.26.linear_attn.in_proj_qkv.weight	Linear	8192 × 4096	bfloat16	33,554,432
model.layers.26.linear_attn.in_proj_z.weight	Linear	4096 × 4096	bfloat16	16,777,216
model.layers.26.linear_attn.norm.weight	Qwen3_5RMSNormGated	128	bfloat16	128
model.layers.26.linear_attn.out_proj.weight	Linear	4096 × 4096	bfloat16	16,777,216
model.layers.26.mlp	Qwen3_5MLP	–	–	–
model.layers.26.mlp.down_proj.weight	Linear	4096 × 12288	bfloat16	50,331,648
model.layers.26.mlp.gate_proj.weight	Linear	12288 × 4096	bfloat16	50,331,648
model.layers.26.mlp.up_proj.weight	Linear	12288 × 4096	bfloat16	50,331,648
model.layers.26.post_attention_layernorm.weight	Qwen3_5RMSNorm	4096	bfloat16	4,096
model.layers.27	Qwen3_5DecoderLayer	–	–	–
model.layers.27.input_layernorm.weight	Qwen3_5RMSNorm	4096	bfloat16	4,096
model.layers.27.mlp	Qwen3_5MLP	–	–	–
model.layers.27.mlp.down_proj.weight	Linear	4096 × 12288	bfloat16	50,331,648
model.layers.27.mlp.gate_proj.weight	Linear	12288 × 4096	bfloat16	50,331,648
model.layers.27.mlp.up_proj.weight	Linear	12288 × 4096	bfloat16	50,331,648
model.layers.27.post_attention_layernorm.weight	Qwen3_5RMSNorm	4096	bfloat16	4,096
model.layers.27.self_attn	Qwen3_5Attention	–	–	–
model.layers.27.self_attn.k_norm.weight	Qwen3_5RMSNorm	256	bfloat16	256

Continued on next page

Layer Path	Type	Weight Shape	Dtype	Params
model.layers.27.self_attn.k_proj.weight	Linear	1024 × 4096	bfloat16	4,194,304
model.layers.27.self_attn.o_proj.weight	Linear	4096 × 4096	bfloat16	16,777,216
model.layers.27.self_attn.q_norm.weight	Qwen3_5RMSNorm	256	bfloat16	256
model.layers.27.self_attn.q_proj.weight	Linear	8192 × 4096	bfloat16	33,554,432
model.layers.27.self_attn.v_proj.weight	Linear	1024 × 4096	bfloat16	4,194,304
model.layers.28	Qwen3_5DecoderLayer	–	–	–
model.layers.28.input_layernorm.weight	Qwen3_5RMSNorm	4096	bfloat16	4,096
model.layers.28.linear_attn.dt_bias	Qwen3_5GatedDeltaNet	32	bfloat16	32
model.layers.28.linear_attn.A_log	Qwen3_5GatedDeltaNet	32	bfloat16	32
model.layers.28.linear_attn.conv1d.weight	Conv1d	8192 × 1 × 4	bfloat16	32,768
model.layers.28.linear_attn.in_proj_a.weight	Linear	32 × 4096	bfloat16	131,072
model.layers.28.linear_attn.in_proj_b.weight	Linear	32 × 4096	bfloat16	131,072
model.layers.28.linear_attn.in_proj_qkv.weight	Linear	8192 × 4096	bfloat16	33,554,432
model.layers.28.linear_attn.in_proj_z.weight	Linear	4096 × 4096	bfloat16	16,777,216
model.layers.28.linear_attn.norm.weight	Qwen3_5RMSNormGated	128	bfloat16	128
model.layers.28.linear_attn.out_proj.weight	Linear	4096 × 4096	bfloat16	16,777,216
model.layers.28.mlp	Qwen3_5MLP	–	–	–
model.layers.28.mlp.down_proj.weight	Linear	4096 × 12288	bfloat16	50,331,648
model.layers.28.mlp.gate_proj.weight	Linear	12288 × 4096	bfloat16	50,331,648
model.layers.28.mlp.up_proj.weight	Linear	12288 × 4096	bfloat16	50,331,648
model.layers.28.post_attention_layernorm.weight	Qwen3_5RMSNorm	4096	bfloat16	4,096
model.layers.29	Qwen3_5DecoderLayer	–	–	–
model.layers.29.input_layernorm.weight	Qwen3_5RMSNorm	4096	bfloat16	4,096
model.layers.29.linear_attn.dt_bias	Qwen3_5GatedDeltaNet	32	bfloat16	32
model.layers.29.linear_attn.A_log	Qwen3_5GatedDeltaNet	32	bfloat16	32
model.layers.29.linear_attn.conv1d.weight	Conv1d	8192 × 1 × 4	bfloat16	32,768
model.layers.29.linear_attn.in_proj_a.weight	Linear	32 × 4096	bfloat16	131,072
model.layers.29.linear_attn.in_proj_b.weight	Linear	32 × 4096	bfloat16	131,072
model.layers.29.linear_attn.in_proj_qkv.weight	Linear	8192 × 4096	bfloat16	33,554,432
model.layers.29.linear_attn.in_proj_z.weight	Linear	4096 × 4096	bfloat16	16,777,216
model.layers.29.linear_attn.norm.weight	Qwen3_5RMSNormGated	128	bfloat16	128
model.layers.29.linear_attn.out_proj.weight	Linear	4096 × 4096	bfloat16	16,777,216
model.layers.29.mlp	Qwen3_5MLP	–	–	–
model.layers.29.mlp.down_proj.weight	Linear	4096 × 12288	bfloat16	50,331,648
model.layers.29.mlp.gate_proj.weight	Linear	12288 × 4096	bfloat16	50,331,648
model.layers.29.mlp.up_proj.weight	Linear	12288 × 4096	bfloat16	50,331,648
model.layers.29.post_attention_layernorm.weight	Qwen3_5RMSNorm	4096	bfloat16	4,096
model.layers.30	Qwen3_5DecoderLayer	–	–	–
model.layers.30.input_layernorm.weight	Qwen3_5RMSNorm	4096	bfloat16	4,096
model.layers.30.linear_attn.dt_bias	Qwen3_5GatedDeltaNet	32	bfloat16	32
model.layers.30.linear_attn.A_log	Qwen3_5GatedDeltaNet	32	bfloat16	32
model.layers.30.linear_attn.conv1d.weight	Conv1d	8192 × 1 × 4	bfloat16	32,768
model.layers.30.linear_attn.in_proj_a.weight	Linear	32 × 4096	bfloat16	131,072
model.layers.30.linear_attn.in_proj_b.weight	Linear	32 × 4096	bfloat16	131,072
model.layers.30.linear_attn.in_proj_qkv.weight	Linear	8192 × 4096	bfloat16	33,554,432
model.layers.30.linear_attn.in_proj_z.weight	Linear	4096 × 4096	bfloat16	16,777,216
model.layers.30.linear_attn.norm.weight	Qwen3_5RMSNormGated	128	bfloat16	128
model.layers.30.linear_attn.out_proj.weight	Linear	4096 × 4096	bfloat16	16,777,216
model.layers.30.mlp	Qwen3_5MLP	–	–	–
model.layers.30.mlp.down_proj.weight	Linear	4096 × 12288	bfloat16	50,331,648
model.layers.30.mlp.gate_proj.weight	Linear	12288 × 4096	bfloat16	50,331,648
model.layers.30.mlp.up_proj.weight	Linear	12288 × 4096	bfloat16	50,331,648
model.layers.30.post_attention_layernorm.weight	Qwen3_5RMSNorm	4096	bfloat16	4,096
model.layers.31	Qwen3_5DecoderLayer	–	–	–
model.layers.31.input_layernorm.weight	Qwen3_5RMSNorm	4096	bfloat16	4,096
model.layers.31.mlp	Qwen3_5MLP	–	–	–
model.layers.31.mlp.down_proj.weight	Linear	4096 × 12288	bfloat16	50,331,648
model.layers.31.mlp.gate_proj.weight	Linear	12288 × 4096	bfloat16	50,331,648

Continued on next page

Layer Path	Type	Weight Shape	Dtype	Params
model.layers.31.mlp.up_proj.weight	Linear	12288 × 4096	bfloat16	50,331,648
model.layers.31.post_attention_layernorm.weight	Qwen3_5RMSNorm	4096	bfloat16	4,096
model.layers.31.self_attn	Qwen3_5Attention	–	–	–
model.layers.31.self_attn.k_norm.weight	Qwen3_5RMSNorm	256	bfloat16	256
model.layers.31.self_attn.k_proj.weight	Linear	1024 × 4096	bfloat16	4,194,304
model.layers.31.self_attn.o_proj.weight	Linear	4096 × 4096	bfloat16	16,777,216
model.layers.31.self_attn.q_norm.weight	Qwen3_5RMSNorm	256	bfloat16	256
model.layers.31.self_attn.q_proj.weight	Linear	8192 × 4096	bfloat16	33,554,432
model.layers.31.self_attn.v_proj.weight	Linear	1024 × 4096	bfloat16	4,194,304
lm_head.weight	Linear	248320 × 4096	bfloat16	1,017,118,720
model	Qwen3_5TextModel	–	–	–
model.embed_tokens.weight	Embedding	248320 × 4096	bfloat16	1,017,118,720
model.layers	ModuleList	–	–	–
model.norm.weight	Qwen3_5RMSNorm	4096	bfloat16	4,096

4 Parameter Count Estimation

Component	Parameters	% of Total
MLP	4,831,838,208	54.0%
Other	1,617,692,160	18.1%
Embedding	1,017,118,720	11.4%
LM Head	1,017,118,720	11.4%
Attention	469,766,144	5.2%
LayerNorm	269,312	0.0%
Total	**8,953,803,264**	**100.0%**

4.1 Per-Layer Parameter Count

Layer	Params	Running Total
model.layers.0.input_layernorm	4,096	4,096
model.layers.0.linear_attn	64	4,160
model.layers.0.linear_attn.conv1d	32,768	36,928
model.layers.0.linear_attn.in_proj_a	131,072	168,000
model.layers.0.linear_attn.in_proj_b	131,072	299,072
model.layers.0.linear_attn.in_proj_qkv	33,554,432	33,853,504
model.layers.0.linear_attn.in_proj_z	16,777,216	50,630,720
model.layers.0.linear_attn.norm	128	50,630,848
model.layers.0.linear_attn.out_proj	16,777,216	67,408,064
model.layers.0.mlp.down_proj	50,331,648	117,739,712
model.layers.0.mlp.gate_proj	50,331,648	168,071,360
model.layers.0.mlp.up_proj	50,331,648	218,403,008
model.layers.0.post_attention_layernorm	4,096	218,407,104
model.layers.1.input_layernorm	4,096	218,411,200
model.layers.1.linear_attn	64	218,411,264
model.layers.1.linear_attn.conv1d	32,768	218,444,032
model.layers.1.linear_attn.in_proj_a	131,072	218,575,104
model.layers.1.linear_attn.in_proj_b	131,072	218,706,176
model.layers.1.linear_attn.in_proj_qkv	33,554,432	252,260,608
model.layers.1.linear_attn.in_proj_z	16,777,216	269,037,824
model.layers.1.linear_attn.norm	128	269,037,952
model.layers.1.linear_attn.out_proj	16,777,216	285,815,168
model.layers.1.mlp.down_proj	50,331,648	336,146,816
model.layers.1.mlp.gate_proj	50,331,648	386,478,464
model.layers.1.mlp.up_proj	50,331,648	436,810,112
model.layers.1.post_attention_layernorm	4,096	436,814,208
model.layers.2.input_layernorm	4,096	436,818,304
model.layers.2.linear_attn	64	436,818,368
model.layers.2.linear_attn.conv1d	32,768	436,851,136
model.layers.2.linear_attn.in_proj_a	131,072	436,982,208
model.layers.2.linear_attn.in_proj_b	131,072	437,113,280
model.layers.2.linear_attn.in_proj_qkv	33,554,432	470,667,712
model.layers.2.linear_attn.in_proj_z	16,777,216	487,444,928
model.layers.2.linear_attn.norm	128	487,445,056
model.layers.2.linear_attn.out_proj	16,777,216	504,222,272
model.layers.2.mlp.down_proj	50,331,648	554,553,920
model.layers.2.mlp.gate_proj	50,331,648	604,885,568
model.layers.2.mlp.up_proj	50,331,648	655,217,216
model.layers.2.post_attention_layernorm	4,096	655,221,312
model.layers.3.input_layernorm	4,096	655,225,408
model.layers.3.mlp.down_proj	50,331,648	705,557,056
model.layers.3.mlp.gate_proj	50,331,648	755,888,704
model.layers.3.mlp.up_proj	50,331,648	806,220,352
model.layers.3.post_attention_layernorm	4,096	806,224,448
model.layers.3.self_attn.k_norm	256	806,224,704
model.layers.3.self_attn.k_proj	4,194,304	810,419,008
model.layers.3.self_attn.o_proj	16,777,216	827,196,224
model.layers.3.self_attn.q_norm	256	827,196,480
model.layers.3.self_attn.q_proj	33,554,432	860,750,912
model.layers.3.self_attn.v_proj	4,194,304	864,945,216
model.layers.4.input_layernorm	4,096	864,949,312
model.layers.4.linear_attn	64	864,949,376
model.layers.4.linear_attn.conv1d	32,768	864,982,144
model.layers.4.linear_attn.in_proj_a	131,072	865,113,216
model.layers.4.linear_attn.in_proj_b	131,072	865,244,288
model.layers.4.linear_attn.in_proj_qkv	33,554,432	898,798,720
model.layers.4.linear_attn.in_proj_z	16,777,216	915,575,936
model.layers.4.linear_attn.norm	128	915,576,064
model.layers.4.linear_attn.out_proj	16,777,216	932,353,280
model.layers.4.mlp.down_proj	50,331,648	982,684,928
model.layers.4.mlp.gate_proj	50,331,648	1,033,016,576
model.layers.4.mlp.up_proj	50,331,648	1,083,348,224