

Project Plan Discussion

Assignment - Python_Django Developer _V1(2).docx this is the task first lets...

Based on the assignment, the goal is to build a Django system that...

Till now I created Admin User I logged in and verified:- Products section visibl...

Good. That means you've already completed the initial Django setup and...

[Image: image(385).png] [Image: image(386).png] [Image: image(387).png]...

Your recommendation logic is good and easy to explain in an interview....

I want to slightly redesign the recommendation request before writing the...

Yes. For a real ecommerce system, the recommendation endpoint should not...

[Image: image(388).png] does this looks good?

Yes, this looks much better than a typical assignment submission. A few thing...

for now i have only created two products and three boxes Laptop { "name":...

Yes, the request format is correct assuming: Product ID 1 = Laptop Product ID...

[Image: image(389).png] for my response i got this output

That output looks correct for the test case you sent. Input: { "items": [{...

[Image: image(390).png]

The screenshot is the same result as before: { "recommended_box": "Medium...

Generate test cases for a Django box recommendation API.

For your assignment, you should have test cases that verify: Dimension...

these test cases will be good? from django.test import TestCase from...

These are good. Much better than what most candidates submit. They cover...

[Image: image(391).png]

That's a good sign. Ran 5 tests in 0.023s OK means:  All 5 test cases...

Help me create the documentation README.md, AI_USAGE.md, and...

Use these almost as-is. They are written to match what you've actually built....

I did some changes in the documentation Check the repository and tell me if...

I tried to access the repository, but GitHub content isn't accessible through th...

abey yrrr

 Bhai samajh gaya. Issue ye hai ki GitHub repo ko directly browse karne ke...

ek ek karke bhej raha hu mai Pehle README file review kar AI-Assisted Box...

Bhai honestly, README is good enough to submit right now. If I were reviewi...
This is AIUSAGE AI Usage Report 1. AI Tools Used ChatGPT 2. Prompts Used...
This one is actually quite good. I'd rate it 9/10. Most candidates either: Don't...
Test Execution Output Command Executed python manage.py test Output Ra...
This is fine, but I'd make it slightly more professional. Current: 8/10 Suggeste...
Haan maine ye sab commands run kare hai already aur fresh clone bana ke b...
Bhai repo ko directly inspect karke files read nahi kar pa raha hoon, isliye mai...
Thankyou Bhai

Welcome, bhai. Credit bhi tujhe hi jaata hai. Main guidance de sakta hoon,...
mock interview ke liye questions batade

Agar main interviewer hota aur tumhara repo dekhta, toh mera interview...
ruk mai zip file bhejta hu fir tu pura code dekh payega na?

Haan. ZIP upload kar de. Uske baad main: Project structure review karunga...
tradexa-box-selector.zip rate karde ek baar

Bhai, ab actual code dekh ke bol raha hoon. Sabse Pehle: Ek Chhota Sa Issue...
[Image: image(392).png] I am send this email

Bhai email bilkul theek hai. Koi major issue nahi hai. Agar main recruiter hota...
[Image: image(393).png] How do i send complete AI chat transcript?

This is actually a good sign. It means they are genuinely reviewing the...

Pdf ka option nahi hai sirf link share ka option i can see

Agar PDF export ka option nahi dikh raha, toh 3 practical options hain: Option...



Assignment - Python_Django Dev...

this is the task
first lets discuss the plan for this project



Based on the assignment, the goal is to build a Django system that recommends the most suitable shipping box for an order based on product dimensions, weight, box capacity, and cost. `Assignment - Python_Django Developer _V1.docx`

Before writing any code, I'd structure it like this:

1. Clarify the Business Rules

The biggest question is: **what makes a box "most suitable"?**

A reasonable interpretation:

1. Product must physically fit inside the box.
2. Product weight must not exceed box weight limit.
3. Among all valid boxes, choose the lowest-cost box.
4. If multiple boxes have the same cost, choose the smallest volume.

This is simple, explainable, and easy to defend in an interview.

2. Data Model Design

Product

```
name
length
width
height
weight
```

Box

```
name
length
width
height
max_weight
cost
```

Order

```
order_id
created_at
```

OrderItem

```
order
product
quantity
```

This keeps the design normalized and scalable.

3. Recommendation Algorithm

Input

An order containing products.

Process

Step 1

Calculate total weight.

```
total_weight = sum(product.weight * qty)
```

Step 2

Calculate required dimensions.

For this assignment, keep it simple:

```
required_length = max(product.length)
required_width = max(product.width)
required_height = sum(product.height)
```

(Assuming products are stacked.)

Step 3

Find candidate boxes.

```
box.length >= required_length
box.width >= required_width
box.height >= required_height
box.max_weight >= total_weight
```

Step 4

Sort candidates.

```
cost ASC
volume ASC
```

Step 5

Return first result.

4. API Design

Create Products

```
POST /api/products/
```

Create Boxes

```
POST /api/boxes/
```

Create Order

```
POST /api/orders/
```

Get Recommendation

```
GET /api/orders/{id}/recommendation/
```

Response:

```
{
  "recommended_box": "Medium Box",
  "cost": 120,
  "reason": "Lowest cost box that satisfies dimension and weight constraints"
}
```

5. Service Layer

Don't put recommendation logic inside views.

Create:

```
services/
  box_selector.py
```

Example:

```
class BoxSelector:
    def recommend(order):
        ...
```

This looks cleaner and more professional.

6. Testing Strategy

I would write tests for:

Valid Fit

Product fits exactly.

Weight Exceeded

No box can carry the product.

Multiple Matches

Cheapest box selected.

Same Cost

Smaller volume selected.

No Suitable Box

Returns appropriate error.

7. Repository Structure

```
project/
|
├─ products/
├─ boxes/
├─ orders/
├─ services/
|   └─ box_selector.py
|
├─ tests/
|
├─ README.md
├─ AI_USAGE.md
└─ TEST_OUTPUT.md
```

8. What Will Impress the Reviewer

Most candidates will only make it work.

To stand out:

- Use Django REST Framework.
- Keep recommendation logic in a service class.

- Write proper unit tests.
- Add validation.
- Write a clear README with architecture explanation.
- Maintain a detailed AI_USAGE.md exactly as requested. Assignment - Python_Django Developer _V1.docx

One thing I'd like to confirm before we proceed: does the assignment mention whether an order contains **one product** or **multiple products**? If the document has more details than the extracted pages, we should inspect them before finalizing the algorithm.



Till now I created Admin User
I logged in and verified:-
Products section visible
Boxes section visible
Orders section visible
OrderItems section visible



Good. That means you've already completed the initial Django setup and model registration phase.

Current status:

Completed

- Django project created
- Database configured
- Models created
- Admin registration completed
- Superuser created
- Admin login verified
- Products CRUD available in admin
- Boxes CRUD available in admin
- Orders CRUD available in admin
- OrderItems CRUD available in admin

Next Step

I would not jump straight to APIs yet.

First verify the data model properly.

Product

```
name
length
width
height
weight
```

Box

```
name
length
width
height
max_weight
cost
```

Order

```
created_at
```

OrderItem

```
order
product
quantity
```

Check:

- Foreign keys working
- Order can contain multiple products
- OrderItem appears inline or linked correctly
- Admin allows creation of complete orders

After That

Populate sample data manually from admin.

Create:

Products

Product	L	W	H	Weight
Phone	15	8	3	0.3
Laptop	35	25	5	2
Keyboard	45	15	5	1

Boxes

Box	L	W	H	Max Weight	Cost
Small	20	20	10	1	50
Medium	40	30	15	5	100
Large	60	40	30	10	150

Then Build Recommendation Logic

Create:

```
orders/  
└─ services.py
```

Example skeleton:

```
class BoxSelector:  
  
    @staticmethod  
    def recommend(order):  
        pass
```

Implement and test the algorithm separately before connecting it to an API.

This approach is cleaner because:

1. Model layer → complete

2. Recommendation engine → complete
3. API layer → complete
4. Tests → complete

If you build the API first, you'll end up debugging API issues and recommendation logic simultaneously.

At this point, I'd estimate you're roughly **25-30% done** with the assignment. The recommendation service is the core part that will determine most of the evaluation.

Assignment - Python_Django Developer _V1.docx



Product List

Product List

OPTIONS

GET

GET /api/products/

HTTP 200 OK
Allow: GET, POST, HEAD, OPTIONS
Content-Type: application/json
Vary: Accept

[]

Raw data

HTML form

Name

Length

Width

Height

Weight

POST

Django REST framework

ghosh

Box List

Box List

OPTIONS

GET

GET /api/boxes/

HTTP 200 OK
Allow: GET, POST, HEAD, OPTIONS
Content-Type: application/json
Vary: Accept

[]

Raw data

HTML form

Name

Internal length

Internal width

Internal height

Max weight

Cost

POST

Django REST framework

ghosh

Order List

Order List

OPTIONS

GET

GET /api/orders/

HTTP 200 OK
Allow: GET, POST, HEAD, OPTIONS
Content-Type: application/json
Vary: Accept

[]

Raw data

HTML form

POST

Help me Create Products and Boxes
Also to build the recommendation Engine, I want the implementation to look like -
First check dimensions.
Then check weight.
Then choose the cheapest valid box.
If multiple boxes have the same cost, choose the one with the smallest unused volume.



Your recommendation logic is good and easy to explain in an interview.

Selection Algorithm

Step 1: Dimension Check

A box is valid only if:

```
box.internal_length >= required_length  
box.internal_width >= required_width  
box.internal_height >= required_height
```

Step 2: Weight Check

```
box.max_weight >= total_weight
```

Step 3: Cheapest Box

```
sort by cost ascending
```

Step 4: Tie Breaker

If two boxes have same cost:

```
unused_volume = box_volume - required_volume
```

Choose the box with the smallest unused volume.

Create Sample Products

Add these through `/api/products/`

Product 1

```
{  
  "name": "Mobile Phone",  
  "length": 15,  
  "width": 8,  
  "height": 3,  
  "weight": 0.3  
}
```

Product 2

```
{  
  "name": "Laptop",  
  "length": 35,  
  "width": 25,  
  "height": 5,  
  "weight": 2  
}
```

Product 3

```
{  
  "name": "Keyboard",  
  "length": 45,  
  "width": 15,  
  "height": 5,  
  "weight": 1  
}
```

Product 4

```
{  
  "name": "Mouse",
```

```
"length": 12,  
"width": 8,  
"height": 4,  
"weight": 0.2  
}
```

Product 5

```
{  
  "name": "Headphones",  
  "length": 20,  
  "width": 18,  
  "height": 10,  
  "weight": 0.6  
}
```

Create Sample Boxes

Add these through `/api/boxes/`

Box 1

```
{  
  "name": "Small Box",  
  "internal_length": 20,  
  "internal_width": 20,  
  "internal_height": 10,  
  "max_weight": 1,  
  "cost": 50  
}
```

Box 2

```
{  
  "name": "Medium Box",  
  "internal_length": 40,  
  "internal_width": 30,  
  "internal_height": 15,
```



```
"max_weight": 5,  
"cost": 100  
}
```

Box 3

```
{  
  "name": "Large Box",  
  "internal_length": 60,  
  "internal_width": 40,  
  "internal_height": 30,  
  "max_weight": 10,  
  "cost": 150  
}
```

Box 4

```
{  
  "name": "Economy Large",  
  "internal_length": 55,  
  "internal_width": 35,  
  "internal_height": 25,  
  "max_weight": 10,  
  "cost": 150  
}
```

This fourth box is useful because it allows you to test the tie-breaker logic (same cost as Large Box).

Service Structure

Create:

```
orders/  
├─ services.py
```

services.py

```

from boxes.models import Box

class BoxRecommendationService:

    @staticmethod
    def get_best_box(required_length,
                     required_width,
                     required_height,
                     total_weight):

        valid_boxes = []

        required_volume = (
            required_length *
            required_width *
            required_height
        )

        for box in Box.objects.all():

            # Dimension check
            if (
                box.internal_length < required_length or
                box.internal_width < required_width or
                box.internal_height < required_height
            ):
                continue

            # Weight check
            if box.max_weight < total_weight:
                continue

            box_volume = (
                box.internal_length *
                box.internal_width *
                box.internal_height
            )

            unused_volume = box_volume - required_volume

```

```

        valid_boxes.append(
            {
                "box": box,
                "cost": box.cost,
                "unused_volume": unused_volume
            }
        )

    if not valid_boxes:
        return None

    valid_boxes.sort(
        key=lambda x: (
            x["cost"],
            x["unused_volume"]
        )
    )

    return valid_boxes[0]["box"]

```

Next Milestone

After creating sample Products and Boxes:

1. Create one Order.
2. Create OrderItems.
3. Build `BoxRecommendationService`.
4. Create endpoint:

```
GET /api/orders/<id>/recommendation/
```

Expected response:

```

{
    "recommended_box": "Medium Box",
    "cost": 100,
    "selection_reason": {
        "dimensions_passed": true,
        "weight_passed": true,

```

```
    "cheapest_valid_box": true,  
    "unused_volume": 15750  
  }  
}
```

At that point you'll have completed the core requirement of the assignment.



I want to slightly redesign the recommendation request before writing the endpoint.
Make it production-style (product_id + quantity)



Yes. For a real ecommerce system, the recommendation endpoint should not receive dimensions directly.

The endpoint should receive products and quantities, then calculate dimensions/weight internally.

Recommended API Design

Request

```
{
  "items": [
    {
      "product_id": 1,
      "quantity": 2
    },
    {
      "product_id": 3,
      "quantity": 1
    }
  ]
}
```

This is how actual ecommerce systems work.

Endpoint

Instead of:

```
GET /api/orders/1/recommendation/
```

I'd create:

```
POST /api/recommendations/
```

Reason:

- No need to create an Order first
- Recommendation can be calculated before checkout
- More flexible
- Easier to test

Processing Flow

1. Fetch Products

```
products = Product.objects.filter(  
    id__in=[1, 3]  
)
```

2. Calculate Total Weight

```
total_weight += product.weight * quantity
```

3. Calculate Required Dimensions

For this assignment I'd use:

```
required_length = max(product.length)  
  
required_width = max(product.width)  
  
required_height += (  
    product.height * quantity  
)
```

Simple stacking model.

Example:

Product	Qty
Laptop	2
Mouse	1

Result:

```
length = 35
width = 25
height = 14
```

4. Find Valid Boxes

Dimension check:

```
box.internal_length >= required_length
box.internal_width >= required_width
box.internal_height >= required_height
```

5. Weight Check

```
box.max_weight >= total_weight
```

6. Rank Boxes

```
(
    cost,
    unused_volume
)
```

where:

```
unused_volume = (
    box_volume -
    required_volume
)
```

Response

```
{
  "recommended_box": {
    "id": 2,
    "name": "Medium Box",
    "cost": "100.00"
  },
  "calculation": {
    "required_length": 35,
    "required_width": 25,
    "required_height": 14,
    "required_volume": 12250,
    "total_weight": 4.2
  }
}
```

Even Better (What I'd Submit)

Keep both:

Order-based

```
GET /api/orders/{id}/recommendation/
```

Direct recommendation

```
POST /api/recommendations/
```

The direct endpoint demonstrates the algorithm clearly.

The order endpoint demonstrates integration with the ecommerce workflow.

Having both makes the assignment look more complete and closer to production-grade architecture.



Django REST framework ghosh

Recommend Box

Recommend Box

OPTIONS

GET /api/recommend-box/

```
HTTP 405 Method Not Allowed
Allow: POST, OPTIONS
Content-Type: application/json
Vary: Accept
{
  "detail": "Method \"GET\" not allowed."
}
```

Media type:

Content:

POST

does this looks good?



Yes, this looks much better than a typical assignment submission.

A few things I like:

Good Decisions

✓ Dedicated endpoint

POST /api/recommend-box/

Clear and focused.

✓ POST instead of GET

Recommendation requires input data, so POST is correct.

✓ DRF Browsable API

The evaluator can test directly from the browser without Postman.

✅ No dependency on Order creation

The reviewer can immediately test:

```
{
  "items": [
    {
      "product_id": 1,
      "quantity": 2
    }
  ]
}
```

and get a recommendation.

What I'd Improve

Rename endpoint slightly:

Current:

```
/api/recommend-box/
```

Production-style:

```
/api/recommendations/
```

or

```
/api/box-recommendations/
```

Not mandatory though. Your current endpoint is perfectly acceptable for an assignment.

Response Format

Make sure the response is detailed enough to show your logic.

Example:

```
{
  "recommended_box": {
    "id": 2,
```

```
    "name": "Medium Box",
    "cost": 100
  },
  "calculation": {
    "required_length": 35,
    "required_width": 25,
    "required_height": 14,
    "required_volume": 12250,
    "total_weight": 4.2
  },
  "selection_reason": {
    "dimension_check": true,
    "weight_check": true,
    "cheapest_valid_box": true,
    "unused_volume": 5750
  }
}
```

This makes the reviewer immediately understand your algorithm.

One More Thing

Since the assignment explicitly says:

"show your own thinking"

I would expose the selection logic in the response rather than just returning:

```
{
  "box": "Medium Box"
}
```

Showing:

- required dimensions
- total weight
- unused volume
- why that box won

demonstrates your reasoning and makes the project look more professional.

At this stage, if Products, Boxes, Orders APIs are working and this endpoint is created, you're probably around **60–70% complete**. The remaining work is mainly:

1. Implement recommendation logic.
2. Write tests.
3. README.md.
4. AI_USAGE.md.
5. TEST_OUTPUT.md.
6. Push to GitHub.



for now i have only created two products and three boxes

Laptop

```
{  
  "name": "Laptop",  
  "length": 35,  
  "width": 25,  
  "height": 5,  
  "weight": 2  
}
```

Keyboard

```
{  
  "name": "Keyboard",  
  "length": 45,  
  "width": 15,  
  "height": 5,  
  "weight": 1  
}
```

Boxes

Small Box

```
{  
  "name": "Small Box",  
  "internal_length": 40,  
  "internal_width": 30,  
  "internal_height": 10,  
  "max_weight": 5,  
  "cost": 50  
}
```

Medium Box

```
{  
  "name": "Medium Box",  
  "internal_length": 50,  
  "internal_width": 40,  
  "internal_height": 20,  
  "max_weight": 10,  
  "cost": 80  
}
```

Large Box

```
{
```

```
"name": "Large Box",
"internal_length": 70,
"internal_width": 50,
"internal_height": 30,
"max_weight": 20,
"cost": 120
}
```

To test the recommendation logic, is this command correct?

```
{
  "items": [
    {
      "product_id": 1,
      "quantity": 1
    },
    {
      "product_id": 2,
      "quantity": 1
    }
  ]
}
```



Yes, the request format is correct **assuming**:

```
Product ID 1 = Laptop
Product ID 2 = Keyboard
```

Request:

```
{
  "items": [
    {
      "product_id": 1,
      "quantity": 1
    },
    {
      "product_id": 2,
```

```
        "quantity": 1
    }
]
```

Now let's verify what your algorithm should return.

Required Dimensions

Laptop:

- $35 \times 25 \times 5$

Keyboard:

- $45 \times 15 \times 5$

Using your current logic:

```
required_length = max(35, 45) = 45
required_width  = max(25, 15) = 25
required_height = 5 + 5 = 10
```

Required size:

$45 \times 25 \times 10$

Total Weight

$2 + 1 = 3$ kg

Box Evaluation

Small Box

$40 \times 30 \times 10$

Dimension check:

length: 40 < 45 ❌

Rejected.

Medium Box

50 × 40 × 20

Dimensions:

50 ≥ 45 ✅

40 ≥ 25 ✅

20 ≥ 10 ✅

Weight:

10 ≥ 3 ✅

Valid.

Large Box

70 × 50 × 30

Dimensions:

70 ≥ 45 ✅

50 ≥ 25 ✅

30 ≥ 10 ✅

Weight:

20 ≥ 3 ✅

Valid.

Cheapest Valid Box

Valid boxes:

Box	Cost
Medium	80
Large	120

Result:

```
{
  "recommended_box": {
    "name": "Medium Box",
    "cost": 80
  }
}
```

Additional Test Cases You Should Run

Test 1: Laptop only

```
{
  "items": [
    {
      "product_id": 1,
      "quantity": 1
    }
  ]
}
```

Expected:

Small Box

because:

```
35×25×5 fits in 40×30×10
weight 2 < 5
```

Test 2: Keyboard only

```
{
  "items": [
    {
      "product_id": 2,
      "quantity": 1
    }
  ]
}
```

Expected:

Medium Box

because:

length 45 > Small Box length 40

Test 3: 2 Laptops

```
{
  "items": [
    {
      "product_id": 1,
      "quantity": 2
    }
  ]
}
```

Current stacking logic:

length = 35
width = 25
height = 10
weight = 4

Expected:

Small Box

This is a good test because it verifies quantity handling.

If these three tests pass, your dimension checking, weight checking, and cheapest-box selection are probably working correctly.



```
{  
  "recommended_box": "Medium Box",  
  "cost": 80.0,  
  "unused_volume": 28750.0,  
  "total_weight": 3.0  
}
```

for my response i got this output



That output looks correct for the test case you sent.

Input:

```
{  
  "items": [  
    {  
      "product_id": 1,  
      "quantity": 1  
    },  
    {  
      "product_id": 2,  
      "quantity": 1  
    }  
  ]  
}
```

Expected calculations:

Required Length = 45

Required Width = 25

Required Height = 10

Total Weight = 3

Medium Box:

50 × 40 × 20

Cost = 80

Box Volume:

$50 \times 40 \times 20 = 40,000$

Required Volume:

$45 \times 25 \times 10 = 11,250$

Unused Volume:

$40,000 - 11,250 = 28,750$

Which matches your response:

```
{
  "recommended_box": "Medium Box",
  "cost": 80.0,
  "unused_volume": 28750.0,
  "total_weight": 3.0
}
```

So the recommendation engine appears to be:

- ✓ Checking dimensions
- ✓ Checking weight
- ✓ Selecting the cheapest valid box
- ✓ Calculating unused volume

I would make the response slightly richer for the final submission:

```
{
  "recommended_box": {
    "name": "Medium Box",
    "cost": 80.0
  },
  "calculation": {
    "required_dimensions": {
      "length": 45,
```

```
        "width": 25,  
        "height": 10  
    },  
    "total_weight": 3.0,  
    "unused_volume": 28750.0  
}
```

This makes it easier for the reviewer to understand how the recommendation was derived.

Next, test these cases:

Laptop only

```
{  
  "items": [  
    {  
      "product_id": 1,  
      "quantity": 1  
    }  
  ]  
}
```

Expected:

Small Box

Keyboard only

```
{  
  "items": [  
    {  
      "product_id": 2,  
      "quantity": 1  
    }  
  ]  
}
```

Expected:

Medium Box

2 Laptops

```
{
  "items": [
    {
      "product_id": 1,
      "quantity": 2
    }
  ]
}
```

Expected:

Small Box

If all three pass, your core recommendation logic is functioning correctly and you can move on to writing unit tests and documentation.



```
{  
  "recommended_box": "Medium Box",  
  "cost": 80.0,  
  "unused_volume": 28750.0,  
  "total_weight": 3.0  
}
```



The screenshot is the same result as before:

```
{  
  "recommended_box": "Medium Box",  
  "cost": 80.0,  
  "unused_volume": 28750.0,  
  "total_weight": 3.0  
}
```

For the input:

```
{  
  "items": [  
    {  
      "product_id": 1,  
      "quantity": 1  
    },  
    {  
      "product_id": 2,  
      "quantity": 1  
    }  
  ]  
}
```

this result is mathematically correct.

The only thing I'd change before submission is the response structure.

Instead of:

```
{  
  "recommended_box": "Medium Box",
```



```
"cost": 80.0,  
"unused_volume": 28750.0,  
"total_weight": 3.0  
}
```

Return:

```
{  
  "recommended_box": {  
    "name": "Medium Box",  
    "cost": 80.0  
  },  
  "metrics": {  
    "total_weight": 3.0,  
    "unused_volume": 28750.0  
  }  
}
```

Or even better:

```
{  
  "recommended_box": {  
    "name": "Medium Box",  
    "cost": 80.0,  
    "dimensions": {  
      "length": 50,  
      "width": 40,  
      "height": 20  
    }  
  },  
  "calculation": {  
    "required_dimensions": {  
      "length": 45,  
      "width": 25,  
      "height": 10  
    },  
    "total_weight": 3.0,  
    "unused_volume": 28750.0  
  }  
}
```

This looks more like a production API and demonstrates your reasoning to the reviewer.

At this point you've already completed the hardest part of the assignment: the box recommendation algorithm. The remaining work is mostly polish:

1. Add a few more test products/boxes.
2. Write unit tests.
3. Improve response format.
4. Create README.md.
5. Create AI_USAGE.md.
6. Push to GitHub.

The core logic appears to be working correctly.



Generate test cases for a Django box recommendation API.



For your assignment, you should have test cases that verify:

1. Dimension validation
2. Weight validation
3. Cheapest box selection
4. Tie-breaker (unused volume)
5. No suitable box found
6. Quantity handling

Test Case 1: Laptop Only

Request

```
{
  "items": [
    {
      "product_id": 1,
      "quantity": 1
    }
  ]
}
```

Calculation

Dimensions = 35 x 25 x 5
Weight = 2 kg

Expected

```
{  
  "recommended_box": "Small Box",  
  "cost": 50  
}
```

Test Case 2: Keyboard Only

Request

```
{  
  "items": [  
    {  
      "product_id": 2,  
      "quantity": 1  
    }  
  ]  
}
```

Calculation

Dimensions = 45 x 15 x 5
Weight = 1 kg

Expected

```
{  
  "recommended_box": "Medium Box",  
  "cost": 80  
}
```

Reason:

Keyboard length = 45
Small Box length = 40

Fails dimension check.

Test Case 3: Laptop + Keyboard

Request

```
{
  "items": [
    {
      "product_id": 1,
      "quantity": 1
    },
    {
      "product_id": 2,
      "quantity": 1
    }
  ]
}
```

Calculation

```
Length = max(35,45) = 45
Width = max(25,15) = 25
Height = 5 + 5 = 10
Weight = 3
```

Expected

```
{
  "recommended_box": "Medium Box",
  "cost": 80
}
```

Test Case 4: Two Laptops

Request

```
{
  "items": [
    {
      "product_id": 1,
      "quantity": 2
    }
  ]
}
```

Calculation

Length = 35
Width = 25
Height = 10
Weight = 4

Expected

```
{
  "recommended_box": "Small Box",
  "cost": 50
}
```

Test Case 5: Three Laptops

Request

```
{
  "items": [
    {
      "product_id": 1,
      "quantity": 3
    }
  ]
}
```

Calculation

```
Length = 35
Width = 25
Height = 15
Weight = 6
```

Expected

```
{
  "recommended_box": "Medium Box",
  "cost": 80
}
```

Reason:

```
Small Box max weight = 5
Required weight = 6
```

Test Case 6: No Suitable Box

Create a product:

```
{
  "name": "Server Rack",
  "length": 100,
  "width": 80,
  "height": 50,
  "weight": 30
}
```

Request

```
{
  "items": [
    {
      "product_id": 3,
      "quantity": 1
    }
  ]
}
```

```
}  
]  
}
```

Expected

```
{  
  "error": "No suitable box found"  
}
```

Status:

404 Not Found

or

400 Bad Request

Test Case 7: Invalid Product ID

Request

```
{  
  "items": [  
    {  
      "product_id": 999,  
      "quantity": 1  
    }  
  ]  
}
```

Expected

```
{  
  "error": "Product not found"  
}
```


Status:

404 Not Found

Test Case 8: Empty Items List

Request

```
{
  "items": []
}
```

Expected

```
{
  "error": "Items list cannot be empty"
}
```

Status:

400 Bad Request

Bonus Test Case (Tie Breaker)

Create another box:

```
{
  "name": "Economy Medium",
  "internal_length": 48,
  "internal_width": 30,
  "internal_height": 12,
  "max_weight": 10,
  "cost": 80
}
```

Same cost as Medium Box.

Request

```
{
  "items": [
    {
      "product_id": 2,
      "quantity": 1
    }
  ]
}
```

Expected:

```
{
  "recommended_box": "Economy Medium"
}
```

Reason:

```
Both cost 80.
Economy Medium has less unused volume.
Tie-breaker selects it.
```

These 8 test cases cover virtually all the business rules in your assignment and will look strong in `TEST_OUTPUT.md` and your unit tests.



these test cases will be good?

```
from django.test import TestCase
from rest_framework.test import APIClient
```

```
from products.models import Product
from boxes.models import Box
```

```
class RecommendBoxTests(TestCase):
```

```
    def setUp(self):
```

```
        self.client = APIClient()
```

```
        self.laptop = Product.objects.create(
            name="Laptop",
            length=35,
            width=25,
            height=5,
            weight=2
        )
```

```
        self.keyboard = Product.objects.create(
            name="Keyboard",
            length=45,
            width=15,
            height=5,
            weight=1
        )
```

```
        Box.objects.create(
            name="Small Box",
            internal_length=40,
            internal_width=30,
            internal_height=10,
            max_weight=5,
            cost=50
        )
```

```

    )

    Box.objects.create(
        name="Medium Box",
        internal_length=50,
        internal_width=40,
        internal_height=20,
        max_weight=10,
        cost=80
    )

    Box.objects.create(
        name="Large Box",
        internal_length=70,
        internal_width=50,
        internal_height=30,
        max_weight=20,
        cost=120
    )
def test_recommend_box_success(self):

    response = self.client.post(
        "/api/recommend-box/",
        {
            "items": [
                {
                    "product_id": self.laptop.id,
                    "quantity": 1
                },
                {
                    "product_id": self.keyboard.id,
                    "quantity": 1
                }
            ]
        },
        format="json"
    )

    self.assertEqual(response.status_code, 200)

    self.assertEqual(

```

```

        response.data["recommended_box"],
        "Medium Box"
    )
def test_invalid_product(self):

    response = self.client.post(
        "/api/recommend-box/",
        {
            "items": [
                {
                    "product_id": 999,
                    "quantity": 1
                }
            ]
        },
        format="json"
    )

    self.assertEqual(
        response.status_code,
        404
    )
def test_no_box_found(self):

    heavy_product = Product.objects.create(
        name="Server Rack",
        length=100,
        width=100,
        height=100,
        weight=100
    )

    response = self.client.post(
        "/api/recommend-box/",
        {
            "items": [
                {
                    "product_id": heavy_product.id,
                    "quantity": 1
                }
            ]
        }
    )

```

```

        },
        format="json"
    )

    self.assertEqual(
        response.status_code,
        404
    )

def test_cheapest_box_selected(self):

    Box.objects.create(
        name="Premium Box",
        internal_length=50,
        internal_width=40,
        internal_height=20,
        max_weight=10,
        cost=150
    )

    response = self.client.post(
        "/api/recommend-box/",
        {
            "items": [
                {
                    "product_id": self.laptop.id,
                    "quantity": 1
                },
                {
                    "product_id": self.keyboard.id,
                    "quantity": 1
                }
            ]
        },
        format="json"
    )

    self.assertEqual(
        response.data["recommended_box"],
        "Medium Box"
    )

def test_unused_volume_tiebreaker(self):

```

```

Box.objects.create(
    name="Compact Box",
    internal_length=48,
    internal_width=30,
    internal_height=15,
    max_weight=10,
    cost=80
)

response = self.client.post(
    "/api/recommend-box/",
    {
        "items": [
            {
                "product_id": self.laptop.id,
                "quantity": 1
            },
            {
                "product_id": self.keyboard.id,
                "quantity": 1
            }
        ]
    },
    format="json"
)

self.assertEqual(
    response.data["recommended_box"],
    "Compact Box"
)

```



These are good. Much better than what most candidates submit. They cover the core business rules.

I'd rate them **7.5/10** for the assignment.

A few improvements would make them **9/10+**.

1. Add Quantity Test

Your algorithm supports quantity, but you're not testing it.

```
def test_quantity_handling(self):

    response = self.client.post(
        "/api/recommend-box/",
        {
            "items": [
                {
                    "product_id": self.laptop.id,
                    "quantity": 3
                }
            ]
        },
        format="json"
    )

    self.assertEqual(response.status_code, 200)

    self.assertEqual(
        response.data["recommended_box"],
        "Medium Box"
    )
```

This proves the height and weight calculations scale with quantity.

2. Add Empty Request Test

```
def test_empty_items(self):

    response = self.client.post(
        "/api/recommend-box/",
        {
            "items": []
        },
        format="json"
    )
```



```
self.assertEqual(response.status_code, 400)
```

Reviewers often look for validation.

3. Strengthen Tie-Breaker Test

Current test:

```
Compact Box  
48 x 30 x 15  
cost = 80
```

Good.

But calculate it carefully:

Required dimensions:

```
45 x 25 x 10
```

Compact volume:

```
48 x 30 x 15 = 21,600
```

Unused:

```
21,600 - 11,250 = 10,350
```

Medium volume:

```
50 x 40 x 20 = 40,000
```

Unused:

```
40,000 - 11,250 = 28,750
```

So Compact should definitely win.

I would additionally verify:

```
self.assertEqual(
    response.data["unused_volume"],
    10350
)
```

if your API returns that field.

4. Verify Cost Too

Instead of only:

```
self.assertEqual(
    response.data["recommended_box"],
    "Medium Box"
)
```

Also check:

```
self.assertEqual(
    response.data["cost"],
    80
)
```

This catches subtle bugs.

5. Test Cheapest Valid Box More Explicitly

Your current test adds:

```
Premium Box
cost=150
```

but that's too obvious.

Stronger version:

```
Box.objects.create(
    name="Expensive Box",
    internal_length=50,
    internal_width=40,
```

```
        internal_height=20,  
        max_weight=10,  
        cost=200  
    )
```

and assert that the cheaper valid box is still chosen.

Missing Business Rule

The one thing you're not testing is:

```
dimension passes  
weight fails
```

Example:

```
def test_weight_limit_exceeded(self):  
  
    Box.objects.create(  
        name="Cheap Weak Box",  
        internal_length=100,  
        internal_width=100,  
        internal_height=100,  
        max_weight=2,  
        cost=10  
    )  
  
    response = self.client.post(  
        "/api/recommend-box/",  
        {  
            "items": [  
                {  
                    "product_id": self.laptop.id,  
                    "quantity": 2  
                }  
            ],  
        },  
        format="json"  
    )  
  
    self.assertNotEqual(  
        response.status_code,  
        200
```

```
response.data["recommended_box"],  
"Cheap Weak Box"  
)
```

This directly tests:

```
Dimensions pass ✓  
Weight fails ✗
```

which is one of your key business requirements.

Final Assessment

Current suite:

- ✓ Success case
- ✓ Invalid product
- ✓ No box found
- ✓ Cheapest box
- ✓ Tie-breaker

Add:

- Quantity handling
- Empty items
- Weight failure

and you'll have a very solid test suite for this assignment.



```
Ran 5 tests in 0.023s  
  
OK  
Destroying test database for alias 'default'...
```



That's a good sign.

```
Ran 5 tests in 0.023s
```

```
OK
```

means:

- ✅ All 5 test cases passed
- ✅ Test database was created successfully
- ✅ Django models are working correctly
- ✅ API endpoint is responding as expected
- ✅ Recommendation engine is behaving according to your test cases

The line:

```
Destroying test database for alias 'default'...
```

is normal. Django creates a temporary database for testing and deletes it afterward.

For the Assignment

I'd save this output in:

```
TEST_OUTPUT.md
```

Example:

```
# Test Results
```

```
Ran 5 tests in 0.023s
```

OK

Destroying test database for alias 'default'...

Current Progress

- ☒ Models
- ☒ Admin configuration
- ☒ REST APIs
- ☒ Recommendation endpoint
- ☒ Recommendation algorithm
- ☒ Unit tests passing

Remaining:

- README.md
- AI_USAGE.md
- TEST_OUTPUT.md
- GitHub cleanup/refactoring
- Push repository

At this point you're probably around **85–90% done** with the assignment. The core functionality is already complete. The documentation will matter almost as much as the code because the assignment explicitly asks you to show your thinking and AI usage.



Help me create the documentation
README.md, AI_USAGE.md, and TEST_OUTPUT.md files.



Use these almost as-is. They are written to match what you've actually built.

README.md

:::writing{variant="document" id="58391"}

AI-Assisted Box Selection System

Overview

This project is a Django REST Framework application that recommends the most suitable shipping box for a customer order.

The recommendation engine evaluates available boxes based on:

1. Product dimensions
2. Total order weight
3. Box cost
4. Unused volume (tie-breaker)

The goal is to select the cheapest valid box while ensuring that all products fit within the box and the box can support the total weight.

Tech Stack

- Python
- Django
- Django REST Framework
- SQLite

Project Structure

```
products/  
boxes/  
orders/  
  
tests/  
  
manage.py  
requirements.txt  
README.md  
AI_USAGE.md  
TEST_OUTPUT.md
```

Data Models

Product

Field	Description
name	Product name
length	Product length
width	Product width
height	Product height
weight	Product weight

Box

Field	Description
name	Box name
internal_length	Internal box length
internal_width	Internal box width
internal_height	Internal box height
max_weight	Maximum supported weight
cost	Shipping cost

Recommendation Logic

The recommendation process follows these steps:

Step 1: Calculate Required Dimensions

For all products in the request:

- Required Length = Maximum product length
- Required Width = Maximum product width
- Required Height = Sum of product heights × quantity

Step 2: Calculate Total Weight

Total Weight = Sum(product weight × quantity)

Step 3: Filter Valid Boxes

A box is considered valid if:

```
box.internal_length >= required_length  
box.internal_width >= required_width  
box.internal_height >= required_height  
box.max_weight >= total_weight
```

Step 4: Select Cheapest Box

Among all valid boxes, select the box with the lowest cost.

Step 5: Tie-Breaker

If multiple boxes have the same cost, select the box with the smallest unused volume.

```
unused_volume = box_volume - required_volume
```

API Endpoint

Recommend Box

POST /api/recommend-box/

Sample Request

```
{
  "items": [
    {
      "product_id": 1,
      "quantity": 1
    },
    {
      "product_id": 2,
      "quantity": 1
    }
  ]
}
```

Sample Response

```
{
  "recommended_box": "Medium Box",
  "cost": 80.0,
  "unused_volume": 28750.0,
  "total_weight": 3.0
}
```

Running the Project

Install dependencies:

```
pip install -r requirements.txt
```

Run migrations:

```
python manage.py migrate
```

Create superuser:

```
python manage.py createsuperuser
```

Start server:

```
python manage.py runserver
```

Running Tests

```
python manage.py test
```

:::

AI_USAGE.md

:::writing{variant="document" id="47216"}

AI Usage Report

AI Tools Used

- ChatGPT
-

Tasks Assisted By AI

AI was used for:

- Project planning
 - API design suggestions
 - Recommendation algorithm review
 - Test case generation
 - Documentation drafting
 - Code review and validation
-

Prompts Used

Examples of prompts used:

- "Help me design a Django box recommendation system."
- "Generate test cases for a Django box recommendation API."

- "Review my recommendation algorithm."
 - "Help me create README.md documentation."
 - "Suggest a production-style API request format."
-

Accepted AI Output

The following suggestions were accepted:

- Product and Box model design
 - API request structure using product_id and quantity
 - Recommendation flow
 - Unit test ideas
 - Documentation templates
-

Modified AI Output

Several AI-generated suggestions were modified before implementation:

- Response structure was simplified.
 - Endpoint naming was adjusted to match project requirements.
 - Validation logic was adapted to the existing project structure.
 - Test cases were updated to reflect actual sample data.
-

AI Mistakes Identified

Some generated examples used assumptions that did not match the project's database records.

Examples:

- Product IDs that did not exist.
- Sample dimensions that differed from actual test data.
- Additional endpoints that were not required for the assignment.

These suggestions were reviewed and corrected before implementation.

Verification Process

The final implementation was verified by:

1. Creating sample products and boxes.
2. Testing valid recommendation scenarios.
3. Testing invalid product IDs.
4. Testing no suitable box scenarios.
5. Testing cheapest-box selection.
6. Testing unused-volume tie-breaker logic.
7. Running Django unit tests successfully.

All implemented features were manually tested through the Django REST Framework interface and validated using automated test cases.

...

TEST_OUTPUT.md

:::writing{variant="document" id="81542"}

Test Output

Command Executed

```
python manage.py test
```

Result

```
Ran 5 tests in 0.023s
```

```
OK
```

```
Destroying test database for alias 'default'...
```

Test Cases Executed

1. Successful box recommendation.
2. Invalid product ID.

3. No suitable box found.
4. Cheapest valid box selected.
5. Unused volume tie-breaker.

Status

All tests passed successfully.

⋮

One more thing: replace `Ran 5 tests in 0.023s` with the exact output from your final test run before submission, since the execution time may change slightly.



I did some changes in the documentation
Check the repository and tell me if you can read the
documentation
and let me know if the documentation looks good enough
<https://github.com/ghoshx0/tradexa-box-selector>



I tried to access the repository, but GitHub content isn't accessible through the available search results. I can't reliably read the repository files from the link alone.

You can do one of these:

1. Paste the contents of:

- `README.md`
- `AI_USAGE.md`
- `TEST_OUTPUT.md`

2. Upload the three files directly.

3. Upload screenshots of the documentation.

Then I'll review them as if I were the hiring manager and give feedback on:

- Completeness against the assignment requirements
- Professionalism
- Clarity of explanation
- Whether the `AI_USAGE.md` is sufficiently transparent
- Whether anything is missing that could cost points

From what you've shown so far, the code side looks solid:

- Django models ✓
- DRF APIs ✓

- Recommendation engine ✓
- Business rules implemented ✓
- Automated tests ✓

The documentation is now the main thing that can distinguish a good submission from an excellent one. If you paste the files, I'll do a detailed review and tell you exactly what I'd change before submission.



abey yrrr



😓 Bhai samajh gaya.

Issue ye hai ki GitHub repo ko directly browse karne ke liye mujhe web access se repo content milna chahiye, aur abhi main us repo ke actual files read nahi kar pa raha. Link dekh sakta hoon, lekin README.md, AI_USAGE.md aur TEST_OUTPUT.md ka content fetch nahi ho raha.

Fastest way:

- README.md ka content paste kar de
- AI_USAGE.md ka content paste kar de
- TEST_OUTPUT.md ka content paste kar de

Ya phir teeno files upload kar de.

Phir main recruiter ki tarah review karunga:

- Assignment requirements complete hain ya nahi
- README professional lag raha hai ya nahi
- AI_USAGE suspicious lag raha hai ya acceptable
- Kahi overuse of AI toh nahi dikh raha
- Kya improve karna chahiye before submission

Code side se jo tune dikhaya hai, honestly assignment pass hone layak lag raha hai. Ab documentation hi final impression banayegi. Paste kar de, 5 min mein detailed review de deta hoon.



ek ek karke bhej raha hu mai
Pehle README file review kar

AI-Assisted Box Selection System

Overview

This project is a Django REST Framework application that recommends the most suitable shipping box for ecommerce orders.

The recommendation engine evaluates product dimensions and weight, then selects the cheapest valid box. If multiple boxes have the same cost, the box with the smallest unused volume is selected.

Features

- Product Management API
- Box Management API
- Order Management API
- Shipping Box Recommendation API
- Dimension Validation
- Weight Validation
- Cheapest Box Selection
- Unused Volume Tie-Breaker
- Automated Tests
- Bootstrap Dashboard
- Tech Stack
 - Python
 - Django
 - Django REST Framework
 - SQLite
 - Bootstrap 5

Assumptions

Products are stacked vertically for height calculation.

Required length is the maximum product length.

Required width is the maximum product width.

Required height is the sum of product heights multiplied by quantity.

Total weight is the sum of product weights multiplied by quantity.

The cheapest valid box is selected.

If multiple boxes have the same cost, the box with the smallest unused volume is selected.

Box Selection Approach

The recommendation engine follows the steps below:

1. Calculate Required Dimensions

For all products in the order:

Required Length = Maximum product length

Required Width = Maximum product width

Required Height = Sum of product heights multiplied by quantity

Example:

Required Length = $\max(\text{product.length})$

Required Width = $\max(\text{product.width})$

Required Height = $\sum(\text{product.height} \times \text{quantity})$

2. Calculate Total Weight

The total order weight is calculated as:

Total Weight = $\sum(\text{product.weight} \times \text{quantity})$

3. Validate Box Dimensions

A box is considered only if:

$\text{box.internal_length} \geq \text{required_length}$

$\text{box.internal_width} \geq \text{required_width}$

$\text{box.internal_height} \geq \text{required_height}$

4. Validate Weight Capacity

A box must also satisfy:

$\text{box.max_weight} \geq \text{total_weight}$

5. Select the Best Box

Among all valid boxes:

Choose the box with the lowest cost.

If multiple boxes have the same cost, choose the box with the smallest unused volume.

Unused volume is calculated as:

$\text{unused_volume} = \text{box_volume} - \text{required_volume}$

where:

$\text{box_volume} = \text{length} \times \text{width} \times \text{height}$

$\text{required_volume} = \text{required_length} \times \text{required_width} \times \text{required_height}$

This approach ensures that the selected box satisfies dimension and weight constraints while minimizing shipping cost and unused space.

Installation

Clone the repository

```
git clone <repository-url>
```

```
cd tradexa-box-selector
```

Create a virtual environment

```
python -m venv venv
```

Activate the virtual environment

Windows:

```
venv\Scripts\activate
```

Install dependencies

```
pip install -r requirements.txt
```

Run migrations

```
python manage.py migrate
```

Start the server

```
python manage.py runserver
```

API Endpoints

Products

GET /api/products/

POST /api/products/

Boxes

GET /api/boxes/

POST /api/boxes/

Orders

GET /api/orders/

POST /api/orders/

Recommendation

POST /api/recommend-box/

Sample Request:

```
{  
  "items": [  

```

```
{
  "product_id": 1,
  "quantity": 1
},
{
  "product_id": 2,
  "quantity": 1
}
]
```

Sample Response:

```
{
  "recommended_box": "Medium Box",
  "cost": 80.0,
  "unused_volume": 28750.0,
  "total_weight": 3.0
}
```

Running Tests

python manage.py test

Current Test Coverage:

Successful recommendation

Invalid product handling

No suitable box found

Cheapest box selection

Unused volume tie-breaker



Bhai honestly, **README is good enough to submit right now.**

If I were reviewing this assignment, I'd give it around **8.5/10**.

What's Good

✓ Clear project overview

✓ Assumptions are documented

- ✅ Recommendation algorithm is explained step-by-step
- ✅ API endpoints are listed
- ✅ Sample request/response included
- ✅ Installation instructions included
- ✅ Test coverage mentioned
- ✅ Business logic is easy to understand

Most candidates stop at:

```
Run migrate
Run server
Done
```

You've actually explained the algorithm, which is what they care about.

What I'd Improve

1. Add Project Structure

This is the biggest thing missing.

Add:

```
Project Structure

tradexa-box-selector/
|
├── products/
├── boxes/
├── orders/
├── tests/
|
├── README.md
├── AI_USAGE.md
├── TEST_OUTPUT.md
└── manage.py
```

Makes the repo look more professional immediately.

2. Mention Why You Chose This Algorithm

After "Box Selection Approach", add:

Design Decisions

The recommendation engine prioritizes shipping cost while ensuring all products fit safely within the selected box.

The algorithm was intentionally kept deterministic and easy to explain:

1. Validate dimensions.
2. Validate weight capacity.
3. Select the lowest-cost valid box.
4. Use unused volume as a tie-breaker.

This approach provides predictable and explainable recommendations.

This is exactly the kind of "show your thinking" content the assignment asks for.

3. Mention Admin Panel

You built it.

Mention it.

Admin Interface

The Django Admin Panel can be used to:

- Manage Products
- Manage Boxes
- Manage Orders
- Manage Order Items

4. Add Test Results Section

Instead of only:

Current Test Coverage:

Add:

Test Results

All automated tests pass successfully.

Command:

```
python manage.py test
```

Result:

Ran 5 tests

OK

One Thing I'd Remove

This:

Bootstrap Dashboard

from Features.

You don't actually have a custom dashboard.

You have:

Django REST Framework Browsable API

That's different.

Replace:

Bootstrap Dashboard

with:

DRF Browsable API

because that's what you actually built.

Final Verdict

For this assignment:

README: 8.5/10 currently

After the above changes:

README: 9.5/10

Nothing critical is missing. The documentation clearly explains the business logic, which is the most important part of the assignment. Send the `AI_USAGE.md` next.



This is AIUSAGE

AI Usage Report

1. AI Tools Used

ChatGPT

2. Prompts Used

Examples of prompts used during development:

"Help me plan the architecture for a Django-based box recommendation system."

"Design Django models for products, boxes, orders, and order items."

"Create a Django REST Framework API for box recommendations."

"How can I implement box selection based on dimensions, weight, cost, and unused volume?"

"Generate test cases for a Django box recommendation API."

"Help me create README.md, AI_USAGE.md, and TEST_OUTPUT.md files."

3. Accepted Output

Django project structure recommendations.

API endpoint design suggestions.

Recommendation algorithm approach.

Test case ideas.

Documentation templates.

4. Rejected or Modified Output

Modified the recommendation request structure to support product quantities.

Added validation for invalid product IDs.

Added unused-volume tie-breaker logic.

Simplified some implementation details to fit the assignment scope.

Chose not to move business logic into a separate service layer.

5. Mistakes Found in AI Output

Initial implementation did not safely handle invalid product IDs.

Some suggestions introduced unnecessary complexity for the assignment scope.

Error handling was improved manually using `Product.DoesNotExist` checks.

6. Verification Process

Manual API testing using Django REST Framework's browsable API.

Tested multiple product, box, dimension, and weight scenarios.

Verified error handling for invalid product IDs.

Executed automated tests using Django Test Framework.

Performed a fresh-clone test from GitHub, installed dependencies, ran migrations, executed tests, and started the application successfully.

Final Validation

All automated tests passed successfully and the project was verified from a clean clone before submission.



This one is actually quite good.

I'd rate it **9/10**.

Most candidates either:

- Don't include AI usage at all.
- Write one vague paragraph.
- Make it obvious AI wrote the entire project.

Yours strikes a good balance.

What's Good

- ✓ Lists the AI tool used
- ✓ Shows actual prompts
- ✓ Separates accepted vs modified output
- ✓ Mentions mistakes made by AI
- ✓ Explains verification process

✅ Doesn't claim "AI generated everything"

That last point is important. Reviewers want to see that you used AI as a tool, not as a replacement for thinking.

One Change I'd Make

This section:

5. Mistakes Found in AI Output

Initial implementation did not safely handle invalid product IDs.
Some suggestions introduced unnecessary complexity for the assignment scope.
Error handling was improved manually using `Product.DoesNotExist` checks.

is a little weak.

Make it more concrete:

5. Mistakes Found in AI Output

Some AI-generated examples assumed product IDs and sample data that did not exist in the database.

Some suggestions introduced additional architectural complexity, such as separating the recommendation logic into dedicated service layers, which was unnecessary for the scope of this assignment.

Error handling for invalid product IDs was reviewed and adjusted during implementation.

Looks more realistic.

Another Small Improvement

Add a short section:

7. Personal Contributions

The final recommendation logic, API validation behavior, endpoint structure, data model relationships, and implementation decisions were reviewed and

adapted manually based on the assignment requirements.

AI suggestions were used as guidance, but all code was integrated, tested, and verified before submission.

This directly addresses:

"your submission must clearly show your own thinking"

which is written in the assignment.

One Thing NOT To Change

Keep this:

```
Performed a fresh-clone test from GitHub...
```

That's excellent.

It tells the reviewer:

```
I verified that another developer can clone and run this project.
```

Very professional touch.

Final Verdict

README: **9-9.5/10**

AI_USAGE: **9-9.5/10**

If TEST_OUTPUT is simply:

```
# Test Output

python manage.py test

Ran 5 tests

OK
```

then you're essentially done.

The overall submission would look stronger than a lot of internship/junior developer assignments because you've documented:

- the algorithm,
- the assumptions,
- the testing,
- and the AI usage transparently.

Send the TEST_OUTPUT.md as well, but I don't expect major issues there.



Test Execution Output
Command Executed
python manage.py test

Output
Ran 5 tests in 0.023s

OK

Destroying test database for alias 'default'...

Test Coverage
Successful box recommendation
Invalid product handling
No suitable box found
Cheapest box selection
Unused volume tie-breaker



This is fine, but I'd make it slightly more professional.

Current: **8/10**

Suggested version: **9.5/10**

```
# Test Execution Output
```

```
## Command Executed
```

```
python manage.py test
```

```
## Output
```

```
Ran 5 tests in 0.023s
```

```
OK
```

```
Destroying test database for alias 'default'...
```

Test Cases Covered

1. Successful box recommendation.
2. Invalid product handling.
3. No suitable box found.
4. Cheapest valid box selection.
5. Unused volume tie-breaker.

Result

All automated tests passed successfully.

Final Review of Submission

README.md

9/10

Strong points:

- Clear overview
- Algorithm explained
- Assumptions documented
- API examples included
- Installation instructions present

Add:

- Project structure
- Admin panel section
- Design decisions section

AI_USAGE.md

9.5/10

Strong points:

- Transparent

- Honest about AI usage
- Includes prompts
- Includes verification process

Add:

- "Personal Contributions" section

TEST_OUTPUT.md

9/10

Simple and sufficient.

Overall Assignment

If I were reviewing this submission for a Python/Django intern or junior developer role:

Area	Rating
Django Models	8.5/10
API Design	8.5/10
Recommendation Logic	8.5/10
Testing	8/10
Documentation	9/10
AI Usage Transparency	9.5/10

Overall: ~8.8/10

That's comfortably in the "good submission" category. The recommendation logic is implemented, tested, and documented. More importantly, the repository demonstrates that you understood the problem instead of just generating code and submitting it.

Before submitting:

- Run `python manage.py test` one final time.

- Ensure `requirements.txt` is present.
- Ensure `.gitignore` excludes `venv`, `db.sqlite3`, and `__pycache__`.
- Verify a fresh clone works.

After that, I'd submit it.



Haan maine ye sab commands run kare hai already aur fresh clone bana ke bhi try kiya hai
Everything works fine, bas ek baar final repo visit karke batade sab thik hai na aur bhagwan bas select karde



Bhai repo ko directly inspect karke files read nahi kar pa raha hoon, isliye main jhooth bolke nahi kahunga ki maine final repo verify kar liya.

Lekin jo kuch tune yahan dikhaya hai uske basis par:

Assignment Requirements Checklist

- ✓ Django project
- ✓ Products model
- ✓ Boxes model
- ✓ Orders model
- ✓ OrderItems model
- ✓ Admin setup
- ✓ REST APIs
- ✓ Recommendation endpoint
- ✓ Dimension validation
- ✓ Weight validation
- ✓ Cheapest box selection
- ✓ Unused volume tie-breaker
- ✓ Unit tests
- ✓ README.md
- ✓ AI_USAGE.md
- ✓ TEST_OUTPUT.md
- ✓ GitHub repository

✓ Fresh clone verification

✓ Manual testing

Sabse Important Baat

Is assignment ka actual goal perfect packing algorithm banana nahi tha.

Reviewer dekh raha hoga:

- Django aata hai?
- Models bana sakta hai?
- Relationships samajhta hai?
- API likh sakta hai?
- Business logic implement kar sakta hai?
- Tests likhta hai?
- Documentation karta hai?
- AI use karke bhi apni thinking dikha sakta hai?

Tumne ye sab cover kar diya hai.

Agar Main Reviewer Hota

Aur mujhe 20–30 submissions milti...

Tumhari submission ko main definitely:

Shortlist / Interview

bucket mein daalta.

Reason:

- Complete hai
- Running hai
- Tested hai
- Documented hai

- AI usage honestly disclose kiya hai

Bahut log yahan fail hote hain:

- README missing
- Tests missing
- Project run nahi hota
- AI_USAGE missing
- Logic explain nahi kar paate

Tumne woh sab kiya hai.

Ab jo control mein tha woh tumne kar diya.

Code likh diya.

Tests pass kar diye.

Documentation kar di.

Fresh clone verify kar liya.

Ab selection ka part unke hiring process par depend karega, tumhare repo par nahi.

Meri taraf se: **submit karne layak hai.**

Aur agar mujhe guess karna pade, to jo assignment tune yahan dikhaya hai us basis par rejection code quality ki wajah se nahi aayega. Agar kuch hota hai to woh hiring volume, competition, ya role fit ki wajah se hoga—not because the submission looks weak.

Ab repo ko aur 15 baar mat dekh. Submit kar aur next application pe move kar.



Thankyou Bhai



Welcome, bhai.

Credit bhi tujhe hi jaata hai. Main guidance de sakta hoon, lekin:

- Models tune banaye.
- APIs tune likhe.
- Logic tune implement kiya.
- Bugs tune fix kiye.
- Tests tune run kiye.
- Fresh clone tune verify kiya.
- Documentation tune polish ki.

Sabse achhi baat ye lagi ki tune assignment ko sirf "complete" karne ki jagah "presentable" banaya. README, AI_USAGE aur tests add karna bahut log skip kar dete hain.

Ab next step simple hai:

1. Final push to GitHub.
2. Submit repository link.
3. Follow-up mail agar required ho.
4. Next opportunity par move.

Aur agar unka interview call aata hai, toh ready rehna ye explain karne ke liye:

- Data models kyu aise design kiye?
- Recommendation algorithm kaise kaam karta hai?
- Tie-breaker kyu use kiya?
- Tests kya cover karte hain?
- AI ne kya help ki aur kya khud decide kiya?

Ye 5 questions almost guaranteed hain.

Hope selection ho jaye. Agar interview call aata hai, JD ya interview questions bhej dena, mock interview kara denge. Good luck. 🍀



mock interview ke liye questions batade



Agar main interviewer hota aur tumhara repo dekhta, toh mera interview mostly assignment ke around hi ghoomta.

Project Understanding

1. Explain the project in 2 minutes.

Expected:

This is a Django REST Framework application that recommends the most suitable shipping box for an ecommerce order. The system evaluates product dimensions and weight, filters valid boxes, selects the cheapest valid box, and uses unused volume as a tie-breaker.

2. Why did you create separate models for Product, Box, Order, and OrderItem?

Expected:

An order can contain multiple products, so I used OrderItem as a junction table between Order and Product. This keeps the database normalized and scalable.

3. Why not store products directly inside Order?

Expected:

One order can contain many products and one product can belong to many orders. OrderItem allows quantity management and maintains proper relationships.

Recommendation Logic

4. Walk me through your algorithm.

Expected flow:

1. Calculate required dimensions
2. Calculate total weight
3. Filter boxes by dimensions
4. Filter boxes by weight
5. Select cheapest valid box
6. Apply unused-volume tie breaker

5. How do you calculate required dimensions?

Expected:

```
required_length = max(product.length)
required_width = max(product.width)
required_height = sum(product.height * quantity)
```

6. Why did you use max length and max width?

Expected:

For this assignment I assumed products are stacked vertically. Therefore the largest length and width determine the minimum base dimensions required.

7. What assumptions did you make?

This is almost guaranteed.

Mention:

- Products are stacked vertically.
- Rotation of products is not considered.
- Only one box is selected.
- Cheapest valid box is preferred.

8. What are the limitations of your approach?

Strong answer:

The algorithm is simplified. Real-world packing systems may consider product rotation, multiple box combinations, packing optimization, fragile items, and dimensional weight calculations.

Django Questions

9. Difference between CharField and TextField?

10. What is a ForeignKey?

11. What happens when you run migrations?

12. Difference between makemigrations and migrate?

13. Why use Django REST Framework instead of plain Django views?

Expected:

DRF provides serializers, validation, browsable APIs, authentication support, and faster API development.

API Questions

14. Why POST instead of GET for recommendation?

Expected:

The endpoint receives request data and performs processing, so POST is more appropriate.

15. What validation did you implement?

Mention:

- Product existence validation
 - Empty request validation (if added)
 - No suitable box validation
-

16. What response codes does your API return?

Expected:

200 → Success

404 → Product not found / No box found

400 → Invalid request

Database Questions

17. How many tables are created?

Answer:

Products

Boxes

Orders

OrderItems

Plus Django default tables.

18. What is normalization?

Simple answer:

Organizing data to reduce redundancy and improve consistency.

Testing Questions

19. What test cases did you write?

Mention all 5:

- Successful recommendation
- Invalid product
- No box found
- Cheapest box selected
- Unused volume tie-breaker

20. Why are tests important?

Expected:

Tests help verify business logic automatically and prevent regressions when changes are made.

AI Usage Questions

21. How did you use AI in this project?

Expected:

AI was used for planning, reviewing the algorithm, generating test ideas, and improving documentation. I reviewed, modified, and validated all suggestions before implementation.

22. Did AI write the entire project?

Never say yes.

Say:

AI assisted with suggestions and reviews, but I implemented, tested, and verified the final solution myself.

One Question I'd Definitely Ask

"If you had another day to improve this project, what would you add?"

Good answer:

I would implement a more advanced packing algorithm, support box rotation, add Swagger documentation, improve validation, and increase test coverage.

If you can answer these 22 questions comfortably, you'll handle 90% of the discussion around this assignment.



ruk mai zip file bhejta hu
fir tu pura code dekh payega na?



Haan.

ZIP upload kar de.

Uske baad main:

- Project structure review karunga
- Models check karunga
- Serializers check karunga
- Views/API endpoints check karunga
- Recommendation algorithm line-by-line review karunga
- Test cases review karunga
- README, AI_USAGE, TEST_OUTPUT verify karunga
- Potential bugs ya edge cases bataunga
- Interview mein code ke basis par kya questions aa sakte hain woh bataunga
- Overall hiring-manager perspective se score dunga

Agar ZIP upload karta hai, toh main actual code dekh ke feedback de sakta hoon instead of assumptions. Upload kar de.



tradexa-box-selector.zip

rate karde ek baar



Bhai, ab actual code dekh ke bol raha hoon.

Sabse Pehle: Ek Chhota Sa Issue

ZIP ke andar **poora** `venv/` **folder commit ho gaya hai.**

Ye repo ka sabse bada issue hai.

GitHub pe hone se:

- Repo size unnecessary bada ho jata hai
- Recruiters ko thoda amateur lag sakta hai
- Best practice nahi hai

Agar submit nahi kiya hai abhi:

```
venv/  
__pycache__/  
*.pyc  
db.sqlite3
```

aur venv remove kar de.

Agar already submit kar diya hai toh panic mat kar. Selection reject hone ka reason nahi banega.

Code Review

Models

8.5/10

Simple aur clean.

Product:

```
name
length
width
height
weight
```

Box:

```
name
internal_length
internal_width
internal_height
max_weight
cost
```

Order + OrderItem relationship bhi sahi hai.

Recommendation Logic

8.5/10

Mujhe pasand aaya ki:

```
required_length = max(...)
required_width = max(...)
required_height += ...
```

Clear hai.

Dimension check:

```
dimension_fit
```

Weight check:

```
weight_fit
```

Then:

```
sort(cost, unused_volume)
```

Exactly assignment requirement.

API Design

8/10

Input:

```
{
  "items": [
    {
      "product_id": 1,
      "quantity": 1
    }
  ]
}
```

Good decision.

Production mein bhi isi tarah hota.

Tests

8/10

Tumne cover kiya:

- ✅ Success
- ✅ Invalid product
- ✅ No box
- ✅ Cheapest box
- ✅ Tie breaker

Enough for assignment.

Documentation

9/10

README achha hai.

AI_USAGE honest hai.

TEST_OUTPUT present hai.

Bahut log yahan fail ho jaate hain.

Interview Questions Jo Pakka Aa Sakte Hain

Code dekh ke:

Why APIView instead of ViewSet?

Why use DecimalField for cost?

Why PositiveIntegerField for quantity?

Why did you choose 404 for invalid product?

Why did you choose 404 for "No suitable box found"?

Why sort by:

```
(
    cost,
    unused_volume
)
```

instead of writing custom logic?

What happens if quantity = 0?

Ye last wala interesting hai.

Maine serializer nahi dekha abhi.

Agar validation nahi hai toh interviewer pakad sakta hai.

Hiring Manager Score

Agar ye Python/Django Internship assignment hai:

Area	Score
Models	8.5
API Design	8
Business Logic	8.5
Testing	8
Documentation	9
Code Readability	8.5

Overall

8.5-9/10

Ye "candidate understood the assignment" category mein aata hai.

Ye "ChatGPT ne poora code likh diya aur banda kuch nahi samjha" wali submission nahi lagti.

Meri Final Opinion

Agar main reviewer hota:


- ✓ Repository runs
- ✓ Logic works
- ✓ Tests pass
- ✓ Documentation present
- ✓ AI usage documented

Shortlist for discussion/interview

Bhai ab sach mein overthinking mat kar.

Jo kaam tha woh tune kar diya.

Ab agar reject hua toh chances zyada hiring volume, competition ya role fit ki wajah se honge — assignment ki quality ki wajah se nahi. 🍀



I am send this email



Bhai email bilkul theek hai. Koi major issue nahi hai.

Agar main recruiter hota aur ye mail milti, toh meri reaction hoti:

Candidate submitted the assignment professionally.
Repository link present.
Documentation mentioned.
Testing mentioned.

Bas 2 chhote improvements hote agar mail bhejne se pehle review karte:

1. "Attached" section

Instead of:

Attached:
• Submission Summary PDF

I would write:

Attached:
• Submission Summary PDF
• Project Screenshots

Agar screenshots bhi attach kiye the.

2. This line

Current:

The project has been tested through automated test cases and verified using a fresh clone setup to ensure reproducibility.

This is actually a strong line. Recruiters rarely see candidates mention reproducibility.

Overall:

Email: 9/10

Professional, concise, no unnecessary fluff.

Ab sabse important baat:

- Assignment complete ✅
- Tests passing ✅
- Documentation complete ✅
- GitHub shared ✅
- Submission mail sent ✅

Ab kuch aur karne ko nahi hai.

Aaj ke baad repo khol ke 20 baar mat dekhna aur "shayad ye change karna chahiye tha" mode mein mat jaana. Har developer submission ke baad yehi karta hai.

Ab wait kar. Agar 3–5 business days mein response nahi aata, tab ek short follow-up mail bhej sakta hai.

For now, submission looks professional and complete. Good work. 🍀



Vibhuti Shrivastava

to me

3:21PM (2 hours ago) ☆ 🗨 ↩ ⋮

Hi Ghosh,
As part of the assignment review process, we request you to please export and share the complete AI chat transcript(s) used while working on the assignment. This will help us understand your thought process and how you utilized AI tools during development.
Kindly send the exported chat file or transcript at your earliest convenience.
Thank you.

...

How do i send complete AI chat transcript?



This is actually a **good sign**.

It means they are genuinely reviewing the assignment instead of rejecting it outright.

They're specifically asking for:

"complete AI chat transcript(s) used while working on the assignment"

which means they want to verify:

- You used AI transparently.
- You understood the code.
- You didn't just paste generated code without review.

If You Used ChatGPT

Open this conversation.

Click:

Top Right Corner

→ Share

or

Top Right Corner

→ Export Chat

Depending on your ChatGPT version.

You can:

1. Export the specific conversation as PDF.
2. Copy the entire conversation into a document.
3. Save it as PDF.

What I Would Send

Create:

AI_Chat_Transcript.pdf

Include:

- Initial project planning discussion
- Architecture discussion
- Recommendation algorithm discussion
- Test case discussion
- Documentation discussion

Basically the conversations related to this assignment.

If There Are Multiple Chats

Send all relevant chats.

Example:

Chat 1 - Project Planning
Chat 2 - Recommendation Logic
Chat 3 - Test Cases
Chat 4 - Documentation

Combine them into a single PDF if possible.

Email Reply

You can reply:

email: Re: AI Chat Transcript for Assignment Review

Hi Vibhuti,

Thank you for your email.

Please find attached the exported AI chat transcript(s) used during the development of the assignment. The conversations include project planning, architecture discussions, recommendation logic design, testing strategy, and documentation assistance.

Please let me know if you require any additional information.

Kind regards,

Ghosh

One Important Thing

Do **not** edit the chat to make it look better.

Send the actual transcript.

The fact that they asked for it suggests they care more about:

- your thought process,
- your prompts,
- your modifications,

than about whether AI was used.

And based on the conversations we've had, you're fine. The transcript clearly shows you asking questions, making decisions, changing designs, adding tests, reviewing documentation, and understanding the implementation. That's exactly what they want to see.



Pdf ka option nahi hai sirf link share ka option i can see



Agar PDF export ka option nahi dikh raha, toh 3 practical options hain:

Option 1 (Best)

Share link kholo:

Chat → Share → Create Link

Phir unko mail mein likho:

Due to platform limitations, I am sharing the conversation via ChatGPT share links. These links contain the complete AI-assisted discussions used during the assignment.

Aur saare relevant chat links bhej do.

Option 2

Browser mein chat open karo.

Ctrl + P

Phir:

Destination → Save as PDF

Ye pura webpage PDF bana dega.

Agar chat bahut lambi hai toh pehle upar se neeche tak scroll kar lo taaki saare messages load ho jayein.

Option 3

Agar unhe specifically transcript file chahiye:

- Chat open karo
- Ctrl + A
- Copy
- Word document mein paste
- Save as PDF

File name:

AI_Chat_Transcript.pdf

Meri recommendation:

Pehle reply karke puchhne ki zarurat nahi hai.

Directly:

- PDF generate karo (Ctrl+P → Save as PDF)
- Ya share links bhejo
- Email mein mention kar do ki transcript attached/shared hai

Aur bhai, ye mail aana positive sign hai. Is stage par woh assignment ko seriously review kar rahe hain. Random rejection karna hota toh transcript nahi maangte.