
TECHNICAL WALKTHROUGH

# Raw CSVs become CDM-ready data

One reproducible path: transform, store, describe and explain.





| | |
|---|---|
| 5 | contacts |
| 4 | valid orders |
| 1 | quarantined |
| ISO | UTC timestamps |


- ✓ clean entity CSVs
- ✓ required folder layout
- ✓ CDM model.json
- ✓ mapping + ERD + storage

github.com/ghostkernel-core/cdm-pipeline

# One path from source row to CDM

The target models drive validation, CSV columns and manifest attributes.




**AUTO** one command

**MODEL** single schema source

**PEOPLE** logs + reasons

**python -m src.main**

# Keep the relationship valid

Every retained SalesOrder points to exactly one Contact.

PARENT

## Contact

**contactid** PK

firstname · lastname

emailaddress1

createdon · statecode

1 — 0..N

**contactid <- customerid**

CHILD

## SalesOrder

salesorderid PK

**customerid** FK

totalamount · decimal

createdon · UTC

**ORD-1005 → CST-999**

**No Contact match → quarantine + log**

**Clean target** No broken foreign key

**Traceable exception** raw row + reason

DELIVERED

# Self-describing, tested and reproducible

A fresh CI run must reproduce every committed output.

## repository outputs

| | |
|---|---|
| **cdm_lakehouse/** | Contact · SalesOrder · model.json |
| **quarantine/** | rejected rows + reasons |
| **logs/pipeline-run.log** | warnings + final counts |
| **README.md** | mapping · ERD · storage |

## Evidence

| | |
|---|---|
| **47** | tests passed |
| **98.93%** | coverage |
| **2** | Python versions |
| **3** | README diagrams |

- ✓ **CI green: Python 3.11 + 3.13**
- ✓ **Manifest reference + schema checks**

github.com/ghostkernel-core/cdm-pipeline