

QueryBook — Drawings, Reference Numerals & Brief Description of the Drawings

Scope: the complete, current QueryBook figure set — FIG. 1–FIG. 49 — as one unified, contiguously numbered set, with no gaps. It comprises: the integral language & speech subsystem (LEL; FIG. 1–8 and FIG. 31–32); the QueryBook cognitive platform — Prime Directive / Domain 0, the Fact Unit, UFCS, FQL, the neuromorphic cognitive layer, the user-owned agent system, the enhanced TCP/IP hybrid protocol, and the media pipeline (FIG. 9–30); the Language & Identity Linking (LIL) voiceprint subsystem (FIG. 33–34); the Universal Integrity Audit Service (UIAS; FIG. 35–36); the Paralinguistic & Pragmatic Interpretation Layer (PIL; FIG. 37–38); Lecture Query mode (FIG. 39–40); and the recent extensions — deterministic multilingual acquisition, Dialect Parameter Clusters, grounded scene compilation, key-safe external-service mediation, scene reconstruction, modular editions, and the version-independent provenance-continuous store (FIG. 41–47); and the application embodiments — the cited Q&A / ChatBot application and the application-and-deployment surfaces (on-device eBook/document Q&A, SaaS/API, the Fact-Unit compressed search engine, the deterministic LLM-hybrid adjunct, and private/offline analysis) over the invariant core (FIG. 48–49). **Companion to** the consolidated *QueryBook Provisional Patent Application*; the figures, reference numerals, and brief descriptions here are identical to those in that application. **Document date:** October 7, 2026. Draft — to be finalized to USPTO drawing standards (37 CFR 1.84) by a patent draftsman before filing.

Feature Inventory and Figure Map

This inventory lists the major QueryBook features and the figure that depicts each, confirming that every major feature — the cognitive core (Fact Units, UFCS, FQL, the Prime Directive, the neuromorphic layer), the agent and ChatBot applications, security, media, language and speech, and the identity / integrity / interpretation / lecture subsystems — is drawn. **Status** is conservative: "Prototype" marks a capability exercised in the current prototype; "Specified" marks a described embodiment; the semantic media pipeline of FIG. 24 is identified as specified and not yet built or measured. 49 features are mapped across FIG. 1–FIG. 49.

Feature	Figure	Status
A. Primitive and substrate		
Fact Unit — atomic subject-predicate-object-polarity with content-derived identity (FUID)	FIG. 10	Prototype
Fact Unit confidence and evidence model (Bayesian / Beta)	FIG. 27	Prototype
Fact-certification authority hierarchy	FIG. 11	Specified
UFCS — Universal Federated Connectivity Substrate (three-store)	FIG. 12	Prototype
UFCS packet structure — serialized Fact Unit record	FIG. 28	Specified
UFCS content-addressed block framing	FIG. 29	Specified
B. Query, reasoning and governance core		
Fifteen-domain architecture; Prime Directive (Domain 0)	FIG. 9	Prototype
FQL — Federated Query Language: joint structure + trust execution	FIG. 14	Prototype
FQL — query anatomy and worked example (cite or refuse)	FIG. 30	Prototype
Neuromorphic cognitive layer — attractor convergence	FIG. 26	Specified
Adaptive response engine — directive fixed before generation	FIG. 21	Prototype
Verifying machine-generated text against certified records	FIG. 15	Specified
C. Knowledge operations and deployment		
Authored tour / exhibition sequencing	FIG. 13	Specified
Federation — cross-boundary re-validation	FIG. 16	Specified
Fact-level erasure by external-key destruction	FIG. 17	Specified
User-owned Agent system with governance and kill switch	FIG. 22	Specified
Deployment topologies over an invariant common layer	FIG. 20	Specified
Modular capability editions (light / medium / full)	FIG. 46	Prototype
Version-independent, provenance-continuous store	FIG. 47	Prototype
D. Security		
Universal multi-layer security architecture	FIG. 18	Specified
Universal honeypot saturation / data firehose (anti-Agent-Worm)	FIG. 19	Specified
E. Media and protocol		
Deterministic multi-language regeneration	FIG. 23	Specified
Semantic media pipeline — compression · expansion · colorization · upscaling	FIG. 24	Specified — not yet built or measured
Grounded scene compilation to an external generative media engine	FIG. 43	Prototype
Key-safe external-service mediation	FIG. 44	Prototype
Scene reconstruction from prose (silhouette-protected)	FIG. 45	Prototype
QueryBook-enhanced TCP/IP hybrid protocol packet	FIG. 25	Specified
F. Language and speech (LEL)		
LEL overall system architecture	FIG. 1	Specified
Sub-Language Priming Layer (SLPL)	FIG. 2	Specified
Developmental learning sequence and one-way transition gate	FIG. 3	Prototype
Multilingual delta acquisition and acceleration flywheel	FIG. 4	Specified
Speech output pipeline (seven learned stages)	FIG. 5	Specified
Co-grounded integration (LEL + FQL + UFCS)	FIG. 6	Specified
Language Lab reduced-to-practice prototype (Phases 1-2)	FIG. 7	Prototype
Deterministic Phase-2 semantic grounding (dictionary + store, no LLM)	FIG. 8	Prototype
Advanced multilingual pronunciation and self-contained speech	FIG. 31	Prototype
Permanent pronunciation / speech quality-control battery	FIG. 32	Prototype
Deterministic multilingual acquisition (no generative model)	FIG. 41	Prototype
Dialect Parameter Clusters (DPC)	FIG. 42	Prototype
G. Identity, integrity, interpretation and lectures		
LIL — voiceprint enrollment and matching over the identity graph	FIG. 33	Prototype
LIL — trust-gated voice authentication with anti-spoofing	FIG. 34	Specified
UIAS — pre-dispute sealing and cross-submission similarity	FIG. 35	Specified
UIAS — signed Proof Package generation	FIG. 36	Specified
PIL — paralinguistic and pragmatic interpretation of an ingested voice	FIG. 37	Prototype
PIL — human query interpretation (clarify-or-answer)	FIG. 38	Prototype
Lecture Query — ingestion pipeline	FIG. 39	Prototype
Lecture Query — forever-linked record and its querying	FIG. 40	Prototype
H. Application embodiments		
Cited Q&A / ChatBot application (citation-or-UNKNOWN end to end)	FIG. 48	Prototype
Application and deployment surfaces over the invariant core	FIG. 49	Prototype

Brief Description of the Drawings

FIG. 1 is a block diagram of the overall QueryBook Language Expression Layer (LEL) system architecture.

FIG. 2 is a block diagram of the Sub-Language Priming Layer (SLPL) and the measurable representation produced by each of its six components.

FIG. 3 is a flow diagram of the developmental learning sequence and the one-way Transition Gate having four readiness thresholds.

FIG. 4 is a block diagram of the multilingual Delta Acquisition Model and the acquisition acceleration flywheel.

FIG. 5 is a block diagram of the seven-stage Speech Output Pipeline.

FIG. 6 is a data-flow diagram of the co-grounded integration of the LEL with the Federated Query Language (FQL) and the Universal Federated Connectivity System (UFCS).

FIG. 7 is a block diagram of a reduced-to-practice embodiment (the Language Lab) implementing Phase One, the Transition Gate, and a deterministic Phase Two, per Section VII.

FIG. 8 is a data-flow diagram of the deterministic Phase-Two semantic grounding of the reduced-to-practice embodiment, in which word meanings are attached only from auditable sources — a bundled public-domain dictionary and self-grounding against verified Fact Units in the store — with any large-language-model meaning source excluded from the grounding path.

Brief Description of the QueryBook Platform Drawings (FIG. 9–FIG. 30)

FIG. 9 is a diagram of the queryBook system architecture (Prime Directive as Domain 0).

FIG. 10 is a diagram of the fact Unit — atom, envelope, and content-derived identity.

FIG. 11 is a diagram of the fact-certification authority hierarchy.

FIG. 12 is a diagram of the uFCS substrate — three-store architecture.

FIG. 13 is a diagram of the authored tour and exhibition sequencing.

FIG. 14 is a diagram of the fQL — joint structure and trust execution.

FIG. 15 is a diagram of the verifying machine-generated text against certified records.

FIG. 16 is a diagram of the federation — cross-boundary re-validation.

FIG. 17 is a diagram of the fact-level erasure by external-key destruction.

FIG. 18 is a diagram of the universal security architecture.

FIG. 19 is a diagram of the universal honeypot saturation and data firehose.

FIG. 20 is a diagram of the deployment topologies over an invariant common layer.

FIG. 21 is a diagram of the adaptive response engine — directive fixed before generation.

FIG. 22 is a diagram of the user-owned agent system with governance and kill switch.

FIG. 23 is a diagram of the deterministic multi-language regeneration.

FIG. 24 is a diagram of the semantic compression, expansion, colorization and upscaling.

FIG. 25 is a diagram of the queryBook-enhanced TCP/IP hybrid protocol packet.

FIG. 26 is a diagram of the neuromorphic cognitive layer — attractor convergence.

FIG. 27 is a diagram of the fact Unit — confidence and evidence model.

FIG. 28 is a diagram of the uFCS packet structure — serialized Fact Unit record.

FIG. 29 is a diagram of the uFCS packet framing — content-addressed block storage.

FIG. 30 is a diagram of the fQL — query anatomy and worked example.

Reference Numerals

No.	Element
-----	---------

100	QueryBook LEL system
110	Sub-Language Priming Layer (SLPL)
120	Language Expression Layer (LEL)
130	Transition Gate
140	Phase Two semantic-communicative learning
150	Multilingual Delta Acquisition module
160	Speech Output Pipeline
165	natural speech output
170	co-grounding interface
180	Federated Query Language (FQL)
190	Universal Federated Connectivity System (UFCS)
195	federated data sources
200	SLPL
210	acoustic phonetic processing
211	signal-level feature embedding
220	phonics / phonemic awareness
221	phoneme-boundary segmenter
230	communication-science foundations
231	communicative-salience weight
240	prosody & rhythm processing
241	prosodic contour vector
250	information-theoretic grounding
251	information weighting
260	neurolinguistic chunking
261	chunk segments
270	licensed multimedia input
300	developmental learning sequence
310	Phase One (structural-acoustic)
311	sound discrimination
312	syllabic segmentation
313	word-as-acoustic-object
314	semantics suppressed
320	Transition Gate (one-way)
321	phonemic-inventory completeness $\geq \tau_1$
322	lexical stability $\geq \tau_2$
323	co-occurrence density $\geq \tau_3$
324	pattern saturation $< \epsilon$
330	Phase Two (semantic-communicative)
331	word-to-referent grounding
332	communicative discovery
333	emergent grammar / syntax
400	Delta Acquisition Model
410	reused L1 foundation
420	L2 delta detector
430	targeted training of novel elements
440	multilingual semantic alignment
450	acquisition acceleration flywheel
451	negative-transfer detection & retraining
500	Speech Output Pipeline
510	lexical selection
520	grapheme-to-phoneme conversion
530	coarticulation modeling
540	prosody generation
550	register & affect calibration
560	self-monitoring feedback loop
570	neural vocoder rendering

No.	Element
-----	---------

984	engine-selection ladder (per OS / language)
985	host OS built-in voice service
986	culture-matched OS voice (when installed)
987	honest refusal with remedy (no fabricated audio)
990	deterministic translator (through English)
991	bundled open-source bilingual dictionary
992	coverage accounting + unknown-word passthrough (flagged)
993	deterministic language detector
995	permanent quality-control battery
996	IPA-produced check
997	syllable-sanity check (± 1)
998	valid-waveform synthesis check
999	per-language QC report + overall pass score
1000	LIL voiceprint & identity subsystem
1001	consent gate (precondition)
1002	audio/video capture + VAD/segmentation
1003	acoustic feature extraction
1004	speaker embedding (voiceprint vector)
1005	enrollment — canonical voiceprint
1006	match / score (cosine · PLDA)
1007	QueryBook trust gate (VERIFIED/CONTRADICTED/UNKNOWN)
1008	Fact-Unit identity graph
1009	LEL cross-script name/entity resolution
1010	provenance-tracked link Fact Unit
1020	voice authentication request
1021	capture phrase + embed
1022	anti-spoofing (liveness/replay/synthetic)
1023	deterministic risk-scoring policy
1024	authentication decision gate
1025	second-factor challenge
1026	auth-event Fact Unit (provenance)
1100	UIAS integrity audit service
1101	monitored system workflow (unmodified)
1102	input-boundary position
1103	processing-layer position
1104	storage-layer position
1105	output-boundary / handoff position
1106	Connector + Ingestion agents (seal at observation)
1107	seal = Fact Unit (hash · id-hash · independent timestamp · source · agent)
1108	Similarity Detection Agent (semantic signatures)
1109	Fact-Unit audit ledger (UFCS, append-only, immutable)
1110	contemporaneous cross-party anomaly flag
1111	Verification Agent (continuous re-verification)
1112	content-not-stored / one-way identity (fact-level erasure)
1120	UIAS signed Proof Package generation
1121	accusation / inquiry
1122	Proof Package Agent
1123	sealed Fact Units + verified seals
1124	cross-submission similarity log entry
1125	chronological ledger extract (RPH)
1126	Arbitration Agent (factual determination; Prime-Directive gate)
1127	assemble + sign under UIAS independent identity
1128	signed Proof Package
1129	factual-only determination (legal reserved to courts/regulators)
1200	PIL paralinguistic & pragmatic interpretation
1201	ingested voice (consent-gated)

No.	Element	No.	Element
580	natural speech waveform	1202	transcription (words)
600	co-grounded integration	1203	Paralinguistic Analyzer (measured)
610	natural-language input	1204	tone/loudness/pacing/emphasis + labeled arousal estimate
620	LEL analysis	1205	Pragmatic Framer (sourced)
630	FQL operations	1206	context · perspective · ergonomics · culture · social mores
640	UFCS execution	1207	Interpretation Frame (labeled estimates + sourced frames)
650	federated sources	1208	Fact Units on ingested content
660	results	1209	covenant: estimates not asserted; frames sourced; consent
670	render to NL / speech in input language	1210	PIL human query interpretation
680	language-agnostic resolution	1211	human query (typed/spoken)
700	Language Lab prototype embodiment	1212	Interpretation Frame (para + pragmatic)
710	corpus source	1213	intent disambiguation (context/perspective)
720	Phase-One structural agent	1214	ambiguity gate
730	structural analyzer	1215	ask one clarifying question / stop
731	grapheme inventory	1216	register & ergonomic mode selector
732	rule-seeded G2P	1217	culture/mores/ergonomics packs
733	syllabifier	1218	retrieve-gate-compose (verified Fact Units; cite or refuse)
734	lexical-stability metric	1219	answer in selected register/mode (facts unchanged)
735	co-occurrence density metric	1300	Lecture Query ingestion pipeline
736	prosody proxy	1301	live or recorded audio/video program
740	Fact Unit store	1302	capture + consent gate
750	Transition-Gate metrics	1303	ASR transcription + diarization (untrusted input)
751	one-way latch	1304	video frames → faces (LIL)
760	phase agents on shared manager	1305	PIL analysis over time (tone/pacing/arousal + frame)
761	Phase-1 agent (implemented)	1306	LEL segment/structure/extract claims
762	Phase-2 agent — deterministic dictionary + store grounding (implemented)	1307	deterministic summary (TOC/key points/claims)
763	Phase-3 agent (declines — spec-only)	1308	ingest → Lecture Record; claims = attributed utterance facts
764	Phase-4 agent (declines — spec-only)	1309	forever-link: speaker/venue/event/org/date (immutable, trust-gated)
800	deterministic Phase-Two semantic grounding	1310	forever-linked Lecture Record (queryable)
810	Phase-One vocabulary (learned words)	1311	Lecture Record (content-addressed)
820	deterministic grounder (per word)	1312	speaker entity (LIL voiceprint/face)
830	bundled public-domain dictionary source	1313	venue entity
831	dictionary meaning Fact Unit (means, trust 0.9)	1314	event entity
840	self-grounding store-lookup source	1315	organization + date
841	store-link Fact Unit (grounded_by_fact)	1316	transcript + diarization
850	Fact Unit store (provenance, domain language)	1317	PIL track (tone/pacing over time)
860	excluded large-language-model meaning source	1318	attributed claims → corroborated/contradicted/open
870	optional future dictionary-gated suggestor	1319	FQL / Q&A over the record
900	advanced multilingual pronunciation subsystem	1320	answer: cited, attributed, refused where unknown
910	pronunciation request (word/phrase, language)	4800	cited Q&A / ChatBot application
920	pronunciation preference-ladder selector	4801	user question (typed/spoken)
930	bundled open-source phonemizer	4810	query interpretation (intent/register)
931	phonemizer IPA transcription	4820	FQL retrieval over verified Fact Units
932	phonemizer call cache	4830	Prime-Directive gate (evidence sufficiency)
933	bounded call log / timeout guard	4840	composed answer with per-fact citations
940	rule-seeded G2P tables (per language)	4841	honest UNKNOWN (refuse, never guess)
941	approximate rule-seeded IPA (offline)	4850	ChatBot/assistant delivery surface
950	syllable count + primary-stress derivation	4860	citation-or-UNKNOWN covenant held end to end
960	explicit null result (not fabricated)	4900	invariant QueryBook core
970	phrase-level single-call transcription	4910	on-device eBook/document Q&A (micro-encapsulated)
971	displayed transcription consistent with synthesized audio	4920	SaaS / API service surface
980	self-contained application bundle	4930	Fact-Unit compressed search engine
981	bundled open-source speech engine	4940	deterministic LLM-hybrid adjunct (gated suggestor)
982	runtime-support libraries	4950	private/offline analysis deployment
983	bundled phoneme data	4960	all surfaces inherit the governed-fact contract

Drawings

Formal patent drawings — black line art, forming **one QueryBook figure set**: FIG. 1–FIG. 8 and FIG. 31–FIG. 32 depict QueryBook’s integral developmental language and speech subsystem (the Language Expression Layer), FIG. 9–FIG. 30 depict the QueryBook platform in which that subsystem is co-grounded (see FIG. 6), FIG. 33–FIG. 34 depict the Language & Identity Linking (LIL) voiceprint and multimodal identity subsystem, FIG. 35–FIG. 36 depict the Universal Integrity Audit Service (UIAS) that QueryBook delivers on these primitives, FIG. 37–FIG. 38 depict the Paralinguistic & Pragmatic Interpretation Layer (PIL), and FIG. 39–FIG. 40 depict the Lecture Query interaction mode. Each figure is on its own sheet and every element is identified by a reference numeral used consistently in the Brief Description of the Drawings, the Reference Numerals key, and the Detailed Description. Figures are draft; counsel/draftsperson to finalize to USPTO drawing standards (37 CFR 1.84) before filing.

FIG. 1




FIG. 1 — QueryBook LEL — Overall System Architecture

FIG. 2




FIG. 2 — Sub-Language Priming Layer (SLPL) and Its Measurable Outputs

FIG. 3




FIG. 3 — Developmental Learning Sequence and One-Way Transition Gate

FIG. 4




FIG. 4 — Multilingual Transfer — Delta Acquisition and Acceleration Flywheel

FIG. 5




FIG. 5 — Speech Output Pipeline (Seven Learned Stages)

FIG. 6




FIG. 6 — Co-Grounded Integration with FQL and UFCS

FIG. 7




FIG. 7 — Reduced-to-Practice Embodiment — Language Lab Phases One and Two Prototype

FIG. 8




FIG. 8 — Deterministic Phase-Two Semantic Grounding — Dictionary and Store (No LLM)

QueryBook Platform Drawings (FIG. 9–FIG. 30) — the system in which the language subsystem is integral

FIG. 9 through FIG. 30 depict the QueryBook deterministic, provenance-tracked federated knowledge and query platform of which the developmental language and speech subsystem (the Language Expression Layer, FIG. 1–FIG. 8 and FIG. 31–FIG. 32) is an integral, co-grounded part (see FIG. 6). Together with the language-subsystem figures these form **one QueryBook figure set**. Draft — the language-subsystem figures use a 100–999 numeral series and the platform figures a 100–2200 series; counsel/draftsperson to consolidate the two into a single QueryBook numeral series and finalize to 37 CFR 1.84 before filing.

FIG. 9




FIG. 9

FIG. 9 — QueryBook system architecture (Prime Directive as Domain 0)

FIG. 10

FACT UNIT — ATOM, ENVELOPE, AND CONTENT-DERIVED IDENTITY




FIG. 10

FIG. 10 — Fact Unit — atom, envelope, and content-derived identity

FIG. 11




FIG. 11

FIG. 11 — Fact-certification authority hierarchy

FIG. 12





FIG. 12

FIG. 12 — UFCS substrate — three-store architecture

FIG. 13



Author fixes the sequence; the reader controls pace and direction along the ordered waypoints.

FIG. 13

FIG. 13 — Authored tour and exhibition sequencing

FIG. 14




FIG. 14

FIG. 14 — FQL — joint structure and trust execution

FIG. 15




FIG. 15

FIG. 15 — Verifying machine-generated text against certified records

FIG. 16





FIG. 16

FIG. 16 — Federation — cross-boundary re-validation

FIG. 17



Erase one fact by destroying its key; the content-addressed store is otherwise append-only and immutable.

FIG. 17

FIG. 17 — Fact-level erasure by external-key destruction

FIG. 18




FIG. 18 — Universal security architecture

FIG. 19




FIG. 19 — Universal honeypot saturation and data firehose

FIG. 20




FIG. 20

FIG. 20 — Deployment topologies over an invariant common layer

FIG. 21





FIG. 21

FIG. 21 — Adaptive response engine — directive fixed before generation

FIG. 22




Governance is checked at every action; an agent can never exceed its commissioner, who holds an unconditional kill control.

FIG. 22

FIG. 22 — User-owned agent system with governance and kill switch

FIG. 23




One graph, many surfaces: no per-language re-ingestion; each language is a projection of the same facts.

FIG. 23

FIG. 23 — Deterministic multi-language regeneration

FIG. 24

SEMANTIC COMPRESSION, EXPANSION, COLORIZATION & UPSCALING




Store meaning, not surface; compression and regeneration are the same primitive — no generational quality loss.

FIG. 24

FIG. 24 — Semantic compression, expansion, colorization and upscaling

FIG. 25

QUERYBOOK-ENHANCED TCP/IP HYBRID PROTOCOL PACKET



A non-participating endpoint ignores the semantic header — provenance travels with the bits, backward-compatible.

FIG. 25

FIG. 25 — QueryBook-enhanced TCP/IP hybrid protocol packet

FIG. 26





FIG. 26

A partial/noisy cue relaxes down the energy surface to the nearest stored equilibrium — recall as convergence, bounded by α_c .

FIG. 26 — Neuromorphic cognitive layer — attractor convergence

FIG. 27



Trust is a governed evidence estimate — not a single number: it carries an interval, ages over time, and reports its direction.

FIG. 27

FIG. 27 — Fact Unit — confidence and evidence model

FIG. 28




FIG. 28 — UFCS packet structure — serialized Fact Unit record

FIG. 29




FIG. 29 — UFCS packet framing — content-addressed block storage

FIG. 30




FIG. 30

Structure and trust are one query; the engine returns the highest-trust answer with a hash binding the result to its evidence.

FIG. 30 — FQL — query anatomy and worked example

FIG. 31




FIG. 31 — Advanced Multilingual Pronunciation and Self-Contained Speech (No LLM)

FIG. 32




FIG. 32 — Permanent Pronunciation and Speech Quality-Control Battery (No LLM)

FIG. 33




FIG. 33 — LIL — Voiceprint Enrollment and Matching over the Fact-Unit Identity Graph

FIG. 34




FIG. 34 — LIL — Trust-Gated Voice Authentication with Anti-Spoofing

FIG. 35




FIG. 35 — UIAS — Pre-Dispute Sealing and Cross-Submission Similarity over the Fact-Unit Ledger

FIG. 36




FIG. 36 — UIAS — Signed Proof Package Generation

FIG. 37




FIG. 37 — PIL — Paralinguistic and Pragmatic Interpretation of an Ingested Voice

FIG. 38




FIG. 38 — PIL — Human Query Interpretation and Covenant-Bound Answering

FIG. 39




FIG. 39 — Lecture Query — Ingestion Pipeline

FIG. 40




FIG. 40 — Lecture Query — The Forever-Linked Lecture Record and Its Querying

FIG. 41




FIG. 41 — Deterministic Multilingual Acquisition Without a Generative Model

FIG. 42




FIG. 42 — Dialect Parameter Clusters (DPC) — Declared, Expression-Only Modulation

FIG. 43




FIG. 43 — Grounded Scene Compilation to an External Generative Media Engine

FIG. 44




FIG. 44 — Key-Safe External-Service Mediation

FIG. 45




FIG. 45 — Scene Reconstruction From Prose — Bounded, Silhouette-Protected

FIG. 46




FIG. 46 — Modular Edition Packaging — Nested Capability Editions

FIG. 47




FIG. 47 — Version-Independent, Provenance-Continuous Store

FIG. 48




FIG. 48 — Cited Q&A / ChatBot Application — Citation-or-UNKNOWN End to End

FIG. 49




FIG. 49 — Application and Deployment Surfaces over the Invariant Core

DRAFT — NOT FILED — FOR REVIEW BY QUALIFIED PATENT COUNSEL PRIOR TO FILING. Companion drawings volume to the consolidated QueryBook Provisional Patent Application; figures and numerals are drawn from, and identical to, that application. Finalize to 37 CFR 1.84 before filing.