

QueryBook — Drawings (FIG. 1–FIG. 40)

Complete current QueryBook figure set, incl. PIL (37–38) and Lecture Query (39–40). Companion to the consolidated QueryBook Provisional Patent Application. October 2, 2026.

Drawings

Formal patent drawings — black line art, forming **one QueryBook figure set**: FIG. 1–FIG. 8 and FIG. 31–FIG. 32 depict QueryBook's integral developmental language and speech subsystem (the Language Expression Layer), FIG. 9–FIG. 30 depict the QueryBook platform in which that subsystem is co-grounded (see FIG. 6), FIG. 33–FIG. 34 depict the Language & Identity Linking (LIL) voiceprint and multimodal identity subsystem, FIG. 35–FIG. 36 depict the Universal Integrity Audit Service (UIAS) that QueryBook delivers on these primitives, FIG. 37–FIG. 38 depict the Paralinguistic & Pragmatic Interpretation Layer (PIL), and FIG. 39–FIG. 40 depict the Lecture Query interaction mode. Each figure is on its own sheet and every element is identified by a reference numeral used consistently in the Brief Description of the Drawings, the Reference Numerals key, and the Detailed Description. Figures are draft; counsel/draftsperson to finalize to USPTO drawing standards (37 CFR 1.84) before filing.

FIG. 1




FIG. 1 — QueryBook LEL — Overall System Architecture

FIG. 2




FIG. 2 — Sub-Language Priming Layer (SLPL) and Its Measurable Outputs

FIG. 3




FIG. 3 — Developmental Learning Sequence and One-Way Transition Gate

FIG. 4




FIG. 4 — Multilingual Transfer — Delta Acquisition and Acceleration Flywheel

FIG. 5




FIG. 5 — Speech Output Pipeline (Seven Learned Stages)

FIG. 6




FIG. 6 — Co-Grounded Integration with FQL and UFCS

FIG. 7




FIG. 7 — Reduced-to-Practice Embodiment — Language Lab Phases One and Two Prototype

FIG. 8




FIG. 8 — Deterministic Phase-Two Semantic Grounding — Dictionary and Store (No LLM)

QueryBook Platform Drawings (FIG. 9–FIG. 30) — the system in which the language subsystem is integral

FIG. 9 through FIG. 30 depict the QueryBook deterministic, provenance-tracked federated knowledge and query platform of which the developmental language and speech subsystem (the Language Expression Layer, FIG. 1–FIG. 8 and FIG. 31–FIG. 32) is an integral, co-grounded part (see FIG. 6). Together with the language-subsystem figures these form **one QueryBook figure set**. Draft — the language-subsystem figures use a 100–999 numeral series and the platform figures a 100–2200 series; counsel/draftsperson to consolidate the two into a single QueryBook numeral series and finalize to 37 CFR 1.84 before filing.

FIG. 9




FIG. 9

FIG. 9 — QueryBook system architecture (Prime Directive as Domain 0)

FIG. 10

FACT UNIT — ATOM, ENVELOPE, AND CONTENT-DERIVED IDENTITY




FIG. 10

FIG. 10 — Fact Unit — atom, envelope, and content-derived identity

FIG. 11




FIG. 11

FIG. 11 — Fact-certification authority hierarchy

FIG. 12





FIG. 12

FIG. 12 — UFCS substrate — three-store architecture

FIG. 13



Author fixes the sequence; the reader controls pace and direction along the ordered waypoints.

FIG. 13

FIG. 13 — Authored tour and exhibition sequencing

FIG. 14




FIG. 14

FIG. 14 — FQL — joint structure and trust execution

FIG. 15




FIG. 15

FIG. 15 — Verifying machine-generated text against certified records

FIG. 16





FIG. 16

FIG. 16 — Federation — cross-boundary re-validation

FIG. 17



Erase one fact by destroying its key; the content-addressed store is otherwise append-only and immutable.

FIG. 17

FIG. 17 — Fact-level erasure by external-key destruction

FIG. 18




FIG. 18 — Universal security architecture

FIG. 19




FIG. 19 — Universal honeypot saturation and data firehose

FIG. 20




FIG. 20

FIG. 20 — Deployment topologies over an invariant common layer

FIG. 21





FIG. 21

FIG. 21 — Adaptive response engine — directive fixed before generation

FIG. 22




Governance is checked at every action; an agent can never exceed its commissioner, who holds an unconditional kill control.

FIG. 22

FIG. 22 — User-owned agent system with governance and kill switch

FIG. 23




One graph, many surfaces: no per-language re-ingestion; each language is a projection of the same facts.

FIG. 23

FIG. 23 — Deterministic multi-language regeneration

FIG. 24

SEMANTIC COMPRESSION, EXPANSION, COLORIZATION & UPSCALING




Store meaning, not surface; compression and regeneration are the same primitive — no generational quality loss.

FIG. 24

FIG. 24 — Semantic compression, expansion, colorization and upscaling

FIG. 25

QUERYBOOK-ENHANCED TCP/IP HYBRID PROTOCOL PACKET



A non-participating endpoint ignores the semantic header — provenance travels with the bits, backward-compatible.

FIG. 25

FIG. 25 — QueryBook-enhanced TCP/IP hybrid protocol packet

FIG. 26

NEUROMORPHIC COGNITIVE LAYER — ATTRACTOR CONVERGENCE





FIG. 26

FIG. 26 — Neuromorphic cognitive layer — attractor convergence

FIG. 27



Trust is a governed evidence estimate — not a single number: it carries an interval, ages over time, and reports its direction.

FIG. 27

FIG. 27 — Fact Unit — confidence and evidence model

FIG. 28




FIG. 28 — UFCS packet structure — serialized Fact Unit record

FIG. 29




FIG. 29

FIG. 29 — UFCS packet framing — content-addressed block storage

FIG. 30

FQL — QUERY ANATOMY AND WORKED EXAMPLE




FIG. 30

FIG. 30 — FQL — query anatomy and worked example

FIG. 31




FIG. 31 — Advanced Multilingual Pronunciation and Self-Contained Speech (No LLM)

FIG. 32




FIG. 32 — Permanent Pronunciation and Speech Quality-Control Battery (No LLM)

FIG. 33




FIG. 33 — LIL — Voiceprint Enrollment and Matching over the Fact-Unit Identity Graph

FIG. 34




FIG. 34 — LIL — Trust-Gated Voice Authentication with Anti-Spoofing

FIG. 35




FIG. 35 — UIAS — Pre-Dispute Sealing and Cross-Submission Similarity over the Fact-Unit Ledger

FIG. 36




FIG. 36 — UIAS — Signed Proof Package Generation

FIG. 37




FIG. 37 — PIL — Paralinguistic and Pragmatic Interpretation of an Ingested Voice

FIG. 38




FIG. 38 — PIL — Human Query Interpretation and Covenant-Bound Answering

FIG. 39




FIG. 39 — Lecture Query — Ingestion Pipeline

FIG. 40




FIG. 40 — Lecture Query — The Forever-Linked Lecture Record and Its Querying