

QueryBook / LEL — Drawings

FIG. 1 – FIG. 30 · Formal patent drawings (draft) · 2026-09-29

Black line art. Each figure is on its own sheet. Reference numerals are used consistently with the separate Description of the Drawings. To be finalized to 37 CFR 1.84 by a patent draftsman before filing.

FIG. 1




FIG. 1 — Overall QueryBook LEL system architecture

FIG. 2




FIG. 2 — Sub-Language Priming Layer (SLPL)

FIG. 3




FIG. 3 — Developmental learning sequence and the four-threshold Transition Gate

FIG. 4




FIG. 4 — Multilingual Delta Acquisition Model and acceleration flywheel

FIG. 5




FIG. 5 — Seven-stage Speech Output Pipeline

FIG. 6




FIG. 6 — Co-grounded integration of the LEL with FQL and UFCS

FIG. 7




FIG. 7 — Reduced-to-practice embodiment — Language Lab, Phases One and Two

FIG. 8




FIG. 8 — Deterministic Phase-Two semantic grounding — dictionary and store (no LLM)

FIG. 9




FIG. 9

FIG. 9 — QueryBook system architecture (Prime Directive as Domain 0)

FIG. 10

FACT UNIT — ATOM, ENVELOPE, AND CONTENT-DERIVED IDENTITY




FIG. 10

FIG. 10 — Fact Unit — atom, envelope, and content-derived identity

FIG. 11




FIG. 11

FIG. 11 — Fact-certification authority hierarchy

FIG. 12




FIG. 12

FIG. 12 — UFCS substrate — three-store architecture

FIG. 13





FIG. 13

FIG. 13 — Authored tour and exhibition sequencing

FIG. 14



Structure and certification are evaluated together, so pruning happens during traversal — not as a post-filter.

FIG. 14

FIG. 14 — FQL — joint structure and trust execution

FIG. 15




FIG. 15

FIG. 15 — Verifying machine-generated text against certified records

FIG. 16





FIG. 16

FIG. 16 — Federation — cross-boundary re-validation

FIG. 17

FACT-LEVEL ERASURE BY EXTERNAL-KEY DESTRUCTION



Erase one fact by destroying its key; the content-addressed store is otherwise append-only and immutable.

FIG. 17

FIG. 17 — Fact-level erasure by external-key destruction

FIG. 18





FIG. 18

FIG. 18 — Universal security architecture

FIG. 19

UNIVERSAL HONEYPOT SATURATION & DATA FIREHOSE



Real assets are drowned in indistinguishable decoys and statistically unfindable.

FIG. 19

FIG. 19 — Universal honeypot saturation and data firehose

FIG. 20




FIG. 20

FIG. 20 — Deployment topologies over an invariant common layer

FIG. 21

ADAPTIVE RESPONSE ENGINE — DIRECTIVE FIXED BEFORE GENERATION





FIG. 21

FIG. 21 — Adaptive response engine — directive fixed before generation

FIG. 22




Governance is checked at every action; an agent can never exceed its commissioner, who holds an unconditional kill control.

FIG. 22

FIG. 22 — User-owned agent system with governance and kill switch

FIG. 23




One graph, many surfaces: no per-language re-ingestion; each language is a projection of the same facts.

FIG. 23

FIG. 23 — Deterministic multi-language regeneration

FIG. 24

SEMANTIC COMPRESSION, EXPANSION, COLORIZATION & UPSCALING




Store meaning, not surface; compression and regeneration are the same primitive — no generational quality loss.

FIG. 24

FIG. 24 — Semantic compression, expansion, colorization and upscaling

FIG. 25

QUERYBOOK-ENHANCED TCP/IP HYBRID PROTOCOL PACKET



A non-participating endpoint ignores the semantic header — provenance travels with the bits, backward-compatible.

FIG. 25

FIG. 25 — QueryBook-enhanced TCP/IP hybrid protocol packet

FIG. 26





FIG. 26

FIG. 26 — Neuromorphic cognitive layer — attractor convergence

FIG. 27



Trust is a governed evidence estimate — not a single number: it carries an interval, ages over time, and reports its direction.

FIG. 27

FIG. 27 — Fact Unit — confidence and evidence model

FIG. 28

UFCS PACKET STRUCTURE — SERIALIZED FACT UNIT RECORD





FIG. 28

FIG. 28 — UFCS packet structure — serialized Fact Unit record

FIG. 29

UFCS PACKET FRAMING — CONTENT-ADDRESSED BLOCK STORAGE



Immutable packets are appended to ~1 GB content-addressed blocks; a fingerprint index gives O(1) dedupe and retrieval.

Identical meaning ⇒ identical fingerprint ⇒ stored once; corroboration and contradiction are detected at ingest.

FIG. 29

FIG. 29 — UFCS packet framing — content-addressed block storage

FIG. 30

FQL — QUERY ANATOMY AND WORKED EXAMPLE




FIG. 30

FIG. 30 — FQL — query anatomy and worked example