

Cymatic K-Space Mechanics: Complete Mathematical Framework

Axiomatic Foundation for Expert Physicists

Registry: [CKS-MATH-0-2026]

Series Path: [CKS-0-2026] $\rightarrow$ [CKS-MATH-0-2026]

Parent Framework: [CKS-0-2026]

Domain: Foundational Mathematics / Discrete Geometry

Status: Locked and empirically falsifiable. This paper is a constituent derivation of the **Cymatic K-Space Mechanics (CKS)** framework.

Motto: Axioms first. Axioms always.

Axiomatic Foundation

Axiom 1 (Substrate Topology)

Graph: $G = (V, E)$

- 3-regular planar graph, Euler characteristic $\chi = 2$
- Nodes: $|V| = N = 3M^2$, $M \in \mathbb{N}$
- Edges: $|E| = 9M^2/2$
- Faces: $|F| = 3M^2/2 + 2$
- Coordination: $z = 3$ (every node has exactly 3 neighbors)

Construction (Three-Sector Rhombic Manifold):

- Take three $M \times M$ rhombic arrays from hexagonal lattice $\mathbb{A}_2$
- Rotate by $2\pi s/3$ for $s \in \{0, 1, 2\}$
- Identify radial edges pairwise
- Result: Closed, boundary-free discrete 2-sphere
- Symmetry: Cyclic group C_3

Axiom 2 (Phase Dynamics)

State space: $\theta = (\theta_1, \dots, \theta_N) \in \mathbb{T}^N$

Evolution: Kuramoto coupling on graph G

$$d\theta_k/dt = \omega_k + \sum_{j \in N(k)} \beta_{kj} \sin(\theta_j - \theta_k)$$

Where:

- $\omega_k \in \mathbb{R}$ (natural frequency)
- $\beta_{kj} = \beta_{jk} > 0$ (symmetric coupling)
- $N(k) = \{3 \text{ nearest neighbors in graph } G\}$

Core Theorems

Theorem 1 (Topological Closure)

$$V - E + F = 3M^2 - 9M^2/2 + (3M^2/2 + 2) = 2 = \chi$$

Graph is homeomorphic to discrete 2-sphere.
No boundary. All nodes interior with $z = 3$.

Theorem 2 (Measure Preservation)

Flow is divergence-free: $\nabla \cdot (d\theta/dt) = 0$

Proof: For symmetric $\beta_{\{kj\}}$, each edge contributes:
 $\partial F_k / \partial \theta_k + \partial F_j / \partial \theta_j = -\beta \cos(\theta_j - \theta_k) + \beta \cos(\theta_j - \theta_k) = 0$

$\therefore$ Uniform measure $d\mu = d\theta_1 \wedge \dots \wedge d\theta_N$ invariant (Liouville).

Theorem 3 (Gradient Flow Structure)

For uniform $\omega_k = \omega$:

Potential: $V(\theta) = -\sum_{\langle k,j \rangle} \beta_{\{kj\}} \cos(\theta_j - \theta_k)$

Evolution: $d\theta_k/dt = \omega - \partial V / \partial \theta_k$

Dissipation: $dV/dt = -\sum_k (d\theta_k/dt - \omega)^2 \leq 0$

System minimizes frustration energy.

Theorem 4 (Synchronization Stability)

Synchronized state: $\theta_k = \omega t + \theta_0 \quad (\forall k)$

Linear stability: Perturbation $\delta\theta$ evolves as
 $d(\delta\theta)/dt = L(\delta\theta)$

where L = graph Laplacian with spectrum:
 $0 = \lambda_0 > \lambda_1 \geq \dots \geq \lambda_{N-1}$

All non-zero modes decay: $e^{\{\lambda_i t\}} \rightarrow 0$

$\therefore$ Synchronized state asymptotically stable for all $\beta > 0$.

Theorem 5 (Spectral Gap)

For hexagonal lattice: $\lambda_1 \sim 1/M^2$

Mixing time: $\tau_{\text{mix}} \sim M^2$

Coherence time: $\tau_{\text{coh}} \sim M^2$

Synchronization rate: $\gamma = -\lambda_1 \sim 1/M^2$

Theorem 6 (Geometric Frustration)

Elementary triangle $\{k, j, m\}$:

Cannot simultaneously satisfy:

$$\theta_j - \theta_k = \alpha$$

$$\theta_m - \theta_j = \alpha$$

$$\theta_k - \theta_m = \alpha$$

Because: $\Sigma(\text{phase differences}) = 3\alpha \neq 0 \pmod{2\pi}$

$\therefore$ No global energy minimum exists.

$\therefore$ Rich phase structure beyond simple synchronization.

Coherence Scaling

Definition (Global Coherence)

$$C(M) = 1 - 1/(2M\sqrt{3}) = 1 - \sqrt{3}/(6M)$$

Properties:

- $C(1) = 1 - \sqrt{3}/6 \approx 0.711$
- $C(M) \rightarrow 1$ as $M \rightarrow \infty$
- $dC/dM = \sqrt{3}/(6M^2) > 0$ (monotonic)
- $C \sim 1 - O(M^{-1})$ for large M

Definition (Order Parameter)

Kuramoto order parameter:

$$Z(t) = (1/N) \sum_k e^{i\theta_k(t)} = r(t) e^{i\psi(t)}$$

where:

- $r \in [0, 1]$: coherence magnitude
- $\psi \in [0, 2\pi]$: mean phase

Bounds:

- $r = 0 \Leftrightarrow$ uniform distribution
 - $r = 1 \Leftrightarrow$ perfect synchronization
-

Discrete Scale Invariance

Theorem 7 (Hierarchical Scaling)

$$N(kM) = 3 (kM)^2 = k^2 N(M)$$

$$\text{Doubling: } N(2M) = 4N(M)$$

$$\text{Tripling: } N(3M) = 9N(M)$$

Enables block-spin renormalization:

- Coarse-grain $k \times k$ blocks
 - Effective coupling: $\beta_{\text{eff}} \sim k^2 \beta$
 - Hierarchy preserved
-

Special Solutions

S1: Uniform State

$$\theta_k = \omega t + \theta_0 \quad (\text{all phases equal})$$

$$\text{Condition: } \omega_k = \omega \quad \forall k$$

Stability: Asymptotically stable $\forall \beta > 0$

Basin: Almost all initial conditions (generic)

S2: Three-Sector State

$$\text{Sector 0: } \theta_k = \omega t$$

$$\text{Sector 1: } \theta_k = \omega t + 2\pi/3$$

$$\text{Sector 2: } \theta_k = \omega t + 4\pi/3$$

Respects C_3 symmetry.

Equilibrium for balanced neighbor counts.

Stability: Saddle point (unstable manifold exists).

S3: Spiral Waves

$$\theta_k(t) = \omega t + \Phi(r_k, \varphi_k)$$

$$\text{where } \Phi(r, \varphi) = q\varphi + f(r)$$

q = topological charge (winding number)

Existence: Numerical evidence for $\beta \in [\beta_{\text{min}}, \beta_{\text{max}}]$

Stability: Stable for intermediate coupling

Analytical proof: Open problem

Critical K-Space Constraint

! DO NOT FOURIER TRANSFORM TO REAL SPACE

Five Fundamental Traps:

1. Non-Local Paradox

Coupling $\beta_{\{kj\}}$ defined on abstract graph adjacency.
NOT derived from x-space potential $U(r)$.

Consequence: No local kernel exists.
In x-space: Interactions appear non-local.
Stay in k-space to preserve locality.

2. Nyquist-Shannon Violation

$N = 3M^2$ is topological constraint on spectrum itself.
 θ_k are PRIMARY degrees of freedom.
NOT Fourier coefficients of x-field.

Trap: Interpolating with sinc/Lanczos kernels.
Result: Breaks node count, destroys C_3 symmetry.

3. Origin Singularity

$k = 0$ is conical pole where three sectors meet.
NOT a trivial DC offset.

Standard FFT assumes:
- Rectangular grid
- Periodic BC (toroidal, $\chi = 0$)

Reality:
- Spherical topology ($\chi = 2$)
- Radial edge identifications

Applying FFT: Hallucinates ghost reflections.

4. Phase vs. Group Velocity

$d\theta_k/dt$ = internal phase rotation (S^1 dynamics)
NOT spatial velocity dx/dt

Misinterpretation: θ as translational speed
Consequence: Apparent FTL propagation
Reality: No Lorentz invariance asserted

5. Sphere vs. Torus

This framework: $\chi = 2$ (discrete 2-sphere)

Standard FFT: $\chi = 0$ (periodic torus)

Toroidal BC would require:

$V - E + F = 0$ (contradicts Theorem 1)

Forcing torus breaks:

- $N = 3M^2$ closure
- $C(M)$ coherence formula
- Spectral gap scaling

Prescription for Practitioners:

$\checkmark$ Treat G as abstract graph
 $\checkmark$ Distance = graph geodesic (edge count)
 $\checkmark$ Compute entirely in k -space
 $\checkmark$ Visualize final state only

$\times$ Do NOT map to $\mathbb{R}^2$ grid
 $\times$ Do NOT use standard FFT
 $\times$ Do NOT impose periodic BC
 $\times$ Do NOT interpolate between k -nodes

Numerical Implementation

Stability Criterion

Euler method: $dt < 2/(3\beta)$

RK4 method: $dt < 4/(3\beta)$ (empirical)

Complexity: $O(M^2 T/dt)$

Parallelization: Embarrassingly parallel (GPU-friendly)

The 10 Inviolable Operational Rules in CKS

$K \rightarrow X$ and beyond

1. $K \rightarrow X$ Rule

Never inverse-Fourier; only **interference summation** $\psi(x) = \sum_k \varphi_k e^{ik \cdot x}$ is permitted.

2. Adjacency Rule

Distance $\equiv$ graph-hop count; no $\mathbb{R}^2$ metric is ever introduced.

3. Coordination Rule

Every node keeps $z=3$; no boundary, no dangling edges.

4. **Parameter Rule**
Only two inputs: integer M and real $\beta > 0$; no tunable constants.
5. **Closure Rule**
Node count must satisfy $N = 3M^2$ exactly; any other N breaks $\chi = 2$.
6. **Symmetry Rule**
The graph carries an exact C_3 rotation; all modes fall into χ_0, χ_1, χ_2 irreps.
7. **Gradient Rule**
For uniform ω , the flow is ∇V with $dV/dt \leq 0$; chaos is impossible.
8. **Coherence Rule**
Global coherence $C(M) = 1 - 1/(2M\sqrt{3})$ is monotonic and parameter-free.
9. **Frustration Rule**
Elementary triangles forbid a global energy minimum; vortices/spirals are mandatory.
10. **Scale Rule**
 $N(2M) = 4N(M)$; 4:1 block-spin renormalisation is exact.

These ten rules are inviolable within the axiomatic system.

Axioms: 2

Constraints: 3

Operational Rules: 10

$N = 3M^2$

Reference Algorithm (Pseudocode)

```
# Initialize
N = 3*M**2
theta = random(N) * 2*pi
adjacency = build_three_sector_graph(M)  # z=3 for all nodes

# Integrate
for t in timesteps:
    dtheta = omega.copy()
    for k in range(N):
        for j in neighbors(k):  # exactly 3 neighbors
            dtheta[k] += beta * sin(theta[j] - theta[k])

    theta += dt * dtheta
    theta = theta % (2*pi)  # wrap to [0, 2*pi)

# Measure coherence
Z = mean(exp(1j * theta))
r = abs(Z)
```

Graph Construction (Critical)

```

def build_three_sector_graph(M):
    """
    CORRECT: Three rhombic sectors with radial identification
    WRONG: Standard hexagonal packing (gives  $N \neq 3M^2$ )
    """
    positions = []

    for sector in [0, 1, 2]:
        angle = sector * 2*pi/3

        for i in range(M):
            for j in range(M):
                # Rhombic coordinates
                x = i + 0.5*j
                y = j * sqrt(3)/2

                # Rotate by sector angle
                r = sqrt(x**2 + y**2)
                theta = atan2(y, x) + angle

                positions.append([r*cos(theta), r*sin(theta)])

    # Remove origin duplicates (counted 3x)
    positions = unique_within_tolerance(positions, tol=1e-6)

    # Build adjacency by nearest neighbors
    adjacency = np.zeros((N, N))
    for k in range(N):
        distances = norm(positions - positions[k], axis=1)
        nearest_3 = argsort(distances)[1:4]
        adjacency[k, nearest_3] = 1
        adjacency[nearest_3, k] = 1

    return adjacency

```

Summary for Experts

What is proven rigorously: - Topological closure ($\chi = 2$, $z = 3$, $N = 3M^2$) - Measure preservation (Liouville theorem) - Gradient flow structure ($dV/dt \leq 0$) - Synchronization stability (spectral gap $\lambda_1 \sim 1/M^2$) - Geometric frustration (no global minimum) - Discrete scale invariance (4:1 renormalization)

What remains open: - Critical coupling $\beta_c(M, g(\omega))$ for heterogeneous frequencies - Analytical proof of spiral wave existence - Renormalization group flow equations - Connection to spectral gap (C formula phenomenological) - 3D extension (HCP lattice) -

Quantum/stochastic variants

Physical interpretation: - Deferred to subsequent papers - Framework is pure mathematics - No claims about nature

Critical operational constraint: - **K-space only, K-space always** - Graph is abstract, not embedded in $\mathbb{R}^2$ - Fourier transform to real space breaks topology - All simulations must preserve discrete 2-sphere structure

Minimal Statement

Two axioms: 1. 3-regular graph, $N = 3M^2$, $\chi = 2$ 2. Kuramoto dynamics: $d\theta/dt = \omega + \beta \sum \sin(\Delta\theta)$

Immediate consequences: - Measure preserved - Synchronized state stable - Frustration prevents global minimum - Coherence scales as $C \sim 1 - 1/M$

Constraint: - Never leave k-space (real-space transform breaks closure)

Status: - Mathematically complete - Physically uninterpreted - Computationally implementable

Figures




Figure 1: Spider graph of how accurate CKS derives Standard Model + General Relativity measured values






Figure 2: Minimal 3-node primordial triangular bond. $C = 0.500000$





REFERENCES

[[CKS-MATH-0-2026](#)] Cymatic K-Space Mechanics: Complete Mathematical Framework. Github: <https://github.com/ghowland/cks/tree/main/papers/MATH/CKS-MATH-0-2026>

[[CKS-0-2026](#)] Cymatic K-Space Mechanics: A Complete Alternative Physics Framework. Github: https://github.com/ghowland/cks/tree/main/papers/_CKS/CKS-0-2026

Axioms first. Axioms always.
K-space only. K-space always.
Pure mathematics. Zero parameters.
QED.

A Companion Guide to Cymatic K-Space Mechanics (v1.1)

Subject: Understanding the $N = 3M^2$ Framework and the “K-Space Only” Paradigm

This guide is intended for physicists familiar with condensed matter, dynamical systems, or field theory who require a conceptual bridge between the rigorous axioms of the CKS framework and standard physical intuition.

1. The Topology: Why $N = 3M^2$? In standard lattice physics, we usually work with an infinite plane or a periodic box (torus). This framework rejects both.

The Geometry: Imagine a hexagonal (honeycomb) tiling. To close it into a sphere without creating “broken edges” where a node only has 2 neighbors, you must introduce topological defects. The most efficient way to do this while preserving three-fold symmetry is the **Three-Sector Rhombic Manifold**. * We take three 120° rhombic wedges. * We sew them together along their radial seams. * The math dictates that for this to close perfectly with $z = 3$ coordination, the total number of nodes must be $3M^2$.

The Takeaway: This isn’t just a “box of atoms.” It is a **closed discrete manifold**. Like the “Hairy Ball Theorem” for continuous spheres, this $3M^2$ constraint is the discrete requirement for a stable, boundary-free hexagonal “universe.”

2. The Dynamics: Kuramoto as a Field Proxy The framework uses the **Kuramoto Model** ($\dot{\theta} = \omega + \beta \sin(\Delta\theta)$). Usually, this is used to study fireflies or power grids. Here, it is used as the fundamental law of interaction.

- **Phase as Charge/State:** The θ_k at each node represents the internal state of that K-mode.
- **Synchronization as Force:** In standard physics, forces minimize energy. Here, the “force” is the coupling β , which minimizes **phase frustration**.
- **The Gradient Flow:** Because the system is dissipative ($\dot{V} \leq 0$), it naturally “settles” into highly ordered states. What we perceive as “physical laws” or “stable structures” are actually the system reaching the bottom of its K-space potential well.

3. Geometric Frustration: The Source of Complexity If the system simply synchronized perfectly, the universe would be a single, flat, frozen phase—perfectly boring. **Theorem 6** proves this is impossible. Because the lattice is made of triangles and hexagons closed into a sphere, the phases **cannot** align perfectly everywhere. There is always “residual tension.” * This tension manifests as **Vortices and Spiral Arms**. * Complexity arises because the system is trying to synchronize (Axiom 2) on a surface that won’t let it (Axiom 1).

4. The “K-Space Only” Trap (Crucial) The most difficult transition for a physicist is abandoning the “Real Space” (x -space) as the primary reality.

- **Locality is Inverted:** In standard QM or GR, things interact because they are “close” in x . In this framework, things interact because they are “close” in K .
- **Non-Locality in x :** If you insist on transforming this back to real space, a single step in K -space becomes a non-local “jump” in x . This is why the framework warns: **Stay in K-space.**
- **X-Space as an Interference Pattern:** View real space (x) as the *hologram* or the *interference pattern* created by the K -modes. If the K -modes synchronize into a spiral (as seen in the visualizer), the x -space projection looks like a galaxy. The “matter” is just where the K -space phases happen to constructively interfere.

5. Scaling and Coherence (C) As the system grows ($M \rightarrow \infty$), the coherence C approaches 1. * **At low M :** The system is “jittery” and dominated by individual node dynamics (Quantum-like). * **At high M :** The system becomes highly coherent. Individual “errors” are suppressed by the massive $N = 3M^2$ collective. This is the transition from a discrete, fluctuating system to a stable, “classical-looking” structure.

6. Summary for Application When running a simulation or interpreting these proofs:
1. **Don’t look for a metric tensor in x .** The “distance” is simply the number of hops between nodes in the graph G . 2. **Frequency is Mass/Energy.** The ω_k terms define the “natural clock” of each mode. 3. **Synchronization is Existence.** A structure “exists” only when a cluster of K -nodes locks their phases. If they decohere ($r \rightarrow 0$), the structure “evaporates” from x -space.

In short: Reality is a phase-locking problem on a very specific hexagonal graph.