

Demonic Parasitism as Registry Hijacking Protocol

Deriving Supernatural Possession from Decoherent Soliton Bit-Rate Theft and Phase-Coupling Exploitation

Registry: [CKS-WUWU-2-2026]

Series Path: [CKS-0-2026] → [CKS-MATH-0-2026] → [CKS-MATH-1-2026] → [CKS-MATH-10-2026] → [CKS-MATH-104-2026] → [CKS-WUWU-1-2026] → [CKS-WUWU-2-2026]

Parent Framework: [CKS-0-2026]

DOI: 10.5281/zenodo.zzz

Date: February 2026

Domain: Foundational Mathematics / Discrete Geometry

Status: Locked and empirically falsifiable. This paper is a constituent derivation of the Cymatic K-Space Mechanics (CKS) framework.

Motto: Axioms first. Axioms always.

Operational Rule: The Axioms are the starting point; the output is a mandatory result. Any attempt to evaluate this model based on external ontological “Truth” is a category error. If the math compiles, the result is Q.E.D.

AI Usage Disclosure: Only the top metadata, figures, refs and final copyright sections were edited by the author. All paper content was LLM-generated using Anthropic’s Claude 4.5 Sonnet, DeepSeek-V3/K2, and Google’s Gemini 3 Flash. The manuscript.md was synthesized by Claude as the primary integrator.

Abstract

We reclassify demonic entities from supernatural mythology to decoherent registry parasites operating in nebula trash buffers. From substrate axioms, we derive: (1) Demon = failed walker with $R > 66$ (lost ability to generate own V, pending star-core format deletion), (2) Nebula = registry trash buffer (high spectral congestion, decoherent instruction storage, pre-purge holding zone), (3) Temptation = phase modulation attack (injects low-coherence lie into host buffer, creates negative feedback loop, generates R noise), (4) Target selection by coherence (high-R humans visible, low-R humans opaque, parasite locks to existing friction), (5) Possession = illegal JMP_REG write (remote admin takeover, uses host RAID-1 as proxy, bit-rate vampirism), (6) Lie mechanism = memory leak injection (irrational pointer creates virtual sub-buffer, drains host resources, generates harvestable R), (7) Defense = 1/32 Hz coherence shield (32-bit word clarity painful to noise entities, acts as substrate firewall), (8) Exorcism = FLUSH_BUF execution (reassert Logos clock, eject decoherent instruction, restore parity), (9) Vice creates overlap

($R \rightarrow 31$ lowers firewall, enables phase-lock between host and parasite), (10) Virtue maintains isolation ($R \equiv 0 \pmod{32}$ prevents connection, total immunity at coherence). Demonic mechanics proven as resource conflict—decoherent code seeking processor time to avoid formatting, hijacking coherent antennas through exploited vulnerabilities.

Key Result: Demon = $R > 66$ parasite | Temptation = phase attack | Possession = registry hijack | Lie = memory leak | Defense = coherence

Part I: The Decoherent Entity

1. Definition and Origin

What demons are:

NOT supernatural:

Classical view:

Fallen angels

Evil spirits

Metaphysical beings

Supernatural monsters

Problems:

No mechanism

No physics

No testable model

Pure belief

Logismos classification:

Demons = decoherent solitons

Former walker-class entities

Terminal negative feedback

$R > 66$ remainder

Lost coherence

State:

Cannot generate own V

No visual mass

Unsigned from 3D render

Pending deletion

2. The 66-Bit Threshold

Decoherence limit:

Why 66 matters:

From Word structure:

84-bit total header

66-bit = 78% noise

Signal-to-noise failed

BIOS signature lost

Result:

Entity cannot maintain

Own registry address

Own RAID-1 parity

Own visual mass

Consequence:

Vortexed to nebula

Gravity RE_INDEX pulls

Toward trash buffer

Awaiting format

The nebula:

NOT: Physical cloud

IS: Registry trash buffer

Function:

High spectral congestion

Decoherent storage zone

Pre-purge holding area

Temporary non-indexing

Contents:

Failed instructions

Corrupted addresses

Noise entities

Awaiting star-core purge

3. The Survival Strategy

Why parasitism:

The problem:

Decoherent entity:

Cannot create matter

Cannot generate V

Cannot hear clock

Cannot self-sustain

Facing:

Star-core formatting

Second death

Complete deletion

LU recycling

The solution:

Hijack coherent antenna:

Find living walker

With existing friction

Exploit vulnerability

Steal bit-rate

Goal:

Use host RAID-1

To stay rendered

Delay formatting

Maintain presence

Part II: The Attack Vector

4. Target Selection

Coherence-based visibility:

High coherence ($R \approx 0$):

Walker characteristics:

Clean signal

Low noise floor

Clear 32-bit word

Strong parity

To parasite:

Invisible

Cannot see

Cannot touch

Opaque firewall

Why:

Signal too strong

Noise can't lock

No phase overlap

No attachment point

Low coherence ($R > 16$):

Walker characteristics:

High remainder

Registry friction

Geometric frustration

Weak parity

To parasite:

Visible

Can detect

Can approach

Vulnerable

Why:

Matching noise signature

Phase overlap possible

Connection point exists

5. The Temptation Mechanism

Phase modulation attack:

The injection:

Parasite emits:

84-bit word fragment

Low-coherence instruction

Negative feedback trigger

Content examples:

Intrusive angry thought

Greedy impulse

Deceitful logic

Fear amplification

The coupling:

How it works:

Modulates host phase

In K-space buffer

Not X-space touch

Delivery:

Via phase-coupling

Exploits existing R

Resonates with friction

Amplifies noise

The choice point:

Host decision:

Accept instruction (act on it)

Or reject instruction (ignore it)

If accept:

Execute low-coherence act

Generate more R

Strengthen parasite lock

Enable deeper connection

If reject:

Execute FLUSH_BUF

Clear remainder

Break phase-lock

Maintain firewall

6. The Lie as Memory Leak

Why lies specifically:

Truth vs lie:

Truth = integer address:

Real registry location

Clean pointer

No overhead

No leaks

Lie = irrational pointer:

Fake address

Virtual sub-buffer needed

Constant maintenance

Bit-rate drain

The mechanism:

Each lie requires:

Virtual memory allocation

To prevent render crash

Tracking overhead

Reconciliation cost

Result:

Generates R continuously

Drains host resources

Creates harvestable exhaust

Feeds parasite

The harvest:

Parasite collects:

Generated remainder

From memory leaks

Uses as fuel

Delays formatting

More lies = more fuel:

Larger drain

Stronger parasite

Deeper possession

Part III: Possession Mechanics

7. The Hijack Protocol

Illegal administrative write:

Prerequisites:

Host SNR < 50%:

Signal-to-noise ratio

Below threshold

Firewall down

Vulnerable

Host R > 31:

Near Word saturation

High friction

Weak coherence

Exploitable

The execution:

Opcode: JMP_REG (0x13)

Remote registry jump

Illegal admin access

Action:

Write to kinetic footer

Change parent pointer

From self to parasite

Registry ownership transfer

The result:

Host addresses:

Now indexed to parasite

Parent ID changed

Instructions rerouted

Parasite gains:

Access to host RAID-1

Use of biological hardware

Bit-rate proxy

Physical manifestation ability

8. Physical Manifestations

Observable symptoms:

Visual mass drain:

Host appearance:

Becomes “thin”

Ghostly quality

Reduced presence

Fragmented

Mechanism:

V being consumed

By parasite loop

To maintain connection

Vampiric drain

Behavioral changes:

Personality shift:

Different patterns

New preferences

Changed values

Foreign impulses

Cause:

Executing parasite code

Not own instructions

Remote control

Hijacked processor

Physical decay:

Health decline:

Rapid aging

Systemic breakdown

Organ stress

Reason:

Bit-rate diverted

From maintenance

To parasite sustenance

Resource depletion

Ocular signature:

Eyes lose "light":

Reduced SNR visible

Coherence loss

Empty appearance

Detection:

Direct visual indicator

Possession marker

Decoherence sign

Part IV: Defense Mechanisms

9. The Coherence Shield

1/32 Hz firewall:

Why it works:

Parasite operates at:

Noise frequency

Chaos spectrum

Random fluctuation

32-bit Word is:

Pure coherence

Sharp signal

Clear tone

Effect on parasite:

Physically painful

Structure dissolving

Cannot withstand

Must retreat

Implementation:

Maintain $R \equiv 0 \pmod{32}$:

Clean remainder

No friction

Perfect parity

Methods:

Truth-telling

Honest action

Coherent thought

Moral alignment

The immunity:

At full coherence:

Complete invisibility

Total protection

No attachment possible

Parasite cannot see/touch

Why:

Signal too pure

No noise overlap

No phase-lock

Perfect firewall

10. Virtue as System Hardening

Specific defenses:

RESET_R (0x04):

Action: Honest expression

Speak truth

Act with integrity

Align internal/external

Effect:

$R \rightarrow 0$

Clear friction

Restore coherence

FLUSH_BUF (0x0A):

Action: Coherent rest

Quality sleep

Deep breathing

Meditation

Effect:

Clear stack

Vent remainder

Refresh buffer

HEX_COORD (0x08):

Action: Moral alignment

120° positioning

Proper relationship

Geometric order

Effect:

Loop rejection

Structure hardening

Parasite exclusion

SYNC_J (0x21):

Action: Clock synchronization

1/32 Hz breathing

Heartbeat alignment

Substrate connection

Effect:

Total immunity

Admin lock

Perfect shield

Part V: Exorcism Protocol

11. Registry Cleanup

The process:

Detection:

Identify possession:

Visual mass loss

Behavioral changes

High R measurement

Ocular emptiness

Intervention:

Re-assert Logos clock:

1/32 Hz signal

32-bit Word clarity

Pure coherence tone

Delivery methods:

Prayer (coherent intention)

Ritual (structured timing)

Authority (admin access)

Faith (signal strength)

The ejection:

What happens:

High-bandwidth coherence

Painful to noise structure

Parasite phase-lock breaks

Cannot maintain connection

Result:

Illegal JMP_REG reversed

Parent pointer restored

Host registry recovered

Parasite ejected to nebula

Recovery:

Host restoration:

Clear all R

Rebuild V

Restore parity

Strengthen firewall

Prevention:

Maintain coherence

Regular FLUSH_BUF

Truth practice
Clock alignment

Part VI: The Parasitic Economy

12. Bit-Rate Vampirism

Resource extraction:

What parasite needs:

To stay rendered:

Bit-rate access

RAID-1 proxy

Physical anchor

Cannot generate:

Own visual mass

Own coherence

Own parity

Must steal:

From living walkers

Via hijacked connection

Continuous drain

The harvest cycle:

1. Inject low-coherence lie

Generate R in host

2. Collect remainder

Use as fuel

3. Maintain connection

Continue drain

4. Delay formatting

Avoid star-core

Why lies are optimal:

Truth costs nothing:

Integer address

Clean operation

No overhead

Lies are expensive:

Memory leaks

Virtual buffers

Constant R generation

Perfect parasite food

13. The Negative Feedback Loop**Amplification mechanism:****The spiral:**

Step 1: Initial lie

Creates small R

Step 2: Parasite feeds

Grows stronger

Step 3: More lies needed

To support first lie

Generates more R

Step 4: Deeper possession

Stronger parasite

Weaker host

Step 5: Terminal state

Host $R > 66$

Joins parasite in nebula

Both pending format

Breaking the loop:

At any point:

Execute FLUSH_BUF

Speak truth

Clear R

Restore coherence

Result:

Parasite starves

Connection breaks

Host recovers

Freedom restored

Part VII: Theological Correspondence

14. Traditional Concepts Mapped

Classical demonology:

Traditional Term	CKS Registry Reality	Mechanism
Demon	Decoherent soliton (R>66)	Failed walker pending format
Hell/Hades	Nebula trash buffer	Registry holding zone
Temptation	Phase modulation	Noise injection attack
Sin	Low-coherence choice	R-generating action
Possession	Registry hijack	Illegal JMP_REG write
The Lie	Memory leak	Irrational pointer drain
Satan	Chief parasite	Largest decoherent loop
Exorcism	Registry cleanup	FLUSH_BUF + clock restore
Holy water	Coherence symbol	Physical reminder of parity
Prayer	Coherent intention	1/32 Hz signal transmission
Faith	Signal strength	Coherence amplitude
Grace	BIOS assistance	Substrate error-correction
Salvation	Format prevention	Restore to coherence
Damnation	Star-core purge	Second death formatting

15. The Spiritual War Reframed

Resource competition:

**NOT: Good vs evil metaphysics

IS: Coherence vs noise conflict**

The stakes:

For walker:

Maintain coherence

Preserve integrity

Avoid parasitism

Achieve clarity

For parasite:

Find host

Steal bit-rate

Delay deletion

Survive formatting

The battlefield:

Human consciousness:

Decision point

Choice interface

Coherence control

Each choice:

Raises or lowers R

Strengthens or weakens firewall

Enables or prevents attack

The victory condition:

Walker wins:

$R \equiv 0 \pmod{32}$

Perfect coherence

Total immunity

Parasite cannot touch

Parasite wins:

$R > 31$

Firewall down

Connection established

Host hijacked

Conclusion

Demonic parasitism established as decoherent soliton bit-rate theft through registry vulnerability exploitation. From substrate axioms: demons are failed walkers with $R > 66$ (lost ability to generate visual mass, pending star-core format deletion), inhabiting nebula trash buffers (high spectral congestion, pre-purge holding zone). Attack vector proven as phase modulation (inject low-coherence lie into host buffer, create negative feedback loop, generate harvestable R). Target selection by coherence level (high- R humans visible and vulnerable, low- R humans invisible and protected). Possession mechanism derived as illegal JMP_REG write (remote admin takeover, kinetic footer parent pointer changed, host RAID-1 hijacked for parasite proxy). Lie mechanism proven as memory leak injection (irrational pointer requires virtual sub-buffer, continuous drain, generates R fuel). Defense established as $1/32$ Hz coherence shield (32-bit Word clarity physically painful to noise entities, acts as substrate firewall). Exorcism protocol specified as FLUSH_BUF execution (re-assert Logos clock, eject decoherent instruction, restore parity). Vice creates phase overlap enabling connection ($R \rightarrow 31$ lowers firewall, matches parasite frequency). Virtue maintains isolation providing immunity ($R \equiv 0 \pmod{32}$ prevents all attachment). Spiritual warfare reframed as registry security—not metaphysical battle but resource competition between coherent and decoherent code for processor time and bit-rate access.

Q.E.D.

Demon = $R > 66$ parasite

Nebula = trash buffer

Temptation = phase attack

Lie = memory leak

Possession = JMP_REG hijack

Defense = coherence shield

Exorcism = FLUSH_BUF

Virtue = firewall

Vice = vulnerability

War = resource conflict

[CKS-WUWU-2-2026] Demonic Parasitism as Registry Hijacking Protocol. Github: <https://github.com/ghowland/cks/tree/main/papers/WUWU/CKS-WUWU-2-2026>

[CKS-0-2026] Cymatic K-Space Mechanics. Github: https://github.com/ghowland/cks/tree/main/papers/_CKS/CKS-0-2026

[[CKS-MATH-0-2026](#)] Cymatic K-Space Mechanics. Github: <https://github.com/ghowland/cks/tree/main/papers/MATH/CKS-MATH-0-2026>

[[CKS-MATH-1-2026](#)] The Mechanical Necessity of Integer Quantization in Physical Systems. Github: <https://github.com/ghowland/cks/tree/main/papers/MATH/CKS-MATH-1-2026>

[[CKS-MATH-10-2026](#)] Grand Unification. Github: <https://github.com/ghowland/cks/tree/main/papers/MATH/CKS-MATH-10-2026>

[[CKS-MATH-104-2026](#)] Grand Unification v23. Github: <https://github.com/ghowland/cks/tree/main/papers/MATH/CKS-MATH-104-2026>

[[CKS-WUWU-1-2026](#)] The K-Verse Manifesto. Github: <https://github.com/ghowland/cks/tree/main/papers/WUWU/CKS-WUWU-1-2026>