


COVER

Revision	Description	Date	Drawn	Checked
V11A	Initial	2016-03-01		

Schematics Index:

- 01 COVER
- 02 POWER
- 03 MODULE
- 04 MCU

Schematics Block:



xxx1zjxxx CO.,LTD			
Title F407_PACK_V11A			
Size A3	Document Number 01 COVER		Rev V10A
Date Friday, March 25, 2016	Sheet 1 of 4		
Designed	Checked		Approved

D

D

C

C



B

B


A

A



USB转串口，调试用



外部电源输入5V~12V




5V转3.3V电路




xxx1zjxxx CO ₂ .LTD			
Title F407_PACK_V11A			
Size A3	Document Number 02_POMER	Rev	V10A
Date	Sheet 2 of 4		
Friday, March 25, 2016		Approved	
Designed	Checked		


SPI FLASH, 存储字库等数据




RTC芯片, 不焊接 如果需要再焊




TF卡卡座, 存储照片等数据, 并挂载文件系统




按键



LED



蜂鸣器, 默认不使用, 如果要使用, 焊接R18



xxx1zjxxx CO.,LTD			
Title			
F407_PACK_V11A			
Size	Document Number	Rev	
A3	03 MODULE	V11A	
Date	Friday, March 25, 2016	Sheet	3 of 4
Designed	Checked	Approved	

D

C

B

A


D

C


B

A


STM32F407ZGT6




JLINK插座，调试用




SRAM，数据缓冲区



液晶接口



32启动方式选择，默认BOOT0、BOOT1都接地



xxx1zjxxx CO.,LTD			
Title	F407_PACK_V11A		Rev
Size	Document Number	V11A	
A3	04 MCU	Sheet	4 of 4
Date	Friday, March 25, 2016		Approved
Designed	Checked		