Math 115 Worksheet Section 1.2

Problem 1. (Warm-up). We say P is an exponential function of t with base a if $P(t) =$								
If _	then we have exponential growth; if	then we have exponential decay.						
Fill	l in the following table for $P(t)$.							
t	P(t)							
0 1								
2								
2 3								
Not	tice anything interesting about $P(1)/P(0)$, $P(2)/P(1)$, and $P(3)/P(2)$?						
We	We can rewrite this exponential function with base e , in the form							
If	then we have exponential growth; if	then we have exponential decay.						
Proble	em 2. Newton's law of heating says:							
•	• The difference between the temperature θ of an objective of its surroundings is an exponential function $H(t)$.	ect at time t and the temperature θ_s						
•	• $H(t)$ has initial quantity the difference between the and the temperature of its surroundings.	initial temperature θ_0 of the object						
•	• $H(t)$ decays at continuous rate equal to the material	constant k of the object.						
It is	is assumed that the surroundings of the object have co	nstant temperature.						
(a)) Find an expression for $H(t)$.							
	The one ring has initial temperature 20°C when it is t	thrown into the molten core of Mount						
	Doom, the one ring melts after 2 seconds. The one ri							
	with a melting point of 1015°C and material constar	$\kappa = m(2/\sqrt{3}).$						

(b) Calculate the temperature of Mount Doom.

- **Problem 3.** (Fall 2011 Exam 1 Problem 4) A zombie plague has broken out in Ann Arbor. As a nurse in the University Hospital, you saw the person with the first case of the plague, patient zero.
 - (a) In order to keep track of the growing zombie population in Ann Arbor, you collected the following data:

Days after patient zero	0	6	9	12
Number of zombies	1	9	27	81

Would a linear function or an exponential function be the best model? Why?

- (b) Write a function Z(t) of the appropriate type to model the growth of the zombie population at time t measured in days after patient zero.
- (c) The population of North America is approximately 530,000,000 people. Using your model, how long will it take until all but one person are infected?

- **Problem 4.** (Winter 2018 Exam 1 Problem 9) A new video is released and a few hours later it goes viral. The number of views, in thousands, of the video t hours after it goes viral is given by the function v(t). For the first 24 hours, the number of views of the video is increasing exponentially, reaching 50,000 views 12 hours after going viral and 120,000 views 24 hours after going viral. After that, during the second 24 hours, the video is gaining 10,000 views every 3 hours.
 - (a) Find a piecewise defined formula for v(t) for $0 \le t \le 48$. Show all your work.
 - (b) Find the hourly percentage growth rate of v(t) during the first 24 hours. Give only an exact form of your answer.

- **Problem 5.** (Fall 2017 Exam 1 Problem 7) After testing different ingredients in their parents' garages, Imran and Nicole have recently opened new organic peanut butter companies.
 - (a) Two months after opening, Imran's company, Chunky Munky, has produced a total of 256 pounds of peanut butter. Imran thinks Chunky Munky produces peanut butter at a constant rate of 690 pounds every 6 months. Assuming Imran is correct, write a formula for P(m), the total amount of peanut butter, in pounds, that Chunky Munky will have produced m months after opening.
 - (b) Nicole's company, Lots O' Crunch, has produced a total of 182 pounds of peanut butter two months after opening and a total 454 pounds of peanut butter five months after opening. Nicole thinks that Lots O' Crunch produces peanut butter exponentially. Assuming Nicole is correct, write a formula for Q(x), the total amount of peanut butter, in pounds, Lots O' Crunch will have produced x months after opening.