

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-
width, initial-scale=1.0">
<title>xstories | Narrative Platform</title>
<script src="https://cdn.tailwindcss.com"></
script>
<script>
tailwind.config = {
  darkMode: 'class',
  theme: {
    extend: {
      colors: {
        primary: '#4f46e5', // Indigo
        accent: '#f59e0b', // Sunset Amber
      }
    }
  }
}
```

```
}  
</script>  
<style>  
.tab-active { color: #f59e0b; border-bottom: 2px  
solid #f59e0b; }  
.dark .tab-active { color: #fbbf24; border-bottom:  
2px solid #fbbf24; }  
.cat-pill.active { background: #f59e0b !important;  
color: white; }  
.btn-gradient { background: linear-  
gradient(135deg, #4f46e5, #f59e0b); }  
</style>  
</head>  
<body class="bg-slate-50 text-slate-900 min-h-  
screen dark:bg-slate-950 dark:text-slate-100  
transition-colors duration-500">  
  
<div class="max-w-4xl mx-auto px-6 py-12">  
<nav class="flex justify-between items-center  
mb-12">
```

```
<div>
```

```
<h1 class="text-4xl font-extrabold tracking-tighter mb-1 text-indigo-600 dark:text-indigo-400">xstories</h1>
```

```
<p class="text-slate-500 dark:text-slate-400 font-medium uppercase tracking-widest text-xs">Narrative Platform</p>
```

```
</div>
```

```
<div class="flex items-center gap-4">
```

```
<button onclick="toggleTheme()" class="w-12 h-12 rounded-full bg-slate-200 dark:bg-slate-800 flex items-center justify-center hover:scale-105 transition text-2xl">
```

```
<button onclick="showModal()" class="px-6 py-3 btn-gradient text-white rounded-2xl font-bold shadow-lg hover:shadow-indigo-500/20 transition">New Post</button>
```

```
</div>
```

```
</nav>
```

```
<div class="flex gap-8 border-b border-slate-200  
dark:border-slate-800 mb-8 overflow-x-auto  
pb-1">
```

```
<button onclick="setTab('stories')" id="tab-  
stories" class="pb-3 text-sm font-bold tracking-  
wide uppercase tab-active whitespace-  
nowrap">Stories</button>
```

```
<button onclick="setTab('docs')" id="tab-docs"  
class="pb-3 text-sm font-bold tracking-wide  
uppercase whitespace-nowrap">Documents</  
button>
```

```
<button onclick="setTab('collections')" id="tab-  
collections" class="pb-3 text-sm font-bold  
tracking-wide uppercase whitespace-  
nowrap">Collections</button>
```

```
<button onclick="setTab('tags')" id="tab-tags"  
class="pb-3 text-sm font-bold tracking-wide  
uppercase whitespace-nowrap">Tags</button>  
</div>
```

```
<div id="categoryFilterBar" class="flex flex-wrap  
gap-2 mb-10"></div>
```

```
<div id="main-content" class="space-y-8"></div>  
</div>
```

```
<div id="modal" class="fixed inset-0 bg-black/60  
backdrop-blur-md hidden z-50 flex items-center  
justify-center p-4">
```

```
<div class="bg-white dark:bg-slate-900 w-full  
max-w-2xl rounded-3xl p-8 shadow-2xl border  
border-slate-200 dark:border-slate-800 max-h-  
[90vh] overflow-y-auto">
```

```
<div class="flex justify-between items-center  
mb-6">
```

```
<h2 class="text-2xl font-bold">New Post</h2>
```

```
<select id="postType"
```

```
onchange="updateModalFields()" class="bg-  
slate-100 dark:bg-slate-800 px-4 py-2 rounded-xl  
text-sm font-bold border border-slate-200  
dark:border-slate-700">
```

```
<option value="story">Story</option>
<option value="doc">Document</option>
</select>
</div>
<div id="modalFields" class="space-y-5"></div>
<div class="flex justify-end gap-3 mt-8 pt-6
border-t dark:border-slate-800">
<button onclick="hideModal()" class="px-6 py-3
font-bold text-slate-500">Cancel</button>
<button onclick="saveItem()" class="px-8 py-3
btn-gradient text-white rounded-xl font-bold
shadow-lg transition">Publish</button>
</div>
</div>
</div>
</div>

<script>
let activeTab = 'stories', filterCat = null, filterTag =
null, storyBlocks = [{ type: 'text', content: " }];
const CATEGORIES = ['Fantasy', 'Adultery',
```

```
'Romance', 'Sci-Fi', 'Thriller', 'Horror', 'Incest'];  
let stories =  
JSON.parse(localStorage.getItem('xstories_data')  
|| '[]');  
let docs =  
JSON.parse(localStorage.getItem('xdocs_data')  
|| '[]');
```

```
function toggleTheme() {  
document.documentElement.classList.toggle('dark'); }  

```

```
function setTab(tab, tag = null) {  
activeTab = tab; filterCat = null; filterTag = tag;  
document.querySelectorAll('button[id^="tab-"]').forEach(b => b.classList.remove('tab-active'));  
document.getElementById('tab-' +  
tab).classList.add('tab-active');  
document.getElementById('categoryFilterBar').classList.toggle('hidden', tab === 'tags');  
render();  
}
```

```
}
```

```
function showModal() { storyBlocks = [{ type:  
'text', content: " }];  
document.getElementById('modal').classList.rem  
ove('hidden'); updateModalFields(); }  
function hideModal() {  
document.getElementById('modal').classList.add  
('hidden'); }
```

```
function addBlock(type, index) {  
storyBlocks.splice(index + 1, 0, { type, content: "  
url: " });  
updateModalFields();  
}
```

```
function removeBlock(index) { if  
(storyBlocks.length > 1) {  
storyBlocks.splice(index, 1);  
updateModalFields(); } }
```

```
function updateBlock(index, val) {
```



```
storyBlocks[index].content = val; }  
function handleFile(index, file) {  
  const reader = new FileReader();  
  reader.onload = (e) => { storyBlocks[index].url =  
    e.target.result; updateModalFields(); };  
  reader.readAsDataURL(file);  
}
```

```
function updateModalFields() {  
  const type =  
    document.getElementById('postType').value;  
  const container =  
    document.getElementById('modalFields');  
  if (type === 'story') {  
    container.innerHTML = <input type="text"  
      id="title" placeholder="Story Title" class="w-full  
p-4 rounded-xl border border-slate-200  
dark:border-slate-700 bg-slate-50 dark:bg-  
slate-800 font-medium"> <input type="text"  
      id="series" placeholder="Collection/Series
```

```
Name" class="w-full p-4 rounded-xl border
border-slate-200 dark:border-slate-700 bg-
slate-50 dark:bg-slate-800"> <div class="flex
flex-wrap gap-2" id="catContainer"> $
{CATEGORIES.map(c => <button type="button"
onclick="this.classList.toggle('active')"
class="px-4 py-2 rounded-full text-xs font-bold
bg-slate-200 dark:bg-slate-800 cat-pill" data-
cat="{c}">
```

latex



```
{c}</button>`).join(")} </div>
<input type="text" id="hashtags"
placeholder="Tags (comma separated)"
class="w-full p-4 rounded-xl border
border-slate-200 dark:border-slate-700
bg-slate-50 dark:bg-slate-800"> <div
class="space-y-4">
```

```
{storyBlocks.map((b, i) => <div class="relative
group p-2 rounded-2xl"> <div class="flex
```

```
gap-2 mb-2 opacity-50 group-hover:opacity-100
transition"> <button type="button"
onclick="addBlock('text', ${i})" class="text-[9px]
font-bold text-indigo-500 uppercase">+ Text</
button>
```

```
<button type="button" onclick="addBlock('image',
${i})" class="text-[9px] font-bold text-indigo-500
uppercase">+ Image</button> <button
type="button" onclick="removeBlock(${i})"
class="text-[9px] font-bold text-red-500
uppercase ml-auto">Delete</button>
</div>
```

```
<div class="p-4 bg-slate-50 dark:bg-slate-800
rounded-2xl border border-slate-200 dark:border-
slate-700">
```

```
${b.type === 'text' ?<textarea
oninput="updateBlock(
```

```
i, this.value)" class = "w - fullmin - h - [100px]bg - transparentoutline - none" placeholder = " Writehere..." gt;
```

```
{b.content}</textarea>: (b.url ?:)} </div> </div>
div>).join(""))}
```

```
</div>
```

```
; } else { container.innerHTML = `;  
}  
}
```

```
function saveItem() {  
  if (document.getElementById('postType').value  
    === 'story') {  
    const cats =  
      Array.from(document.querySelectorAll('.cat-  
        pill.active')).map(p => p.dataset.cat);  
    stories.unshift({ id: Date.now(), title:  
      document.getElementById('title').value, series:  
      document.getElementById('series').value, cats,  
      tags:  
      document.getElementById('hashtags').value.split  
      (','), blocks: storyBlocks });  
    localStorage.setItem('xstories_data',  
      JSON.stringify(stories));  
  } else {
```

```
docs.unshift({ id: Date.now(), title:
document.getElementById('docTitle').value });
localStorage.setItem('xdocs_data',
JSON.stringify(docs));
}
hideModal(); render();
}
```

```
function render() {
const content =
document.getElementById('main-content');
const catBar =
document.getElementById('categoryFilterBar');
catBar.innerHTML = <button
onclick="filterCat=null; render()" class="px-5 py-2
rounded-full text-xs font-bold ${!filterCat ? 'bg-
indigo-600 text-white' : 'bg-slate-200 dark:bg-
slate-800'}">All</button>+ CATEGORIES.map(c
=><button onclick="filterCat='${c}'; render()"
class="px-5 py-2 rounded-full text-xs font-bold $
```

```
{filterCat === c ? 'bg-indigo-600 text-white' : 'bg-slate-200 dark:bg-slate-800'}">${c}&lt;/button>).join(");
```

```
if (activeTab === 'stories') {  
  content.innerHTML = stories.filter(s => !filterCat  
  || s.cats.includes(filterCat)).map(s => &lt;div  
  class="bg-white dark:bg-slate-900 border border-slate-200 dark:border-slate-800 p-8 rounded-3xl shadow-sm"&gt; &lt;h2 class="text-3xl font-extrabold mb-2 text-slate-900 dark:text-white"&gt;  
  ${s.title}</h2>  
  <div class="flex gap-2 mb-6">${s.cats.map(c  
  => <span class="text-[10px] font-bold uppercase tracking-widest text-indigo-600">
```

latex



```
{c}&lt;/span>`).join(")}&lt;/div>
```

```
{s.blocks.map(b => b.type === 'text' ? <p
```

```
class="mb-6 leading-relaxed text-slate-700
dark:text-slate-300 whitespace-pre-line">${
  {b.content}</p>:}).join(")} </div>}).join("");
} else if (activeTab === 'collections') {
  const series = [...new Set(stories.map(s =>
    s.series).filter(s => s))];
  content.innerHTML = series.map(s => <div
    class="p-8 bg-white dark:bg-slate-900 border
    border-slate-200 dark:border-slate-800
    rounded-3xl font-bold text-lg">${s} <span
    class="text-indigo-500">(${stories.filter(st =>
    st.series === s).length} parts)</span></div>
    div>).join("");
} else if (activeTab === 'tags') {
  const allTags = [...new Set(stories.flatMap(s =>
    s.tags).filter(t => t.trim()))];
  content.innerHTML = <div class="grid grid-cols-2
  md:grid-cols-4 gap-4">${allTags.map(t =>
    <button onclick="setTab('stories', '${t})"
    class="p-6 bg-white dark:bg-slate-900 border
```

border-slate-200 dark:border-slate-800

rounded-2xl font-bold hover:border-indigo-500">#

latex



```
{t.trim()}&lt;/button>`).join(")}&lt;/div>`; }  
else { content.innerHTML = docs.map(d  
=&gt; `<div class="p-8 bg-white dark:bg-  
slate-900 border border-slate-200  
dark:border-slate-800 rounded-3xl font-  
bold text-lg"&gt;
```

```
{d.title}&lt;/div>`).join(");
```

```
}
```

```
}
```

```
render();
```

```
&lt;/script>
```

```
&lt;/body>
```

```
&lt;/html>
```