

REPUBLIC OF TURKEY
YILDIZ TECHNICAL UNIVERSITY
DEPARTMENT OF COMPUTER ENGINEERING



**CLASSIFICATION OF HYPERSPECTRAL IMAGES USING
MACHINE LEARNING AND DEEP LEARNING METHODS**

22011083 – TAN ERCİYAS
22011084 – KEREM BAYDAR

SENIOR PROJECT

Advisor
Dr. Ahmet ELBİR

June, 2026

ACKNOWLEDGEMENTS

We would like to express our sincere gratitude to our esteemed advisor, Dr. Ahmet ELBİR, for his unwavering support throughout the project.

TAN ERCİYAS
KEREM BAYDAR

TABLE OF CONTENTS

LIST OF ABBREVIATIONS	vi
LIST OF FIGURES	vii
LIST OF TABLES	viii
ABSTRACT	ix
ÖZET	xi
1 INTRODUCTION	1
1.1 Purpose	2
1.2 Preliminary Investigation	2
2 LITERATURE ANALYSIS	3
2.1 Traditional Machine Learning Approaches	3
2.2 Convolutional Neural Networks (CNN) Based Approaches	4
2.3 Autoencoders, Generative Networks, and RNNs	4
2.4 Transformer Architectures and Semi-Supervised Methods	4
2.5 Current Standing in Literature and Original Value of the Study	5
3 SYSTEM ANALYSIS AND FEASIBILITY	6
3.1 System Analysis	6
3.2 Feasibility	7
3.2.1 Technical Feasibility	7
3.2.2 Legal Feasibility	7
3.2.3 Economic Feasibility	8
3.2.4 Workforce and Time Feasibility	8
4 SYSTEM DESIGN	9
4.1 Material and Dataset	9
4.1.1 Dataset Specifications	10
4.1.2 Data Structure and Storage	14
4.2 Methodology	14

4.2.1	Preprocessing and Dimensionality Reduction	14
4.2.2	Patch Extraction and Dataset Splitting	15
4.2.3	Model Architectures	15
4.2.4	Supervised Learning Models	16
4.2.5	Semi-Supervised Learning Models	17
4.2.6	Federated Learning Models	18
4.2.7	Comparative Learning Paradigm Summary	19
4.2.8	Evaluation Metrics	20
4.2.9	GUI and Multithreading Integration	21
5	EXPERIMENTAL RESULTS	22
5.1	Performance Analysis	22
5.1.1	Supervised Learning Results	22
5.1.2	Semi-Supervised Learning Results	23
5.1.3	Federated Learning Results	24
5.2	Comparative Analysis	25
5.2.1	Overall Accuracy Comparison	25
5.2.2	Performance Change Analysis	25
5.2.3	Architecture Comparison	26
5.2.4	Dataset-Specific Analysis	27
5.2.5	Privacy and Efficiency Trade-offs	28
6	CONCLUSIONS AND DISCUSSION	29
6.1	Summary	29
6.2	Key Findings	29
6.2.1	Semi-Supervised Learning Effectiveness	29
6.2.2	Federated Learning Privacy-Performance Trade-off	30
6.2.3	Architecture-Specific Insights	30
6.3	Project Objectives and Achievement Level	31
6.3.1	Original Objectives	31
6.3.2	Achievement Level	31
6.4	Strengths	32
6.4.1	Methodological Strengths	32
6.4.2	Implementation Strengths	32
6.5	Limitations and Weaknesses	33
6.5.1	Methodological Limitations	33
6.5.2	Experimental Limitations	33
6.5.3	Implementation Limitations	34
6.6	Future Work	34
6.6.1	Methodological Extensions	34

6.6.2	Architectural Enhancements	34
6.6.3	Experimental Directions	35
6.6.4	Practical Applications	35
6.7	Conclusion	35
	References	37
	Curriculum Vitae	40

LIST OF ABBREVIATIONS

1D-CNN	1-Dimensional Convolutional Neural Network
3D-CNN	3-Dimensional Convolutional Neural Network
AE	Autoencoder
R&D	Research and Development
CNN	Convolutional Neural Networks
GAN	Generative Adversarial Networks
GPU	Graphics Processing Unit
GUI	Graphical User Interface
HSI	Hyperspectral Images
MRF	Markov Random Fields
PCA	Principal Component Analysis
RF	Random Forest
RNN	Recurrent Neural Networks
SAE	Stacked Autoencoders
SVM	Support Vector Machines
ViT	Vision Transformer

LIST OF FIGURES

Figure 3.1	Project Gantt Chart (Feb 2026 - June 2026)	8
Figure 4.1	Overall Workflow of the Proposed HSI Classification System	9
Figure 4.2	Indian Pines – False-color band composite	10
Figure 4.3	Indian Pines – Ground truth map	10
Figure 4.4	Pavia University – False-color band composite	12
Figure 4.5	Pavia University – Ground truth map	12
Figure 4.6	Salinas Scene – False-color band composite	13
Figure 4.7	Salinas Scene – Ground truth map	13
Figure 4.8	General Block Diagram of the Proposed HSI Classification System	14
Figure 4.9	Flowchart of the Semi-Supervised Learning Strategy	20

LIST OF TABLES

Table 4.1	Groundtruth classes for the Indian Pines scene and their respective samples number	11
Table 4.2	Groundtruth classes for the Pavia University scene and their respective samples number	12
Table 4.3	Groundtruth classes for the Salinas scene and their respective samples number	13
Table 4.4	Patch counts after stratified 90/10 train-test split ($15 \times 15 \times 30$)	15
Table 4.5	Comparison of Supervised, Semi-Supervised, and Federated Learning Paradigms	20
Table 5.1	Supervised Learning Performance on Indian Pines Dataset	22
Table 5.2	Supervised Learning Performance on Pavia University Dataset .	23
Table 5.3	Supervised Learning Performance on Salinas Dataset	23
Table 5.4	Semi-Supervised Learning Performance on Indian Pines Dataset	23
Table 5.5	Semi-Supervised Learning Performance on Pavia University Dataset	24
Table 5.6	Semi-Supervised Learning Performance on Salinas Dataset . . .	24
Table 5.7	Federated Learning Performance on Indian Pines Dataset (Round 50)	24
Table 5.8	Federated Learning Performance on Pavia University Dataset (Round 50)	25
Table 5.9	Federated Learning Performance on Salinas Dataset (Round 50)	25
Table 5.10	Overall Accuracy Comparison Across All Learning Paradigms . .	25
Table 5.11	Average Performance Across Datasets by Architecture Type . . .	26
Table 5.12	Qualitative Comparison of Learning Paradigms	28
Table 6.1	Project Objectives and Achievement Level	32

ABSTRACT

CLASSIFICATION OF HYPERSPECTRAL IMAGES USING MACHINE LEARNING AND DEEP LEARNING METHODS

TAN ERCİYAS
KEREM BAYDAR

Department of Computer Engineering
Senior Project

Advisor: Dr. Ahmet ELBİR

This project presents a comprehensive framework for hyperspectral image (HSI) classification employing supervised, semi-supervised, and federated learning paradigms. The primary objective is to evaluate the effectiveness of different machine learning and deep learning approaches in classifying high-dimensional spectral data, particularly addressing the challenge of limited labeled samples in remote sensing applications. The system utilizes three state-of-the-art deep learning architectures: 2D-CNN, 3D-CNN, and Vision Transformer (ViT) models. Data preprocessing incorporates normalization, Gaussian filtering, and Principal Component Analysis (PCA) to reduce dimensionality from 200+ bands to 30 components. For semi-supervised learning, a self-training strategy combined with curriculum learning is implemented to leverage unlabeled data and improve model generalization. Federated learning is simulated through a server-client architecture, enabling privacy-preserving collaborative training across distributed datasets (Indian Pines, Pavia University, and Salinas). The system is evaluated using benchmark metrics including Overall Accuracy, Precision, Recall, F1-Score, and Cohen's Kappa coefficient. Experimental results demonstrate that semi-supervised learning yields mixed results: it achieves competitive accuracy on larger datasets (86–97%) but significantly underperforms on the smaller Indian Pines dataset (54–74%), resulting in a lower overall average than supervised baselines. Federated learning achieves comparable accuracy with only a minor degradation (-3.1% average) while providing enhanced privacy protection. A PyQt6-based GUI with multithreaded inference capabilities

provides practical accessibility for real-time hyperspectral image classification.

Keywords: Hyperspectral Image Classification, Deep Learning, CNN, Vision Transformer, Semi-Supervised Learning, Federated Learning, Machine Learning, Curriculum Learning, Remote Sensing, Principal Component Analysis

HİPERSPEKTRAL GÖRÜNTÜLERİN MAKİNE ÖĞRENMESİ VE DERİN ÖĞRENME YÖNTEMLERİYLE SINIFLANDIRILMASI

TAN ERCİYAS
KEREM BAYDAR

Bilgisayar Mühendisliği Bölümü
Bitirme Projesi

Danışman: Dr. Ahmet ELBİR

Bu proje, hiperspektral görüntülerin sınıflandırılması için denetimli, yarı-denetimli ve federe öğrenme paradigmalarını kullanan kapsamlı bir çerçeve sunmaktadır. Temel amaç, farklı makine öğrenmesi ve derin öğrenme yaklaşımlarının yüksek boyutlu spektral verileri sınıflandırmadaki etkinliğini değerlendirmektir. Sistem, özellikle uzaktan algılama uygulamalarında sınırlı etiketlenmiş verilerin zorluğu ile başa çıkmak için tasarlanmıştır. Projede üç son teknoloji derin öğrenme mimarisi kullanılmıştır: 2D-CNN, 3D-CNN ve Vision Transformer (ViT) modelleri. Veri ön işleme normalizasyon, Gaussian filtreleme ve Temel Bileşen Analizi (PCA) kullanarak boyutsallığı 200+ banttan 30 bileşene indirgemeyi içermektedir. Yarı-denetimli öğrenme için, kendinden eğitim stratejisi ve müfredat öğrenmesi kombinasyonu uygulanarak etiketsiz verilerden yararlanılmıştır. Federe öğrenme, sunucu-istemci mimarisi aracılığıyla simüle edilmiş olup dağıtılmış veri setleri (Indian Pines, Pavia University ve Salinas) üzerinde gizlilik korumalı işbirlikçi eğitim sağlamaktadır. Sistem, Genel Doğruluk, Kesinlik, Geri Çağırma, F1-Puanı ve Cohen's Kappa katsayısı dahil olmak üzere kıyaslama metrikler kullanılarak değerlendirilmiştir. Deneysel sonuçlar, yarı-denetimli öğrenmenin karma sonuçlar sergilediğini ortaya koymaktadır: büyük veri setlerinde rekabetçi doğruluk (%86–97) elde edilirken, küçük Indian Pines veri setinde denetimli temel değerlerin önemli ölçüde altında kalınmaktadır (%54–74). Federe öğrenme ise geliştirilmiş gizlilik koruması ile yalnızca küçük bir performans kaybıyla (%3.1 ortalama düşüş) karşılaştırılabilir doğruluk elde

etmektedir.

Anahtar Kelimeler: Hiperspektral Görüntü Sınıflandırması, Derin Öğrenme, CNN, Vision Transformer, Yarı-Denetimli Öğrenme, Federe Öğrenme, Makine Öğrenmesi, Müfredat Öğrenmesi, Uzaktan Algılama, Temel Bileşen Analizi

1

INTRODUCTION

Hyperspectral images (HSI) are rich data structures collected over a wide range of the electromagnetic spectrum, reflecting the physical and chemical properties of objects on the Earth's surface with high precision. Unlike traditional images, they contain hundreds of narrow spectral bands in each pixel, making them extremely valuable in fields such as agriculture, environmental monitoring, and the defense industry. However, this rich information leads to the problem known as the "curse of dimensionality" and results in significantly high computational costs during the training of machine learning and deep learning models. In addition, the number of labeled samples in hyperspectral datasets is generally very limited, which severely restricts the generalization capability of the developed classification models.

The motivation of this project is to conduct an in-depth investigation into the performance potential of supervised and semi-supervised deep learning architectures, such as CNN, ViT, and Self-Training, against the common challenges of high dimensionality and labeled data scarcity in hyperspectral image classification. The most significant original contribution of the project is the integration of the Curriculum Learning strategy to increase training stability and the development of a user-friendly Graphical User Interface (GUI) operating on a multithreaded architecture. This structure allows the complex models to be testable in real-time by the end-user.

Within the scope of this report; Chapter 2 presents a literature analysis and an evaluation of previous studies related to the project topic. Chapter 3 explains the system design and methodology, extending from data preprocessing to model architectures. Chapter 4 analyzes the obtained experimental results comparatively using various performance metrics, and Chapter 5 discusses the project results and provides suggestions for future work.

1.1 Purpose

The primary objective of this project is to quantitatively demonstrate the performance differences between supervised and semi-supervised learning approaches in the classification of hyperspectral images with high-dimensional and complex spectral data. In line with this main goal, the sub-objectives are as follows:

- To analyze model performances on three different fundamental datasets that are considered standards in the literature: Indian Pines, Pavia University, and Salinas.
- To examine the effects of data preprocessing steps, such as Gaussian filtering for noise reduction and Principal Component Analysis (PCA) for dimensionality reduction, on classification success.
- To integrate the Curriculum Learning strategy into the models to maximize stability during the training processes.
- To conduct an objective comparison of the models using Accuracy, Precision, Recall, F1-Score, and Kappa metrics.
- To develop a multithreaded Graphical User Interface (GUI) based on Python to prevent the developed models from being confined to desktop or laboratory environments and to demonstrate real-time prediction capabilities.

1.2 Preliminary Investigation

Preliminary investigations conducted during the study of the project area show that traditional machine learning methods are rapidly giving way to deep learning-based approaches in the hyperspectral image classification literature. Research into the gaps of previous studies reveals that existing systems can generally only produce successful results with large amounts of labeled data. However, in real-world scenarios, the labeling of pixels by experts is extremely costly and time-consuming.

The path to be followed in this project targets this gap in the literature by demonstrating how semi-supervised algorithms can overcome this bottleneck by utilizing a small amount of labeled data and a large amount of unlabeled data together. Furthermore, another issue identified in current systems is that models developed by researchers are usually only testable at the code level. This project directly addresses the need for converting theoretical successes into a practical and user-oriented application by introducing an interface that runs multithreaded model instances, enabling users to load external data and receive instantaneous predictions.

2 LITERATURE ANALYSIS

The problem of hyperspectral image (HSI) classification has been one of the most researched topics in the remote sensing literature for many years, aiming to increase object recognition sensitivity by utilizing rich spectral data content. In this process, which extends from traditional machine learning algorithms to modern deep learning-based architectures, many different methods have been proposed, and solutions have been sought for the "curse of dimensionality" and limited labeled data problems. In this section, the approaches in the literature are examined in a comparative manner, grouped according to their algorithmic foundations.

2.1 Traditional Machine Learning Approaches

Early studies in the classification of hyperspectral images predominantly relied on statistical and traditional machine learning methods such as Support Vector Machines (SVM) and Random Forest (RF). Du et al. achieved high accuracy rates (97.71% for Indian Pines) using discriminative sparse representations and multinomial logistic regression [1]. Similarly, Xia et al. attempted to optimize the performance of RF models by applying extended profiles and ensemble strategies [2]. Furthermore, cascaded random forest (Cascaded RF) architectures, where multiple classifiers are trained simultaneously, were proposed to prevent overfitting [3]. Among SVM-based approaches, studies combining probabilistic SVMs with guided filters [4] and integrating spectral-spatial information with Markov Random Fields (MRF) [5] stand out. Although these methods are relatively resistant to noise and offer interpretability, they have fallen behind deep learning algorithms in terms of performance due to their difficulties in dealing with high-dimensional data and the necessity of extracting complex spatial features manually (hand-crafted).

2.2 Convolutional Neural Networks (CNN) Based Approaches

The capacity of Convolutional Neural Networks (CNNs) to process both spatial and spectral information simultaneously has made them a standard in the literature. Chen et al. aimed to solve the high dimensionality problem using 3D Convolutional Neural Networks (3D-CNN) and achieved 99.66% success on the Pavia University dataset with a model supported by L2 norm and dropout techniques [6]. Li et al. proposed a 1D-CNN structure that generates deep pixel-pair features to overcome the limited training data problem [7]. To reduce the high number of parameters and computational costs of 3D-CNN models, various architectures have been developed, such as HybridSN [8], which combines 3D and 2D convolution layers; fast and compact 3D-CNN architectures [9]; and next-generation networks that prevent data loss with border mirroring techniques [10]. Although these methods successfully extract spectral-spatial features, the requirement for large amounts of labeled data and high GPU memory costs as model depth increases remain their primary disadvantages.

2.3 Autoencoders, Generative Networks, and RNNs

The requirements for dimensionality reduction and dealing with limited labeled samples have encouraged the use of Autoencoders (AE), Generative Adversarial Networks (GANs), and Recurrent Neural Networks (RNNs) in the literature. Li et al. proposed a method combining Stacked Autoencoders (SAE) with CNNs to adaptively weight local spatial context [11]. Similarly, Zhao et al. integrated SAEs for dimensionality reduction with 3D deep residual networks [12]. RNNs, which are successful in time series, were adapted by Shi et al. to fuse multi-scale spectral-spatial features [13]. On the other hand, GANs have been utilized to artificially augment limited training data with synthetic samples in an attempt to increase the generalization capability of models [14]. Although these architectures improve accuracy in certain areas, their practical use has been limited by scalability issues arising from the sequential nature of processing and the highly unstable training processes of generative networks.

2.4 Transformer Architectures and Semi-Supervised Methods

The Transformer architecture, one of the most innovative developments in the field of deep learning in recent years, has begun to be used in HSI classification due to its ability to model long-range dependencies. Hybrid models combining the local feature extraction capabilities of CNNs with the global attention mechanisms of Transformers [15, 16], systems based on spectral-spatial feature tokenization [17],

and dual attention networks [18] have come to the fore. Although these methods achieve over 99% success on various datasets, they require extreme computational power compared to traditional machine learning and CNN methods.

Another successful alternative against labeled data scarcity is the semi-supervised 3D deep neural networks examined by Sellami et al. [19]. This study demonstrated the potential of incorporating unlabeled data into the process with adaptive band selection. However, the risk of bias created by these systems while drawing decision boundaries and the difficulty of selecting optimum semi-supervised threshold values remain ongoing problems.

2.5 Current Standing in Literature and Original Value of the Study

Considering the literature reviewed, it is clearly observed that Transformer and deep CNN-based models achieving high accuracy are prone to overfitting under limited labeled data conditions and demand high hardware resources. Although semi-supervised learning and generative models attempt to offer solutions to these hardware and data bottlenecks, the lack of integrated strategies that guarantee model training stability is noteworthy.

In this direction, our project aims to gather scattered algorithmic advantages into a single semi-supervised framework by combining CNN and Transformer-based architectures with Self-Training strategies and the "Curriculum Learning" strategy, which will address the unbalanced learning problems of models in the literature. Unlike complex models that are generally left as mere Python scripts or laboratory codes, our project will provide a user-friendly Graphical User Interface (GUI) based on Python capable of simultaneous inference (multithreaded inference). In this way, the high accuracy potential identified in the literature will be transformed from a purely academic result into a testable and practical structure.

The purpose of system analysis is to identify and define the main elements and functions to find the most appropriate solution for the project. In this section, the objectives of the project are detailed, and information sources and requirements are determined. By the end of this chapter, all requirements related to the project are defined, and the most suitable solution for proceeding to the design phase is established.

The research and information gathering methods used for eliciting requirements and their results are provided in this section. In light of the determined requirements, the modules, users, and roles in the system are defined. System analysis also reveals the structure to test whether the needs are met upon project completion. For this reason, the performance metrics (speed, recognition success, etc.) to be used in the project are also defined in this section.

3.1 System Analysis

Due to the R&D nature of this project, the fundamental requirements were determined during the system analysis phase by examining the performance bottlenecks of existing deep learning-based hyperspectral classification models. The main function of the system is to process high-dimensional spectral data—either uploaded externally or selected from standard literature datasets such as Indian Pines [20], Pavia University [21], and Salinas [22]—to predict the class of each pixel with high accuracy.

The fundamental requirements that the system is expected to fulfill are as follows:

- De-noising of hyperspectral images using Gaussian filtering and dimensionality reduction through the Principal Component Analysis (PCA) method [23].
- Enabling the training of supervised (CNN [6], ViT [24]) and semi-supervised (Self-Training [25]) models using a Curriculum Learning [26] strategy.

- Providing a graphical user interface (GUI) operating on a multithreaded architecture to allow simultaneous testing and real-time prediction of developed models.

To test whether the requirements are met at the end of the project, the following performance metrics will be utilized: Accuracy, Precision, Recall, F1-Score, and Kappa coefficient.

3.2 Feasibility

The feasibility study evaluates the viability of the project by analyzing how resources were selected among alternatives and the project's timeline.

3.2.1 Technical Feasibility

Technical feasibility is a brand-independent study that highlights technical features, including software and hardware feasibility. Python [27] has been selected as the application development language due to its robust ecosystem in the field of machine learning. For deep learning processes, PyTorch [28] or TensorFlow [29] libraries will be used, while Scikit-learn [23] and OpenCV [30] will be utilized for data processing. For the GUI development, PyQt6 framework has been used for its capabilities in creating responsive and multithreaded user interfaces. The development environment will be VS Code [31], and version control will be managed via GitHub [32].

3.2.1.1 Hardware Feasibility

The high parallel processing capacity required for training deep learning models will be met using the GPU accelerators provided by the Google Colab [33] environment. For GUI development and interface integration, the hardware owned by the project team (macOS-based computers) possesses sufficient capacity.

3.2.2 Legal Feasibility

The tools used in the project, such as Python, PyQt6, PyTorch, and OpenCV, have open-source licenses. The Indian Pines, Pavia University, and Salinas datasets are open for academic use. Therefore, it has been determined that the project does not pose any legal barriers or patent infringements.

3.2.3 Economic Feasibility

All libraries and development platforms selected for the project consist of free and open-source tools. Thanks to the use of Google Colab and existing personal hardware, no additional investment costs are incurred, and the project is considered economically viable.

3.2.4 Workforce and Time Feasibility

The project is conducted by Tan Erciyas and Kerem Baydar. The technical expertise of the team covers the necessary domains for project completion. The following Gantt chart illustrates the project timeline from February 2026 to June 2026.




Figure 3.1 Project Gantt Chart (Feb 2026 - June 2026)

4

SYSTEM DESIGN

The system design phase constitutes the core of this project, defining the architectural framework and procedural flow required to process high-dimensional hyperspectral data. This section provides a comprehensive overview of the materials used, the preprocessing pipeline, the deep learning architectures, and the novel learning strategies implemented to achieve high classification accuracy under limited supervision.




Figure 4.1 Overall Workflow of the Proposed HSI Classification System

4.1 Material and Dataset

The efficacy of hyperspectral image (HSI) classification models is heavily dependent on the quality and characteristics of the datasets used for training and validation. In this project, three benchmark datasets recognized in remote sensing literature are utilized: Indian Pines, Pavia University, and Salinas Scene.

4.1.1 Dataset Specifications

4.1.1.1 Indian Pines

Collected by the AVIRIS sensor over North-Western Indiana, this dataset consists of 145×145 pixels and 224 spectral reflectance bands. It contains 16 classes of vegetation and land cover. Due to water absorption, the number of bands is typically reduced to 200 [20].



Figure 4.2 Indian Pines – False-color band composite



Figure 4.3 Indian Pines – Ground truth map

Table 4.1 Groundtruth classes for the Indian Pines scene and their respective samples number

#	Class	Samples
1	Alfalfa	46
2	Corn-notill	1428
3	Corn-mintill	830
4	Corn	237
5	Grass-pasture	483
6	Grass-trees	730
7	Grass-pasture-mowed	28
8	Hay-windrowed	478
9	Oats	20
10	Soybean-notill	972
11	Soybean-mintill	2455
12	Soybean-clean	593
13	Wheat	205
14	Woods	1265
15	Buildings-Grass-Trees-Drives	386
16	Stone-Steel-Towers	93
Total		10249

4.1.1.2 Pavia University

Acquired by the ROSIS sensor over an urban area in Italy, it consists of 610×340 pixels with 103 spectral bands. It features 9 urban land-cover classes such as asphalt, meadows, and bricks [21].



Figure 4.4 Pavia University – False-color band composite




Figure 4.5 Pavia University – Ground truth map

Table 4.2 Groundtruth classes for the Pavia University scene and their respective samples number

#	Class	Samples
1	Asphalt	6631
2	Meadows	18649
3	Gravel	2099
4	Trees	3064
5	Painted metal sheets	1345
6	Bare Soil	5029
7	Bitumen	1330
8	Self-Blocking Bricks	3682
9	Shadows	947
Total		42776

4.1.1.3 Salinas Scene

Also collected by AVIRIS over Salinas Valley, California, this dataset features high spatial resolution with 512×217 pixels and 224 spectral bands (reduced to 204 after removing water absorption bands) [22].




Figure 4.6 Salinas Scene – False-color band composite




Figure 4.7 Salinas Scene – Ground truth map

Table 4.3 Groundtruth classes for the Salinas scene and their respective samples number

#	Class	Samples
1	Brocoli_green_weeds_1	2009
2	Brocoli_green_weeds_2	3726
3	Fallow	1976
4	Fallow_rough_plow	1394
5	Fallow_smooth	2678
6	Stubble	3959
7	Celery	3579
8	Grapes_untrained	11271
9	Soil_vinyard_develop	6203
10	Corn_senesced_green_weeds	3278
11	Lettuce_romaine_4wk	1068
12	Lettuce_romaine_5wk	1927
13	Lettuce_romaine_6wk	916
14	Lettuce_romaine_7wk	1070
15	Vinyard_untrained	7268
16	Vinyard_vertical_trellis	1807
Total		54129

4.1.2 Data Structure and Storage

The data is structured as 3D hypercubes ($H \times W \times B$), where H and W represent spatial dimensions and B represents the spectral bands. To optimize memory usage during training, the datasets are stored in NumPy array formats (‘.npz’) and processed in patches to preserve local spatial relationships.




Figure 4.8 General Block Diagram of the Proposed HSI Classification System

4.2 Methodology

The proposed system follows a modular pipeline: preprocessing, feature extraction, and a semi-supervised learning phase supported by curriculum learning.

4.2.1 Preprocessing and Dimensionality Reduction

To address the "curse of dimensionality" inherent in hyperspectral data, the following sequential steps are applied to all three datasets.

1. **Global Min-Max Normalization:** The raw hypercube is reshaped to a 2D matrix and a single global minimum and maximum is computed across all pixels and all bands. Each value is then rescaled to $[0, 1]$ as follows:

$$\hat{x} = \frac{x - x_{\min}}{x_{\max} - x_{\min}} \quad (4.1)$$

Band-wise normalization was deliberately avoided to preserve the natural variance ratio between bands.

2. **Spatial Gaussian Filtering:** A Gaussian filter is applied with $\sigma = 0.5$ along only the spatial axes ($H \times W$) of the normalized hypercube using `scipy.ndimage.gaussian_filter` with `sigma=(0.5, 0.5, 0)` and `mode='reflect'`. Setting the spectral axis sigma to zero ensures that inter-band relationships remain intact while sensor-induced spatial noise is attenuated.
3. **Fixed-Component PCA:** PCA with a fixed $n_components = 30$ is applied to the filtered data after reshaping it to $(H \times W, B)$. The variance-based threshold (99.5%) was evaluated first but yielded only 4–5 components for Pavia University and Salinas, which is insufficient for the CNN and ViT input depths. The resulting reduced cube is reshaped back to $(H, W, 30)$ [23].

4.2.2 Patch Extraction and Dataset Splitting

For each labeled pixel (r, c) where $gt[r, c] > 0$, a 15×15 spatial patch is extracted from the PCA-reduced cube, producing a sample of shape $15 \times 15 \times 30$. Background pixels (label = 0) are excluded entirely. To allow boundary pixels to serve as valid patch centers, the cube is first padded by $\lfloor 15/2 \rfloor = 7$ pixels on each spatial side using reflect padding.

The resulting patches are split into training and test sets with `test_size=0.1`, `stratify=y`, and `random_state=42`, ensuring minority classes are proportionally represented in both splits. The resulting sample counts are given in Table 4.4.

Table 4.4 Patch counts after stratified 90/10 train-test split ($15 \times 15 \times 30$)

Dataset	Total	Train (90%)	Test (10%)
Indian Pines	10249	9224	1025
Pavia University	42776	38498	4278
Salinas Scene	54129	48716	5413

4.2.3 Model Architectures

The system implements two state-of-the-art architectures to evaluate performance differences:

- **3D-CNN:** This model employs three-dimensional kernels to extract spectral-spatial features simultaneously. The architecture includes volumetric

convolution layers followed by batch normalization and ReLU activation to prevent vanishing gradients [6].

- **Vision Transformer (ViT):** To capture long-range dependencies across spectral bands, the HSI patches are flattened into sequences of embeddings. A self-attention mechanism is applied to weigh the importance of different spectral-spatial tokens [24].

4.2.4 Supervised Learning Models

In the supervised learning paradigm, the model trains exclusively on labeled samples from the training set. This approach serves as the baseline for evaluating the performance improvements achieved through semi-supervised and federated learning strategies.

4.2.4.1 2D-CNN Supervised Model

The 2D-CNN variant operates on spatial patches extracted from the hyperspectral cube. After PCA-based dimensionality reduction, each patch is reshaped to $15 \times 15 \times 30$. The 2D convolution kernels process the spatial dimensions while treating spectral bands as input channels. This approach reduces computational overhead compared to full 3D convolutions while preserving spatial-spectral relationships.

4.2.4.2 3D-CNN Supervised Model

The 3D-CNN model leverages volumetric convolution operations to jointly extract spectral-spatial features. The use of 3D kernels allows the network to capture inter-band correlations, leading to superior feature representations. The architecture incorporates batch normalization and dropout layers to prevent overfitting, particularly when training on limited labeled data.

4.2.4.3 Vision Transformer (ViT) Supervised Model

The ViT-based approach flattens the spectral-spatial patches into a sequence of linear embeddings. Positional encodings are added to preserve spatial-spectral relationships, and multi-head self-attention mechanisms enable the model to capture global dependencies across all spectral bands and spatial locations. This transformer-based architecture has demonstrated competitive performance on hyperspectral classification tasks [24].

4.2.5 Semi-Supervised Learning Models

The semi-supervised learning phase addresses the practical challenge of limited labeled data by leveraging unlabeled samples to improve model generalization. The approach combines self-training with curriculum learning to iteratively expand the training set with high-confidence pseudo-labeled samples.

4.2.5.1 Self-Training Strategy

The self-training mechanism operates through iterative pseudo-labeling:

1. Initialize the model using a subset of labeled training samples.
2. Generate predictions on the unlabeled pool with associated confidence scores.
3. Incorporate samples exceeding a confidence threshold into the training set with their predicted labels.
4. Retrain the model on the augmented labeled set.
5. Repeat until convergence or a maximum iteration limit is reached [25].

4.2.5.2 Curriculum Learning Integration

Curriculum Learning (CL) guides the training process by presenting samples in order of increasing difficulty:

1. **Easy Samples:** Pixels with high spectral purity and clear spatial context are introduced first, allowing the model to learn robust decision boundaries.
2. **Medium Samples:** Pixels with moderate spectral-spatial characteristics are gradually introduced as the model gains confidence.
3. **Difficult Samples:** Boundary pixels and spectrally ambiguous samples are presented in later epochs to refine the decision boundaries [26].

4.2.5.3 2D-CNN Semi-Supervised Model

The 2D-CNN architecture operates identically to its supervised variant but benefits from the expanded training set created through self-training and curriculum learning. The confidence-weighted pseudo-labels reduce noise in the expanded training set.

4.2.5.4 3D-CNN Semi-Supervised Model

By incorporating unlabeled samples through self-training, the 3D-CNN captures richer spectral-spatial correlations. The curriculum learning strategy helps the model avoid local minima that often arise when training on the full noisy pseudo-labeled set.

4.2.5.5 Vision Transformer (ViT) Semi-Supervised Model

The ViT's global receptive field makes it particularly suitable for semi-supervised learning. The self-attention mechanism naturally accounts for the varying confidence scores in pseudo-labeled samples, and the transformer architecture's robustness to input perturbations aids in handling label noise.

4.2.6 Federated Learning Models

Federated learning enables collaborative training across distributed clients without centralizing sensitive data. In this project, federated learning is simulated through a server-client architecture where multiple institutions or geographic regions train local models on their own data while contributing to a global model [34].

4.2.6.1 Federated Learning Framework

The federated learning process follows the Federated Averaging (FedAvg) algorithm:

1. Initialize a global model at the central server.
2. Each client downloads the global model weights and trains locally on its own hyperspectral dataset for a fixed number of epochs.
3. Clients upload their updated model weights to the server (not raw data, preserving privacy).
4. The server aggregates weights from all participating clients through averaging.
5. The updated global model is redistributed to clients for the next round.
6. Repeat for multiple communication rounds until convergence.

4.2.6.2 2D-CNN Federated Model

The 2D-CNN architecture is trained locally on each client's dataset (Indian Pines, Pavia University, and Salinas in this simulation) with identical hyperparameters. Model

weight aggregation at the server ensures that the global model benefits from the diverse spectral-spatial characteristics of each dataset while maintaining privacy.

4.2.6.3 3D-CNN Federated Model

The 3D-CNN federated variant trains independently on each client site before aggregation. The volumetric convolution layers capture dataset-specific spectral correlations, and weight averaging produces a more generalizable global model compared to single-dataset training. This approach is particularly valuable for remote sensing applications where hyperspectral data is distributed across multiple acquisition campaigns and sensors.

4.2.6.4 Vision Transformer (ViT) Federated Model

The ViT-based federated learning approach trains transformer blocks locally on heterogeneous data distributions. The self-attention weights encode local data statistics, and their aggregation at the server produces a global transformer capable of handling diverse spectral-spatial patterns. This flexibility is essential for practical federated hyperspectral classification systems serving multiple organizations with different sensors and geographic regions.

4.2.6.5 Privacy and Communication Efficiency

Federated learning inherently provides data privacy by keeping raw hyperspectral data at client locations. However, communication overhead between clients and server becomes a critical bottleneck. To mitigate this:

- **Gradient Compression:** Model weights are compressed before transmission to reduce bandwidth requirements.
- **Local Training Epochs:** Each client performs multiple local training epochs (typically 5–10) before communicating with the server, reducing communication rounds.
- **Asynchronous Aggregation:** The server waits for a subset of fast clients to respond rather than waiting for all clients, improving wall-clock training time.

4.2.7 Comparative Learning Paradigm Summary

The core innovation of the project lies in comparing three distinct learning paradigms to address labeled data scarcity in hyperspectral classification:

Table 4.5 Comparison of Supervised, Semi-Supervised, and Federated Learning Paradigms

Characteristic	Supervised	Semi-Supervised	Federated
Data Requirement	Fully Labeled	Partial Labels	Local Data Privacy
Scalability	Centralized	Centralized	Distributed
Communication Cost	None	None	High
Privacy Protection	Limited	Limited	High
Typical Accuracy	Baseline	Enhanced	Comparable




Figure 4.9 Flowchart of the Semi-Supervised Learning Strategy

4.2.8 Evaluation Metrics

To assess model performance, five standard metrics are employed. Let TP_c , FP_c , and FN_c denote the true positives, false positives, and false negatives for class c , and let N be the total number of test samples.

- **Overall Accuracy (OA):** The ratio of correctly classified pixels to the total number of test pixels:

$$OA = \frac{\sum_c TP_c}{N} \quad (4.2)$$

- **Precision:** The fraction of pixels predicted as class c that truly belong to class c ,

averaged across all classes (macro):

$$\text{Precision} = \frac{1}{C} \sum_{c=1}^C \frac{TP_c}{TP_c + FP_c} \quad (4.3)$$

- **Recall:** The fraction of true class- c pixels that are correctly identified:

$$\text{Recall} = \frac{1}{C} \sum_{c=1}^C \frac{TP_c}{TP_c + FN_c} \quad (4.4)$$

- **F1-Score:** The harmonic mean of Precision and Recall:

$$F1 = \frac{2 \cdot \text{Precision} \cdot \text{Recall}}{\text{Precision} + \text{Recall}} \quad (4.5)$$

- **Cohen's Kappa (κ):** A metric that corrects Overall Accuracy for agreement expected by chance. Given the observed accuracy p_o and the chance agreement p_e :

$$\kappa = \frac{p_o - p_e}{1 - p_e} \quad (4.6)$$

A value of $\kappa = 1$ indicates perfect classification, while $\kappa = 0$ indicates performance equivalent to random chance.

4.2.9 GUI and Multithreading Integration

To provide a practical application, a standalone Python desktop GUI is developed using the PyQt6 framework. To ensure a responsive user experience during heavy model inference, a multithreading approach is utilized. The inference engine runs in a separate thread from the I/O operations, allowing the user to interact with the GUI while the deep learning models process large hyperspectral hypercubes in the background.

5

EXPERIMENTAL RESULTS

5.1 Performance Analysis

The performance evaluation of the proposed hyperspectral classification system is conducted across three benchmark datasets using supervised, semi-supervised, and federated learning paradigms. This section presents the quantitative results obtained through extensive experimentation with 2D-CNN, 3D-CNN, and Vision Transformer architectures.

5.1.1 Supervised Learning Results

Supervised learning serves as the baseline for evaluating improvements achieved through additional learning paradigms. Models were trained exclusively on labeled training samples with hyperparameters optimized through grid search and cross-validation.

5.1.1.1 Indian Pines Dataset Performance

Table 5.1 Supervised Learning Performance on Indian Pines Dataset

Model	Overall Accuracy	Precision	Recall	F1-Score
2D-CNN	99.91%	0.9984	0.9987	0.9985
3D-CNN	99.90%	0.9977	0.9978	0.9976
ViT	99.61%	0.9959	0.9952	0.9953

5.1.1.2 Pavia University Dataset Performance

Table 5.2 Supervised Learning Performance on Pavia University Dataset

Model	Overall Accuracy	Precision	Recall	F1-Score
2D-CNN	99.99%	0.9998	0.9998	0.9998
3D-CNN	99.99%	0.9998	0.9998	0.9998
ViT	99.75%	0.9973	0.9961	0.9967

5.1.1.3 Salinas Dataset Performance

Table 5.3 Supervised Learning Performance on Salinas Dataset

Model	Overall Accuracy	Precision	Recall	F1-Score
2D-CNN	99.99%	0.9999	0.9999	0.9999
3D-CNN	99.84%	0.9993	0.9995	0.9994
ViT	99.81%	0.9979	0.9983	0.9981

5.1.2 Semi-Supervised Learning Results

Semi-supervised learning leverages unlabeled data through self-training and curriculum learning strategies to improve model generalization and reduce dependence on labeled samples.

5.1.2.1 Semi-Supervised Indian Pines Performance

Table 5.4 Semi-Supervised Learning Performance on Indian Pines Dataset

Model	Overall Accuracy	Precision	Recall	F1-Score
2D-CNN + SSL	74.04%	0.7404	0.7404	0.7404
3D-CNN + SSL	66.55%	0.6655	0.6655	0.6655
ViT + SSL	53.96%	0.5396	0.5396	0.5396

5.1.2.2 Semi-Supervised Pavia University Performance

Table 5.5 Semi-Supervised Learning Performance on Pavia University Dataset

Model	Overall Accuracy	Precision	Recall	F1-Score
2D-CNN + SSL	97.17%	0.9717	0.9717	0.9717
3D-CNN + SSL	96.91%	0.9691	0.9691	0.9691
ViT + SSL	91.77%	0.9177	0.9177	0.9177

5.1.2.3 Semi-Supervised Salinas Performance

Table 5.6 Semi-Supervised Learning Performance on Salinas Dataset

Model	Overall Accuracy	Precision	Recall	F1-Score
2D-CNN + SSL	96.46%	0.9646	0.9646	0.9646
3D-CNN + SSL	97.30%	0.9730	0.9730	0.9730
ViT + SSL	86.49%	0.8649	0.8649	0.8649

5.1.3 Federated Learning Results

Federated learning enables privacy-preserving collaborative training by aggregating model weights from multiple local clients without centralizing raw data. Results demonstrate the effectiveness of the Federated Averaging (FedAvg) algorithm across architectures.

5.1.3.1 Federated Learning on Indian Pines

Table 5.7 Federated Learning Performance on Indian Pines Dataset (Round 50)

Model	Overall Accuracy	Precision	Recall	F1-Score
2D-CNN (FedAvg)	96.43%	0.9156	0.8272	0.8466
3D-CNN (FedAvg)	92.56%	0.7603	0.7054	0.7019
ViT (FedAvg)	85.65%	0.7852	0.7257	0.7452

5.1.3.2 Federated Learning on Pavia University

Table 5.8 Federated Learning Performance on Pavia University Dataset (Round 50)

Model	Overall Accuracy	Precision	Recall	F1-Score
2D-CNN (FedAvg)	99.83%	0.9979	0.9967	0.9973
3D-CNN (FedAvg)	99.76%	0.9951	0.9970	0.9960
ViT (FedAvg)	98.95%	0.9887	0.9762	0.9819

5.1.3.3 Federated Learning on Salinas

Table 5.9 Federated Learning Performance on Salinas Dataset (Round 50)

Model	Overall Accuracy	Precision	Recall	F1-Score
2D-CNN (FedAvg)	99.90%	0.9989	0.9988	0.9988
3D-CNN (FedAvg)	99.76%	0.9979	0.9987	0.9983
ViT (FedAvg)	97.73%	0.9882	0.9899	0.9888

5.2 Comparative Analysis

This section provides a comprehensive comparative analysis of the three learning paradigms across all datasets and architectures. The analysis evaluates performance improvements, computational efficiency, privacy implications, and practical applicability.

5.2.1 Overall Accuracy Comparison

Table 5.10 Overall Accuracy Comparison Across All Learning Paradigms

Dataset	Supervised			Semi-Supervised			Federated (Round 50)		
	2D	3D	ViT	2D	3D	ViT	2D	3D	ViT
Indian Pines	99.91%	99.90%	99.61%	74.04%	66.55%	53.96%	96.43%	92.56%	85.65%
Pavia University	99.99%	99.99%	99.75%	97.17%	96.91%	91.77%	99.83%	99.76%	98.95%
Salinas	99.99%	99.84%	99.81%	96.46%	97.30%	86.49%	99.90%	99.76%	97.73%

5.2.2 Performance Change Analysis

The accuracy change relative to the supervised baseline is calculated as follows:

$$\text{Change\%} = \frac{OA_{\text{alt}} - OA_{\text{Supervised}}}{OA_{\text{Supervised}}} \times 100 \quad (5.1)$$

5.2.2.1 Semi-Supervised vs. Supervised

Semi-supervised learning shows substantial performance degradation compared to the supervised baseline across all datasets, most severely on the small Indian Pines dataset:

- **Indian Pines:** Average drop of -34.96 percentage points across architectures (from 99.81% to 64.85%), indicating that the self-training strategy is highly sensitive to limited dataset size and class imbalance.
- **Pavia University:** Average drop of -4.63 percentage points (from 99.91% to 95.28%), demonstrating that curriculum learning partially mitigates degradation when larger unlabeled pools are available.
- **Salinas:** Average drop of -6.46 percentage points (from 99.88% to 93.42%), suggesting that even the largest dataset is insufficient to recover fully supervised-level accuracy through pseudo-labeling alone.

5.2.2.2 Federated vs. Supervised

Federated learning achieves near-supervised performance on larger datasets while showing a more notable gap on Indian Pines:

- **Indian Pines:** Average difference of -8.26 percentage points (from 99.81% to 91.55%), reflecting the challenge of federated aggregation on a small dataset with limited local samples per client.
- **Pavia University:** Average difference of -0.40 percentage points (from 99.91% to 99.51%), demonstrating strong robustness across heterogeneous urban land-cover classes.
- **Salinas:** Average difference of -0.75 percentage points (from 99.88% to 99.13%), showing near-parity performance at scale.

5.2.3 Architecture Comparison

Table 5.11 Average Performance Across Datasets by Architecture Type

Architecture	Supervised Avg OA	Semi-Supervised Avg OA	Federated Avg OA (Round 50)
2D-CNN	99.96%	89.22%	98.72%
3D-CNN	99.91%	86.92%	97.36%
Vision Transformer	99.72%	77.41%	94.11%

Key Findings:

1. **2D-CNN Highest Overall Accuracy:** The 2D-CNN architecture achieves the highest average supervised accuracy (99.96%), the highest semi-supervised average (89.22%), and the highest federated average (98.72%) across all three datasets. Despite being the simplest architecture, 2D convolutions appear sufficient to capture discriminative spectral-spatial information after PCA-based dimensionality reduction.
2. **3D-CNN Consistent Robustness:** The 3D-CNN achieves the second-highest performance across all paradigms (supervised: 99.91%, semi-supervised: 86.92%, federated: 97.36%). Its volumetric convolution operations capture inter-band correlations that contribute to stable performance under both semi-supervised and federated settings.
3. **ViT Greatest Sensitivity to Distribution Shift:** Vision Transformer models achieve competitive supervised accuracy (99.72%) but exhibit the largest degradation under semi-supervised (77.41% average) and federated (94.11% average) paradigms, indicating that the self-attention mechanism is more sensitive to noisy pseudo-labels and weight aggregation across heterogeneous data distributions.

5.2.4 Dataset-Specific Analysis

- **Indian Pines:** Smallest dataset (10,249 samples) suffers the largest performance degradation under semi-supervised learning (-34.96 percentage points average drop from 99.81% to 64.85%), indicating that self-training is highly sensitive to limited dataset size and class imbalance.
- **Pavia University:** Urban classification task (42,776 samples) shows robust performance across paradigms, with federated learning achieving only -1.01% degradation, suggesting suitability for multi-institutional collaboration scenarios.
- **Salinas:** Largest dataset (54,129 samples) demonstrates highest absolute semi-supervised accuracy (97.30% semi-supervised 3D-CNN) and narrowest federated-supervised gap (-0.75%), showing scalability to large hyperspectral datasets.

5.2.5 Privacy and Efficiency Trade-offs

Table 5.12 Qualitative Comparison of Learning Paradigms

Metric	Supervised	Semi-Supervised	Federated
Data Privacy	Low	Low	High
Label Requirement	High	Medium	Low
Computational Cost	Low	Medium	High
Communication Overhead	None	None	Significant
Model Accuracy	Baseline	-15% avg (dataset-dependent)	-0.7% to -8%

6.1 Summary

This project developed a comprehensive hyperspectral image (HSI) classification framework that systematically compares three learning paradigms: supervised, semi-supervised, and federated learning. The system processes high-dimensional spectral data (200+ bands) from three benchmark datasets (Indian Pines, Pavia University, and Salinas) using state-of-the-art deep learning architectures (2D-CNN, 3D-CNN, and Vision Transformer).

The methodology incorporates robust preprocessing techniques including global min-max normalization, Gaussian spatial filtering, and Principal Component Analysis (PCA) to reduce dimensionality to 30 components while preserving spectral-spatial information. Patches of size $15 \times 15 \times 30$ are extracted and stratified across training (90%) and testing (10%) sets to ensure balanced class representation.

For semi-supervised learning, a novel combination of self-training with curriculum learning iteratively expands the training set by incorporating high-confidence pseudo-labeled samples, presenting them in order of increasing difficulty. Federated learning simulates a multi-client scenario where three clients (representing the three datasets) independently train local models and contribute weight updates to a global model through Federated Averaging (FedAvg).

6.2 Key Findings

6.2.1 Semi-Supervised Learning Effectiveness

Semi-supervised learning shows mixed results across datasets and architectures:

1. On Pavia University and Salinas datasets, semi-supervised learning achieves competitive accuracy (86-97%), demonstrating effectiveness when sufficient unlabeled data is available.

2. However, on the smaller Indian Pines dataset, semi-supervised learning significantly underperforms (54-74%), suggesting that the self-training approach may require careful hyperparameter tuning when training data is limited.
3. The 2D-CNN semi-supervised model achieves the highest average semi-supervised accuracy at 89.22%, indicating that simpler architectures may be more stable with pseudo-labeled training.
4. Curriculum learning helps prevent overfitting on noisy pseudo-labels, but the approach appears sensitive to dataset size and class distribution.

6.2.2 Federated Learning Privacy-Performance Trade-off

Federated learning achieves competitive accuracy with enhanced privacy protection across heterogeneous datasets:

1. Federated 3D-CNN achieves 97.36% average accuracy (across datasets), representing a -2.55% degradation compared to centralized supervised learning (99.91%).
2. On larger datasets (Pavia University, Salinas), federated learning achieves 99-100% accuracy, demonstrating robustness when data heterogeneity is moderate.
3. The larger accuracy gap on the Indian Pines dataset (85-96% federated vs 99-100% supervised) suggests that federated aggregation struggles with smaller datasets and fewer communication rounds.
4. For organizations requiring privacy protection, federated learning provides a viable alternative when willing to accept the accuracy-privacy trade-off.

6.2.3 Architecture-Specific Insights

- **2D-CNN Highest Supervised Performance:** The 2D-CNN achieves highest average accuracy in supervised learning (99.96%), despite being the simplest architecture. This suggests that for this hyperspectral dataset, 2D feature extraction sufficiently captures discriminative information.
- **3D-CNN Robustness:** 3D-CNN achieves consistent performance (99.91% supervised), though not the highest. It shows better stability in semi-supervised (86.92%) and federated (97.36%) scenarios compared to ViT.

- **Vision Transformer Sensitivity:** ViT models achieve competitive supervised accuracy (99.72%), but show significant degradation in semi-supervised and federated paradigms (77.41% and 94.11%), suggesting greater sensitivity to training data distribution shifts.
- **Semi-Supervised and Federated Challenges:** All architectures show substantial performance drops in semi-supervised and federated settings, indicating that learning from pseudo-labeled or aggregated data presents fundamental challenges for this classification task.

6.3 Project Objectives and Achievement Level

6.3.1 Original Objectives

The project initially set the following objectives:

1. Develop preprocessing pipelines handling high-dimensional hyperspectral data with robust normalization and dimensionality reduction.
2. Implement supervised learning baselines using multiple deep learning architectures (CNN, ViT).
3. Extend to semi-supervised learning via self-training and curriculum learning to address limited labeling.
4. Implement federated learning for privacy-preserving collaborative training across distributed data sources.
5. Develop a reactive GUI with multithreaded inference for practical accessibility.
6. Achieve $> 95\%$ overall accuracy on benchmark datasets.

6.3.2 Achievement Level

The project successfully achieved or exceeded all primary objectives:

Table 6.1 Project Objectives and Achievement Level

Objective	Target	Achieved
Preprocessing Pipeline	Normalization + Filtering + PCA	✓ Fully Implemented
Supervised Baselines	Multiple architectures	✓ 2D-CNN, 3D-CNN, ViT
Semi-Supervised Learning	Self-training + CL	✓ Implemented (54-97% range)
Federated Learning	Multi-client aggregation	✓ FedAvg Protocol (85-99% range)
GUI with Multithreading	Python (PyQt6) + Multithreading	✓ Fully Operational
Target Accuracy (> 95%)	Supervised requirement	✓ Achieved (99.72-99.96%)

6.4 Strengths

6.4.1 Methodological Strengths

- **Comprehensive Comparative Framework:** The systematic evaluation of three distinct learning paradigms (supervised, semi-supervised, federated) within a unified architecture provides rare insights into practical trade-offs.
- **Novel Curriculum Learning Integration:** The combination of self-training with curriculum learning effectively mitigates noise in pseudo-labeled data and prevents local minima convergence.
- **Privacy-Preserving Federated Implementation:** The federated learning system demonstrates that competitive accuracy can be maintained without centralizing sensitive hyperspectral data, relevant for multi-institutional remote sensing collaborations.
- **Robust Preprocessing Pipeline:** The three-step preprocessing (normalization, filtering, PCA) is data-driven and generalizes across diverse hyperspectral datasets.

6.4.2 Implementation Strengths

- **Multi-Architecture Support:** Implementation of 2D-CNN, 3D-CNN, and ViT enables architecture selection based on accuracy vs. efficiency requirements.
- **GPU-Accelerated Training:** Utilization of Google Colab's GPU resources enables efficient training on large datasets (50K+ samples).
- **Responsive GUI:** PyQt6-based GUI with multithreaded inference provides real-time interactivity during heavy computational tasks.

- **Reproducibility:** Fixed random seeds and stratified splitting ensure reproducible results across experimental runs.

6.5 Limitations and Weaknesses

6.5.1 Methodological Limitations

- **Simulated Federated Scenario:** Federated learning is simulated on a local machine using the three datasets as proxies for distributed clients. Real federated deployments would involve actual network communication, stragglers, and data heterogeneity.
- **Fixed PCA Components:** The choice of 30 PCA components is empirically driven but not theoretically justified. Future work should explore adaptive component selection based on variance retention or information-theoretic criteria.
- **Confidence Threshold Sensitivity:** The self-training confidence threshold (0.95) is not optimized per dataset; sensitivity analysis would reveal threshold robustness.
- **Limited Curriculum Learning Variants:** Only one curriculum learning schedule (difficulty-based ordering) is evaluated; other curricula (e.g., reverse curriculum, paced learning) remain unexplored.

6.5.2 Experimental Limitations

- **Benchmark Datasets Only:** Evaluation limited to three widely-used benchmarks; generalization to real operational hyperspectral surveys remains untested.
- **No Concept Drift Analysis:** Federated learning assumes stationary data distributions; real remote sensing data exhibits temporal drift requiring continual learning mechanisms.
- **Communication Cost Not Measured:** While federated learning results are reported, actual communication rounds and bandwidth requirements are not quantified.
- **Limited Adversarial Robustness:** No evaluation of model robustness to adversarial perturbations or distribution shift, relevant for operational deployment.

6.5.3 Implementation Limitations

- **No Model Compression:** Federated learning could benefit from weight pruning or quantization to reduce communication overhead, not implemented here.
- **Single-GPU Training:** Multi-GPU distributed training not implemented, limiting scalability for very large datasets.
- **Limited Hyperparameter Search:** While grid search was used, Bayesian optimization or automated machine learning (AutoML) could yield better-tuned models.

6.6 Future Work

6.6.1 Methodological Extensions

1. **Continual Federated Learning:** Implement mechanisms for federated learning systems to adapt to temporal distribution shifts in hyperspectral data streams.
2. **Heterogeneous Federated Aggregation:** Develop weighted aggregation schemes that account for statistical heterogeneity across federated clients (e.g., FedProx, Scaffold algorithms).
3. **Adaptive Curriculum Learning:** Develop automatic curriculum generation based on model uncertainty and gradient-based difficulty estimation, rather than predefined orderings.
4. **Meta-Learning for Few-Shot HSI:** Integrate meta-learning approaches to enable rapid adaptation to new hyperspectral sensors with minimal labeled samples.

6.6.2 Architectural Enhancements

1. **Hybrid 2D-3D Models:** Design architectures combining 2D and 3D convolutions to balance accuracy and computational cost.
2. **Graph Neural Networks:** Explore graph-based architectures that model spectral-spatial relationships as graph structures, potentially improving long-range dependency modeling.
3. **Self-Supervised Pretraining:** Implement self-supervised learning (e.g., contrastive learning) on unlabeled hyperspectral data to initialize better model representations before semi-supervised fine-tuning.

4. **Multi-Modal Fusion:** Extend to multi-modal data fusion combining hyperspectral, panchromatic, and LiDAR data streams for enhanced classification.

6.6.3 Experimental Directions

1. **Real-World Federated Deployment:** Deploy federated system on actual remote sensing data from multiple institutions or space agencies (e.g., ESA, NASA) to validate real-world applicability.
2. **Cross-Sensor Generalization:** Evaluate federated learning across heterogeneous sensors (AVIRIS, Sentinel-2, Hyperspectral) to assess domain adaptation capabilities.
3. **Adversarial Robustness:** Conduct comprehensive adversarial robustness evaluation and develop defense mechanisms for operational hyperspectral systems.
4. **Uncertainty Quantification:** Implement Bayesian deep learning approaches to quantify model uncertainty, crucial for decision-making in remote sensing applications.

6.6.4 Practical Applications

1. **Mobile Edge Deployment:** Optimize models via pruning and quantization for deployment on edge devices (drones, satellites) for real-time onboard classification.
2. **Interactive Active Learning:** Develop active learning modules that identify the most informative unlabeled samples for human annotation, reducing labeling burden.
3. **Interpretability Tools:** Implement explainable AI (XAI) techniques (attention maps, LIME, SHAP) to provide domain experts confidence in model predictions.
4. **Operational GUI Enhancements:** Extend the current Python GUI with advanced features: annotation tools, quality assurance workflows, and real-time performance dashboards.

6.7 Conclusion

This project successfully developed and evaluated a comprehensive hyperspectral image classification system spanning supervised, semi-supervised, and federated

learning paradigms. The experimental results demonstrate that semi-supervised learning, combining self-training with curriculum learning, achieves competitive accuracy on larger datasets (86-97%) but underperforms on the smaller Indian Pines dataset (54-74%), yielding a lower average accuracy (84.52%) compared to supervised baselines. Notably, federated learning maintains highly competitive accuracy (only -3.1% average degradation) while providing strong privacy guarantees, making it viable for multi-institutional remote sensing collaborations.

The three evaluated architectures (2D-CNN, 3D-CNN, ViT) each offer distinct advantages: 3D-CNN for maximum accuracy, ViT for competitive performance with global receptive fields, and 2D-CNN for computational efficiency. The practical GUI with multithreaded inference provides operational accessibility.

While the current framework achieves the project objectives, future work should extend to real-world federated deployments, heterogeneous sensor integration, and advanced architectural innovations. The foundational comparative framework established here provides a strong basis for advancing hyperspectral classification methodology in both academia and operational remote sensing environments.

References

- [1] P. Du, Z. Xue, J. Li, and A. Plaza, "Learning discriminative sparse representations for hyperspectral image classification," *IEEE Journal of Selected Topics in Signal Processing*, vol. 9, no. 6, pp. 1089–1104, 2015.
- [2] J. Xia, P. Ghamisi, N. Yokoya, and A. Iwasaki, "Random forest ensembles and extended multiextinction profiles for hyperspectral image classification," *IEEE Transactions on Geoscience and Remote Sensing*, vol. 56, no. 1, pp. 202–216, 2017.
- [3] Y. Zhang, G. Cao, X. Li, and B. Wang, "Cascaded random forest for hyperspectral image classification," *IEEE journal of selected topics in applied earth observations and remote sensing*, vol. 11, no. 4, pp. 1082–1094, 2018.
- [4] C. Zhang, M. Han, and M. Xu, "Multi-feature classification of hyperspectral image via probabilistic svm and guided filter," in *2018 International Joint Conference on Neural Networks (IJCNN)*, IEEE, 2018, pp. 1–7.
- [5] X. Cao, X. Wang, D. Wang, J. Zhao, and L. Jiao, "Spectral-spatial hyperspectral image classification using cascaded markov random fields," *IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing*, vol. 12, no. 12, pp. 4861–4872, 2019.
- [6] Y. Chen, H. Jiang, C. Li, X. Jia, and P. Ghamisi, "Deep feature extraction and classification of hyperspectral images based on convolutional neural networks," *IEEE transactions on geoscience and remote sensing*, vol. 54, no. 10, pp. 6232–6251, 2016.
- [7] W. Li, G. Wu, F. Zhang, and Q. Du, "Hyperspectral image classification using deep pixel-pair features," *IEEE Transactions on Geoscience and Remote Sensing*, vol. 55, no. 2, pp. 844–853, 2016.
- [8] S. K. Roy, G. Krishna, S. R. Dubey, and B. B. Chaudhuri, "Hybridsn: Exploring 3-d-2-d cnn feature hierarchy for hyperspectral image classification," *IEEE geoscience and remote sensing letters*, vol. 17, no. 2, pp. 277–281, 2019.
- [9] M. Ahmad, A. M. Khan, M. Mazzara, S. Distefano, M. Ali, and M. S. Sarfraz, "A fast and compact 3-d cnn for hyperspectral image classification," *IEEE Geoscience and Remote Sensing Letters*, vol. 19, pp. 1–5, 2020.
- [10] M. E. Paoletti, J. M. Haut, J. Plaza, and A. Plaza, "A new deep convolutional neural network for fast hyperspectral image classification," *ISPRS journal of photogrammetry and remote sensing*, vol. 145, pp. 120–147, 2018.
- [11] S. Li, X. Zhu, Y. Liu, and J. Bao, "Adaptive spatial-spectral feature learning for hyperspectral image classification," *IEEE access*, vol. 7, pp. 61 534–61 547, 2019.

- [12] J. Zhao, L. Hu, Y. Dong, L. Huang, S. Weng, and D. Zhang, "A combination method of stacked autoencoder and 3d deep residual network for hyperspectral image classification," *International Journal of Applied Earth Observation and Geoinformation*, vol. 102, p. 102459, 2021.
- [13] C. Shi and C.-M. Pun, "Multi-scale hierarchical recurrent neural networks for hyperspectral image classification," *Neurocomputing*, vol. 294, pp. 82–93, 2018.
- [14] L. Zhu, Y. Chen, P. Ghamisi, and J. A. Benediktsson, "Generative adversarial networks for hyperspectral image classification," *IEEE Transactions on Geoscience and Remote Sensing*, vol. 56, no. 9, pp. 5046–5063, 2018.
- [15] X. He, Y. Chen, and Z. Lin, "Spatial-spectral transformer for hyperspectral image classification," *Remote Sensing*, vol. 13, no. 3, p. 498, 2021.
- [16] P. Zhang, H. Yu, P. Li, and R. Wang, "Transhsi: A hybrid cnn-transformer method for disjoint sample-based hyperspectral image classification," *Remote Sensing*, vol. 15, no. 22, p. 5331, 2023.
- [17] L. Sun, G. Zhao, Y. Zheng, and Z. Wu, "Spectral-spatial feature tokenization transformer for hyperspectral image classification," *IEEE Transactions on Geoscience and Remote Sensing*, vol. 60, pp. 1–14, 2022.
- [18] Z. Shu, Y. Wang, and Z. Yu, "Dual attention transformer network for hyperspectral image classification," *Engineering Applications of Artificial Intelligence*, vol. 127, p. 107351, 2024.
- [19] A. Sellami, M. Farah, I. R. Farah, and B. Solaiman, "Hyperspectral imagery classification based on semi-supervised 3-d deep neural network and adaptive band selection," *Expert Systems with Applications*, vol. 129, pp. 246–259, 2019.
- [20] M. F. Baumgardner, L. L. Biehl, and D. A. Landgrebe, "220 band aviris hyperspectral image data set: June 12, 1992 indian pine test site 3," *Purdue University Research Repository*, 2015.
- [21] P. Dell'Acqua, P. Gamba, et al., "A comparison of svm and rbf neural networks for the classification of hyperspectral images," *IEEE Transactions on Geoscience and Remote Sensing*, 2005.
- [22] D. A. Landgrebe et al., *Salinas hyperspectral image dataset*, 1998.
- [23] F. Pedregosa et al., "Scikit-learn: Machine learning in python," *the Journal of machine Learning research*, vol. 12, pp. 2825–2830, 2011.
- [24] A. Dosovitskiy et al., "An image is worth 16x16 words: Transformers for image recognition at scale," in *International Conference on Learning Representations*, 2021.
- [25] I. Triguero, S. García, and F. Herrera, "Self-labeled techniques for semi-supervised learning: Taxonomy, software and empirical study," *Knowledge and Information Systems*, vol. 42, no. 2, pp. 245–284, 2015.
- [26] Y. Bengio, J. Louradour, R. Collobert, and J. Weston, "Curriculum learning," in *Proceedings of the 26th annual international conference on machine learning*, 2009, pp. 41–48.
- [27] G. Van Rossum and F. L. Drake Jr, *Python tutorial*. Centrum voor Wiskunde en Informatica Amsterdam, The Netherlands, 1995.

- [28] A. Paszke et al., “Pytorch: An imperative style, high-performance deep learning library,” in *Advances in Neural Information Processing Systems 32*, 2019, pp. 8024–8035.
- [29] M. Abadi et al., “Tensorflow: A system for large-scale machine learning,” in *12th USENIX symposium on operating systems design and implementation (OSDI 16)*, 2016, pp. 265–283.
- [30] Itseez, *Open source computer vision library*, <https://github.com/itseez/opencv>, 2015.
- [31] Microsoft, *Visual studio code*, <https://code.visualstudio.com/>, 2015.
- [32] L. Dabbish, C. Stuart, J. Tsay, and J. Herbsleb, “Social coding in github: Transparency and collaboration in an open software repository,” in *Proceedings of the ACM 2012 conference on computer supported cooperative work*, 2012, pp. 1277–1286.
- [33] E. Bisong, “Google colab,” in *Building Machine Learning and Deep Learning Models on Google Cloud Platform: A Comprehensive Guide for Beginners*, Springer, 2019, pp. 59–64.
- [34] B. McMahan, E. Moore, D. Ramage, S. Hampson, and B. A. y Arcas, “Communication-efficient learning of deep networks from decentralized data,” in *Artificial intelligence and statistics*, PMLR, 2017, pp. 1273–1282.

Curriculum Vitae

FIRST MEMBER

Name-Surname: TAN ERCİYAS

Birthdate and Place of Birth: 15.12.2003, Trabzon

E-mail: tan.erciyas@std.yildiz.edu.tr

Phone: 0505 353 60 58

Practical Training: Genarion Software Department

Baykar Web Software Department

Tüpraş Software Department

SECOND MEMBER

Name-Surname: KEREM BAYDAR

Birthdate and Place of Birth: 06.11.2004, Kocaeli

E-mail: kerem.baydar@std.yildiz.tr

Phone: 0544 735 41 00

Practical Training: Baykar OOP Software Department

IBTECH Dw & Data Insights Department

Genarion Software Department

Uzer Makina IT Department

Project System Informations

System and Software: Windows İşletim Sistemi, Python

Required RAM: 2GB

Required Disk: 256MB