

A very long title for my slides, which may span across two lines

Gianluca Baio

✉ g.baio@ucl.ac.uk

🌐 gianluca.statistica.it | 🌐 egon.stats.ucl.ac.uk/research/statistics-health-economics

🐙 github.com/giabaio | 🐙 github.com/StatisticsHealthEconomics

📧 @gianlubaio@mas.to | **in** [gianluca-baio](#)

16 July 2026

The name of the conference, Where it is

The name of the session

Disclaimer...



Home



Explore



Notifications



Messages



Lists



Bookmarks



Communities



Premium



Profile



More



Post



Manuela Joore
@ManuelaJoore

Best opening sentence [#ISPOREurope](#) from Gianluca Baio:
"statisticians should rule the world and Bayesian statisticians should rule all statisticians"



Gianluca Baio @gianlubaio · Nov 4, 2019

Ready for our session on open source models & methods!

4:52 PM · Nov 4, 2019



2



2



16



Post your reply

Reply



Ed Wilson @EdCFWilson · Nov 4, 2019

And economists should rule the Bayesian statisticians 🤔



1



1



3



Gianluca Baio @gianlubaio · Nov 4, 2019

Now don't get ahead of yourself... 😂😂



2



Search

Relevant people



Manuela Joore
@ManuelaJc Follows you

Following

Professor Health Technology
Assessment [#KEMTA](#)
[@maastrichtumc](#) [@maastrichtu](#)
[@CAPHRI_Um](#), [@healthinnovNL](#) &
[@NICEcomms](#)



Gianluca Baio
@gianlubaio

Dad to Kobi & Anna; Hubby to
[@martablangiardo](#). Also, prof of
Statistics & Health Economics [@ucl](#) &
HoD [@stats.UCL](#). Some time to spare.
mas.to/@gianlubaio

... Just so you know what you're about to get yourself into... 😏



Hello there 🖐️

This presentation will show you examples of what you can do with Quarto and **Reveal.js**, including:

- Presenting code and LaTeX equations
- Including computations in slide output
- Image, video, and iframe backgrounds
- Fancy transitions and animations
- Printing to PDF
 - Which is sometimes useful...

...and much more

Here's a new slide without a title.

No logo

Here's a slide with no logo – just add { .no-`logo` } to the title of the slide

Fun with colours & spaces

With a subtitle

This shows how to use colours in the slides. A bunch are pre-defined in the .css file and can be used simply as:

- The **predictive** distribution can be computed as follows.

More can be created by simply modifying the .css file to add more HEX codes.

- For example use

```
.uclblue  
color: #002855;
```

(though this colour is already defined)

Can add vertical space using fragments

```
::: style="margin-top: 40px"  
Can add vertical space using `fragments`
```

Some maths

We can also include maths, using standard LaTeX:

$$p(y \mid \mathcal{D}) = \int p(y \mid \boldsymbol{\theta})p(\boldsymbol{\theta} \mid \mathcal{D})d\boldsymbol{\theta}$$

To use colours with LaTeX, needs a little hack: `\class{color}{expression}`

You can define a probabilistic assumption as

$$y \mid \boldsymbol{\theta} \sim \text{Poisson}(\boldsymbol{\theta})$$

but in line it would look like this $y \sim \text{Normal}(\mu, \sigma^2)$

These use the predefined LaTeX macros, saved in the file `latex_macros.html`. More can be (re)defined by simply adding to the file, which gets pre-loaded at the beginning of the resulting `.html` output; example: `\DIC=2345` is typeset as $\text{DIC} = 2345$.

For instance, the command `\dnorm` translates to the text Normal (typeset in the current font). But can also use `\txt{Some text}`, which gets rendered as Some text

Pretty Code

(Slide 1)

- Over 20 syntax highlighting themes available
- Default theme optimized for accessibility

```
# Define a server for the Shiny app
function(input, output)

# Fill in the spot we created for a plot
output$phonePlot <- renderPlot(
# Render a barplot
)
```

Learn more: [Syntax Highlighting](#)

Code Animations

(Slide 2)

- Over 20 syntax highlighting themes available
- Default theme optimized for accessibility

```
# Define a server for the Shiny app
function(input, output)

# Fill in the spot we created for a plot
output$phonePlot <- renderPlot(
# Render a barplot
barplot(WorldPhones[,input$region]*1000,
main=input$region,
ylab="Number of Telephones",
xlab="Year")
)
```

Learn more: [Code Animations](#)


Text formatting

Blockquote

More quoted text

A base plot

```
plot(rnorm(1000),rnorm(1000),xlab="x",ylab="y")
```



A section

A section

Using the tag `{.divider}` makes for some nicer css formatting (especially under `ucl-revealjs`)

And another

And another

Using the tag `{.divider-bg}` gives a background in line with the UCL 2026 template

The slide looks nicer without the footer. This can be done either by adding `:::`

```
{.footer style="background-color: transparent!important; background: transparent!important"}
```

`:::`

to the end of the slide, to ensure that the footer doesn't interfere with the colours...

More simply, can explicitly use the tag `{.divider-bg footer="false"}`

Section title slide

Section title slide

Setting the background colour to a dark colour automatically changes the colour of the text to make it visible over a dark background!

© Gianluca Baio (UCL) |      | A short title | A shorter title of the conference | 16 Jul 2026

Make all the text smaller

All the text on this slide is smaller. Not entirely sure what the use case is! Maybe long quotes?

“Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo consequat. Duis aute irure dolor in reprehenderit in voluptate velit esse cillum dolore eu fugiat nulla pariatur. Excepteur sint occaecat cupidatat non proident, sunt in culpa qui officia deserunt mollit anim id est laborum.”

Column Layout

Arrange content into columns of varying widths:

Motor Trend Car Road Tests

The data was extracted from the 1974 Motor Trend US magazine, and comprises fuel consumption and 10 aspects of automobile design and performance for 32 automobiles.

	mpg	cyl	disp	hp	wt
Mazda RX4	21.0	6	160	110	2.620
Mazda RX4 Wag	21.0	6	160	110	2.875
Datsun 710	22.8	4	108	93	2.320
Hornet 4 Drive	21.4	6	258	110	3.215
Hornet Sportabout	18.7	8	360	175	3.440
Valiant	18.1	6	225	105	3.460

Learn more: [Multiple Columns](#)

Incremental Lists

Lists can optionally be displayed incrementally:

1. First item

Incremental Lists

Lists can optionally be displayed incrementally:

1. First item
2. Second item

Incremental Lists

Lists can optionally be displayed incrementally:

1. First item
2. Second item
3. Third item

Incremental Lists

Lists can optionally be displayed incrementally:

1. First item
2. Second item
3. Third item

Incremental Lists

Lists can optionally be displayed incrementally:

1. First item
2. Second item
3. Third item

Insert pauses to make other types of content display incrementally.

Learn more: [Incremental Lists](#)

Fragments

Incremental text display and animation with fragments:

Extra fragment styling / nesting / ordering options

Fade in

Fragments

Incremental text display and animation with fragments:

Extra fragment styling / nesting / ordering options

Fade in

Slide up while fading in

Fragments

Incremental text display and animation with fragments:

Extra fragment styling / nesting / ordering options

Fade in

Slide up while fading in

Slide left while fading in

Fragments

Incremental text display and animation with fragments:

Extra fragment styling / nesting / ordering options

Fade in

Slide up while fading in

Slide left while fading in

Fade in then semi out

Fragments

Incremental text display and animation with fragments:

Extra fragment styling / nesting / ordering options

Fade in

Slide up while fading in

Slide left while fading in

Fade in then semi out

Fragments

Incremental text display and animation with fragments:

Extra fragment styling / nesting / ordering options

Fade in

Slide up while fading in

Slide left while fading in

Fade in then semi out

Strike

Fragments

Incremental text display and animation with fragments:

Extra fragment styling / nesting / ordering options

Fade in

Slide up while fading in

Slide left while fading in

Fade in then semi out

Strike

Highlight red (but green and blue are also built-in)

Fragments

Incremental text display and animation with fragments:

Extra fragment styling / nesting / ordering options

Fade in

Slide up while fading in

Slide left while fading in

Fade in then semi out

Strike

Highlight red (but green and blue are also built-in)

Fragments

Incremental text display and animation with fragments:

Extra fragment styling / nesting / ordering options

Fade in

Slide up while fading in

Slide left while fading in

Fade in then semi out

Strike

Highlight red (but green and blue are also built-in)

Highlight custom colour (defined in scss file or can be added on the fly)

```
```css
#| echo: false
.reveal .slides section .fragment.highlight-itarred
```

# Slide Backgrounds

Set the background attribute on a slide to change the background color (all CSS color formats are supported).

Different background transitions are available via the background-transition option.

Learn more: [Slide Backgrounds](#)

# Media Backgrounds

You can also use the following as a slide background:

- An image: background-image
- A video: background-video
- An iframe: background-iframe

Learn more: [Media Backgrounds](#)

# Media Backgrounds with brand colour

You can also use the following as a slide background:

- An image: background-image
- A video: background-video
- An iframe: background-iframe

Learn more: [Media Backgrounds](#)

# Auto-Animate

Auto-animate tries to automatically find the bits to match across slides. To override, see:

<https://quarto.org/docs/presentations/revealjs/advanced.html#element-matching>

Automatically animate matching elements across slides with Auto-Animate.

Learn more: [Auto-Animate](#)

# Auto-Animate

Automatically animate matching elements across slides with Auto-Animate.

Learn more: [Auto-Animate](#)

# Slide Transitions

The next few slides will transition using the `slide` transition

Transition	Description
<code>none</code>	No transition (default, switch instantly)
<code>fade</code>	Cross fade
<code>slide</code>	Slide horizontally
<code>convex</code>	Slide at a convex angle
<code>concave</code>	Slide at a concave angle
<code>zoom</code>	Scale the incoming slide so it grows in from the center of the screen.

Learn more: [Slide Transitions](#)

## A long, scrollable table


Using fragments...

	mpg	cyl	disp	hp	drat	wt	qsec	vs	am	gear	carb
Mazda RX4	21.0	6	160.0	110	3.90	2.620	16.46	0	1	4	4
Mazda RX4	21.0	6	160.0	110	3.90	2.875	17.02	0	1	4	4
Wag											
Datsun 710	22.8	4	108.0	93	3.85	2.320	18.61	1	1	4	1
Hornet 4 Drive	21.4	6	258.0	110	3.08	3.215	19.44	1	0	3	1
Hornet	18.7	8	360.0	175	3.15	3.440	17.02	0	0	3	2
Sportabout											
Valiant	18.1	6	225.0	105	2.76	3.460	20.22	1	0	3	1
Duster 360	14.3	8	360.0	245	3.21	3.570	15.84	0	0	3	4
Merc 240D	24.4	4	146.7	62	3.69	3.190	20.00	1	0	4	2
Merc 230	22.8	4	140.8	95	3.92	3.150	22.90	1	0	4	2



# Tabsets

## Plot



## Data

# Interactive Slides

Include Jupyter widgets and htmlwidgets in your presentations

Learn more: [Jupyter widgets](#), [htmlwidgets](#)

# Preview Links

Navigate to hyperlinks without disrupting the flow of your presentation.

Use the preview-links option to open links in an iframe on top of your slides. Try clicking the link below for a demonstration:

[Matplotlib: Visualization with Python](#)

Learn more: [Preview Links](#)