

A very long title for my slides, which may span across two lines

Your Name

✉ n.surname@ucl.ac.uk

🌐 <https://yourwebsite.com>

🐙 <https://github.com/you>

🐦 [@yourmastodon@mas.to](https://mastodon@mas.to) | **in** name-surname

20 July 2026

The full name of the conference, Where it is

The name of the session

First Slide Title

The footer below now displays text-only metadata flawlessly.

Hello there 🖐️

- Presenting code and LaTeX equations
- Images

...and much more

No logo

Here's a slide with no logo – the footline macro safely cleans this frame.

Some maths

We can also include maths, using standard $\text{\LaTeX}$:

$$p(y \mid \mathcal{D}) = \int p(y \mid \boldsymbol{\theta})p(\boldsymbol{\theta} \mid \mathcal{D})d\boldsymbol{\theta}$$

To use colours with $\text{\LaTeX}$, you can utilize the custom theme wrapper:

$\text{\texttt{\$class{color}{expression}}}$

You can define a probabilistic assumption as

$$y \mid \boldsymbol{\theta} \sim \text{Poisson}(\boldsymbol{\theta})$$

but in line it would look like this $y \sim \text{Normal}(\mu, \sigma^2)$.

Example Section Di- vider

After Section Frame

This slide appears directly after a section break layout has rendered automatically.

A section

Using the tag `\uclDividerFrameStart` makes for some nicer formatting (must be turned off before the end of the frame with `\uclDividerFrameEnd`).

Column Layout

Arrange content into columns of varying widths:

Motor Trend Car Road Tests

The data was extracted from the 1974 Motor Trend US magazine, and comprises fuel consumption and 10 aspects of automobile design and performance for 32 automobiles.

	mpg	cyl	disp	hp	wt
Mazda RX4	21.0	6	160	110	2.620
Mazda RX4 Wag	21.0	6	160	110	2.875
Datsun 710	22.8	4	108	93	2.320
Hornet 4 Drive	21.4	6	258	110	3.215
Hornet Sportabout	18.7	8	360	175	3.440
Valiant	18.1	6	225	105	3.460

Learn more: [Multiple Columns](#)