


SQL Practice Exercises

Given the following E/R diagram, please answer the following questions



1. Show a list of customers and the orders they generated during 2014. Display customer ID, order ID, order date as date ordered.

```

SELECT CompanyName, OrderID, RequiredDate as 'order date', OrderDate as 'date ordered'
FROM tblcustomers
    JOIN tblOrders
        ON tblOrders.CustomerID = tblCustomers.CustomerID
WHERE Year(OrderDate) = 2014
  
```

2. Using the ALTER TABLE statement, add a new field (Active) in the tblcustomer. Default it to True.

```

ALTER TABLE tblCustomers
ADD Active bit DEFAULT ('True')
  
```

3. Show all orders purchased before September 1, 2012. Display company name, date ordered and total amount of order (include freight).



```
SELECT tblOrders.OrderID, OrderDate as 'Date Ordered', sum(unitprice*quantity*(1-
discount))+ freight as 'Total Cost'
FROM tblOrderDetails
JOIN tblOrders
ON tblOrders.orderID = tblOrderDetails.OrderID
WHERE OrderDate < 'September 1, 2012'
GROUP BY tblOrders.OrderID, freight, OrderDate
```

4. Show all orders that have been shipped via Federal Shipping. Display OrderID, ShipName, ShipAddress and CustomerID.

```
SELECT OrderID, ShipName, ShipAddress, CustomerID
FROM tblOrders
    JOIN tblShippers
    ON tblOrders.ShipVia = tblShippers.ShipperID
WHERE CompanyName= 'Federal Shipping'
```

5. Show all customers who have not made purchases in 2011.

```
SELECT CompanyName
FROM tblCustomers
WHERE CustomerID not in
    ( SELECT CustomerID
      FROM tblOrders
      WHERE Year(OrderDate) = 2011 )
```

6. Show all products that have never been ordered.

```
SELECT ProductID from tblProducts
Except
SELECT ProductID from tblOrderDetails
```



7. Show OrderIDs for customers who reside in London. Use a subquery. Display CustomerID, CustomerName and OrderID.

```
SELECT Customers.CompanyName,Customers.CustomerID,OrderID
FROM Orders
    LEFT JOIN Customers
        ON Orders.CustomerID = Customers.CustomerID
WHERE Customers.CompanyName IN
(SELECT CompanyName
FROM Customers
WHERE City = 'London')
```

8. Show products supplied by Supplier A and Supplier B. Display product name and supplier name.

```
SELECT ProductName, Name
FROM tblProducts
    JOIN tblSupplier
        on tblProducts.SupplierID = tblSupplier.SupplierID
WHERE Name Like 'Supplier A' or Name Like 'Supplier B'
```

9. Show all products that come in boxes. Display product name and QuantityPerUnit.

```
SELECT EnglishName, ProductName, QuantityPerUnit
FROM tblProducts
WHERE QuantityPerUnit like '%box%'
ORDER BY EnglishName
```