


DEVELOPER NOTES


- **The new system is rewritten using MERN Stack**, the database (MongoDB) is deployed online. To access this account, use this google account at <https://cloud.mongodb.com/>
 1. **Gmail:** cosmeticproductstradingpcm@gmail.com
 2. **Password:** pcm_admin_2025
- **Github account is also already set up with the same email and password.** This github account has a repository that has the system. This is done to make transferring of the system to multiple Computers easier. It can be accessed at the account's organization (PCM Cosmetic Products Trading).
- The system uses third-party npm packages and should be studied in addition to MERN Stack. The following are the npm packages:
 - axios
 - cors
 - express-validator
 - http-status-codes
 - mongoose
 - tailwindcss
 - vite
- Feel free to email at "nathanielzearthcaragao@gmail.com" if you need direct inquiries from one of the system's developer.

HOW TO SETUP THE SYSTEM AT THE USER'S COMPUTER:


- Install Node.js first if it isn't installed yet, run command prompt and type "node --version" if there is a version number showing, then node is installed. If there are error messages shown, download node.js. Download it at: <https://nodejs.org/en/download>
 - Download the .msi and follow its installation process.




- Next, install Github Desktop and finish its setup (download at: <https://desktop.github.com/download/>). Once done, login the Github account from above.
- Once logged in, click "Add"




- Then click “Clone Repository”




- Find the system’s repository



- Change the Local Path to: “C:\SoftwareSystem”. Create the SoftwareSystem folder if you have to.



- Click “Clone”



- Wait for it to finish. Once it is finished cloning, open “startup.bat” using code editor, and make sure the Directory code line (the line of code in red underline) inside the file is this:
 - **`cd /d "C:\SoftwareSystem\PCM_QUOTATION"`**


The screenshot shows a Windows File Explorer window on the left with the 'PCM_QUOTATION' folder selected. The main window displays the contents of the 'Launch Quotation System.bat' file. The script is a batch file that sets the directory to 'C:\SoftwareSystem\PCM_QUOTATION', sets PowerShell execution policy to 'RemoteSigned', runs 'npm start', opens a browser at 'http://localhost:5173', and pauses the execution.

```

1 @echo off
2 REM Change to your desired directory path
3 cd /d "C:\SoftwareSystem\PCM_QUOTATION"
4
5 REM Set PowerShell execution policy and run npm commands
6 powershell -Command "Set-ExecutionPolicy RemoteSigned -Scope CurrentUser"
7
8 REM Run npm start
9 echo Starting the application...
10 start /B cmd /c "npm run start"
11
12 REM Wait a bit longer for the server to start (15 seconds instead of 5)
13 echo Waiting for server to start...
14 timeout /t 15
15
16 REM Try to open the browser
17 echo Opening browser...
18 start "" "http://localhost:5173"
19
20 REM Pause to keep the window open
21 echo If the browser didn't open, try visiting http://localhost:5173 manually
22 pause

```

- If everything is done and finished, the system should launch properly. Run the “startup.bat” and the browser should open and look like this:



- IF ERROR HAS OCCURED AND IT ISN'T LOOKING LIKE THIS, FEEL FREE TO CONTACT ME AT GMAIL: nathanielzearthcaragao@gmail.com