

Edward Agent Stack

Agent-native setup for interns: Codex drives, Edward escalates, project decisions get written down.

1

paste block into Codex

4

install scripts

3

context buckets

0

real secrets committed

This repo is not Edward's private memory dump. It is the public-safe operating system: stable Edward Rules, per-project notes, dated decisions, and install scripts for the tools interns need.

Paste This Into Codex

Install Edward's agent stack on this fresh MacBook. Clone <https://github.com/giaphutran12/edward-agent-stack> to `~/edward-agent-stack`, read `AGENTS.md`, then run `./scripts/bootstrap-macos.sh`, `./scripts/install.sh`, `./scripts/verify.sh`, and `./scripts/auth-doctor.sh`. Use `/caveman ultra`. Do not inspect or print local real env/secret files. If a tool needs login, API key, license acceptance, or GUI first-run, stop and tell me exactly what is missing.

Default Tools

Codex Caveman codex-gstack MemPalace
Repowise Nia Supabase Vercel Claude GitHub
ripgrep tmux Docker Python/uv Bun/Node jq

Not Default

- Bitwarden: not default; does not stop raw key copying.
- Notion, TinyFish, OMX, Kiro, mlx_whisper.
- New databases/vector stores unless Edward approves.

Daily Start

- Load `/caveman ultra`.
- Load `$edward-rules`.
- Read project `PROJECT.md` and recent decisions.
- Read `AGENTS.local.md` if present.

Escalate Only With Context

- Question, context, what Codex said.
- Options, tradeoffs, risk, what was tested.
- Recommendation. Short. No chaos dump.

Secret Model

Use per-user accounts, staging-only or low-quota keys, local ignored env files, logs, revocation, and scheduled rotation. Password managers solve distribution hygiene; they do not solve insider key abuse.