BEGINNER HOME WORKOUT PLAN

The 4-Week Bodyweight Foundation & Recovery Guide



J.C. STORGANAU

THE BEGINNER'S 4-WEEK BODYWEIGHT FOUNDATION & RECOVERY GUIDE

1 Introduction: Overcoming the First Hurdle

Starting a fitness journey often triggers "gymtimidation"—that paralyzing fear that you don't belong or will perform movements incorrectly. As a Physical Therapist, I assure you that the most effective strategy for long-term health is prioritizing **consistency over intensity**.

> **Your primary objective for the first two weeks is simply to "show up" and establish the habit. Establishing a neurological routine is far more valuable than peak intensity during these early stages.**

The Physical and Mental Edge

Bodyweight training offers more than just physical toning. Compound movements—specifically the squat—have a profound link to improved mental health. By recruiting large muscle groups like the glutes and quadriceps, you demand a significant response from your Central Nervous System (CNS). This high-level neuromuscular recruitment facilitates the regulation of stress hormones and promotes a more resilient mental state. Additionally, these movements build functional mobility and metabolic health without the joint-taxing impact of heavy external loads.

2 Safety First: The Rules of Engagement

Before you begin, we must establish your **Functional Baseline**. Per orthopedic guidelines, you should have normal function for daily activities—such as doing the dishes or walking a flight of stairs without pain—before you start a formal exercise routine.

The Rule of Modification

For those with joint concerns or arthritis, follow the **Arthritis Foundation protocol**: stay within your current abilities by using a smaller range of motion. If a full squat causes discomfort, perform a half-squat. Use external support, such as a sturdy chair or countertop, to assist with balance and reduce joint loading.

Pain vs. Soreness: An Orthopedic Guide

Normal Discomfort	Mild muscle "burn" or soreness that peaks 24–48 hours after exercise (DOMS).
Warning Signs	Sharp "twinges" during movement or persistent pain that lasts longer than 48 hours indicate you have pushed too hard.
The Hero Rule	Rehab and foundational training are not the time to "be a hero." If you experience sharp pain, **stop immediately** and dial back the intensity for your next session.

5 Do's and Don'ts for Safe Progression

1	DO	Ensure you are pain-free in daily life before loading joints.
2	DON'T	Rush back; if an injury kept you out for one week, take two weeks to return to your baseline.
3	DO	Check in with a doctor for a professional game plan if you have a persistent, pre-existing injury.
4	DON'T	Ignore your body's feedback; if form slips, the set is over.
5	DO	Prioritize quality of movement over total volume.

3 The Science of Progress: Progressive Overload

Progressive overload is the gradual increase of stress placed upon the body during exercise. In a home setting, you don't need heavier plates; you manipulate these six variables:

Volume	Increasing the number of repetitions or total sets.
Tempo	Manipulating the speed of the movement. Use a **3-second lowering phase (eccentric)** followed by a **2-second pause** at the bottom to maximize time under tension.
Rest Periods	Shortening the duration of your breaks to increase metabolic demand.
Range of Motion (ROM)	Moving through a fuller arc (e.g., moving from a half-squat to a deep squat).
Stability	Reducing your base of support (e.g., moving from a standard squat to a staggered stance).
Leverage	Changing body angles to increase the load. Per the NOSSK principle, this includes shifting weight to one side or changing the Torso-to-floor angle (e.g., moving from a wall push-up to a decline push-up with feet on a sofa).

4 Phase 1: The 4-Week Progressive Protocol

This protocol is designed to build a base of stamina and form before introducing higher-intensity leverage shifts.

DAY	ACTIVITY	FOCUS
Day 1	**Full-Body Strength**	Form & Movement Mastery
Day 2	Low-Intensity Cardio	Active Recovery (Walking/Swimming)
Day 3	**Full-Body Strength**	Form & Movement Mastery
Day 4	Low-Intensity Cardio	Active Recovery (Walking/Mobility)
Day 5	**Full-Body Strength**	Form & Movement Mastery
Day 6	Rest or Active Recovery	Light Stretching/Joint Health
Day 7	Rest or Active Recovery	Complete Muscle Repair

Phase Progression Instructions

WEEKS 1–2

Foundation

Focus on mastering form and establishing the habit.

SETS	REPS	REST
2–3	10–12	60–90s

WEEKS 3–4

Stamina

Introduce **progressive overload** by increasing resistance via leverage (e.g., elevating feet for push-ups or moving to a lower anchor for rows) or decreasing rest to 45 seconds.

SETS	REPS
3	8–10 (strength)

5 Preparation and Recovery: Warm-Up & Cooldown

The Dynamic Warm-Up (5–10 Minutes)

The goal is to increase blood circulation, stimulate the nervous system, and improve joint mobility.

> **Commandment:** You must **not** perform static stretching before the workout. Research indicates it can increase injury risk and decrease muscle power when done prior to activity.

Routine (perform 10–20 repetitions of each):

High Knees
Bring knees toward chest while maintaining a tall posture.

Hip Circles
Stand on one leg (use support) and swing the other in a circular motion.

Arm Swings
Swing arms in unison horizontally across the chest.

Leg Swings
Front-to-back and side-to-side swings while keeping the torso upright.

The Static Cooldown (5–10 Minutes)

Cooling down aids in lowering your heart rate and relaxing tight muscles. Hold each stretch for **15–30 seconds**; repeat 3 times per side.

Calf Stretch
Heel on ground, toes forward, leaning against a wall.


Quad Stretch
Stand and pull your heel toward your glute; keep thighs parallel.

Hamstring Stretch
Place heel on a low step, hinge at the hips with a straight back (ribs down).

6 Exercise Glossary: Step-by-Step Execution


The Lunge

PT CUE	COMMON FAULT	SCALING
Stand tall and step forward until both knees are at a 90-degree angle. Keep the front foot flat and weight on the heel.	Leaning the torso too far forward or allowing the front heel to lift.	***Regression:*** Use a wall for balance. ***Progression:*** Add a torso twist or overhead reach.




The Push-Up

PT CUE	COMMON FAULT	SCALING
Start in a straight-arm plank. Squeeze glutes to keep the body in a straight line. Lower until elbows reach the “8 and 4” clock position (not flared).	Sagging the hips or letting elbows flare out laterally.	***Regression:*** Perform against a wall or sofa (incline). ***Progression:*** Elevated feet (decline) or Archer Push-ups.



Bodyweight Squat

PT CUE	COMMON FAULT	SCALING
Chest up, feet hip-width apart. Sit back as if into a chair, keeping weight on heels.	Knees caving inward or weight shifting to the toes.	***Regression:*** Squat to a chair. ***Progression:*** Increase tempo to 4 seconds down.



Towel/Bedsheet Rows

PT CUE

Loop a towel around a sturdy post or door. **Twirl the towels** into a rope-like shape for a better grip and tie a large **knot** at the end to secure over the door.

SAFETY GUIDE

Always work from the side where the door closes **toward** the frame (the side it latches onto) so the frame supports your weight.

SCALING


Regression: Stand more upright.

Progression: Increase the angle of lean or use a 2-second pause at the top.



Good Mornings

PT CUE	COMMON FAULT	SCALING
Hinge at the hips with a soft bend in the knees. **Brace your core** and keep your **ribs down** to prevent back rounding. Eyes should gaze 6–8 feet in front of you.	Rounding the spine or turning the movement into a squat.	***Regression:*** Hands on hips to feel the hinge. ***Progression:*** 3-second lowering tempo.



Warrior III Pose

PT CUE

Lift one leg while hinging the torso forward. **Keep your stable knee locked out** and engage your core to prevent torso rotation.


COMMON FAULT

Allowing the standing knee to collapse or “soften” too much, losing stability.

SCALING

Regression: Use a wall for balance.

Progression: Increase hold time.



7 Active Recovery and Lifestyle Support

What you do on “off” days determines your results.


> **The “Why” of Active Recovery:** Low-intensity movement (walking, mobility work) clears metabolic waste and improves blood flow to repair muscle tissue without further breakdown.

The Three Pillars of Success

1
Prioritize Sleep
7–9 hours. Deep sleep is when growth hormones are released for muscle repair.

2
Hydrate
Water is essential for joint lubrication and preventing muscle fatigue.

3
Protein Intake
Consume **0.7–1g of protein per pound of body weight** to support the “rebuilding” phase of progressive overload.



8 Tracking Progress: The Data-Driven Athlete

Subjective data is just as important as reps. Use the **Rate of Perceived Exertion (RPE)** scale from 1 (very light) to 10 (maximum effort). Aim for an RPE of **7–8** during strength sets.



Very light — Target zone

Training Log Template

Date	Session Type	Exercise	Sets x Reps	Load/Leverage	RPE (1-10)	Recovery Notes

9 Looking Ahead: Phase 2 and Beyond

Once you can perform 15–20 repetitions of these movements with perfect form, you have graduated from the foundation.

ADVANCED VARIATIONS

Transition toward **Archer Push-ups** or **Pistol Squats** (single-leg).

THE HYBRID APPROACH

Introduce external resistance by wearing a backpack filled with books or using resistance bands.

The journey beyond Week 4 is about refining these movement patterns and continuing to challenge the body's ability to adapt. Stay consistent, stay safe, and keep moving.