
MINDFULNESS & HABIT RESET

A JOURNEY TO CONSCIOUS LIVING & WELL-BEING



J.C. STORGANAU

A 21-DAY WORKBOOK

Contents

Work through the chapters in order, or dip into the support chapters when you need them. Look for the navy **Try it** boxes: that is where the workbook becomes yours.

Part One · Foundations 3

1. Welcome: This Is Your Reset . . . 4
2. How This 21-Day Workbook Works . . . 5
3. The Science of Habits . . . 6
4. Mindfulness: The Skill That Changes Everything . . . 7
5. Why Willpower Fails (and Systems Win) . . . 9
6. Dopamine, Distraction & “Detox” . . . 10

Part Two · Your 21-Day Experiment 11

7. Designing Your 21-Day Experiment . . . 12
8. Habit Audit: Where You Are Starting From . . . 13
9. Day 1–7: Noticing Your Loops . . . 14
10. Day 8–14: Rewriting the Routine . . . 15
11. Day 15–21: Locking In Your Identity . . . 17

Part Three · Support Systems 19

12. Fuel, Sleep & Movement for Better Habits . . . 20
13. Using Whey Protein (and Other Nutrition Basics) . . . 21
14. Productivity Systems That Support Your New Habits . . . 23
15. Emotional Resistance, Shame & Self-Talk . . . 24
16. When You Slip: How to Reset Without Shame . . . 25
17. ADHD, Anxiety & “Different” Brains . . . 26
18. Building Support: Friends, Community & the Internet . . . 27

Part Four · Beyond & Tools 28

19. Life After 21 Days: Turning a Reset Into a Lifestyle . . . 29
20. Quick Reference: Prompts & Templates . . . 30
21. 21-Day Habit Tracker . . . 33
22. Sources & Important Notes . . . 34

PART ONE

Foundations

Understand how habits work, why willpower is the wrong tool, and how mindfulness gives you a moment of choice.

— Welcome: This Is Your Reset
— How This 21-Day Workbook Works
— The Science of Habits
— Mindfulness: The Skill That Changes Everything
— Why Willpower Fails (and Systems Win)
— Dopamine, Distraction & “Detox”

1

CHAPTER 1

Welcome: This Is Your Reset

Most of us don't need more information. We need a slower, more honest way to see what is actually driving our days.

There is a specific kind of modern stuckness that many people recognise at once. You scroll longer than you mean to, put off the things that matter, and end the day feeling mentally full but emotionally undernourished.

That pattern is **not a personal failure**. It is what often happens when stress, distraction, low energy and automatic habits start feeding each other.

This workbook is designed to interrupt that cycle. It combines mindfulness, habit science and practical behaviour design with a realistic daily structure, so you can stop living on autopilot and build routines that feel calmer, healthier and more intentional.

KEY IDEA

A reset is not intensity. It is **clarity**. Once you can see what is driving your days, change becomes practical instead of overwhelming.

SCIENCE NOTE

A 21-day reset is not a promise of total transformation in three weeks. In a well-known study of habit formation (Lally et al.), it took people a median of about **66 days** for a new behaviour to feel automatic, with a huge range from 18 to 254 days. Twenty-one days *is* long enough to notice patterns, reduce friction, build momentum and start proving a new identity through action.

What you'll need

- This workbook, printed or on screen.
- A pen, or a notes app you will actually open.
- **5–10 minutes a day**, ideally at roughly the same time.
- A willingness to be curious rather than critical.

TRY IT · WHY NOW?

What feels most stuck right now? _____


What would feel different if this reset worked? _____

My motivation today (1–10): _____

CHAPTER 2

How This 21-Day Workbook Works

Each section moves quickly from understanding to action, so you can apply an idea today rather than simply agree with it.



The reset unfolds in three one-week phases.

DAYS 1–7

Awareness

Notice your current loops, triggers, emotional patterns and routines. Observe; don't fix yet.

DAYS 8–14

Redesign

Swap default reactions for more useful responses and make your environment easier to work with.

DAYS 15–21

Identity

Strengthen consistency by linking daily actions to the person you want to become.

Your daily ten minutes

When	Time	What to do
Morning	2 min	Choose today's habit and its **smallest version**. Glance at your plan.
During the day	1 min	When you notice an urge, climb the mindfulness ladder (Chapter 4).
Evening	5 min	Answer the daily prompts, then tick your tracker (Chapter 21).

REMEMBER


Approach the next 21 days as an **experiment, not a test**. An experiment produces information; a test produces pass-or-fail thinking. The first builds curiosity. The second usually builds shame. People change more reliably when they feel capable, not pressured.

CHAPTER 3

The Science of Habits

Habits are energy-saving programs. Once you can see the loop, you can start to change it.

When a behaviour repeats often enough in a similar context, your brain learns to run it with less conscious effort. That is useful for brushing your teeth, and unhelpful when the automatic pattern is no longer serving you.



The habit loop: a cue triggers a craving, which drives a response, which delivers a reward.

- **Cue** — what starts the pattern (a time, place, feeling or event).
- **Craving** — what your mind or body wants (relief, stimulation, comfort).
- **Response** — the action you take.
- **Reward** — the relief, stimulation or satisfaction that reinforces the loop.

Example: the cue is feeling flat at 3 p.m. The craving is for stimulation or escape. The response is scrolling, snacking or caffeine. The reward is a short burst of relief. Repeat that often enough and your brain learns the route.

Why better habits feel awkward

New routines aren't efficient yet. They take more attention, more friction management and more emotional patience. Your brain can change at any age, but new pathways strengthen through **repetition in a stable context**. If a habit still feels effortful after a week or two, that is normal, not failure. Early on, the work is mostly remembering to interrupt the old path often enough for the new one to have a chance.

TRY IT · MAP ONE OF YOUR LOOPS

Cue: what happened just before? _____

Craving: what did I want? _____

Response: what did I do? _____

Reward: what did I get? _____

CHAPTER 4


Mindfulness: The Skill That Changes Everything

Mindfulness does not ask you to be calm all the time. It asks you to become aware slightly earlier.

Mindfulness is often described in vague or overly spiritual language, but in practice it is simple: **noticing what is happening right now without being immediately dragged along by it.**

That matters because habit change lives inside very small moments. The crucial shift is rarely dramatic. It is noticing: "I feel restless," "I want relief," or "I'm about to reach for my phone." That pause creates choice, and earlier awareness is often enough to weaken the old pattern.

> **SCIENCE NOTE**
> Mindfulness-based cognitive therapy (MBCT) has the strongest evidence for helping people with recurrent depression stay well by stepping back from spiralling thoughts. We borrow the same core skill, observing a thought or urge without obeying it, for everyday habits. This workbook is not therapy.



The mindfulness ladder: four small steps between an urge and a choice.

The mindfulness ladder

1. **Notice the body.** Where do you feel it: tight chest, restless hands, heavy eyes?
2. **Name the feeling.** "I'm feeling bored… anxious… flat."
3. **Notice the urge.** "I want to reach for my phone." An urge is a sensation, not a command.
4. **Choose the next small action.** Stand up, take three slow breaths, then decide.

A 60-second pause

- **Feet down.** Feel your feet on the floor and your weight in the chair.
- **Three slow breaths.** Longer out-breaths than in-breaths.
- **Label it.** Silently say “urge” or “restless” before you decide what to do.

> **REMEMBER**
> You are not trying to *stop* thoughts or urges. They rise and pass like waves. Your only job is to notice one, and then choose.

TRY IT · CLIMB THE LADDER ONCE, RIGHT NOW

1. What do I notice in my body?

2. What feeling can I name?

3. What urge is here?

4. What is my next small action?

CHAPTER 5

Why Willpower Fails (and Systems Win)

Stop asking "How can I be more disciplined?" and start asking "How can I make this easier to do?"

One of the most damaging myths in self-improvement is that lasting change comes mainly from trying harder. In reality, motivation rises and falls. **Environment, structure and identity** are far more dependable.

People tend to do what is easiest, most visible or most emotionally rewarding in the moment. That isn't weakness; it is normal human behaviour. Good systems make the actions you want more obvious and reduce your exposure to the cues that trigger the ones you don't.

Make the good habit easier	Make the unwanted habit harder
Walking shoes already by the door	Phone charges outside the bedroom
Journal open on the desk	Social apps locked after 9 p.m.
Protein-based breakfast prepared the night before	App blocker that adds one extra step before opening distracting apps
Bedtime alarm set to repeat automatically	Distracting apps off the home screen

Systems also reduce emotional negotiation. If the shoes are by the door and the apps are locked, fewer decisions are left to tired moments. It is often the difference between admiring a better life and actually participating in one.

> KEY IDEA
>
> **The one-step rule:** remove one step from the habit you want, and add one step to the habit you don't. Even twenty seconds of friction changes what most people do.

TRY IT · YOUR FRICTION AUDIT

One thing I'll make easier: _____

One thing I'll make harder: _____

I'll set this up by (when): _____

CHAPTER 6

Dopamine, Distraction & "Detox"

"Dopamine detox" sounds scientific. It isn't, but the instinct behind it is worth keeping.



A cluttered, notification-heavy phone (left) versus a deliberately simplified one (right).

Dopamine is not a poison, and you can't cleanse it from your brain. It is a messenger involved in motivation, learning and anticipating reward, not simply a "pleasure chemical."

What *does* make sense is reducing unnecessary overstimulation. Constant app-switching, notifications and novelty-heavy media can train attention toward shallow, reactive behaviour. The mechanism is **behavioural, not magical**: the goal is to stop flooding your day with low-quality stimulation so ordinary activities become easier to engage with again.

> **SCIENCE NOTE**
> Studies on cutting back social media or notifications show mixed but sometimes positive effects on mood and focus. Treat any boundary as something to test on yourself.

Dopamine-aware strategies

- No phone for the first 30–60 minutes after waking.
- App blockers during work or wind-down hours.
- Grayscale mode, or distracting apps off the home screen.
- Swap passive scrolling for walking, reading, conversation, journaling or gentle creative work.

> **REMEMBER**
> The answer is not total deprivation. Extreme restriction tends to backfire. Moderate, repeatable boundaries beat a dramatic purge that collapses on day three.

TRY IT · PICK ONE BOUNDARY

My boundary: _____

It starts at (time): _____

Instead, I'll: _____

PART TWO

Your 21-Day Experiment

Design one small habit, take an honest baseline, then move through three weeks of noticing, redesigning and committing.

— Designing Your 21-Day Experiment
— Habit Audit: Where You Are Starting From
— Day 1–7: Noticing Your Loops
— Day 8–14: Rewriting the Routine
— Day 15–21: Locking In Your Identity



CHAPTER 7

Designing Your 21-Day Experiment

The most common beginner mistake is trying to fix everything at once. Choose one main habit, and at most one support habit.

A good starting framework

1. **Choose one habit** that would create a noticeable benefit.
2. **Define the identity** behind it: who is the person who does this?
3. **Shrink the action** until it feels almost too small to fail.
4. **Attach it** to something you already do each day (your anchor).

Identity statements

- "I am becoming someone who starts the day intentionally."
- "I am becoming someone who moves daily."
- "I am becoming someone who can sit with discomfort without escaping into my phone."

Minimum viable habits

- Two minutes of journaling.
- A five-minute walk after lunch.
- One mindful breath before opening any app.
- One paragraph of writing before checking messages.

KEY IDEA

Small does not mean meaningless. Small means repeatable.

The worst-day question

Ask: *"What would make this habit hard on my worst day?"* Then design around the answer in advance. If mornings are chaotic, move the habit later. If evenings are exhausting, make the minimum version lighter.

TRY IT · YOUR MINIMUM VIABLE HABIT

Identity: "I am becoming someone who..." _____

Habit: "Each day I will..." _____

Smallest version (for hard days): _____

Anchor: "After I... I will..." _____

What would make this hard on my worst day? _____

CHAPTER 8

Habit Audit: Where You Are Starting From

Before you upgrade a routine, see what is already happening. A baseline beats a vague impression.

Score each area honestly with a quick circle: **working well**, **inconsistent** or **draining me**. This stops "my whole life feels off" from being one giant problem. Once the categories are visible, change becomes specific, and specific problems are easier to solve than generalised frustration.

Area	Ask yourself	Working well	Inconsistent	Draining me
Morning routine	How do the first 30 minutes of my day usually go?	◯	◯	◯
Work & focus	Can I start, concentrate and stop well?	◯	◯	◯
Food & caffeine	Do I eat and drink in a steady, supportive way?	◯	◯	◯
Movement	Does my body get moved most days?	◯	◯	◯
Evening wind-down	How do I end my day?	◯	◯	◯
Sleep	Is my sleep timing and quality reasonably steady?	◯	◯	◯
Stress escape routes	What do I do to get away from stress or feelings?	◯	◯	◯

TRY IT · WHAT STANDS OUT?

Biggest drain: _____

Something already working that I can build on: _____

Where my chosen habit fits: _____

CHAPTER 9

Day 1–7: Noticing Your Loops

The first week is about awareness, not performance. Observe without overreacting.

Your aim is to understand your current patterns *before* trying to replace them. Each evening, answer these prompts about one moment when the habit showed up:

- What triggered this behaviour?
- What was I feeling just before it happened?
- What need was the behaviour trying to meet?
- What happened afterwards: relief, guilt, numbness, more craving?

This week often brings an important emotional shift. Instead of "I have no discipline," you begin to see specific patterns: boredom after work, loneliness late at night, avoidance before a difficult task, mindless eating when overstimulated. That clarity reduces shame and creates leverage.

> **REMEMBER**
> Awareness can briefly feel uncomfortable. Once an old loop is visible it is harder to pretend not to see it. That discomfort is not failure; it is a sign the autopilot layer is starting to weaken.


Week 1 log

Day	What triggered it?	What was I feeling?	What need did it meet?	Afterwards?
Day 1				
Day 2				
Day 3				
Day 4				
Day 5				
Day 6				
Day 7				

CHAPTER 10

Day 8–14: Rewriting the Routine

Once the loops are visible, don't fight every urge head-on. Redesign the response so the same need is met more usefully.



Each old loop meets a real need, so the new response has to meet it too.

Old loop	What it gives	New response
Doom-scrolling at night	Escape, decompression	Phone in another room, shower, tea, 10 pages of reading
Stress snacking mid-afternoon	Stimulation, comfort	Protein snack, water, 5-minute walk
Avoiding a hard task	Relief from anxiety	5-minute starter sprint, then reassess
Your loop:		
Your loop:		

Implementation intentions

An implementation intention is a pre-decided "if–then" plan. Research on these plans (Gollwitzer) shows they improve follow-through because the decision is already made when you're tired or tempted.

> EXAMPLE
> "If I feel the urge to scroll after dinner, then I will stand up, plug my phone in the kitchen, and sit down with my journal for two minutes."

Substitution before elimination

It is usually easier to replace a behaviour than to remove it and leave nothing in its place. You do better when your nervous system still feels supported while the routine changes.

TRY IT · WRITE TWO IF–THEN PLANS

If (situation or urge)... _____

Then I will... _____

If (situation or urge)... _____

Then I will... _____

Week 2 log

Day	Old loop that showed up	New response I tried	How did it go?
Day 8			
Day 9			
Day 10			
Day 11			
Day 12			
Day 13			
Day 14			

CHAPTER 11

Day 15–21: Locking In Your Identity

By week three the battle is no longer knowing what to do. It is keeping belief on imperfect days.

Identity-based habit change works because actions stop being isolated chores and become **evidence**. A short walk is no longer "just a walk"; it is proof that you are someone who takes care of your body. Writing one page is proof that you are someone who shows up.

Practical identity prompts

- What kind of person would naturally do this habit?
- What did today's action prove about that identity?
- What is the smallest action that still counts as a vote for who I want to become?

> **REMEMBER**
> You don't need hype this week. You need reinforcement that **imperfect consistency still counts**.

A closing question for this phase

"If I kept living this way for six months, who would I become?"

Week 3 log

Day	The action I took (even the smallest version)	What it proves about who I'm becoming
Day 15		
Day 16		
Day 17		
Day 18		
Day 19		
Day 20		
Day 21		

TRY IT · WEEK 3 CHECK-IN

Which identity statement feels stronger now? _____

What would I tell myself on a hard day? _____

What do I want to carry past Day 21? _____

PART THREE

Support Systems


Habits don't live in isolation. Strengthen the body, the schedule, your inner voice and your people.

- Fuel, Sleep & Movement for Better Habits
- Using Whey Protein (and Other Nutrition Basics)
- Productivity Systems That Support Your New Habits
- Emotional Resistance, Shame & Self-Talk
- When You Slip: How to Reset Without Shame
- ADHD, Anxiety & "Different" Brains
- Building Support: Friends, Community & the Internet

CHAPTER 12

Fuel, Sleep & Movement for Better Habits

A dysregulated body has a harder time supporting a regulated life.



Sleep, movement and fuel work together as foundations.

Habit change gets harder when you are running on poor sleep, unstable energy and low movement. Think of these as foundational levers, not optional extras. You don't need a perfect wellness routine; you need enough physical stability to make better choices slightly easier.

ANCHOR 1

Sleep rhythm

Keep a reasonably consistent bedtime and wake time when possible.

ANCHOR 2

Movement

A daily walk or short training session supports mood and follow-through.

ANCHOR 3

Steady fuel

Regular balanced meals help you avoid the cravings and irritability of long gaps.

Treat these as support habits rather than side quests. If sleep improves, cravings often ease. If movement improves, mood and focus often improve. If eating is steadier, emotional impulses become easier to interrupt.

SCIENCE NOTE

Sleep guidance for adults generally recommends **7 or more hours**, and the WHO suggests at least 150 minutes of moderate activity a week. Those are long-term targets. In this reset, a five-minute walk still counts.

TRY IT · CHOOSE YOUR ANCHORS

Target bedtime / wake time: _____


Daily movement I'll do: _____

First meal anchor (what / when): _____

CHAPTER 13

Using Whey Protein (and Other Nutrition Basics)

The goal isn't a diet manual. It is a few high-leverage habits that support energy, fullness and recovery.



The three main types of whey protein compared (costs shown in £).

Food first. Protein supports muscle maintenance, fullness and steadier energy, and most people can get it from meals. A powder is a convenient tool, not a requirement or a magic fix.

> SCIENCE NOTE
> Evidence that protein powder itself reduces fatigue or boosts performance is modest and mostly applies when overall intake is low or when training regularly. The practical benefits are convenience and fullness.

A concise whey guide

Type	Best for	Trade-offs
Concentrate	Most beginners: affordable, tastes good	Contains some lactose
Isolate	Lower lactose; more protein per serving	Costs more
Hydrolysate	Niche uses; very fast digesting	Most expensive; rarely necessary
Plant blend	Dairy-free or vegan diets	Taste and texture vary

A simple habit rule: **anchor protein to an existing point in your day**: breakfast, after a workout, or the afternoon slot when cravings usually rise.

A short food framework

- Start the day with protein and fluids.
- Don't rely entirely on caffeine for energy.
- Keep one easy high-protein option available.
- After a messy eating day, make the next meal a stabiliser, not a punishment.

TRY IT · YOUR PROTEIN ANCHOR

When I'll have protein (time / meal): _____

My easy high-protein option: _____

SAFETY NOTE

Choose products that are independently tested and check labels for allergens. Speak to your GP or a registered dietitian first if you have a kidney condition, are pregnant, have allergies or take medication. If tracking food makes you anxious, or you have a history of disordered eating, skip this chapter's supplement focus and speak to a qualified clinician.

CHAPTER 14

Productivity Systems That Support Your New Habits

Even strong intentions fade in a messy day. A few simple systems protect them.

A habit lives inside a day full of friction, distractions, work demands and shifting emotions. Simple systems reduce that load:

- **Choose three most important tasks** each morning.
- Put the most meaningful task before reactive work if possible.
- Use **60–90 minute focus blocks**.
- Build in intentional breaks rather than waiting for your attention to collapse.

Phone-free starts

Many people find that a phone-free start helps: no immediate scrolling, no random inbox checking, and no beginning the day by reacting to everyone else's priorities. Even a short window of intention can shape the rest of the day.

KEY IDEA

The default next step. Before you stop work, write one clear next action. Re-entry is easier tomorrow, avoidance drops, and small planning habits protect larger ones.

TRY IT · PLAN TOMORROW

Task 1: _____

Task 2: _____

Task 3: _____

My default next step: _____

CHAPTER 15

Emotional Resistance, Shame & Self-Talk

Many habit problems aren't logistical. They're emotional.

You often know what would help. But the moment you try to change, resistance shows up as dread, guilt, numbness or self-criticism. Shame rarely produces stable change: it may create short bursts of urgency, but over time it fuels avoidance and collapse. **Supportive self-observation is usually more effective than inner aggression.**

Your inner voice is part of your environment too. If every slip triggers "I always mess this up," your emotional environment becomes hostile. If the response is "That didn't work; what would help next time?" it becomes workable.

Useful reframes

Instead of...	Try...
"I failed again."	"I found the point where the system broke."
"I need more discipline."	"I need less friction."
"I ruined the day."	"The next decision still counts."

TRY IT · YOUR OWN REFRAME

A harsh thing I say to myself: _____

A kinder, more useful version: _____

CHAPTER 16

When You Slip: How to Reset Without Shame

You will almost certainly slip. Plan for it now, while you're calm.

One missed day is not the problem. The damaging pattern is turning one miss into a full collapse through self-criticism and all-or-nothing thinking. The point is not to become someone who never slips; it is to become **someone who returns more quickly**.

> *"Missing once is information. Missing twice is a pattern."*

A short reset process

1. **Name what happened** without drama.
2. **Identify the trigger** or condition that made the slip more likely.
3. **Decide what to change** next time.
4. **Do the smallest version** of the habit as soon as possible.

TRY IT · YOUR SLIP PLAN

My most likely slip: _____

What usually triggers it: _____

My smallest-version restart: _____

Who I'll tell: _____

CHAPTER 17

ADHD, Anxiety & "Different" Brains

Effective habit systems fit the brain and life in front of you, not an imaginary ideal version of you.

Not everyone struggles for the same reason. Executive dysfunction, time blindness, anxiety, depression and trauma all change how habits feel in real life. Advice that sounds simple on paper can be much harder in practice for neurodivergent people or anyone under significant mental strain.

Term	What it means in plain English
Executive dysfunction	Difficulty starting, planning, organising or switching tasks, even when you want to.
Time blindness	Trouble sensing how much time has passed or how long something will take.
Body doubling	Working alongside another person (in person or online) to stay on task.

Adaptations worth normalising

- Micro-steps instead of large goals.
- Visual reminders instead of relying on memory.
- Body doubling or accountability support.
- Shorter work intervals and gentler restart plans.

Consistency may look different for different people. For one person it means daily action. For another it means restarting faster and shortening the length of derailments. **Both are progress.**

> SAFETY NOTE
> This workbook can't diagnose or treat ADHD, anxiety or depression. If you suspect ADHD, or anxiety or low mood is affecting daily life, ask your GP or another qualified clinician about assessment and support. Habit tools work best alongside proper care.

TRY IT · ADAPT IT TO YOUR BRAIN

What makes starting hard for me? _____

What makes remembering hard for me? _____

One adaptation I'll try: _____

CHAPTER 18

Building Support: Friends, Community & the Internet

People change more easily when they feel seen, encouraged and less alone.

Support can look very simple:

- One trusted person who knows your goal.
- A daily text check-in.
- A shared challenge with a friend.
- An online community used for accountability rather than comparison.

> **SAFETY NOTE**
> Communities can help, but they can also intensify shame when you compare your inner life to other people's highlight reels. Use them selectively and intentionally, not as passive scrolling.

A useful guideline: choose communities that increase **honesty** rather than **performance**. You'll usually benefit more from spaces where people discuss setbacks, routines and realistic wins than from spaces built entirely around image or intensity.

TRY IT · CHOOSE YOUR SUPPORT

Who I'll ask: _____

What I'll ask them to do: _____

How often we'll check in: _____

TRY IT · DRAFT YOUR CHECK-IN MESSAGE

Try: "Day __: I did my smallest version / I missed, restarting tomorrow."

_____

_____

PART FOUR

Beyond & Tools

Turn a reset into a lifestyle, then keep these templates, trackers and reflections close.

- Life After 21 Days: Turning a Reset Into a Lifestyle
- Quick Reference: Prompts & Templates
- 21-Day Habit Tracker
- Sources & Important Notes



CHAPTER 19

Life After 21 Days: Turning a Reset Into a Lifestyle

The real win isn't merely completing 21 days. It is learning how to notice, interrupt, redesign and repeat.

Long-term change usually comes from **extending one or two core habits for another 60 to 90 days**, then gradually layering in new behaviours once the first ones feel more stable. That timeline matches what habit research suggests about how long automaticity really takes.

A closing framework

1. **Keep the current anchor habit going.**
2. **Review** what made it easier or harder.
3. **Add one new support habit** only when you're ready.
4. **Repeat the reset process** when life changes or routines slip.

> **REMEMBER**
> Sustainable change is built through **rhythm, not intensity**. You don't need to become a different person overnight; you need enough repeated proof that change is possible. Once that proof accumulates, motivation often follows action rather than the other way around.

TRY IT · YOUR NEXT 60–90 DAYS

The habit I'll keep going: _____

What I'll review each week: _____

Support habit to add when ready: _____

CHAPTER 20

Quick Reference: Prompts & Templates

Photocopy, print or re-use these as often as you need.

TRY IT · DAILY PROMPT SET

What did I notice today before the habit happened?

What feeling or need was present?

What response did I choose?

What would make tomorrow 10 percent easier?

TRY IT · MINIMUM VIABLE HABIT TEMPLATE

Identity: "I am becoming someone who..."

Habit: "Each day I will..."

Smallest version (for hard days):

Anchor: "After I... I will..."

Weekly reflection

TRY IT · WEEK 1

What helped most this week?

Where did friction show up?

What old loop is weaker than seven days ago?

What would make next week simpler?

TRY IT · WEEK 2

What helped most this week?

Where did friction show up?

What old loop is weaker than seven days ago?

What would make next week simpler?

TRY IT · WEEK 3

What helped most this week?

Where did friction show up?

What old loop is weaker than seven days ago?

What would make next week simpler?

21-day review

TRY IT · LOOK BACK

Which habit changed the most?

Which trigger still needs work?

What support system helped most?

What will continue for the next 30 days?

CHAPTER 21

21-Day Habit Tracker

Track up to three habits. Shade or tick each box. A missed box is information, not failure.

HABIT 1 _____

Week 1	1	2	3	4	5	6	7
Week 2	8	9	10	11	12	13	14
Week 3	15	16	17	18	19	20	21

HABIT 2 _____

Week 1	1	2	3	4	5	6	7
Week 2	8	9	10	11	12	13	14
Week 3	15	16	17	18	19	20	21

HABIT 3 _____

Week 1	1	2	3	4	5	6	7
Week 2	8	9	10	11	12	13	14
Week 3	15	16	17	18	19	20	21

Notes: _____

Reward: _____

CHAPTER 22

Sources & Important Notes

Where the ideas come from, and where this workbook's limits are.

Medical disclaimer

This workbook is based on current research and practical behaviour-change principles, but it is for **educational purposes only**. It is not medical advice and does not replace guidance from a qualified health professional. If you have significant mental health symptoms, eating concerns, medical conditions or persistent distress, please seek individual care from an appropriate clinician.

> **IF YOU NEED URGENT SUPPORT**
>
> If you feel unsafe or in crisis, contact your local emergency services or a crisis line. In the UK and Ireland you can call Samaritans free on **116 123**; in the US you can call or text **988**.

Sources & further reading

- Lally, P., van Jaarsveld, C., Potts, H. & Wardle, J. (2010). How are habits formed: modelling habit formation in the real world. *European Journal of Social Psychology*, 40(6), 998–1009.
- Gollwitzer, P. M. (1999). Implementation intentions: strong effects of simple plans. *American Psychologist*, 54(7), 493–503.
- Segal, Z., Williams, M. & Teasdale, J. *Mindfulness-Based Cognitive Therapy for Depression* (Guilford Press).
- Clear, J. (2018). *Atomic Habits*. Fogg, B. J. (2019). *Tiny Habits*. Duhigg, C. (2012). *The Power of Habit*.
- World Health Organization (2020). *Guidelines on physical activity and sedentary behaviour*.
- Watson, N. F. et al. (2015). Recommended amount of sleep for a healthy adult (AASM & Sleep Research Society consensus statement).