



LHE

Environmental
Hydraulics
Laboratory

Hyporheic flow and velocity distribution

Axel Giboulot

Supervised by Christophe Ancey


École Polytechnique Fédérale de Lausanne

September 1, 2026

Flow resistance


According to the (Gauckler-)Manning(-Strickler) formula, the bed's shear resistance is :

$$\tau_p = \frac{\varrho g}{K^2} \frac{\bar{u}^2}{h^{1/3}}$$



- ϱ : the fluid's density,
- g : the gravitational acceleration,
- K : a calibrated coefficient (depends on roughness),
- $\bar{u}$: the mean flow speed and
- h : the flow depth.

(Gauckler-)Manning(-Strickler)'s validity domain





Recking et al., "Feedback between bed load transport and flow resistance in gravel and cobble bed rivers"


Ferguson and Recking, "Flow Resistance and Hydraulic Geometry in Gravel-And Boulder-Bed Rivers"

Chen et al., "Rough Correlations: Meta-Analysis of Roughness Measures in Gravel Bed Rivers"

Velocity profile in steep gravel bed rivers




Velocity profile in steep gravel bed rivers



How can hyporheic flow be included ?

Representative Elementary Volume





$$\varrho \frac{\partial u}{\partial t} + \varrho (u \cdot \nabla) u = \varrho g - \nabla p + \nabla \cdot (\tau_v + \tau_t), \quad u \leftarrow \frac{1}{V} \int_V u \, dV$$

$$\varrho \frac{\partial u}{\partial t} + \varrho (u \cdot \nabla) u = \varrho g - \nabla p + \nabla \cdot (\tau_v + \tau_t + \tau_d) + \epsilon f - \mu \nabla u \nabla \epsilon$$

Steady-state uniform flow equation

A single ODE



$$0 = \epsilon \rho g i + \frac{d(\tau_v + \tau_t + \tau_d)}{dz} + \epsilon f - \mu \frac{du}{dz} \frac{d\epsilon}{dz}$$

Differential equation to solve

$$0 = \epsilon \rho g i + (\tau_v + \tau_t + \tau_d)' + \epsilon f - \mu u' \epsilon'$$

With closures for τ_t , τ_d and f :

$$\begin{cases} \tau_t = \rho \epsilon \kappa^2 Z_{LS}^2 \left(1 - e^{-\sqrt{\frac{Z_{LS} u}{\nu A_*^2}}} \right)^2 u'^2, \\ \tau_d = \rho \epsilon \lambda d_p \frac{1-\epsilon}{1-\epsilon_b} u u', \\ f = -\rho \nu A_E \left(\frac{1-\epsilon}{\epsilon d_p} \right)^2 u - \rho B_E \frac{1-\epsilon}{d_p} u^2. \end{cases}$$

$$\Rightarrow 0 = \underbrace{c_0 + c_1 u' + c_2 u'^2 + c_3 u'^3}_{\text{Trinomial of } u'} + \overbrace{c_4 u' u'' + c_5 u''^2}^{\text{Affine of } u''}$$


Trinomial of u'

$$c_i = c_i(z, u)$$

Approximate analytical solution

Asymptotic expansions

$$u_i = u_i^{(0)} + \alpha_i u_i^{(1)} + O(\alpha_i^2)$$



Conclusion

- Hyporheic flow reduces the derivative of the velocity profile.
- Volume averaging transforms the biphasic media into a continuous porous media.
 - Yields a single ODE valid over the entire depth.
- ↪ Current step : deriving the matched asymptotic expansions of the velocity profile's ODE.

References



Chen, Xingyu et al. “Rough Correlations: Meta-Analysis of Roughness Measures in Gravel Bed Rivers”. In: *Water Resources Research* 56.8 (2020). e2020WR027079
2020WR027079, e2020WR027079. DOI: <https://doi.org/10.1029/2020WR027079>.



Ferguson, Rob and Alain Recking. “Flow Resistance and Hydraulic Geometry in Gravel-And Boulder-Bed Rivers”. In: *Water Resources Research* 61.3 (2025),
e2024WR038852. DOI: <https://doi.org/10.1029/2024WR038852>.



Gauckler, Philippe. “Du mouvement de l’eau dans les conduites.”. In: *Annales des ponts et chaussées. Mémoires et documents relatifs à l’art des constructions et au service de l’ingénieur*. XV.180 (1868), pp. 229–281.



Nikora, Vladimir et al. “Spatially Averaged Open-Channel Flow over Rough Bed”. In:
Journal of Hydraulic Engineering 127.2 (2001), pp. 123–133. DOI:
10.1061/(ASCE)0733-9429(2001)127:2(123).



Recking, A. et al. “Bed-Load Transport Flume Experiments on Steep Slopes”. In: *Journal of Hydraulic Engineering* 134.9 (2008), pp. 1302–1310. DOI:
10.1061/(ASCE)0733-9429(2008)134:9(1302).



— . “Feedback between bed load transport and flow resistance in gravel and cobble bed rivers”. In: *Water Resources Research* 44.5 (2008). DOI:
<https://doi.org/10.1029/2007WR006219>.



Rousseau, G. and C. Ancey. “An experimental investigation of turbulent free-surface flows over a steep permeable bed”. In: *Journal of Fluid Mechanics* 941 (2022), A51. DOI:
10.1017/jfm.2022.310.